

BIBLIOGRAPHY

นันทวน บุณยะประภัศร และ อรนุช โชคชัยเจริญพร, 2539. สมุนไพรไม้พื้นบ้าน เล่ม 1, 2, 5.
กรุงเทพมหานคร: บริษัทประชาชน จำกัด.

มาโนชน์ วามานนท์ และ เพ็ญนภา ทรัพย์เจริญ. 2537. ยาสมุนไพรสำหรับงานสาธารณสุขมูล-
ฐาน. กรุงเทพมหานคร: โรงพิมพ์องค์การส่งเสริมระหว่างประเทศผ่านศึก.

ลักษณ์ บุญรัตนกรกิจ และ ณนอมจิต สุภาวดี. 2528. ชื่อพืชสมุนไพรและประโภชน์. (ไม่ระบุ
แหล่งพิมพ์)

Ahmad, I. and Beg, A.Z. 2001. Antimicrobial and phytochemical studies on 45 Indian medicinal plants against multi-drug resistant human pathogens. Journal of Ethnopharmacology 74: 113-123.

Akhtar, M.S., Khan, M.A. and Malik, M.T. 2002. Hypoglycaemic activity of *Alpinia galanga* rhizome and its extracts in rabbits. Fitoterapia 73: 623-628.

Archararit, C., Panyayong, W. and Ruchatakornut, E. 1984. Antifungal activity of some Thai medicinal plants. Special project for the degree of B. Sc. (Pharm.), Faculty of Pharmacy, Mahidol University.

Atta, A.H. and Alkofahi, A. 1998. Anti-nociceptive and anti-inflammatory effects of some Jordanian medicinal plant extracts. Journal of Ethnopharmacology 60: 117-124.

Azadirachta indica. Land & House Public Company Limited [online]. Available, <http://www.homedd.com/garden/province/uthai> [cite 2007 Mar 30].

Bendjeddou, D., Lalaoui, K. and Satta, D. 2003. Immunostimulating activity of the hot

- water-soluble polysaccharide extracts of *Anacyclus pyrethrum*, *Alpinia galanga* and *Citrullus colocynthis*. Journal of Ethnopharmacology 88: 155-160.
- Biswas, K., Chattopadhyay, I., Ranajit K.B. and Bandyopadhyay, U. 2002. Biological activities and medicinal properties of neem (*Azadirachta indica*). Current Science 82: 1336-1345.
- Brand, B., Gilbert, R., Baler, M.D., Poncet, M., Greenspan, A., Georgeian, K. and Soloff, A. 2003. Cumulative irritancy comparison of adapalene gel 0.1 % versus other retinoid products when applied in combination with topical antimicrobial agents. Journal of American Academy of Dermatology 49: 227-232.
- British Pharmacopoeia commission. 2001. British Pharmacopoeia, vol. 1, The stationery office, London, United kingdom.
- Burkill, I.H. 1951. Dioscoreaceae. Flora Malihaina 1: 305.
- Cinnamomum verum*. Pacific Island Ecosystems at Risk (PIER) [online]. Available, http://www.hear.org/pier/species/cinnamomum_verum.htm [cited 2007 Feb 11].
- Cinnamomum verum*. Top Tropical Botanical Garden [online]. Available, http://www.toptropicals/plant_wk/cinnamon.htm [cited 2007 Feb 11].
- Choi, E.M. and Hwang, J.K. 2005. Effects of *Morus alba* leaf extract on the production of nitric oxide, prostaglandin E2 and cytokines in RAW264.7 macrophages. Fitoterapia 76: 608-613.
- Dean, S.G., Noble, R.C., Hiltunen, R., Wuryani, W. and Penzes, L.G. 1995.

- Antimicrobial and antioxidant properties of *Syzygium aromaticum* (L.) Merr.& Perry impact upon bacteria, fungi and fatty acid levels in aging mice. Flavour Fragrance Journal 10: 323-328.
- Farnsworth, N.R. and Bunyapraphatsara, N. 1992. Thai medicinal plant, recommended for primary health care system. Bangkok: Prachachon.
- Ficker, C.E., Smith, M.L., Susiarti, S., Leaman, D., Irawati, C. and Arnason, J.T. 2003. Inhibition of human pathogenic fungi by members of Zingiberaceae used by the Kenyah (Indonesian Borneo). Journal of Ethnopharmacology 85: 289-293.
- Fitzpatrick, T. B., Eisen, A.Z., Wolff, K., Freedberg, I.M. and Austen, K.F. 1979. Dermatology in General Medicine, 2nd edition. Newyork: Mc Graw-Hill Book company.
- Gans, E.H. and Kligman, A.M. 2002. Comparative efficacy of clindamycin and benzoyl peroxide for *in vivo* suppression of *Propionibacterium acnes*. Journal of Dermatology Treatment 13:107-110.
- Gollnick, H., Cunliff, W. and Berson, D. 2003. Management of acne: a report from a global alliance to improve outcomes in acne. Journal of the American Academy of Dermatology 49: 1-37.
- Janssen, A.M. and Scheffer, J.J.C. 1985. Acetoxychavicol acetate, an antifungal component of *Alpinia galanga*. Planta Medica 51:507-511.
- Hamnerius, N. 1996. Acne-aetiology and pathogenesis. Treatment of Acne 32: 29-38.

- Herbs and AIDS. AIDS Thai Organization [online]. Available,
<http://www.aidsthai.org/webadmin/images/kc> [cited 2007 Jan 23].
- Hersch-Martinez, P., Leanos-Miranda, B.E. and Solorzano-Santos, F. 2005. Antibacterial effects of commercial essential oils over locally prevalent pathogenic strains in Mexico. *Fitoterapia* 76: 453-457.
- Hwang, J.K., Chung, J.Y., Baek, N.I and Park, J.H. 2004. Isopanduratin A from *Kaempferia pandurata* as an active antibacterial agent against cariogenic *Streptococcus mutans*. *International Journal of Antimicrobial Agents* 23: 377-381.
- Ibrahim, D and Osman, H. 1995. Antimicrobial activity of *Cassia alata* from Malaysia. *Journal of Ethnopharmacology* 45: 151-156.
- Ingham, E., Eady, E.A. and Goodwin, C.E. 1992. Pro-inflammatory levels of interleukin-1-alpha like bioactivity are present in the majority of open comedones in acne vulgaris. *Journal of Investigative Dermatology* 98: 895-901.
- Itharat, A. 2002. Studies on bioactivity and compound of five Thai medicinal plants called 'Hua-khao-yen'. Pharmacognosy Research Laboratories. Department of Pharmacy. King's College London. University of London.
- Itharat, A., Plubrukarn, A. Kongsaeree, P., Bui, T., Keawpradub, N. and Houghton, P.J. 2003. Dioscorealides and Dioscoreanone, Novel Cytotoxic Naphthofuranoxepins, and 1,4-Phenanthraquinone from *Dioscorea membranacea* Pierre. *Organic Letter* 5: 2879-2882.
- Itokawa, H., Morita, H., Sumitomo, T., Totsuka, N. and Takeya, K. 1987. Antitumor principles from *Alpinia galanga*. *Planta Medica* 53: 32-33.

Juntachote, T. and Berghofer, E. 2005. Antioxidative properties and stability of ethanolic extracts of Holy basil and Galagal. Food Chemistry 92: 193-202.

Kondo, A., Ohigashi, H., Murakami, A., Suratwadee, J. and Koshimitzu, K. 1993. 1'-Acetoxychavicol acetate as a potent inhibitor of tumor promoter-induced Epstein-Barr virus activation from *Laguas galanga*, a traditional Thai condiment. Bioscience, Biotechnology and Biochemistry 57: 1344-1345.

Kubota, K., Ueda, Y., Yasuda, M. and Masuda, A. 2001. Occurrence and antioxidative activity of 1'-acetoxychavicol acetate and its related compounds in the rhizomes of *Alpinia galanga* during cooking. Special Published by the Royal Society of Chemistry 274:601-607.

Lalla, J.K., Nandedkar, S.Y., Paranjape, M.H. and Talreja, N.B. 2001. Clinical trials of ayurvedic formulations in the treatment of acne vulgaris. Journal of Ethnopharmacology 78: 99-102.

Lertsatitthanakorn, P., Taweechaisupapong, S., Aromdee, C. and Khunkitti, W. 2006. In vitro bioactivities of essential oils used for acne control. The International Journal of Aromatherapy 16: 43-49.

Lee, C.C. and Houghton, P. 2005. Cytotoxicity of plants from Malaysia and Thailand used traditionally to treat cancer. Journal of Ethnopharmacology 100: 237-243.

Lee, D.J., Van Dyke, G.S. and Kim, J. 2003. Update on the pathogenesis and treatment of acne. Current Opinion in Pediatrics 15: 405-410.

Lesions of acnes. Genomine [online]. Available, http://www.selebean.com/acne_sorts.php [cite 2006 Sep 9].

Leyden, J.J. 1995. New understandings of the pathogenesis of acne. Journal of the American Acadamy of Dermatology 32:15-25.

Lorian, V. 1996. Antibiotics in Laboratory Medicine, 4th ed, Williams&Wilkin, New York: 1-111.

Matsuda, H., Morikawa, T., Managi, H. and Yoshikawa, M. 2003a. Antiallergic principles from *Alpinia galanga*: structural requirements of phenylpropanoids for inhibition of degranulation and release of TNF- α and IL-4 in RBL-2H3 cells. Bioorganic & Medicinal Chemistry Letters 13: 3197-3202.

Matsuda, H., Pongpiriyadacha, Y., Morikawa, T., Ochi, M. and Yoshikawa, M. 2003b. Gastroprotective effects of phenylpropanoids from the rhizomes of *Alpinia galanga* in rats: structural requirements and mode of action. European Journal of Pharmacology 471: 59-67.

Melendez, P.A. and Capriles, V.A. 2006. Antibacterial properties of tropical plants from Puerto Rico. Phytomedicine 13: 272-276.

Moffatt, J., Hashimoto, M., Kojima, A., Kennedy, D.O., Murakami, A., Koshimizu, K., Ohigashi, H. and Matsui-Yuasa, I. 2000. Apoptosis induced by 1'-acetoxychavicol acetate in Ehrlich ascites tumor cells is associated with modulation of polyamine metabolism and caspase-3 activation. Carcinogenesis 21: 2151-2157.

Mokkhasmit, M., Sawasdimongkol, K. and Satravaha, P. 1971. Toxicity study of Thai medicinal plants. Bulletin of the Department of Medical Science 12: 36-66.

Mother Herbs & Agro Products. India Mart Inte Mesh Limited [online]. Available, http://www.motherherbs.com/morus_alba.html [cite 2007 Feb 11].

- Toshio, M., Shin, A., Hisashi, M., Shinya, K., Osamu, M. and Masayuki, Y. 2005. Inhibitors of nitric oxide production from the rhizomes of *Alpinia galanga*: structures of 8-9' linked neolignans and sesquineolignan. *Chemical & Pharmaceutical Bulletin* 53: 625-630.
- National Committee for Clinical Laboratory Standards. 1993. Performance standards for antimicrobial disc susceptibility tests. Approved standard M2-M5. National committee for Clinical Laboratory Standards, Vilanova, Pa.
- Nakamura, Y., Murakami, A., Ohto, Y., Torikai, K., Tanaka, T. and Ohigashi, H. 1998. Suppression of tumor promoter-induced oxidative stress and inflammatory responses in mouse skin by a superoxide generation inhibitor 1'-acetoxychavicol acetate. *Cancer Research* 58:4832-4839.
- Navarro, V., Villarreal, M.L., Rojas, G. and Lozoya, X. 1996. Antimicrobial evaluation of some plants used in Mexican traditional medicine for the treatment of infectious diseases. *Journal of Ethnopharmacology* 53: 143-147.
- Noro, T., Sekiya, T., Katoh, M., Oda, Y., Miyase, T., Kuroyanagi, M., Ueno, A. and Fukushima, S. 1988. Inhibitors of xanthine oxidase from *Alpinia galanga*. *Chemical & Pharmaceutical Bulletin* 36: 244-248.
- Oonmetta-aree, J., Suzuki, T., Gasaluck, P., and Eumkeb, G. 2006. Antimicrobial properties and action of galangal (*Alpinia galanga* Linn.) on *Staphylococcus aureus*. *LWT-Food Science and Technology* 39: 1214-1220.
- Ozkan, M., Durmaz, G., Sabuncu, I., Saracoglu, N., Akgun, Y. and Urer, S.M. 2000. Clinical efficacy of topical clindamycin phosphate and azelaic acid on acne vulgaris and emergence of resistant coagulase-negative staphylococci. *Turkish Journal of Medicinal Science* 30: 483-487.

- Paiva, S.R., Figueiredo, M.R., Arag , T.V. and Kaplan, M.A.C. 2003. Antimicrobial activity *in vitro* of plumbagin isolated from *Plumbago* Species. Memmorias do Instituto Oswaldo Cruz, Rio de Janeiro 98: 959-961.
- Poddar, G. and Mahato, S.B. 1988. A new limonoid from the leaves of *Azadirachta indica*. Acta Horticulturae 188: 145-149.
- Pongpaichit, S., Subhadhirasakul, S. and Wattanapiromsakul, C. 2005. Antifungal activities of extracts from Thai medicinal plants against opportunistic fungal pathogens associated with AIDS patients. Mycoses 48: 333-338.
- Ramji, N., Lyer, R. and Chandrasekaran, S. 2002. Phenolic antibacterials from *Piper betle* in the prevention of halitosis. Journal of Ethnopharmacology 83: 149-152.
- Rieger, M.M. 1976. Emulsions, In The Theory and Practice of Industrial Pharmacy, 2nd ed, pp. 184-214. Lachman, L. *et al.*, eds. Philadelphia: Lea & Febiger.
- Rompelberg, C.J.M., Stenhvis, W.H. and De Vogel, N. 1995. Antimutagenicity of eugenol in the rodent bone marrow micronucleus test. Mutation Research 3462: 69-75.
- Saetung, A., Itharat, A., Dechsukum, C., Wattanapiromsakul, C., Keawpradub, N. and Ratanasuwan, P. 2005. Cytotoxic activity of Thai medicinal plants for cancer treatment. Songklanakarin Journal of Science Technology 27: 469-478.
- Sattar, M.A., Abdullah, N.A., Khan, A.H. and Noor, A. M. 2004. Evaluation of anti-fungal and anti-bacterial activity of a local plant *Rhinacanthus nasutus*. Journal of Biological Sciences 4: 498-500.
- Schmidt, L. and Joker, P. 2000. *Azadirachta indica* A. Juss. Seed Leaflet 12:1-2.

Senna alata. Medicinal Plant Information Center (MPIC) [online]. Available, <http://www.medplant.mahidol.ac.th/pubhealth..\pubhealth\cassiaal.html> [cite 2006 Jun 7].

Shukla, A., Rasik, A.M., Jain, G.K., Shankar, R., Kulshrestha, D.K. and Dhawan, B.N.

1999. *In vitro* and *in vivo* wound healing activity of asiaticoside isolated from *Centella asiatica*. Journal of Ethnopharmacology 95: 1-11.

Singh, S., Majumdar, D.K. and Rehan, H.M.S. 1996. Evaluation of anti-inflammatory potential of fixed oil of *Ocimum sanctum* (Holybasil) and its possible mechanism of action. Journal of Ethnopharmacology 54: 19-26.

Singha, P. K. and Roy, S. and Dey, S. 2003. Antimicrobial activity of *Andrographis paniculata*. Fitoterapia 74: 692-694.

Sohn, H.Y., Son, K.H., Kwon, C.S., Kwon, G.S and Kang, S.S. 2004. Antimicrobial and cytotoxic activity of 18 prenylated flavonoids isolated from medicinal plants: *Morus alba* L., *Morus mongolica* Schneider, *Broussnetia papyrifera* (L.) Vent, *Sophora flavescens* Ait and *Echinosophora koreensis* Nakai. Phytomedicine 11: 666-672.

Somchit, M.N., Reezal, I., Elysha Nur, I. and Mutualib, A.R. 2003. *In vitro* antimicrobial activity of ethanol and water extracts of *Cassia alata*. Journal of Ethnopharmacology 84: 1-4.

Song, J., Popovich, N.G. and Martin, R.W. 2004. Current trends in acne vulgaris therapy. Dermatology Trends 2: 136-157.

Swanson, I.K. 2003. Antibiotic resistance of *Propionibacterium acnes* in Acne vulgaris. Dermatology Nursing 5: 359-361.

- Talwar, G.P., Raghuvanshi, P., Misra, R., Mukherjee, S and Shah, S. 1997. Plant immunodulators for termination of unwanted pregnancy for contraception and reproductive health. *Immunology Cellular Biology* 75: 190-192.
- Tewtrakul, S. and Itharat, A. 2006. Anti-allergic substances from the rhizomes of *Dioscorea membranacea*. *Bioorganic & Medicinal Chemistry* 14:8707-8711.
- Umeshara, K., Takagi, B., Kuroyanagi, M., Uneo, A., Taki, T. and Chen, Y.T. 1992. Studies on differentiation inducing activities of triterpenes. *Chemical and Pharmaceutical Bulletin* 40: 401-405.
- Wang, H. and Ng, T.B. 2005. An antifungal protein from ginger rhizomes. *Biochemical and Biophysical Research Communications* 336: 100-104.
- Wannissorn, B., Jarikasem, S., Siriwangchai, T. and Thubthimthed, S. 2005. Antibacterial properties of essential oils from Thai medicinal plants. *Fitoterapia* 76: 233-236.
- Yang, X. and Eilerman, R.G. 1999. Pungent principal of *Alpinia galanga* (L.) Swartz and its applications. *Journal of Agriculture Chemistry* 47: 1657-1662.
- Zingiber officinale*. Medicinal Plant Information Center (MPIC) [online]. Available, <http://www.medplant.mahidol.ac.th/pubhealth/index.html> [cite 2006 Jun 7].
- Zheng, Q., Hirose, Y., Yoshimi, N., Murakami, A., Koshimizu, K., Ohigashi, H., Sakata, K., Matsumoto, Y., Sayama, Y. and Mori, H. 2002. Further investigation of the modifying effect of various chemopreventive agents on apoptosis and cell proliferation in human colon cancer. *Journal of Cancer Research and Clinical Oncology* 128: 539-546.