

## REFERENCES

- Abdullah, M.P., Yewa, C.H. and Ramli, M.S.B. 2003. Formation, modeling and validation of trihalomethanes (THM) in Malaysian drinking water: a case study in the districts of Tampin, Negeri Sembilan and Sabak Bernam, Selangor, Malaysia. *Water Res.*, **37**: 4637-4644.
- Albano, D.R. and Sevilla, F. 2007. Piezoelectric quartz crystal sensor for surfactant based on molecularly imprinted polypyrrole. *Sens. Actuators, B*, **121**(1): 129-134.
- Ansell, R.J. 2005. Molecularly imprinted polymers for the enantioseparation of chiral drugs *Adv. Drug Delivery Rev.*, **57**: 1809-1835.
- Baggiani, C., Trotta, F., Giraudi, G., Giovannoli, C. and Vanni, A. 1999. A molecularly imprinted polymer for the pesticide bentazone. *Anal. Commun.*, **36**: 263-266.
- Baker, R.W. 2004. Membrane Technology and Applications. *John Wiley & Sons, Ltd.* 6-8.
- Bergamini, M.F., Teixeira, M.F.S., Dockal, E.R., Bocchi, N. and Cavalheiro, E.T.G. 2006. Evaluation of Different Voltammetric Techniques in the Determination of Amoxicillin Using a Carbon Paste Electrode Modified with [*N,N*-ethylenebis(salicylideneaminato)] oxovanadium(IV). *J. Electrochem. Soc.*, **153**(5), E94-E98.
- Bodhibukkana, C., Srichana, T., Kaewnopparat, S., Tangthong, N., Bouking, P., Martin, G.P. and Suedee, R. 2006. Composite membrane of bacterially-derived cellulose and molecularly imprinted polymer for use as a transdermal enantioselective controlled-release system of racemic propranolol. *J. Controlled Release.*, **113**: 43-56.
- Bossi, A., Bonini, F., Turner, A.P.F. and Piletsky, S.A. 2007. Molecularly imprinted polymers for the recognition of proteins: The state of the art. *Biosens. Bioelectron.*, **22**: 1131-1137.

- Bossi, A., Piletsky, S.A., Piletska, E.V., Righetti, P.G., and Turner, A.P.F. 2001. Surface-Grafted Molecularly Imprinted Polymers for Protein Recognition. *Anal. Chem.*, **73**: 5281-5286.
- Brophy, K.S., Weinberg, H.S. and Singer, P.C. 2000. Quantification of nine haloacetic acids using gas chromatography with electron capture detection. *ACS Symposium Series*, **761**: 343-355.
- Careem, M. A., Velmurugu, Y., Skaarup, S. and West, K. 2006. A voltammetry study on the diffusion of counter ions in polypyrrole films. *J. Power Sources*, **159**(1), 210-214.
- Caroa, E., Marce, R.M., Cormack, P.A.G., Sherrington, D.C., Borrulla, F. 2004. A new molecularly imprinted polymer for the selective extraction of naproxen from urine samples by solid-phase extraction. *J. Chromatogr., B*, **813**: 137-143.
- Chakrabarti, S., Banerjee, D. and Bhattacharyya, R. 2002. Enhancement of Room Temperature Electrical Conductivity of Polypyrrole by Chemical Modification. *J. Phys. Chem. B*, **106**(12), 3061-3064.
- Chapuis, F., Mullot, J.U., Pichon, V., Tuffal, G. and Hennion, M.C. 2006. Molecularly imprinted polymers for the clean-up of a basic drug from environmental and biological samples. *J. Chromatogr., A*, **1135**: 127-134.
- Chen, Z., Takei, Y., Deore, B.A. and Nagaoka, T. 2000. Enantioselective uptake of amino acid with overoxidized polypyrrole colloid templated with L-lactate. *Analyst*, **125**: 2249-2254.
- Cheng, Z., Wang, E. and Yang, X. 2001. Capacitive detection of glucose using molecularly imprinted Polymers. *Biosens. Bioelectron.*, **16**: 179-185.

- Chianella, I., Piletsky, S.A., Tothill, I.E., Chen, B. and Turner, A.P.F. 2003. MIP-based solid phase extraction cartridges combined with MIP-based sensors for the detection of microcystin-LR. *Biosens. Bioelectron.*, **18**: 119-127.
- Dabeka, R.W., Conacher, H.B.S., Lawrence, J.F., Newsome, W.H., McKenzie, A., Wagner, H.P., Chadha, R.K.H. and Pepper, K. 2002. Survey of bottled drinking waters sold in Canada for chlorate, bromide, bromate, lead, cadmium and other trace elements. *Food Addit. Contam.*, **19**: 721-732.
- Dai, L., Soundarajan, P. and Kim, T. 2002. Sensors and sensor arrays based on conjugated polymers and carbon nanotubes. *Pure Appl. Chem.*, **74**(9). 1753-1772.
- Davidson, L. and Hayes, W. 2002. Molecular Imprinting of Biologically Active Steroidal Systems. *Curr. Org. Chem.*, **6**: 265-281.
- Delapp, R.C., Leboeuf, E.J., Chen, J. and Gu, B. 2005. Advanced Thermal Characterization of Fractionated Natural Organic Matter. *J. Environ. Qual.*, **34**: 842-853.
- Deore, B., Chen, Z. and Nagaoka, T. 1999. Overoxidized polypyrrole with dopant complementary cavities as a new molecularly imprinted polymer matrix. *Jpn Soc. Anal. Chem.*, **15**: 827-828.
- Deore, B., Chen, Z. And Nagaoka, T. 2000. Potential-induced enantioselective uptake of amino acid into molecularly imprinted overoxidized polypyrrole. *Anal. Chem.*, **72**: 3989-3994.
- Dmitrienko, S.G., Irkha, V.V., Mikhailik, Y.V. and Klokova, E.V. 2006. The influence of the functional monomer - template ratio in the pre-polymerization mixture on sorption properties of molecularly imprinted polymers of organic compounds. *Vestn. Mosk. Univ., Ser. 2: Khim.*, **47**(3): 210-217.

- Dominoa, M.M., Pepich, B.V., Munch, D.J. and Fair, P.S. 2004. Optimizing the determination of haloacetic acids in drinking waters. *J. Chromatogr., A*, **1035**: 9-16.
- Ebarvia, B.S., Cabanilla, S. and Sevilla, F. 2005. Biomimetic properties and surface studies of a piezoelectric caffeine sensor based on electrosynthesized polypyrrole. *Talanta*, **66**: 14-152.
- Ebarvia, B.S. and Sevilla, F.III. 2005. Piezoelectric quartz sensor for caffeine based on molecularly imprinted polymethacrylic acid. *Sens. Actuators, B*, **107**: 782-790.
- Farooque, A.M., Al-Amoudi, A. and Numata, K. 1999. Degradation study of cellulose triacetate hollow fine-fiber SWRO membranes. *Desalination*, **123**(2-3), 165-171.
- Feng, L., Liu, Y., Tan, Y. and Hua, J. 2004. Biosensor for the determination of sorbitol based on molecularly imprinted electrosynthesized polymers. *Biosens. Bioelectron.*, **19**: 1513-1519.
- EPRI, Palo Alto, CA, and the California Energy Commission, Sacramento, CA: 2004. The Formation and Fate of Trihalomethanes in Power Plant Cooling Water Systems. 1009486.
- Fu, Q., Sanbe, H., Kagawa, C., Kunimoto, K.K., and Haginaka, J. 2003. Uniformly Sized Molecularly Imprinted Polymer for (S)-Nilvadipine. Comparison of Chiral Recognition Ability with HPLC Chiral Stationary Phases Based on a Protein. *Anal. Chem.*, **75**: 191-198.
- Fuchiwaki, Y., Shimizu, A. and Kubo, I. 2007. 6-Chloro-*N,N*-diethyl-1,3,5-triazine-2,4-diamine (CAT) Sensor Based on Biomimetic Recognition Utilizing a Molecularly Imprinted Artificial Receptor. *Anal. Sci.*, **23**: 49-53.

- Gimenez-Romero, D., Bueno, P.R., Gabrielli, C., Castano, C., Perrot, H., Garcia-Jareno, J.J. and Vicente, F. 2006. Mass/charge balance as a tool to estimate dimensional change in polypyrrole-based actuators. *Electrochim. Commun.*, **8**(1), 195-199.
- Gong, J.L., Gong, F.C., Zeng, G.M., Shen, G.L. and Yu, R.Q. 2003. A novel electrosynthesized polymer applied to molecular imprinting technology. *Talanta*, **61**: 447-453.
- Gong, J.L., Gong, F.C., Kuang, Y., Zeng, G.M., Shen, G.L., Yu, R.Q. 2004. Capacitive chemical sensor for fenvalerate assay based on electropolymerized molecularly imprinted polymer as the sensitive layer. *Anal. Bioanal. Chem.*, **379**: 302-307.
- Gopal, K., Tripathy, S.S., Bersillon, J.L. and Dubey, S.P. 2007. Chlorination byproducts, their toxicodynamics and removal from drinking water. *J. Hazard. Mater.*, **140**: 1-6.
- Guo, H., He, X. and Liang, H. 2000. Study of the binding characteristics and transportation properties of a 4-aminopyridine imprinted polymer membrane. *J. Anal. Chem.*, **368**: 763-767.
- Hall, A.J., Sellergren, F.L., Manesiotis, P., Sellergren, B. 2005. Non-covalent imprinting of phosphorous esters. *Anal. Chim. Acta*, **538**: 9-14.
- Hallik, A., Alumaa, A., Tamm, J., Sammelselg, V., Vaeaertnou, M., Jaenes, A. and Lust, Enn. 2006. Analysis of electrochemical impedance of polypyrrole sulfate and polypyrrole perchlorate films. *Synth. Met.*, **156**(5-6), 488-494.
- Hart, B.R. and Shea, K.J. 2001. Synthetic Peptide Receptors: Molecularly Imprinted Polymers for the Recognition of Peptides Using Peptide-Metal Interactions. *J. Am. Chem. Soc.*, **123**: 2072-2073.

- Hirayama, K., Sakai, Y., Kameoka, K. and Noda, K. 2002. Preparation of a sensor device with specific recognition sites for acetaldehyde by molecular imprinting technique. *Sens. Actuators, B*, **42**: 79: 1-6.
- Hishiya, T., Shibata, M., Kakazu, M., Asanuma, H. and Komiyama, M. 1999. Molecularly Imprinted Cyclodextrins as Selective Receptors for Steroids. *Macromolecules*, **32**: 2265-2269.
- Hodgeson, J.W. (USEPA), J. Collins and R. E. Barth (Technology Applications, Inc.) 1990. Method 552.0.
- Ho, W.J., Yuan, C.J. and Reiko, O. 2006. Application of SiO<sub>2</sub>-poly(dimethylsiloxane) hybrid material in the fabrication of amperometric biosensor. *Anal. Chim. Acta.*, **572**(2), 248-252.
- Hu, S.G., Li, L. and He, X.W. 2005. Solid-phase extraction of esculetin from the ash bark of Chinese traditional medicine by using molecularly imprinted polymers. *J. Chromatogr., A*, **1062**: 31-37.
- Hua, G., Recknow, D.A . and Kim, J. 2006. Effect of Bromide and Iodide Ions on the Formation and Speciation of Disinfection Byproducts during Chlorination. *Environ. Sci. Technol.*, **40**: 3050-3056.
- Huang, H.C., Huang, S.Y., Lin, C.I., Lee, Y.D. 2007. A multi-array sensor via the integration of acrylic molecularly imprinted photoresists and ultramicroelectrodes on a glass chip. *Anal. Chim. Acta.*, **582**: 137-146.
- Jdanova, A.S., Poyard, S., Soldatkin, A.P., Renault J.N. and Martelet, C. Conductometric urea sensor. 1996. Use of additional membranes for the improvement of its analytical characteristics. *Anal. Chim. Acta.*, **321**: 35-40.

- Jenkins, A.L., Yin, R. and Jensen, J.L. 2001. Molecularly imprinted polymer sensors for pesticide and insecticide detection in water. *Analyst*, **126**: 798-802.
- Kanokkantapong, V., Marhaba T. F., Wattanachira, S., Panyapinyophol, B. and Pavasant, P. 2006. Interaction Between Organic Species in the Formation of Haloacetic Acids Following Disinfection. *J. Environ. Sci. Health, Part A*, **41(6)**: 1233-1248.
- Kempe, H. and Kempe, M. 2006. Development and Evaluation of Spherical Molecularly Imprinted Polymer Beads. *Anal. Chem.*, **78**: 3659-3666.
- Kim, D.Y., Lee, J.Y., Moon, D.K. and Kim, C.Y. 1995. Stability of reduced polypyrrole. *Synth. Met.*, **69(1-3)**, 471-4.
- Kim, H.C. and Yu, M.J. 2005. Characterization of natural organic matter in conventional water treatment processes for selection of treatment processes focused on DBPs control. *Water Res.*, **39**: 4779-4789.
- Kirsch, N., Hart, J.P., Bird, D.J., Luxton, R.W. and McCalley, D.V. 2001. Towards the development of molecularly imprinted polymer based screen-printed sensors for metabolites of PAHs. *Analyst*, **126**: 1936-1941.
- Kondo, Y., Yoshikawa, M. and Okushita, H. 2000. Molecularly imprinted polyamide membranes for chiral recognition. *Polym. Bull.*, **44**: 517-524.
- Kroger, S., Turner, A.P.F., Mosbach, K. and Haupt, K. 1999. Imprinted Polymer-Based Sensor System for Herbicides Using Differential-Pulse Voltammetry on Screen-Printed Electrodes. *Anal. Chem.*, **71**: 3698-3702.

- Kubo, T., Hosoya, K., Watabe, Y., Ikegami, T., Tanaka, N., Sano, T. and Kaya, K. 2004. Polymer-based adsorption medium prepared using a fragment imprinting technique for homologues of chlorinated bisphenol A produced in the environment. *J. Chromatogr., A*, **1029**: 37-41.
- Kwon, B., Lee, S., Cho, J., Ahn, H., Lee, D., Shin, A.S. 2005. Biodegradability, DBP Formation, and Membrane Fouling Potential of Natural Organic Matter: Characterization and Controllability. *Environ. Sci. Technol.*, **39**: 732-739.
- Lehmann, M., Brunner, H. and Tovar, G.E.M. 2002. Selective separations and hydrodynamic studies: a new approach using molecularly imprinted nanosphere composite membranes. *Desalination.*, **149**: 315-321.
- Lehr, I.L. and Saidman, S.B. 2006. Electrodeposition of polypyrrole on aluminum in the presence of sodium bis(2-ethylhexyl) sulfosuccinate. *Mater. Chem. Phys.*, **100**(2-3), 262-267.
- Liang, H.J., Ling, T.R., Rick, J.F. and Chou, T.C. 2005. Molecularly imprinted electrochemical sensor able to enantioselectively recognize D and L-tyrosine. *Anal. Chim. Acta.*, **542**: 83-89.
- Li, C., Benjamin, M.M. and Korshin, G.V. 2002. The relationship between TOX formation and spectral changes accompanying chlorination of pre-concentrated or fractionated NOM. *Water Res.*, **36**, 3265-3272.
- Liao, H., Zhaozhi Z., Li, H., Nie, L. And Yao, S. 2004. Preparation of the molecularly imprinted polymers-based capacitive sensor specific for tegafur and its characterization by electrochemical impedance and piezoelectric quartz crystal microbalance. *Electrochim. Acta.*, **49**: 4101-4107.

- Lopez, M.C.B., Castanon, M.J.L., Ordieres, A.J.M. and Blanco, P.T. 2003. Voltammetric sensor for vanillylmandelic acid based on molecularly imprinted polymer-modified electrodes. *Biosens. Bioelectron.*, **18**: 353-362.
- Lopez, M.C.B., Fernandez, S.G., Castanon, M.J.L., Ordieres, A.J.M. and Blanco, P.T. 2004. Electrochemical sensing with electrodes modified with molecularly imprinted polymer films. *Anal. Bioanal. Chem.*, **378**: 1922-1928.
- Lopez, M.C.B., Llano, L.F., Castanon, M.J.L., Ordieres, A.J.M. and Blanco, P.T. 2004. Voltammetry of Diclofenac at Graphite, Carbon Composites, and Molecularly Imprinted Polymer-Composite Electrodes. *Anal. Lett.*, **37**: 915-927.
- Malitesta, C., Losito, I., and Zambonin, P.G. 1999. Molecularly Imprinted Electrosynthesized Polymers: New Materials for Biomimetic Sensors. *Anal. Chem.*, **71**: 1366-1370.
- Matsui, J., Nicholls, I.A., Takeuchi, T. Mosbach, K., Karube, I. 1996. Metal ion mediated recognition in molecularly imprinted polymers. *Anal. Chim. Acta.*, **335**: 71-77.
- Mecea, V.M. 2005. From Quartz Crystal Microbalance to Fundamental Principles of Mass Measurements. *Anal. Lett.*, **38**: 753-767.
- Merkoci, A. and Alegret, S., 2002. New Materials for Electrochemical Sensing IV. Molecular Imprinted Polymers. *Trends Anal. Chem.*, **21**: 717-725.
- Moller, K., Crescenzi, C. and Nilsson, U. 2004. Determination of a flame retardant hydrolysis product in human urine by SPE and LC-MS. Comparison of molecularly imprinted solid-phase extraction with a mixed-mode anion exchanger. *Anal. Bioanal. Chem.*, **378** : 197-204.

- Moon, J., Kim, S.H. and Cho, J. 2006. Characterizations of natural organic matter as nano particle using flow field-flow fractionation Colloids and Surfaces A: *Physicochem. Eng. Aspects.*, **287**: 232-236.
- Moral, N.P. and Mayes, A.G. 2006. Direct rapid synthesis of MIP beads in SPE cartridges. *Biosens. Bioelectron.*, **21**: 1798-1803.
- Mullett, W.M., Martin, P., and Pawliszyn, J. 2001. In-Tube Molecularly Imprinted Polymer Solid-Phase Microextraction for the Selective Determination of Propranolol. *Anal. Chem.*, **73**: 2383-2389.
- Myllykangas, T., Nissinen, T.K., Hirvonen, A., Rantakokko, P. and Vartiainen, T. 2005. The evaluation of ozonation and chlorination on disinfection by - product formation for a high- bromide water. *Ozone: Sci. Eng.*, **27**: 19-26.
- Nikolaou, A.D., Kostopoulou, M.N. and Lekkas, T.D. 1999. Organic by-products of drinking water chlorination. *the Int. J.*, **1**: 143-156,
- Nikolaou, A., Golfinopoulos, S., Rizzo, L., Lofrano, G., Lekkas, T. and Belgiorno, V. 2005. Optimization of analytical methods for the determination of DBPs: Application to drinking waters from Greece and Italy. *Desalination*, **176**: 25-36.
- Nobukawa, T. and Sanukida, S. 2001. Effect of bromide ions on genotoxicity of halogenated by-products from chlorination of humic acid in water. *Water Res.*, **35**: 4293-4298.
- Nokes, C.J., Fenton, E. and Randall, C.J. 1999. Modelling the formation of brominated trihalomethanes in chlorinated drinking waters. *Water Res.*, **33**: 3557-3568.

- Oison, V., Rabiller, P. and Katan, C. 2004. Theoretical Investigation of the Ground-State Properties of DMTTF-CA: A Step toward the Understanding of Charge Transfer Complexes Undergoing the Neutral-to-Ionic Phase Transition. *J. Phys. Chem. A*, **108(50)**, 11049-11055.
- Okuno, H., Kitano, T., Yakabe, H., Kishimoto, M., Deore, B.A., Siigi, H. and Nagaoka, T. 2002. Characterization of overoxidized polypyrrole colloids imprinted with L-Lactate and their application to enantioseparation of amino acids. *Anal. Chem.*, **74**: 4184-4190.
- Olthuis, W., Streekstra, W. and Bergveld, P. 1995. Theoretical and experimental determination of cell constants of planar-interdigitated electrolyte conductivity sensors. *Sens. Actuators, B*, **24-25**: 252-256.
- Panasyuk, T.L., Mirsky, V.M., Piletsky, S.A. and Wolfbeis, O.S. 1999. Electropolymerized Molecularly Imprinted Polymers as Receptor Layers in Capacitive Chemical Sensors. *Anal. Chem.*, **71**: 4609-4613.
- Parmpi P. and Kofinas, P. 2004. Biomimetic glucose recognition using molecularly imprinted polymer hydrogels. *Biomaterials.*, **25**: 1969-1973.
- Paull, B. and Barron, L. 2004. Using ion chromatography to monitor haloacetic acids in drinking water: a review of current technologies. *J. Chromatogr. A*, **1046**: 1-9.
- Peng, H., Zhang, Y., Zhang, J., Xie, Q., Nie, L. and Yao, S. 2001. Development of a thickness shear mode acoustic sensor based on an electrosynthesized molecularly imprinted polymer using an underivatized amino acid as the template. *Analyst.*, **126**: 189-194.
- Piletsky, S.A., Panasyuk, T.L., Piletskaya, E.V., Nicholls, I.A., and Ulbricht, M. 1999. Receptor and Transport Properties of Imprinted Polymer Membranes - A Review, *J. Membr. Sci.*, **157**: 263-278.

- Piletsky, S.A., Piletskaya, E.V., Elgersma, A.V., Yano, K. and Karube, I. 1995. Atrazine sensing by molecularly imprinted membranes. *Biosens. Bioelectron.*, **10**: 959-964.
- Pogorelova, S.P., Bourenko, T., Kharitonov, A.B. and Willner, I. 2002. Selective sensing of triazine herbicides in imprinted membranes using ion-selective field-effect transistors and microgravimetric quartz crystal microbalance measurements. *Analyst.*, **127**: 1484-1491.
- Ramamoorthy, M. and Ulbricht, M. 2003. Molecular imprinting of cellulose acetate-sulfonated polysulfone blend membranes for Rhodamine B by phase inversion technique. *J. Membr. Sci.*, **217**: 207-214.
- Ramanaviciene, A. and Ramanavicius, A. 2002. Application of polypyrrole for the creation of immunosensors. *Crit. Rev. Anal. Chem.*, **32**(3): 245-252.
- Ramanaviciene, A. and Ramanavicius, A. 2004. Molecularly imprinted polypyrrole-based synthetic receptor for direct detection of bovine leukemia virus glycoproteins. *Biosens. Bioelectron.*, **20**: 1076-1082.
- Richardson, S.D., Thruston, A.D.Jr. Rav, A.C., Groisman, L., Popilevsky, I., Juraev, O., Glezer, V., McKague, A.B., Plewa, M.J. and Wagner, E.D. 2003. Tribromopyrrole, Brominated Acids, and Other Disinfection Byproducts Produced by Disinfection of Drinking Water Rich in Bromide. *Environ. Sci. Technol.*, **37**: 3782-3793.
- Scherer, R., Bernardes, A.M., Forte, M.M.C., Ferreira, J.Z. and Ferreira, C.A. 2001. Preparation and physical characterization of a sulfonated poly(styrene-*co*-divinylbenzene) and polypyrrole composite membrane. *Mater. Chem. Phys.*, **71**: 131-136.
- Schwartz, G.A., Tellechea, E., Colmenero, J. and Alegria, A. 2005. Correlation between temperature-pressure dependence of the  $\alpha$ -relaxation and configurational entropy for a glass-forming polymer. *J. Non-Cryst. Solids*, **351**(33-36), 2616-2621.

- Sergeyeva, T.A., Piletsky, S.A., Brovko, A.A., Slinchenko, E.A., Sergeeva, L.M. and El'skaya, A.V. 1999. Selective recognition of atrazine by molecularly imprinted polymer membranes. Development of conductometric sensor for herbicides detection. *Anal. Chim. Acta.*, **392**: 105-111.
- Sergeyeva, T.A., Matuszewski, H., Piletsky, S.A., Bendig, J., Schedler, U. and Ulbricht, M. 2001. Molecularly imprinted polymer membranes for substance-selective solid-phase extraction from water by surface photo-grafting polymerization. *J. Chromatogr. A.*, **907**: 89-99.
- Sergeyeva, T.A., Piletsky, S.A., Brovko, A.A., Slinchenko, E.A., Sergeeva, L.M., Panasyuk, T.L. and El'skaya, A.V. 1999. Conductimetric sensor for atrazine detection based on molecularly imprinted polymer membranes. *Analyst.*, **124**: 331-334.
- Shiigi, H., Kishimoto, M., Yakabe, H., Deore, B. and Nagaoka, T. 2002. Highly selective molecularly imprinted overoxidized polypyrrole colloids: one-step preparation technique. *Anal. Sci.*, **18**: 41-44.
- Shiigi, H., Yakabe, H., Kishimoto, M., Kijima, D., Zhang, Y., Sree, U., Deore, B.A. and Nagaoka, T. 2003. Molecularly imprinted overoxidized polypyrrole colloids: promising materials for molecular recognition. *Microchim. Acta.*, **143**: 155-162.
- Shim, Y. H., Yilmaz, E., Lavielle, S. and Haup, K. 2004. Chiral recognition and separation of  $\beta^2$ -amino acids using noncovalentlymolecularly imprinted polymers. *Analyst.*, **129**: 1211-1215.
- Silvestri, D., Barbani, N., Cristallini, C., Giusti, P. and Ciardelli, G. 2006. Molecularly imprinted membranes for an improved recognition of biomolecules in aqueous medium. *J. Membr. Sci.*, **282**: 284-295.

- Simpson, K.L. and Hayes, K.P. 1998. Drinking water disinfection by-products: an Australian perspective. *Water Res.*, **32**: 1522-1528.
- Sineriz, F., Ikeda, Y., Petit, E., Bultel, L., Haupt, K., Kovensky, J. and Garcia, D.P. 2007. Toward an alternative for specific recognition of sulfated sugars. Preparation of highly specific molecular imprinted polymers. *Tetrahedron*, **63**: 1857-1862.
- Smith, A.L., Shirazi, H.M. 2005. Principles of quartz crystal microbalance/heat conduction calorimetry: Measurement of the sorption enthalpy of hydrogen in palladium. *Thermochim. Acta*, **432**: 202-211.
- Sohn, J., Amy, G., Cho, J., Lee, Y., Yoon, Y. 2004. Disinfectant decay and disinfection by-products formation model development: chlorination and ozonation by-products. *Water Res.*, **38**: 2461-2478.
- Stetter, J.R., Penrose, W.R. and Yao, S. 2003. Sensors, chemical sensors, electrochemical sensors, and ECS. *J. Electrochem. Soc.*, **150**(2): 11-16.
- Suedee, R., Intakong, W. and Dickert, F.L. 2006. The use of trichloroacetic acid imprinted polymer coated quartz crystal microbalance as a screening method for determination of haloacetic acids in drinking water. *Talanta*, **70**: 194-201.
- Suedee, R., Seechamnuntarakit, V., Canyuk, B., Ovatlarnporn, C. and Martin, G.P. 2006. Temperature sensitive dopamine-imprinted (*N,N*-methylene-bis-acrylamide cross-linked) polymer and its potential application to the selective extraction of adrenergic drugs from urine. *J. Chromatogr., A*, **1114**: 239-249.
- Suedee, R., Srichana, T., Chuchome, T. and Kongmark, U. 2004. Use of molecularly imprinted polymers from a mixture of tetracycline and its degradation products to produce affinity membranes for the removal of tetracycline from water. *J. Chromatogr., B*, **811**: 191-200.

- Suedee, R., Srichana, T., Sangpagai, C., Tunthana, C. and Vanichapichat, P. 2004. Development of trichloroacetic acid sensor based on molecularly imprinted polymer membrane for the screening of complex mixture of haloacetic acids in drinking water. *Anal. Chim. Acta.*, **504**: 89-100.
- Sultan, J. and Gabryelski, W. 2006. Structural Identification of Highly Polar Nontarget Contaminants in Drinking Water by ESI-FAIMS-Q-TOF-MS. *Anal. Chem.*, **78**(9), 2905-2917.
- Swietlik, J. and Sikorska, E. 2005. Characterization of Natural Organic Matter Fractions by High Pressure Size-Exclusion Chromatography, Specific UV Absorbance and Total Luminescence Spectroscopy. *Pol. J. Environ Stud.*, **15**: 145-153.
- Syu, M.J., Chiu, T.C., Lai, C.Y. and Chang, Y.S. 2006. Amperometric detection of bilirubin from a micro-sensing electrode with a synthetic bilirubin imprinted poly(MAA-co-EGDMA) film. *Biosens. Bioelectron.*, **22**: 550-557.
- Takeda, K. and Kobayashi, T. 2006. Hybrid molecularly imprinted membranes for targeted bisphenol derivatives. *J. Membr. Sci.*, **275**: 61-69.
- Takeuchi, T. and Haginaka, J. 1999. Separation and sensing based on molecular recognition using molecularly imprinted polymers. *J. Chromatogr., B*, **728**: 1-20.
- Tamm, J., Raudsepp, T., Marandi, M. and Tamm, T. 2007. Electrochemical properties of the polypyrrole films doped with benzenesulfonate. *Synth. Met.*, **157**(1), 66-73.
- Tetlow, J.A. and Hayes, C.R. 1988. Chlorination and drinking water quality – an operational overview. *J. Inst. Water Environ. Manag.*, **2**: 411-15.

- Theodoridis, G., Konsta, G. and Bagia, C. 2004. Synthesis and evaluation of molecularly imprinted polymers for enalapril and lisinopril, two synthetic peptide anti-hypertensive drugs. *J. Chromatogr., B*, **804**: 43-51.
- Thevenot, D.R., Toth, K., Durst, R.A. and Wilson, G.S. 1999. Electrochemical biosensors: recommended definitions and classification. *Pure Appl. Chem.*, **71**: 2333-2348.
- Tishchenko, G., Rosova, E., Elyashevich, G.K. and Bleha, M. 2000. Porosity of microporous polyethylene membranes modified with polypyrrole and their diffusion permeability to low-molecular weight substances. *Chem. Eng. J.*, **79**: 211-217.
- Tomcik, P., Jencusova, P., Krajcikova, M., Bustin, D., Manova, A. and Cakrt, M. 2006. Voltammetric detection of titanium(IV) on interdigitated microelectrode array utilizing its catalytically enhanced current with hydroxylamine. *J. Electroanal. Chem.*, **593(1-2)**: 167-171.
- Trotta, F., Baggiani, C., Luda, M.P., Drioli, E., Massari, T. 2005. A molecular imprinted membrane for molecular discrimination of tetracycline hydrochloride. *J. Membr. Sci.*, **254**: 13-19.
- Urbansky, E.T. 2000. Techniques and methods for the determination of haloacetic acids in potable water. *J. Environ. Monit.*, **2**: 285-291.
- Urbansky, E.T. 2001. Total carbon analyzers as tools for measuring carbonaceous matter in natural waters. *J. Environ. Monit.*, **3**: 102-112.
- USEPA. 1993. U.S. Environment Protection Agency, Office of Groundwater and Drinking Water, U.S. EPA Draft D/DBP Rule Language, Washington, D.C.

- USEPA. 1995. Determination of haloacetic acids and dalapon in drinking water by liquid-liquid extraction, derivatization and gas chromatography with electron capture detection. Revision 1.0. Cincinnati, OH, U.S. Environmental Protection Agency, Office of Research and Development, National Exposure Research Laboratory (EPA/600/R-95/131).
- Wen, T.C., Hung, S.L. and Digar, M. 2001. Effect of polypyrrole on the morphology and ionic conductivity of TPU electrolyte containing LiClO<sub>4</sub>. *Synth. Met.*, **118**(1-3), 11-18.
- Wu A.H. and Syu, M.J. 2006. Synthesis of bilirubin imprinted polymer thin film for the continuous detection of bilirubin in an MIP/QCM/FIA system. *Biosens. Bioelectron.*, **21**: 2345-2353.
- Wu, J. and Pawliszyn, J. 2004. Solid-phase microextraction based on polypyrrole films with different counter ions. *Anal. Chim. Acta.*, **520**(1-2), 257-264.
- Wu, W.W., Chadik, P.A. and Delfino, J.J. 2003. The relationship between disinfection by-product formation and structural characteristics of humic substances in chloramination. *Environ. Toxicol. Chem.*, **22**: 2845-2852.
- Xie, Y. 2001. Analyzing Haloacetic Acids Using Gas Chromatography/Mass Spectrometry Short Communication *Water Res.*, **35**: 1599-1602.
- Xiong, Y., Zhou, H., Zhang, Z., He, D. and He, C. 2006. Molecularly imprinted on-line solid-phase extraction combined with flow-injection chemiluminescence for the determination of tetracycline. *Analyst.*, **131**: 829-834.
- Yan, S., Fang, Y. and Gao, Z. 2007. Quartz crystal microbalance for the determination of daminozide using molecularly imprinted polymers as recognition element. *Biosens. Bioelectron.*, **22**: 1087-1091.

- Yang, H.H., Zhang, S.Q., Tan, F., Zhuang, Z.X. and Wang, X.R. 2005. Surface molecularly imprinted nanowires for biorecognition. *J. Am. Chem. Soc.*, **127**: 1378-1379.
- Yang, X. and Shang, C. 2004. Chlorination Byproduct Formation in the Presence of Humic Acid, Model Nitrogenous Organic Compounds, Ammonia, and Bromide. *Environ. Sci. Technol.*, **38**: 4995-5001.
- Yavuza, H., Sayb, R. and Denizli, A. 2005. Iron removal from human plasma based on molecular recognition using imprinted beads. *Mater. Sci. Eng., C.*, **25**: 521-528.
- Yoshikawa, M. and Yonetanib, K. 2002. Molecularly imprinted polymeric membranes with oligopeptide tweezers for optical resolution. *Desalination*. **149**: 287-292.
- Yu, J.C.C. and Lai, E.P.C. 2005. Interaction of ochratoxin A with molecularly imprinted polypyrrole film on surface plasmon resonance sensor. *React. Funct. Polym.*, **63**: 171-176.
- Zanganeh, A.R. and Amini, M.K. 2007. A potentiometric and voltammetric sensor based on polypyrrole film with electrochemically induced recognition sites for detection of silver ion. *Electrochim. Acta*, **52**(11), 3822-3830.
- Zhang, X., Minear, R.A., Guo, Y., Hwang, C.J., Barrett, S.E., Ikeda, K., Shimizu, Y. and Matsui, S. 2004. An electrospray ionization-tandem mass spectrometry method for identifying chlorinated drinking water disinfection byproducts. *Water Res.*, **38**: 3920-3930.
- Zhou, M., Persin, M. And Sarrazin, J. 1996. Mathanol removal from organic mixtures by pervaporation using polypyrrole membranes. *J. Membr. Sci.*, **117**: 303-309.
- Zhou, J., He, X. and Li, Y. 1999. Binding study on 5,5-diphenylhydantoin imprinted polymer constructed by utilizing an amide functional group. *Anal. Chim. Acta*, **394**: 353-359.

- Zhu, B., Zhong, Z. and Yao, J. 2006. Ion chromatographic determination of trace iodate, chlorite, chlorate, bromide, bromate and nitrite in drinking water using suppressed conductivity detection and visible detection. *J. Chromatogr., A*, **1118**: 106-110.
- Zhu, X., Yang, J., Su, Q., Cai, J. and Gao, Y. 2005. Selective solid-phase extraction using molecularly imprinted polymer for the analysis of polar organophosphorus pesticides in water and soil samples. *J. Chromatogr., A*, **1092**: 161-169.
- Zielinska, D., Poels, I., Pietraszkiewicz, M., Radecki, J., Geise, H.J. and Nagels, L.J. 2001. Potentiometric detection of organic acids in liquid chromatography using polymeric liquid membrane electrodes incorporating macrocyclic hexaamines. *J. Chromatogr., A*, **915(1-2)**, 25-33.
- Zwiener, C. and Richardson, S.D. 2005. Analysis of disinfection by-products in drinking water by LC-MS and related MS techniques. *TrAC, Trends Anal. Chem.*, **24**; 613-621.