

REFERENCES

- Allen, G. 1996. *Marine Life of Thailand and Southeast Asia*. Singapore: Periplus Editions Ltd.
- Amoo, V.E.; Bernardo, S.D. and Weigle, M. 1988. "Synthesis of (*S*)-manoalide diol and the absolute configuration of natural manoalide", *Tetrahedron Lett.* 29, 2401-2404.
- Barron, P.F.; Quinn, R.J. and Tucker, D.J. 1991. "Structure elucidation of a novel scalarane derivative by using high-field (14.1 T) NMR spectroscopy", *Aust. J. Chem.* 44, 995-999.
- Barrow, C.J.; Blunt, J.W.; Munro, M.H.G. and Perry, N.B. 1988. "Variabilin and related compounds from a sponge of the genus *Sarcotragus*", *J. Nat. Prod.* 51, 275-281.
- Bergquist, P.R. 1978. *Sponges*. Berkeley: University of California Press.
- Bourguet-Kondracki, M.L.; Martin, M.T.; Debitus, C. and Guyot, M. 1994. "12-Epi-heteronemin: new sesterterpene from the marine sponge *Hyrtios erecta*", *Tetrahedron Lett.* 35, 109-110.
- Braekman, J.C.; Daloze, D.; Kaisin, M. and Moussiaux, B. 1985. "Ichthyotoxic sesterterpenoids from the Neo Guinean sponge *Carteriospongia follascens*", *Tetrahedron.* 41, 4603-4614.

- Butler, M.S. and Capon, R.J. 1992. "The Luffarins (A-Z), novel terpenes from an Australian marine sponge, *Luffariella geometrica*", *Aust. J. Chem.* 45,1705-1743.
- Cambie, R.C. and Craw. P.A. 1988. "Chemistry of sponges, III. Manoalide monoacetate and thorectolide monoacetate, two new sesterterpenoids from *Thorectandra excavatus*", *J. Nat. Prod.* 51, 331-334.
- Cambie, R.C.; Rutledge, P.S.; Yang, X. and Bergquist, P.R. 1998. "Chemistry of sponges. 18. 12-Deacetylfuroscalar-16-one, a new sesterterpene from a *Cacospongia* sp.", *J. Nat. Prod.* 61, 1416-1417.
- Cantrell, C.L.; Franzblau, S.G. and Fischer, N.H. 2001. "Antimycobacterial plant terpenoids", *Planta Med.* 67, 685-694.
- Cimino, G.; Cafieri, F.; De Napoli, L. and Fattorusso, F. 1978. "¹³C-NMR spectrum and absolute stereochemistry of furoscalarol", *Tetrahedron Lett.* 23, 2041-2044.
- Cimino, G.; De Luca, P.; De Stefano, S. and Minale, L. 1975. "Disidein, a pentacyclic sesterterpene condensed with an hydroxyhydroquinone moiety, from the sponge *Disidea pallascens*", *Tetrahedron.* 31, 271-275.
- Cimino, G.; De Rosa, S.; De Stefano, S.; Puliti, R.; Strazzullo, G.; Mattia, C.A. and Mazzarella, L. 1987. "Absolute stereochemistry of disidein and of two new related halogenated sesterterpenoids. Two-dimentional NMR studies and X-ray crystal structure", *Tetrahedron.* 43, 4777-4784.

- Cimino, G.; De Stefano, S. and Di Luccia, A. 1979. "Further sesterterpenes from the sponge *Spongia nitens*: 12-epi-scalaradial and 12,18-diepi-scalaradial", *Experientia*. 35, 1277-1278.
- Cimino, G.; De Stefano, S. and Minale, L. 1974. "Scalaradial, a third sesquiterpene with the tetracarbocyclic skeleton of scalarin, from the sponge *Cacospongia mollior*", *Experientia*. 30, 846-847.
- Cimino, G.; De Stefano, S.; Minale, L. and Trivellone, E. 1977. "12-epi-scalarin and 12-epi-deoxoscalarin, sesterterpenes from the sponge *Spongia nitens*", *J. Chem. Soc., Perkin Trans. 1*, 1587-1593.
- Collins, L.A. and Franzblau, S.G. 1997. "Microplate alamar blue assay versus BACTEC 460 system for high-throughput screening of compounds against *Mycobacterium tuberculosis* and *Mycobacterium avium*", *Antimicrob. Agents Chemother.* 41, 1004-1009.
- Cragg, G.M.; Newman, D.J., and Snader, K.M. 1996. "Natural products in drug discovery and development", *J. Nat. Prod.* 60, 52-60.
- Crews, P. and Bescansa, P. 1986. "Sesterterpenes from a common marine sponge, *Hyrtios erecta*", *J. Nat. Prod.* 49, 1041-1052.
- Crews, P.; Bescansa, P. and Bakus, G.P. 1985. "A non-peroxide norsesterterpene from a marine sponge *Hyrtios erecta*", *Experientia*. 41, 690-691.

- Crews, P.; Jimenez, C.J. and Neil-Johnson, M.O. 1991. "Using spectroscopic and database strategies to unravel structures of polycyclic bioactive marine sponge sesterterpenes", *Tetrahedron*. 47, 3585-3600.
- Crofton, J. 1997. "Tuberculosis: World perspective and the challenges ahead", *J. Pharm. Pharmacol.* 49, 3-6.
- Davis, R. and Capon, R.J. 1993. "Two new scalarane sesterterpenes: Isoscalafuran-A and -B, epimeric alcohols from a southern Australian marine sponge, *spongia hispida*", *Aust. J. Chem.* 46, 1295-1299.
- de Freitas, J.C.; Blankemeier, L.A. and Jacobs, R.S. 1984. "In vitro inactivation of the neurotoxic action of β -bungarotoxin by the marine natural product, manoalide", *Experientia*. 40, 864-865.
- De Giulio, A.; De Rosa, S and Dr Vincenzo, G. 1989. "Terpenoids from the north adriatic sponge *Spongia officinalis*", *J. Nat. Prod.* 52, 1258-1262.
- De Rosa, S.; Crispino, A.; De Giulio, A.; Iodice, C. and Tommonaro, G. 1998. "A new dimethylscalarane derivative from the sponge *Cacospongia scalaris*", *Tetrahedron*. 54, 6185-6190.
- De Rosa, S.; Puliti, R.; Crispino, A and De Giulio, A. 1994. "A new scalarane sesterterpenoid from the marine sponge *Cacospongia mollior*", *J. Nat. Prod.* 57, 256-262.

- de Silva, E.D. and Scheuer, P.J. 1980. "Manoalide, an antibiotic sesterterpenoid from the marine sponge *Luffariella variabilis* (Polejaeff)", *Tetrahedron Lett.* 21, 1611-1614.
- de Silva, E.D. and Scheuer, P.J. 1981. "Three new sesterterpenoid antibiotics from the marine sponge *Luffariella variabilis* (Polefaeff)", *Tetrahedron Lett.* 22, 3147-3150.
- Dewick, M. 1997. *Medicinal natural products, a biosynthetic approach.* Chichester: John Wiley & Sons Ltd.
- Doi, Y.; Shigemori, H.; Ishibashi, M.; Mizobe, F.; Kawashima, A.; Nakaike, S. and Kobayashi, J. 1993. "New sesterterpenes with nerve growth factor synthesis-stimulating activity from the Okinawan marine sponge *Hyrtios* sp.", *Chem. Pharm. Bull.* 41, 2190-2191.
- Donia, M. and Hamann, M.T. 2003. "Marine natural products and their potential applications as anti-infective agents", *Lancet Infect Dis.* 3, 338-348.
- Duncan, K. 1997. "Prospects for new anti-tuberculosis drugs", *J. Pharm. Pharmacol.* 49, 21-23.
- Dye, C.; Scheele, S.; Dolin, P.; Pathania, V. and Rabiglionne, M. C. 1999. "Global burden of tuberculosis, estimated incidence, prevalence and mortality by country", *JAMA.* 282, 677-686.

- El Sayed, K.A.; Bartyzel, P.; Shen, X.; Perry, T.L.; Zjawiony, J. K. and Hamann, M.T. 2000. "Marine natural products as antituberculosis agents", *Tetrahedron*. 56, 949-953.
- Espinal, M.A. 2003. "The global situation of MDR-TB", *Tuberculosis*. 83, 44-51.
- Fattorusso, E.; Magno, S.; Santacroce, C. and Sica, D. 1972. "Scalarin, a new pentacyclic C-25 terpenoid from the sponge *Cacospongia scalaris*", *Tetrahedron*. 28, 5993-5997.
- Faulkner, J. 1995. "Chemical riches from the oceans", *Chemistry in Britain*. 31, 680-684.
- Fontana, A.; Cavaliere, P.; Ungur, N.; D'Souza, L.; Parameswaram, P.S. and Cimino, G. 1999. "New scalaranes from the nudibranch *Glossodoris atromarginata* and its sponge prey", *J. Nat. Prod.* 62, 1367-1370.
- Fontana, A.; Mollo, E.; Ortea, J.; Gavagnin, M. and Cimino, G. 2000. "Scalarane and homoscalarane compounds from the nudibranchs *Glossodoris sedna* and *Glossodoris dalli*: chemical and biological properties", *J. Nat. Prod.* 63, 527-530.
- Fu, X.; Zeng, L. and Su, J. 1993. "Two new sesterterpenes from a south china sea sponge", *J. Nat. Prod.* 56, 1985-1988.

- Fu, X.; Zeng, L.; Su, J. and Schmitz, F.J. 1999. "Phyllofolactones C and D, two new minor homoscalarane sesterterpenes from the Chinese sponge *Phyllospongia foliascens*", *J. Nat. Prod.* 62, 644-646.
- Fu, X.; Zeng, L.M. and Su, J.Y. 1992. "Scalarane-type bishomosesterterpenes from the sponge *Phyllospongia foliascens*", *J. Nat. Prod.* 55, 1607-1613.
- Gerard, J.; Lolyd, R.; Barsby, T.; Haden, P.; Kelly, M.T. and Andersen, R.J. 1997. "Massestolides A-H, antimycobacterial cyclic depsipeptides produced by two Pseudomonads isolated from marine habitats", *J. Nat. Prod.* 60, 223-229.
- Glassroth, J. 2001. "Tuberculosis", In *Respiratory infectious*, pp.475-486. Niederman, M.S., *et al.*, eds. Philadelphia: Williams&Wilkins.
- Haas, D.W. and Des Prez, R.M. 1995. "Mycobacterial diseases", In *Principles and practice of infectious diseases*, pp. 2213-2243, 4th ed., volume 2. Mandell, G.L., *et al.*, eds. New York: Churchill Livingstone, Inc.
- Haefner, B. 2003. "Drugs from the deep: marine natural products as drug candidates", *D.D.T.* 8, 536-544.
- Hagiwara, H. and Uda, H. 1991. "Total synthesis and absolute stereostructure of (+)-dysideapalaunic acid", *J. Chem. Soc., Perkin Trans 1*, 1803-1807.
- Hanson, J.R. 1992. "The sesterterpenoids", *Nat. Prod. Rep.* 9, 481-489.

- Hochlowski, J.E. and Faulkner, D.J. 1983. "Metabolites of the Dorid nudibranch *Chromodiris sedna*", *J. Org. Chem.* 48, 1733-1740.
- Hooper, J.N.A. 2000. Sponguide: guide to sponge collection and identification. {online}. Available: <http://www.qmuseum.qld.gov.au/organisation/sections/SessileMarineInvertebrates/spong.pdf> {1 November 2003}.
- Ichiba, T.; Corgiat, J.M. and Scheuer, P.J. 1994. "8-Hydroxymanzamine A, a β -carboline alkaloid from a sponge, *Pachypellina* sp.", *J. Nat. Prod.* 57, 168-170.
- Iguchi, K.; Saitoh, S. and Yamada, Y. 1989. "Novel 19-oxygenated sterols from the Okinawan soft coral *Litophyton viridis*", *Chem. Pharm. Bull.* 37, 2553-2554.
- Inderlied, C.B. 1999. "Mycobacteria", In *Infectious diseases*, pp. 1895-1916. Armstrong, D. and Cohen, J., eds. London: Harcourt publisher Ltd.
- Jacob, R.S.; Culver, P.; Langdon, R.; Brien, T.O. and White, S. 1985. "Some pharmacological observations on marine natural products", *Tetrahedron.* 41, 981-984.
- Jimenez, C.; Quinoa, E.; Adamczeski, M.; Hunter, L.M. and Crews, P. 1991. "Novel sponge-derived amino acids. 12. Tryptophan-derived pigments and accompanying sesterterpenes from *Fascaplysinopsis reticulata*", *J. Org. Chem.* 56, 3403-3401.

- Jimenez, J.I.; Yoshida, W.Y.; Scheuer, P.J. and Kelly, M. 2000. "Scalarane-based sesterterpenes from an Indonesian sponge *Strepsichordaia aliena*", *J. Nat. Prod.* 63, 1388-1392.
- Karuso, P.; Cambie, R.C. and Bowden, B.F. 1989. "Chemistry of sponges, VI scalarane sesterterpenes from *Hyatella intestinalis*", *J. Nat. Prod.* 52, 289-293.
- Kashman, Y. and Zviely, M. 1979. "New alkylated scalarins from the sponge *Dysidea herbacea*", *Tetrahedron Lett.* 40, 3879-3882.
- Katsumura, S.; Fujiwara, S. and Isoe, S. 1987. "Total synthesis of *E*-neomanoalide via Pd(0) catalyzed coupling of allylhalide and α -stannylfuran followed by chemoselective oxygenation of α -silylfuran", *Tetrahedron Lett.* 28, 1191-1194.
- Kazlauskas, R.; Murphy, P.T.; Quinn, R.J. and Wells, R.J. 1976. "Heteronemin, a new scalarin type sesterterpene from the sponge *Heteronema erecta*", *Tetrahedron Lett.* 30, 2631-2634.
- Kernan, M.R. and Faulkner, D.J. 1987. "The Luffariellins, novel antiinflammatory sesterterpenes of chemotaxonomic importance from marine sponge *Luffariella variabilis*", *J. Org. Chem.* 52, 3081-3083.

- Kikuchi, H.; Tsukitani, Y.; Shimizu, I.; Kobayashi, M. and Kitagawa, I. 1983. "Marine natural product. XI. an antiinflammatory scalarane-type bishomo- sesterterpene, foliaspongin, from the Okinawan marine sponge *Phyllospongia foliascens* (PALLAS)", *Chem. Pharm. Bull.* 31, 552-556.
- Kitagawa, I.; Kobayashi, M.; Lee, N.K.; Oyama, Y. and Kyogoky, Y. 1989. "Marine natural products. XX. Bioactive scalarane-type bishomosesterterpenes from the Okinawan marine sponge *Phyllospongia foliascens*", *Chem. Pharm. Bull.* 37, 2078-2082.
- Kittakoop, P.; Suttisri, R.; Chaichantipyuth, C.; Vethchagarun, S. and Suwanborirux, K. 1999. "Norpregnane glycosides from a Thai soft coral, *Scleronephthya pallida*", *J. Nat. Prod.* 62, 318-320.
- Kobayashi, M.; Okamoto, T.; Hayashi, K.; Yokoyama, N.; Sasaki, T. and Kitagawa, I. 1994. "Marine natural products. XXXII. Absolute configurations of C-4 of the manoalide family, biologically active sesterterpenes from the marine sponge *Hyrtios erecta*", *Chem. Pharm. Bull.* 42, 265-270.
- Konig, G. M.; Wright, A. D. and Franzblau, S. G. 2000. "Assessment of anti-mycobacterial activity of a series of mainly marine derived natural products", *Planta Med.* 66, 337-342.
- Konig, G.M. and Wright, A.D. 1996. "Marine natural products research: current directions and future potential", *Planta Med.* 62, 193-211.

- Konig, G.M.; Wright, A. D. and Sticher, O. 1992. "Four new antibacterial sesterterpenes from a marine sponge of the genus *Luffariella*", *J. Nat. Prod.* 55, 174-178.
- Konig, G.M.; Wright, A.D.; Sticher, O.; Angerhofer, C.K. and Pezzuto, J.M. 1994. "Biological activities of selected marine natural products", *Planta Med.* 60, 532-537.
- Kupchan, S.M. and Tsou, G. 1973. "Bruceantin, a new potent antileukemic simaroubolide from *Brucea antidysenterica*", *J. Org. Chem.* 38, 178-179.
- Mangalindan, G.C.; Talaue, M. T.; Cruz, L. J.; Franzblau, S. G.; Adams, L. B.; Richardson, A. D.; Ireland, C .M. and Concepcion, G. P. 2000. "Agelaside F from a Philippine *Agelas* sp. Sponge exhibits in vitro antituberculosis activity", *Planta Med.* 66, 364-365.
- Mayer, A.M.S. 1999. "Marine pharmacology in 1998: antitumor and cytotoxic compounds", *The Pharmacologist.* 41, 159-164.
- Mayer, A.M.S. and Hamann, M.T. 2002. "Marine pharmacology in 1999: compounds with antibacterial, anticoagulant, antifungal, anthelmintic, anti-inflammatory, antiplatelet, antiprotozoal and antiviral activities affecting the cardiovascular, endocrine, immune and nervous systems, and other miscellaneous mechanism of action", *Comp. Biochem. Physiol.* 132C, 315-339.

- Miyamoto, T.; Sakamoto, K.; Amano, H.; Arakawa, Y.; Nagarekawa, Y.; Komori, T.; Higuchi, R. and Sasaki, T. 1999. "New cytotoxic sesterterpenoids from the nudibranch *Chromodoris inornata*", *Tetrahedron*. 55, 9133-9142.
- Miyaoka, H.; Nishijima, S.; Mitome, H. and Yamada, Y. 2000. "Three new scalarane sesterterpenoids from the Okinawan sponge *Hyrtios erectus*", *J. Nat. Prod.* 63, 1369-1372.
- Munro, M.H.G.; Blunt, J.W.; Dumdei, E.J.; Hickford, S.J.H.; Lill, R.E.; Li, S.; Battershill, C.N. and Duckworth, A.R. 1999. "The Discovery and development of marine compounds with pharmaceutical potential", *J. Biotech.* 70, 15-25.
- Munro, M.H.G.; Blunt, J.W.; Lake, R.J.; Litaudon, M.; Battershill, C.N. and Page, M.J. 1994. "From seabed to sickbed: What are the prospects?", In *Sponges in time and space*, pp. 473-484. van Soest, *et al.*, eds. Rotterdam: Balkema.
- N'Diaye, I.; Guella, G.; Mancini, I.; Kornprobst, J. and Pietra, F. 1991. "Konakhin, a novel type of degraded sesterterpene; Isolation from a marine sponge of Senegal", *J. Chem. Soc., Chem. Commun.*, 97.
- Nasu, S.S.; Yeung, B.K.S.; Hamann, M.T.; Scheuer, P.J.; Kelly-Borges, M. and Goins, K.D. 1995. "Puupehenone-related metabolites from two Hawaiian sponges *Hyrtios* sp.", *J. Org. Chem.* 60, 7290-7292.

- Newton, S. M.; Lau, C. and Wright, C. W. 2000. "A review of antimycobacterial natural products", *Phytother. Res.* 14, 303-322.
- Pettit, G. R.; Cichacz, Z.A.; Tan, R.; Hoard, M.S.; Melody, N. and Pettit, R.K. 1998. "Antineoplastic agents. 386. Isolation of sesterstatins 1-3 from the marine sponge *Hyrtios erecta*", *J. Nat. Prod.* 61, 13-16.
- Phuwapraisirisan, P.; Matsunaga, S.; Fusetani, N.; Chaitanawisuti, N.; Kritsanapuntu, S. and Menasveta, P. 2003. "Mycaperoxide H, a new cytotoxic nor- sesterterpene peroxide from a Thai marine sponge *Mycale* sp.", *J. Nat. Prod.* 66, 289-291.
- Pretsch, E.; Clerc, T.; Seibl, J. and Simon, W. 1989. *Tables of spectral data of structure determination of organic compounds*. Fresenius, et al., eds. Berlin Heidelberg: Springer-Verlag.
- Rodriguez, A.D. and Ramirez, C. 2001. "Serrulatane diterpenes with antimycobacterial activity isolated from the West Indian sea whip *Pseudopterogorgia elisabethae*", *J. Nat. Prod.* 64, 100-102.
- Rodriguez, A.D.; Ramirez, C.; Rodriguez, I.I. and Gonzalez, E. 1999. "Novel antimycobacterial benzoxazole alkaloids, from the west Indian sea whip *Pseudopterogorgia elisabethae*", *Org. Lett.*, 1, 527-530.
- Roll, D.M.; Ireland, C.M.; Lu, H.S.M. and Clardy, J. 1988. "Novel sponge-derived amino acids. 12. Tryptophan-derived pigments and accompanying sesterterpenes from *Fascaplysinopsis reticulata*", *J. Org. Chem.* 56, 3403-3410.

- Rueda, A.; Zubia, E.; Ortega, M.J.; Carballo, J.L. and Salva, J. 1997. "New cytotoxic metabolites from the sponge *Cacospongia scalaris*", *J. Org. Chem.* 62, 1481-1485.
- Ryu, G.; Matusunaga, S. and Fusetani, N. 1996. "Three new cytotoxic sesterterpenes from the marine sponge *Hyrtios cf. erectus*", *J. Nat. Prod.* 59, 515-517.
- Sakai, R. and Higa, T. 1986. "Manzamine A, a novel antitumor alkaloid from a sponge", *J. Am. Chem. Soc.* 108, 6404-6405.
- Scheuer, P.J. 1990. "Some marine ecological phenomena: Chemical basis and biomedical potential", *Science.* 248, 173-177.
- Sensi, P. and Grassi, G.G. 1996. "Antimycobacterial agents", In *Burger's medicinal chemistry and drug discovery volume 2: therapeutic agents*, pp.575-635, Wolff, M.E., et al., eds. New York: John Wiley & Sons, Inc.
- Skehan, P.; Storeng, R.; Scudiero, D.; Monks, A.; McMahon, J.; Vistica, D.; Warren, J.T.; Bokesch, H.; Kenney, S. and Boyd, M.R. 1990. "New colorimetric cytotoxic assay for anticancer-drug screening", *J. Natl. Cancer Inst.* 82, 1108-1112.
- Still, W.C.; Kahn, M. and Mitra, A. 1978. "Rapid Chromatographic technique for preparative separations with moderate resolution", *J. Org. Chem.* 43, 2923-2925.

- Sugawara, F. and Takahashi, N. 1988. "Some new phytotoxic ophiobolins produced by *Drechslera oryzae*", *J. Org. Chem.* 53, 2170-2172.
- Tanaka, J.; Higa, T.; Suwanborirux, K.; Kokpol, U.; Bernardinelli, G. and Jefford, C.W. 1993. "Bioactive norsesiterterpene 1,2-dioxanes from a Thai sponge, *Mycale* sp.", *J. Org. Chem.* 58, 2999-3002.
- Terem, B. and Scheuer, P.J. 1986. "Scalarial derivatives from the nudibranch *Chromodoris youngbleuthi* and the sponge *Spongia oceania*", *Tetrahedron.* 42, 4409-4412.
- Tsuda, M.; Shigemori, H.; Ishibashi, M.; Sasaki, T. and Kobayashi, J. 1992. "Luffariolides A-E, new cytotoxic sesterterpenes from the Okinawan marine sponge *Luffariella* sp.", *J. Org. Chem.* 57, 3503-3507.
- Walker, R.P.; Thompson, J.E. and Faulkner, D.J. 1980. "Sesterterpenes from *Spongia idia*", *J. Org. Chem.* 45, 4976-4979.
- Watanadilok, R.; Sonchaeng, P.; Kijjoa, A.; Damas, A.M. and Gales, L. 2001. "Tetillapyrone and nortetillapyrone, two unusual hydroxypyran-2-ones from the marine sponge *Tetilla japonica*", *J. Nat. Prod.* 64, 1056-1058.
- Williams, D.H. and Bhacca, N.S. 1965. "Solvent effects in NMR spectroscopy-III. Chemical shifts induced by benzene in ketones", *Tetrahedron.* 21, 2021-2028.

- World Health Organization. 2002. "Global tuberculosis control: Surveillance, planning, financing", *WHO report 2002*, Geneva, Switzerland: WHO.
- Yasuda, F. and Tada, H. 1981. "Desacetylscalarial, a cytotoxic metabolite from the sponge *Cacospongia scalaris*", *Experientia*, 37, 110-111.
- Yousaf, M.; El Sayed, K.A.; Rao, K.V.; Lim, C.W., Hu, J.F.; Kelly, M.; Franzblau, S.G.; Zhang, F.; Peraud, O.; Hill, R.T. and Hamann, M.T. 2002. "12,34-Oxamanzamines, novel biocatalytic and natural products from manzamine producing Indo-Pacific sponges", *Tetrahedron*. 58, 7397-7402.
- Youssef, D.T.A.; Yamaki, R.K.; Kelly, M. and Scheuer, P.J. 2002. "Salmahyrtisol A, a novel cytotoxic sesterterpene from the Red Sea sponge *Hyrtios erecta*", *J. Nat. Prod.* 65, 2-6.
- Yunker, M.B. and Scheuer, P.J. 1978. "Mokupalides, three novel hexaprenoids from a marine sponge", *J. Am. Chem. Soc.* 100, 307-309.
- Zeng, L.; Fu, X. and Su, J. 1991. "Novel bishomoscalarane sesterterpenes from the sponge *Phyllospongia foliascens*", *J. Nat. Prod.* 54, 421-427.