

REFERENCES

- Ahmed, S., Imai, T., Yoshigae, Y. and Otagiri, M. 1997. Stereospecific activity and nature of metabolizing esterases for propranolol prodrug in hairless mouse skin, liver and plasma. *Life Sciences*, **61**: 1879-1887.
- Ahmed, S.R., Lutes A.T. and Barbari T.A. 2006. Specific capture of target proteins by oriented antibodies bound to tyrosinase-immobilized Protein A on a polyallylamine affinity membrane surface. *Journal of Membrane Science*, **282**: 311-321.
- Ahuja, S. 1997. Chiral separations Application and Technology. American Chemical Society, Washington, DC. USA.
- Alvarez-Roman, R., Naika, A., Kaliaa, Y.N., Fessia, H. and Guya, R.H. 2004. Visualization of skin penetration using confocal laser scanning microscopy. *European Journal of Pharmaceutics and Biopharmaceutics*, **58**: 301–316.
- Behringer, H., Bogner, T., Polotsky, A., Degenhard, A. and Schmid, F. 2007. Developing and analyzing idealized models for molecular recognition. *Journal of Biotechnology*, **129**: 268-278.
- Bicerano, J. 2002. Prediction of Polymer Properties. 3 rd ed. Marcel Dekker, Inc., New York. USA.
- Blowey, D.L. and Alon, U.S. 2005. Dialysis Principles for Primary Health-Care Providers. SAGE Publications.
- Bodhibukkana, C., Srichana, T., Kaewnopparat, S., Tangthong, N., Bouking, P., Martin, G.P. and Suedee R. 2006. Composite membrane of bacterially-derived cellulose and molecularly imprinted polymer for use as a transdermal enantioselective controlled-release system of racemic propranolol. *Journal of Controlled Release*, **113**: 43-56.
- Boonpangrak, S., Whitcombe, M.J., Prachayasittikul, V., Mosbacha, K. and Ye, L. 2006. Preparation of molecularly imprinted polymers using nitroxide-mediated living radical polymerization. *Biosensors and Bioelectronics*, **22**: 349–354.

- Braden, B.C., Dall'Acqua, W., Eisenstein, E., Fields, B.A., Goldbaum, F.A., Malchiodi, E.L., Mariuzza, R.A., Schwarz, F.P., Ysern, X. and Poljak, R.J. 1995. Protein motion and lock and key complementarity in antigen-antibody reactions. *Pharmaceutics Acta Helveticae*, **69**: 225-230.
- Capek, I. 2001. On the role of oil-soluble initiators in the radical polymerization of micellar systems. *Advances in Colloid and Interface Science*, **91**: 295-334.
- Crowder, T.M., Hickey, A.J., Louey, M.D. and Orr, N. 2003. A Guide to Pharmaceutical Particulate Science. Interpharm/CRC Press LLC, USA.
- Duan, G., Ching C.B. and Swarup S. 1998. Kinetic and equilibrium study of the separation of propranolol enantiomers by high performance liquid chromatography on a chiral adsorbent. *Chemical Engineering Journal*, **69**: 111-117.
- Dubey, V., Saxena, C., Singh, L., Ramana, K.V. and Chauhan, R.S. 2002. Pervaporation of binary water-ethanol mixtures through bacterial cellulose membrane. *Separation and Purification Technology*, **27**: 163-171.
- Fink, H.P., Weigel, P., Purz, H.J. and Ganster, J. 2001. Structure formation of regenerated cellulose materials from NMMO-solution. *Progress in Polymer Science*, **26**: 1473-1524.
- George, J., Ramanab, K.V., Sabapathy, S.N., Jagannath, J.H. and Bawa, A.S. 2005. Characterization of chemically treated bacterial (*Acetobacter xylinum*) biopolymer: Some thermo-mechanical properties. *International Journal of Biological Macromolecules*, **37**: 189–194.
- Godin, B. and Touitou, E. 2004. Mechanism of bacitracin permeation enhancement through the skin and cellular membranes from an ethosomal carrier. *Journal of Controlled Release*, **94**: 365– 379.
- Goethals, E.J. and Prez, F. D. 2007. Carbocationic polymerizations. *Progress in Polymer Science*, **32**: 220–246.
- Guadarrama, L.A.R. 2007. Application of online near infrared spectroscopy to study the kinetics of anionic polymerization of butadiene. *European Polymer Journal*, **43**: 928–937.
- Gumi, T., Valiente, M. and Palet, C. 2005. Elucidation of SR-propranolol transport rate and enantioselectivity through chiral activated membranes. *Journal of Membrane Science*, **256**: 150-157.

- Gupta, R.B. and Kompella, U.B. 2006. Nanoparticle Technology for Drug delivery. Taylor & Francis Group, LLC, New York. USA.
- Hadik, P., Szabo, L.P., Nagya, E. and Farkas, Z. 2005. Enantioseparation of D,L-lactic acid by membrane techniques. *Journal of Membrane Science*, **251**: 223–232.
- Hadgraft, J. and GUY, R.H. 1989. Transdermal Drug Delivery Developmental Issues and Research Initiative. Marcel Dekker, Inc., New York and Basel. USA.
- Heard, C.M. and Suedee, R. 1996. Stereoselective adsorption and trans-membrane transfer of propranolol enantiomer using cellulose derivative. *International Journal of Pharmaceutics*, **139**: 15-23.
- Hi, Helsinki. (2005). CLSM. <http://www.hi,helsinki.fi/amu>. Advanced Microscopy unit Department of Pathology Haartman Institute, University of Helsinki.
- Hilal, N. and Kochkodan V. 2003. Surface modified microfiltration membranes with molecularly recognizing properties. *Journal of membrane science*, **213**: 97-113.
- Lai, S., McLeod, R.A., Jacquemin, P., Atalick, S. and Herring, R. 2007. An algorithm for 3-D refractive index measurement in holographic confocal microscopy. *Ultramicroscopy*, **107**: 196-201.
- Lorenzo, C.A. and Concheiro, A. 2004. Molecularly imprinted polymers for drug delivery. *Journal of Chromatography B*, **804**: 231-245.
- Maestrelli, F., Gonzalez-Rodriguez, M.L., Rabasco, A.M. and Muraa, P. 2005. Preparation and characterisation of liposomes encapsulating ketoprofen–cyclodextrin complexes for transdermal drug delivery. *International Journal of Pharmaceutics*, **298**: 55–67.
- Marcano, S. and Tsotsis, T. 2002. Catalytic Membranes and Membrane reactors. WILEY-VCH Verlag GMBH, Weinheim. Germany.
- Martin, A. 1993. Physical Pharmacy. LEA & FEBIGER, Philadelphia, London. UK.
- Matyjaszewski, K. and Davis, T.P. 2002. Handbook of radical polymerization. John Wiley & Sons, Inc., Hoboken. USA.
- Mayes, A.G. and Whitcombe, M.J. 2005. Synthetic strategies for the generation of molecularly imprinted organic polymers. *Advanced Drug Delivery Reviews*, **57**: 1742-1778.

- Mayes, A.W. and Mosbach K. 1996. Molecularly imprinted polymer bead:Suspension polymerization using a liquid perfluorocarbon as the dispersing phase. *Anaytical Chemistry*, **68**: 3769-3774.
- Nantasesamat, C., Isarankura-Na-Ayudhya, C., Naenna, T. and Prachayasittikul, V. 2007. Quantitative structure-imprinting factor relationship of molecularly imprinted polymers. *Biosensors and Bioelectronics*, article in press.
- Nicholls, I.A., Adbo, K., Andersson, H.S., Andersson, P.O., Ankarloo, J., Dahlström, J.H., Jokela, P., Karlsson, J.G., Olofsson, L., Rosengren, J., Shoravi, S., Svenson, J. and Wikman, S. 2001. Can we rationally design molecularly imprinted polymers?. *Analytica Chimica Acta*, **435**: 9–18.
- Odian, G. 2004. Principles of polymerization. 4 th ed. John Wiley & Sons, Inc., New York. USA.
- Obara, K., Ishihara, M., Ozeki, Y., Ishihara, T., Hayashi, T., Nakamura, S., Saito, Y., Yura, H., Hatsui, T. and Hattori, H. 2005. Controlled release of paclitaxel from photocrosslinked chitosan hydrogels and its subsequent effect on subcutaneous tumor growth in mice. *Journal of Controlled Release*, **110**: 79-89.
- Pandey, L.K., Saxena, C. and Dubey, V. 2005. Studies on pervaporative characteristics of bacterial cellulose membrane. *Separation and Purification Technology*, **42**: 213–218.
- Pichon, V. 2007. Selective sample treatment using molecularly imprinted polymers. *Journal of Chromatography A*, article in press.
- Piletsky, S.A. and Turner, A. 2006. Molecular imprinting of polymers. LANDES BIOSCIENCE, Georgetown, Texas. USA.
- Piletsky, S.A., Panasyuk, T.L., Piletskaya, E.V., Nicholls, I.A. and Ulbricht M. 1999. Receptor and transport properties of imprinted polymer membrane. *Journal of Membrane Science*, **157**: 263-278.
- Rempp, P. and Merrill, E.W. 1991. Polymer synthesis. 2 nd ed. Huthig & Wepf Verlag Basel, Heidelberg, New York. USA.
- Rushton, G.T. and Karns, C.L. 2005. A critical examination of the use of the Freundlich isotherm in characterizing molecularly imprinted polymer (MIPs). *Analytica Chimica Acta*, **528**: 107-113.

- Siepmann, J., Lecomte, L., Walther, M., MacRac, R.J. and Bodmeier, R. 2004. Polymer blends used for the aqueous coating of solid dosage forms: importance of the type of plasticizer. *Journal of Controlled Release*, **99**: 1-13.
- Sellergren, B. and Allender, C. 2005. Molecular imprinted polymer: A bridge to advanced drug delivery. *Advanced Drug Delivery Reviews*, **57**: 1733-1741.
- Sokolnicki, A.M., Fisher, R.J., Harrah, T.P. and Kaplan, D.L. 2006. Permeability of bacterial cellulose membranes. *Journal of Membrane Science*, **272**: 15-27.
- Spivak, D.A. 2005. Optimization, evaluation and characterization of molecular imprinted polymers. *Advance Drug Delivery Reviews*, **57**: 1779-1794.
- Stoschitzky, K., Schumacher, M., Stark, G., Dimai, H.P., Stauber, R., Krejs, G.J., Klein, W. and Lindner, W. 1996. Exercise increases plasma concentrations of (R)- and (S)-propranolol. *European Journal of Clinical Pharmacology*, **50**: 339-342.
- Suedee, R., Srichana, T. and Martin, G.P. 2000. Evaluation of matrices containing molecularly imprinted polymers in the enantioselective-controlled delivery of β-blockers. *Journal of Controlled Release*, **66**: 135–147.
- Suedee, R., Srichana, T., Chotivatesin R. and Martin, G.P. 2002. Stereoselective Release Behaviors of Imprinted Bead Matrices. *Drug Development and Industrial Pharmacy*, **28**: 545-554.
- The United States Pharmacopeial Convention. 2004. The United States Pharmacopeia 27/ National Formulary 22 (USP 27/ NF 22), Rand McNally, Maryland, USA.
- Ulbricht, M. 2004. Membrane separations using molecularly imprinted polymers. *Journal of Chromatography B*, **804**: 113-125.
- Valenta, C. and Auner, B.G. 2004. The use of polymers for dermal and transdermal delivery. *European Journal of Pharmaceutics and Biopharmaceutics*, **58**: 279-289.
- Wokovich, A.M., Prodduturi, S., Doub, W. H., Hussain, A.S. and Lucinda F. Buhse, L.F. 2006. Transdermal drug delivery system (TDDS) adhesion as a critical safety, efficacy and quality attribute. *European Journal of Pharmaceutics and Biopharmaceutics*, **64**: 1-8.
- Zhan, X., Tang, G., Chen, S. and Mao, Z. 2006. A new copolymer membrane controlling clonidine linear release in a transdermal drug delivery system. *International Journal of Pharmaceutics*, **322**: 1-5.

- Zhang, D. and Qi, L. 2005. Synthesis of mesoporous titania networks consisting of anatasenanoires by templating of bacterial cellulose membranes. *Chemical Communication*, **21**: 2735 – 2737.
- Zou, H. Luo, Q. and Zhou, D. 2001. Affinity membrane chromatography for the analysis and purification of proteins. *Journal of Biochemical and Biophysical Methods*, **49**: 199–240.