

## BIBLIOGRAPHY

- Abbas, A.M., Bandyukova, V.F., Pshukov, Y.G., Nikitina, G.K., Vashchenko, T.N. and Gavrilin, M.V. 1993. Polyphenols and polysaccharides of sepals of *Hibiscus sabdariffa* L. *Rastitel'ney Resursy*. 29(2): 31-40.
- Aboutabl, E.A., Goneid, M.H., Soliman, S.N. and Selim, A.A. 1999. Analysis of certain plant polysaccharides and study of their antihyperlipidemic activity. *Journal of Pharmaceutical Sciences*. 24: 187-195.
- Ahmad, M.U., Hashem, M.A., Saha, K., Islam, M. and Kiuchi, F. 2000. Phytochemical study on the flower of *Hibiscus sabdariffa*. *Journal of the Bangladesh Chemical Society*. 13 (1-2): 157-161.
- Ahmad, M.U., Husain, S.K., Ahmad, I. and Osaman, S.M. 1979. *Hibiscus sabdariffa* seed oil: a re-investigation. *Journal of Agricultural and Food Chemistry*. 30: 424-428.
- Akindahunsi, A.A. and Olaleye, M.T. 2003. Toxicological investigation of aqueous-methanolic extract of the calyces of *Hibiscus sabdariffa* L. *Journal of Ethnopharmacology*. 89: 161-164.

- Akiyoshi, S., Chiaki, N., Masanori, M., Sadayoshi, M., Yoshiharu, M. and Sadao, K. 2005. Glycosides in African dietary leaves, *Hibiscus sabdariffa*. *Journal of Oleo Science*. 54 (3): 185-191.
- Ames, B.N., Shigenaga, M.K. and Hagen, T.M. 1993. Oxidants, antioxidant and the degenerative diseases of aging. *Proceeding of Natural Academy of Sciences*. 90: 7915-7922.
- Amin, A. and Hamza, A.A. 2005. Hepatoprotective effect of *Hibiscus Rosmarinus* and *Salvia* on azathioprine-induced toxicity in rats. *Life Sciences*. 77(3): 266-278.
- A.O.A.C. 1999. Official Method of Analysis of AOAC International. 16<sup>th</sup> Edition. Cunniff, P., eds. Association of Official Analytical Chemistry International. Maryland, USA.
- Bakowska,A., Kucharska, A.Z. and Oszmianski, J. 2003. The effect of heating, UV irradiation, and storage on stablility of the anthocyanin-polyphenol copigment complex. *Journal of Food Chemistry*. 81:349-355.
- Barja, G. 2004. Free radicals and ageing. *Neurosciences*. 27(10): 595-600.
- Benedetto, A.V. 1998. The Environment and Skin Aging. *Clinics in Dermatology*. 16: 129-139.

Blois, M.S. 1958. Antioxidant determine by the use of a stable free radical. *Nature*. 18: 1199-1200.

Bokov, A., Chaudhuri, A. and Richardson, A. 2004. The role of oxidative damage and stress in aging. *Mechanisms of Aging Development*. 125: 811-826.

Caillet, S., Salmieri, S. and Lacroix, M. 2005. Evaluation of free radical-scavenging properties of commercial grape phenol extracts by a fast colorimetric method. *Food Chemistry*. 95(1):1-8.

Cevallos-Casals, B.A. and Cisneros-Zevallos, L. 2004. Stability of anthocyanin-based aqueous extracts of Andean purple corn and red-fleshed sweet potato compared to synthetic and natural colorants. *Food Chemistry*. 86: 69-77.

Chang, Y.C., Huang, H.P., Hsu, J.D., Yang, S.F. and Wang, C.J. 2005. Hibiscus anthocyanin rich extract-induced apoptotic cell death in human promyelocytic leukemia cells. *Toxicology and Applied Pharmacology*. 205(3): 201-212.

Cheeptham, N. and Tower, G.H.N. 2002. Light-mediated activities of some Thai medicinal plant teas. *Fitoterapia*. 73: 651-662.

Chen, C.C., Hsu, J.D., Wang, S.F., Chiang, H.C., Yang, M.Y., Kao, E.S., Ho, Y.C. and Wang, C.J. 2003. *Hibiscus sabdariffa* extract inhibits the development of atherosclerosis in cholesterol-fed rabbits. *Journal of Agricultural and Food Chemistry*. 51(18): 5472-5477.

Chen, C.C., Chou, F.P., Ho, Y.C., Lin, W.L., Wang, C.P., Kao, E.S., Huang, A.C. and Wang, C.J. 2004. Inhibitory effects of *Hibiscus sabdariffa* L. extract on low density lipoprotein oxidation and anti-hyperlipidemia in fructose-fed and cholesterol-fed rat. *Journal of the Science of Food and Agriculture*. 84(15): 1989-1996.

Chewonarin, T., Kinouchi, T., Kataoka, K., Arimochi, H., Kuwahara, T., Vinitketkumnuen, U. and Ohnishi, Y. 1999. Effects of Roselle (*Hibiscus sabdariffa* Linn.), a Thai medicinal plant, on the mutagenicity of various known mutagens in *Salmonella typhimurium* and on formation of aberrant crypt foci induced by the colon carcinogens azoxymethane and 2-Amino-1-methyl-6-phenylimidazo[4,5-*b*]pyridine in F344 Rats. *Food and Chemical Toxicology*. 37: 591-601.

Dermarderosian, A. and Beutler, J.A. 2002. *The Review of Natural Products*. 3<sup>rd</sup> edition. pp. 363-364. USA: A Wolter Kluwer company.

Du, C.T. and Francis, F.J. 1974. Anthocyanins of roselle (*Hibiscus sabdariffa*). *Journal of Food Science*. 38(5): 810-812.

Duke, J.A. and Atchley, A.A. 1984. Proximate analysis., *The Handbook of Plant Science in Agriculture*. Christie, B.R., ed. CRC Press, Boca Raton, Florida.

Duh, P.D. and Yen, G.C. 1997. Antioxidative activity of three herbal water extract. *Food Chemistry*. 60(4): 639-645.

Duke, J.A. 1992. *Handbook of Phytochemical Constituents of GRAS Herbs and Other Economic Plants*. pp. 291-292. London: CRC Press.

Farnsworth, N.R. and Bunyapraphatsara, N. 1992. *Thai Medicinal Plants*. Prachachon Co., Ltd. Thailand.

Giusti, M.M. and Wrolstad, R.E. 2001. "Anthocyanins characterization and measurement with UV-visible spectroscopy", In *Current protocols in food analytical chemistry*. Wrolstad, R.E. and Schwartz, S.J., eds.. New York: Wiley.

Gradinaru, G., Biliaderis, C.G., Kallithraka, S., Kefalas, P. and Garcia-Viguera, C. 2003. Thermal stability of *Hibiscus sabdariffa* L. anthocyanin in solution and in solid state: effect of copigmentation and glass transition. *Food Chemistry*. 83: 423-436.

Griebel, C. 1942. The constitution and detection of hibiscus acid ((+)-alohydroxycitric acid lactone). *Zeitschrift fuer Untersuchung der Lebensmittel.* 83: 481-486.

Haji-Faraji, M. and Haji-Tarkhani, A. 1999. The effect of sour tea (*Hibiscus sabdariffa*) on essential hypertension. *Journal of Ethnopharmacology.* 65: 231-236.

Halliwell, B. and Gutteridge, J.M.C. 1989. *Free radicals in biological and medicine.* New York: Oxford university press.

Heim, K.E., Tagliaferro, A.R. and Bobilya, D.J. 2002. Flavonoid antioxidants: chemistry, metabolism and structure-activity relationships. *Journal of Nutrition.* 13: 572-584.

Heredia, F.J., Francia-Aricha, E.M., Rivas-Gonzalo, J.C., Vicario, I.M. and Santos-Buelga, C. 1998. Chromatic characterization of anthocyanins from red grapes-I. pH effect. *Food chemistry.* 63(4): 491-498.

Hirunpanich, V., Utaipat, A., Morales, N.P., Bunyapraphatsara, N., Sato, H., Herunsalee, A. and Suthisisang, C. 2005. Antioxidant effects of aqueous extracts from dried calyx of *Hibiscus sabdariffa* Linn (Roselle) *in vitro* using rat low-density lipoprotein (LDL). *Biological and Pharmaceutical Bulletin.* 28(3): 481-484.

Hirunpanich, V., Utaipat, A., Morales, N.P., Bunyapraphatsara, N., Sato, H., Herunsalee, A. and Suthisisang, C. 2005. Hypocholesterolemic and antioxidant effects of aqueous extracts from the dried calyx of *Hibiscus sabdariffa* L. in hypercholesterolemic rats. *Journal of Ethnopharmacology*. (Article in press)

Hussaini, D.C., Orisakwe, O.E., Akunyili, D.N., Njan, A.A., Akumaka, D.D. and Udemezue, O.O. 2004. Subchronic administration of nigerian species of aqueous extract of *Hibiscus sabdariffa* calyx in rat did not produce cardiotoxicity. *European Bulletin of Drug Research*. 12: 1-4.

Jenkins, G. 2002. Molecular mechanisms of skin ageing. *Mechanisms of Ageing and Development*. 123: 801-810.

Jonadet, M., Bastide, J., Bastide, P., Boyer, B., Carnat, A.P. and Lamaison, J.L. 1990. Enzyme-inhibiting activities “in vitro” and angioprotective activity “in vivo” of Roselle (*Hibiscus sabdariffa* L.) extracts. *Journal de Pharmacie de Belgique*. 45(2): 120-124.

Katsume, T., Tabata, H., Ohta, Y., Yamasaki, Y., Anuurad, E., Shiwaku, K and Yamane, Y. 2004. Screening for antioxidant activity in edible plant product: comparison of low-density lipoprotein oxidation assay, DPPH radical scavenging assay and Folin-Ciocalteu Assay. *Journal of Agricultural and Food Chemistry*. 52(8): 2391-2396

- Kohen, R. 1999. Skin antioxidants: their role in aging and in oxidative stress new approaches for their evaluation. *Biomedicine and Pharmacotherapy*. 53: 181-192.
- Lee, K.Y., Weintraub, S.T. and Yu, B.P. 2000. Isolation and identification of a phenolic antioxidant from *Aloe Barbadensis*. *Free Radicals Biology and Medicine*. 28(2): 261-265.
- Lee, M.J., Chou, F.P., Tseng, T.H., Hsieh, M.H., Lin, M.C. and Wang, C.J. 2002. Hibiscus protocatechuic acid or esculetin can inhibit oxidative LDL induced by either copper ion or nitric oxide donor. *Journal of Agricultural and Food Chemistry*. 50(7): 2130-2136.
- Liu, C.L., Wang, J.M., Chu, C.Y., Cheng, M.T. and Teng, T.H. 2002. *In vivo* protective effect of protocatechuic acid on *tert*-butyl hydroperoxide-induced rat hepatotoxicity. *Food and Chemical Toxicology*. 40: 635-641.
- Liu, J.Y., Chen, C.C., Wang, W.H., Hsu, J.D., Yang, M.Y. and Wang, C.J. 2005. The protective effect of *Hibiscus sabdariffa* extract on CCl<sub>4</sub>-induced liver fibrosis in rats. *Food and Chemical Toxicology*. (Article in press)
- Malien-Aubert, C., Dangles, O., and Josephe Amiot, M. 2001. Color stability of commercial anthocyanin-based extracts in relation to the phenolics composition: Protective effect by intra- and inter-molecular copigmentation. *Journal of Agricultural and Food Chemistry*. 49: 170-176.

Markakis, P., Livingstone, G.E. and Fellers, R.C. 1957. Quantitative aspects of strawberry-pigment degradation. *Food Research*. 22: 117-130.

Martin, A., Bustamante, P. and Chun, A.H.C. 1993. *Physical Pharmacy*. 4<sup>th</sup> edition.. Philadelphia, London: Lea & Febiger

Mazza, G. and Brouillard, R. 1987. Recent developments in the stabilization of anthocyanin in food products. *Food Chemistry*. 25: 207-225.

Mazza, G. and Brouillard, R. (1990). The mechanism of co-pigmentation of anthocyanins in aqueous solution. *Phytochemistry*. 29: 1097-1102.

Miliauskas, G., Venskutonis, P.R. and van Beek, T.A. 2004. Screening of radical scavenging activity of some medicinal and aromatic plant extracts. *Food Chemistry*. 85: 231-237.

Morais, H., Ramos, C., Forgacs, E., Cserhati, T. and Oliviera, J. 2002. Influence of storage conditions on the stability of monomeric anthocyanins studies by reversed-phase high-performance liquid chromatography. *Journal of Chromatography B*. 770: 297-301.

Morton, J. 1987. Roselle. In: *Fruits of warm climates*. Pp. 281-286. Miami. Florida.

Motterlini, R., Foresti, R., Bassi, R. Green, C.J. 2000. Curcumin, an antioxidant and anti-inflammatory agent induce heme oxygenase-1 and protects endothelial cells against oxidative stress. *Free Radicals Biology and Medicine*. 28(8): 1303-1312.

Mounnissamy, V.M., Gunasegaran, R., Gopal, V. and Saraswathy, A. 2002. Diuretic activity of gossypetin isolated form *Hibiscus sabdariffa* in rats. *Hamdard Medicine*. 45(2): 68-70.

Mueller, B.M. and Franz, G. 1992. Hibiscus flowers – a mucilage drug ?. *Planta Medica*. 58: 63-67.

Odigie, I.P. Ettarh, R.R. and Adigun, S.A. 2003. Chronic administration of aqueous extract of *Hibiscus sabdariffa* attenuates hypertension and reverses cardiac hypertrophy in 2K-1C hypertensive rats. *Journal of Ethanopharmacology*. 86: 181-185.

Onyenekwe, P.C., Ajani, E.O., Ameh, D.A. and Gamaniel, K.S. 1999. Antihypertensive effect of roselle (*Hibiscus sabdariffa*) calyx infusion in spontaneously hypertensive rats and a comparison of its toxicity with that in Wistar rats. *Cell Biochemistry and Function*. 17(3): 199-206.

Orisakwe, O.E., Husaini, D.C., Orish, V.N., Obi, E., Udemezue, O.O. 2003. Nephrotoxic effects of *Hibiscus sabdariffa* calyx in rats. *European Bulletin of Drug Research*. 11(4): 99-103.

Orisakwe, O.E., Husaini, D.C. and Afonne, O.J. 2004. Testicular effects of sub-chronic administration of *Hibiscus sabdariffa* calyx aqueous extract in rats.

*Reproductive Toxicology*. 18(2): 295-298.

Osman A.M., Younes, M.E. and Mokhtar, A. 1975. Sitosterol- $\beta$ -D-galactoside from *Hibiscus sabdariffa*. *Phytochemistry*. 14(3): 829-830.

Rathee, J.S., Hassarajani, S.A. and Chattopadhyay. 2005. Antioxidant activity of *Mammea longifolia* bud extract. *Food Chemistry*. (Article in press)

Reaubourg, G. and Monceaux, R.H. 1940. The chemical, botanical and pharmacological characteristics of karkade (rosella) *Hibiscus sabdariffa* (gossypifolius). *Journal de Pharmacie et de Chimie*. 1: 292-305.

Rieger, M. 1993. Oxidative reactions in and on skin: mechanism and prevention. *Allured's Cosmetics and Toiletries*. 108: 43-46.

Salam, R.B. and Ibrahim, S.A. 1979. Ergosterol in *Hibiscus sabdariffa* seed oil. *Planta Medica*. 36: 221.

Seshadri, T.R. and Thakur, R.S. 1961. Constitution of gossytrin, a new glycoside from the flower petals of *Hibiscus sabdariffa*. *Journal of Indian Chemical Society*. 38: 649-651.

Torskangerpoll, K. and Anderson, Ø.M. 2005. Colour stability of anthocyanins in aqueous solutions at various pH values. *Journal of Food Chemistry.* 89: 247-440.

Tsai, P.J. and Ou, A.S.M. 1996. Colour degradation of dried roselle during storage. *Journal of Food Science.* 23: 629-640.

Tsai, P.J., Macintosh, J., Pearce, P., Camden. B. and Jordan, B.R. 2002. Anthocyanin and antioxidant capacity in Roselle (*Hibiscus sabdariffa* L.) extract. *Food Research International.* 35: 351-356.

Tsai, P.J. and Huang, H.P. 2004. Effect of polymerization on the antioxidant capacity of anthocyanins in Roselle. *Food Research International.* 37: 313-318.

Tseng, T.H., Wang, C.J., Kao, ES. And Chu, H.Y. 1996. Hibiscus protocatechuic acid protects against oxidative damage induced by *tert*-butylhydroperoxide in rat primary hepatocytes. *Chemico-Biological Interactions.* 101: 137-148.

Tseng, T.H., Kao, C.Y., Chu, C.Y., Chou, F.P., Lin Wu, H.W. and Wang, C.J. 1997. Protective effects of dried flower extracts of *Hibiscus sabdariffa* L. against oxidative stress in rat primary hepatocytes. *Food and Chemical Toxicology.* 35: 1159-1164.

- Tseng, T.H., Hsu, J.D., Lo, M.H., Chu, C.Y., Chou, F.P., Huang, C.L. and Wang, C.J. 1998. Inhibitory effect of Hibiscus protocatechuic acid on tumor promotion in mouse skin. *Cancer Letters.* 126: 199-207.
- Uchiyama, M. and Mihara, M. 1978. Determination of malonaldehyde precursor in tissue by thiobarbituric acid test. *Analytical Biochemistry.* 86: 271-278.
- Udayasekhara, R.P. 1996. Nutrient composition and biological evaluation of mesta (*Hibiscus sabdariffa*) seed. *Historical Archive.* 49(1): 27-34.
- Vendemiale, G. Grattagliano, I. and Altomare, E. 1999. An update on the role of free radicals and antioxidant defense in human disease. *International Journal of Clinical Laboratory Research.* 29: 49-55.
- Wandawi, A.L., Al-Shaikhly, K. and Abdul-Rahman. M., 1984. Roselle seeds: a new protein source. *Journal of Agricultural and Food Chemistry.* 326(3): 510-512.
- Wang, C.J., Wang, J.M., Lin, W.L., Chu, C.Y., Chou, F.P. and Tseng, T.H. 2000. Protective effect of hibiscus anthocyanins against *tert*-butyl hydroperoxide-induced hepatic toxicity in rats. *Food and Chemical Toxicology.* 38: 411-416.
- Wickens, P.A. 2001. Ageing and the free radical theory. *Respiration Physiology.* 128: 379-391.

Yamasaki. K., Hashimoto, A., Kokusenya, Y., Miyamoto, T. and Sato, T. 1994.  
Electrochemical method for estimating the antioxidative effects of methanol  
extract of crude drugs. *Chemical and Pharmaceutical Bulletin*. 42: 1663-1665.