

## BIBLIOGRAPHY

- Arunyanart, P., Nilpanit, N., Srisantana, W. and Disthaporn, S. 2001. Effectiveness of bioproduct of *Bacillus subtilis* to control rice sheath blight disease. J. Thai Agricul. Research. 19(1): 4-12.
- Baker, K.F. 1987. Evolving concepts of biological control of plant pathogens. Annu. Rev. Phytopathol. 25: 67-85.
- Berdy, J. 1974. Recent developments of antibiotic research and classification of antibiotics according to chemical structure. Adv. Appl. Microbiol. 18: 309-406.
- Boer, A.S. and Diderichsen, B. 1991. On the safety of *Bacillus subtilis* and *Bacillus amyloliquefaciens*. Appl. Microbiol. Biotechnol. 36: 1-4.
- Brady, N.C. and Weil, R.R. 1996. The Nature and Properties of Soils. 11<sup>th</sup> ed. Prentice-Hall International, New Jersey, USA.
- Brock, T.D. and Madigan, M.T. 1991. Biology of Microorganisms. 6<sup>th</sup> ed. Prentice hall, New Jersey, USA.
- Budavari, S. 1996. The Merck Index. 12<sup>th</sup> ed. Merck Research Laboratories, USA.
- Burton, J.C. 1967. *Rhizobium* culture and use. In Microbial Technology (ed. Peppler, H.J.). Van Nostrand-Reinhold, New York, USA. p. 1-33.

- Chaudhary, R.C., Nanda, J.S. and Tran, D.V. 2002. Guidelines for Identification of Field Constraints to Rice Production. International rice commission food and agriculture organization of the united nations. Rome.
- Chumthong, A. 2004. Selection and Development as Products of *Bacillus* spp. for Control Leaf Blight in Bambara Groundnut (*Vigna subterranea* (L.) Verdc.) caused by *Shizoctonia solani* Kunh. Master of Science Thesis. Prince of Songkla University.
- Connick Jr, W.J. 1988. Formulation of living biological control agents with alginate. In Pesticide Formulations: Innovations and Developments, ACS Symposium Series 371 (eds. Cross, B. and Scher, H.B.). American Chemical Society, Washington, DC., USA. p. 241-250.
- Cook, R.J. and Baker. K.F. 1983. The Nature and Practice of Biological Control of Plant Pathogens. APS Press.
- DeLucca, A.J., Connick Jr, W.J. and Fravel, D.R. 1990. The use of bacterial alginates to prepare biocontrol formulations. *J. Indust. Microbiol.* 6: 129-134.
- Fravel, D.R., Connick Jr, W.J. and Lewis, J.A. 1998. Formulation of microorganisms to control plant diseases. In Formulation of Microbial Biopesticides (ed. Burges, H.). Great Britain. p. 187-202.
- Fravel, D.R., Marois, J.J., Lumsden, R.D. and Connick Jr, W.J. 1985. Encapsulation of potential biocontrol agents in an alginate-clay matrix. *Phytopathol.* 75: 774-777.

- Gamliel, A., Katan, J. and Cohen, E. 1989. Toxicity of chloronitrobenzenes to *Fusarium oxysporum* and *Rhizoctonia solani* as related to their structure. *Phytoparasitica*. 17: 101-105.
- Gnanamanickam, S.S. and Mew, T.W. 1990. Biological control of rice disease ( Blast and Sheath blight ) with bacterial antagonists: An alternative strategy for disease management. In Pest Management in Rice (eds. Grayson, B.T., Green, M.B. and Copping, L.G.). Elsevier Applied Science, London. p. 87-110.
- Gnanamanickam, S.S., Candole, B.L. and Mew, T.W. 1992. Influence of soil factors and cultural practice on biological control of sheath blight of rice with antagonistic bacteria. *Plant . Soil*. 144: 67-75.
- Musa, V. 2000. Optimization of culture conditions for production of antagonistic substances against fungal pathogens of rice by *Bacillus subtilis* NSRS 89-24 and *Bacillus* sp. LN007. Master of Science Thesis. Prince of Songkla University.
- IRRI. 1993. Filling the World's Rice Bowl. International Rice Research Institute, Rome.
- Islam, K.Z. and Nandi, B. 1985. Inhibition of some fungal pathogens of host phylloplane by *Bacillus megaterium*. *Zeitschrift für Pflanzenkrankheiten, Pflanzenpathologie und Pflanzenschutz*. 92: 233-240.

- Jones, A. and Burges, H. 1998. Technology of formulation and application. In Formulation of Microbial Biopesticides (ed. Burges, H.). Great Britain. p. 7-30.
- Johnston, W.R. 1962. Process for preparing viable dry bacteria and molds. US Patent 3 034 968.
- Kanjanamaneesathian, M., Kusonwiriawong, C., Pengnoo, A. and Nilratana, L. 1998. Screening of potential bacterial antagonists for sheath blight in rice and development of suitable bacterial formulations for effective application. *Aust. Plant Pathol.* 27: 198-206.
- Kanjanamaneesathian, M., Pengnoo, A., Jantharangsri, A., Nilratana L. and Kusonwiriawong, C. 2000. Scanning electron microscopic examination of a pellet formulation of *Bacillus megaterium* and *B. pumilus*, antagonists of *Rhizoctonia solani*, and survival during storage. *J. Microbio. Biotech.* 16:523-527.
- Katz, E. and Demain, A.L. 1977. The peptide antibiotics of *Bacillus*: chemistry, biogenesis, and possible functions. *Bacteriol. Rev.* 41: 449-474.
- Keawprom, S. 1996. In vitro study of biological control of rice disease by antagonistic strain of *Bacillus subtilis*. Master of Science Thesis. Prince of Songkla University.
- Kusonwiriawong, C., Pengnoo, A., Nilratana, L. and Kanjanamaneesathian, M. 1999. Development of effective bacterial formulations for the control of sheath blight of rice. Proceedings of the First Australasian Soilborne Disease Symposium. Gold Coast, Australia. p. 108-110.

- Lewis, J.A. 1991. Formulation and delivery systems of biocontrol agents with emphasis on fungi. In The Rhizosphere and Plant Growth. (eds. Keister, D.L., Cregan, P.B.). Kluwer Academic Publishers, Dordrecht, Netherlands. p. 279-287.
- Lewis, J.A. and Papavizas, G.C. 1985. Characteristics of alginate pellets formulated with *Trichoderma* and *Gliocladium* and their effect on the proliferation of the fungi in soil. *Plant. Pathol.* 36: 571-577.
- Marshall, D.S. and Rush, M.C. 1980. Infection cushion formation on rice sheaths by *Rhizoctonia solani*. *Phytopathol.* 70: 947-950.
- Martin, A.N. 1993. *Physical Pharmacy: physical chemical principles in the pharmaceutical sciences.* 4<sup>th</sup> ed. USA.
- Mew, T.W. and Rosales, A.M. 1986. Bacterization of rice plants for control of sheath blight caused by *Rhizoctonia solani*. *Phytopathol.* 76: 1260-1264.
- Mugnier, J. and Jung, G. 1985. Survival of bacteria and fungi in relation to water activity and the solvent properties of water in biopolymer gels. *Appl. Environ. Microbiol.* 50: 108-114.
- Nandakumar, R., Babu, S., Viswanathan, R., Rugunander, T. and Samiyappan, R. 2001. Introduction of systemic resistance in rice against sheath blight disease by *Pseudomonas fluorescens*. *Soil Bio. Biochem.* 33: 603 - 612.
- Ou, S.H. 1985. *Rice Diseases.* 2<sup>nd</sup> ed. Commonwealth Mycological Institute, Kew.

- Paau, A.S. 1998. Formulation of beneficial organisms applied to soil. In Formulation of Microbial Biopesticides (ed. Burges, H.D.). Kluwer Academic Publishers, Dordrecht, Netherlands. p. 235-254.
- Pande, H.K. 1994. Improved Upland Rice Farming Systems. 1<sup>st</sup> ed. Food and Agriculture Organization of the United Nations. Rome.
- Pengnoo, A., Kusunwiriawong, C., Nilratana, L. and Kanjanamaneesathian, M. 2000. Greenhouse and field trials of the bacterial antagonists in pellet formulations to suppress sheath blight of rice caused by *Rhizoctonia solani*. *BioControl*. 45: 245-256.
- Phiharn, W. and Markbumrung, S. 2002. Preparation of enteric coated *Lactobacillus acidophilus* tablets. Senior project. Prince of Songkla University.
- Polon, J.A. 1973. Formulation of pesticide dusts, wettable powders and granules. In Pesticide Formulations (ed. Walkenburg, W.). Marcel Dekker, New York, USA. p. 143-234.
- Prescott, L.M., Harley, J.P. and Klein, D.A. 1993. Microbiology. 3<sup>rd</sup> ed. Wm. C. Brown Publishers.
- Pusey, P.L. 1989. Use of *Bacillus subtilis* and related organisms as biofungicides. *Pestic. Sci.* 27: 133-140.
- Radja Commare, R., Nandakumar, R., Kandan, A., Suresh, S., Bharathi, M., Raguchander, T. and Samiyappan, R. 2002. *Pseudomonas fluorescens* based bio-formulation for the management of Sheath

Blight Disease and leafhopper insect in rice. *Crop Protection*. 21: 671-677.

Reissing, W.H., Heinrichs, E.A., Litsinger, J.A., Moody, K., Fielder, L., Mew, T.W. and Barrion, A.T. 1986. *Illustrated Guide to Integrated Pest Management In Rice in Tropical Asia*. International Rice Research Institute, Los Banos, Laguna, Philippines.

Rhodes, D.J. 1990. Formulation requirements for biological control agents. *In* *The Exploitation of Microorganisms in Applied Biology*. Aspects of Applied Biology No. 24. Association of Applied Biologists, Warwick. p. 145-153.

Roberts, T.A. and Hitchins, A.D. 1969. Resistance of spores. *In* *The Bacterial Spore* (eds. Gould, G.W. and Hurst, A.). Academic Press, London. p. 611-670.

Ross, M.A. and Lembi, C.A. 1985. *Applied Weed Science*. Macmillan, New York, USA.

Rourke, J.O. 2004. *Microbiology Culture Collection of the School of Biotechnology and Biomolecular Sciences*. The University of New South Wales, New South Wales.

Schippers, B. 1983. Prospects of biological control of plant pathogens with fluorescent *Pseudomonas* spp. *Proceedings of the 10<sup>th</sup> International Congress of Plant Protection*, Vol. 2. British Crop Protection Council, Swindon. p. 767-771.

- Srichuwong, S. and Suwannarat, N. 1984. Disease of economic plants in high land. Department of plant pathology, Faculty of Agriculture, Chaing Mai University. (In Thai)
- Tanaka, Y., Hirata, K., Takahashi, Y., Iwai, Y. and Omura, S. 1987. Globopeptin, a new antifungal peptide antibiotic. *J. Antibiot.* 40: 242-244.
- Teng, P.S., Torres, C.Q., Nuque, F.L., and Calvero, S.B. 1990. Current knowledge on crop losses in tropical rice. *In* Crop Loss Assessment in Rice. International Rice Reshearch Institute. Manila. Philippines. p. 39-53.
- Thompson, D.C. 1992. Pharmacology of Therapeutic Aerosols. *In* Pharmaceutical Inhalation Aerosol Technology (ed. Anthony J. Hickey). Marcel Dekker, INC., New York, USA. p.29-59.
- Tortora, G.J., Funk, B.R. and Case, C.L. 1997. Microbiology: an introduction. 6<sup>th</sup> ed. Addison Wesley Longman, Menlo Park, Calif.
- United Nations. 2005. Security Council. The United Nations, USA.
- United States Pharmacopeial Convention, Inc. 2004. The United States Pharmacopeia USP 27. Rockville, Md. The United States Pharmacopeial Convention, USA.
- Vasantha Devi, T.V., Malar Vizhi, R., Sakthivel, N. and Gnanamanickam, S.S. 1989. Biological control of sheath blight of rice in India with antagonistic bacteria. *Plant. soil.* 119: 325-330.



- Vidhyasekaran, P. and Muthamilan, M. 1995. Development of formulation of *Pseudomonas fluorescens* for control of chickpea wilt. *Plant Dis.* 79: 780-782.
- Wade, A. and Weller, P.J. 1994. Handbook of pharmaceutical excipients. 2<sup>nd</sup> . American Pharmaceutical Association and The Pharmaceutical Press, London.
- Wiwattanapatapee, R., Pengnoo, A., Kanjanamaneesathian, M., Matchavanich, W., Nilratana, L. and Jantharangsri, A. 2004. Floating pellets containing bacterial antagonist for control sheath blight of rice: Formulation, viability and bacterial release studies. *J. Control. Rel.* 95(3): 453-460.
- Wong, W.C. and Hughes, I.K. 1986. *Sclerotium cepivorum* Berk. In onion (*Allium cepa*) crops: isolation and characterization of bacteria antagonistic to the fungus in Queensland. *J. Appl. Bacteriol.* 60: 57-60.
- Wongwiwat, S. and Nhumard, S. 2003. *Bacillus megaterium* Fast Release Tablets for Sheath Blight of Rice. Senior project. Prince of Songkla University.
- Zuberer, D.A. 1994. Recovery and enumeration of viable bacteria. In Method of Soil Analysis: Microbiological and Biochemical Properties (eds. Weaver, R.W., Angle, S., Bottomley, P., Bezdicek, D., Smith, S., Tabatabai, A. and Wollum, A.). Soil Science Society of America. Wisconsin. p. 119-143.