

BIBLIOGRAPHY

- Adams, M., Pacher, T., Greger, H. and Bauer, R. 2005. Inhibition of leukotriene biosynthesis by stilbinoids from *Stemona* species. *J Nat Prod.* 68:83-85.
- A&L Canada laboratories. 2002. The importance of pH control in spray solutions. A&L Canada Laboratories, London.
- Attama, A.A. and Enete, I.E. 2004. *In vitro* availability of naproxen from liquid self-emulsifying systems. *Discov Innovat.* 16:22-25.
- Aulton, M.E. 1998. Pharmaceutics: The science of dosage form design. Churchill Livingstone, Edinburgh.
- Austad, J. 1982. Allergic contact dermatitis to sorbitan monooleate (Span 80). *Contact Dermatitis.* 8:426-427.
- Baertschi, S.W. and Alsanate, K.M. 2005. Stress testing: the chemistry of drug degradation. In: Baertschi, S.W., editor. Pharmaceutical stress testing: predicting drug degradation. Taylor & Francis Group, Boca Raton, pp. 51-140.
- Balandrin, M. 1985. Natural plant chemicals: sources of industrial and medicinal material. *Science.* 228:1154-1160.
- Barnard, D.R. and Xue, R. 2004. Laboratory evaluation of mosquito repellents against *Aedes albopictus*, *Culex nigripalpus*, and *Ochlerotatus triseriatus* (Diptera: Culicidae). *J Med Entomol.* 41(4):726-730.
- Bedine, M.S. and Bayless, T.M. 1973. Intolerance of small amounts of lactose by individuals with low lactase levels. *Gastroenterology.* 65:735-743.
- Benezet, H.J., Bowen, M.R., Helms, C.W. and Huffman, B.B. 1986. Toxicity of selected insecticides to *Lasioderma serricorne* (F.) (Coleoptera: Anobiidae) by three methods of exposure. *J Stored Prod Res.* 22(2):93-96.

Bessette, S.M.; Ecosmart Technologies, Inc., assignee. January 2006. Synergistic and residual pesticidal compositions containing plant essential oils. USA patent 6986898.

Bohmont, B.L. 2000. The standard pesticide user's guide. 5th ed. Prentice-Hall, New Jersey.

Boyle, J. and Kennedy, C.T.C. 1984. Contact urticaria and dermatitis to Alphaderm. *Contact Dermatitis*. 10:178.

Brecke, B.J. and Unruh, J.B. 2003. Spray additives and pesticide formulations. The Environmental Horticulture Department, Institute of Food and Agricultural Sciences, University of Florida, USA.

Brem, B., Seger, C., Pacher, T., Hartl, M., Hadacek, F., Hofer, O., Vajrodaya, S. and Greger, H. 2004. Antioxidant dehydrotocopherols as a new chemical character of *Stemona* species. *Phytochemistry*. 65:2719–2729.

Brem, B., Seger, C., Pacher, T., Hofer, O., Vajrodaya, S. and Greger, H. 2002. Feeding deterrence and contact toxicity of *Stemona* alkaloid-source of potent natural insecticides. *J Agric Food Chem*. 50:6383–6388.

British Pharmacopoeia Commission. 2001. British pharmacopoeia. The stationery office, London.

Bruice, P.Y. 2007. Organic chemistry. 5th ed. Pearson Education, New Jersey.

Budavari, V.S., O'Neil, M. and Smith, A. 1999. Merck index. Merck & Co Inc, New Jersey.

Cai, X.H. and Luo, X.D. 2007. Alkaloids from *Stemona mairei*. *Planta Med*. 73(2):170–173.

Carr, R.L. 1965. Evaluating flow properties of solids. *Chem Eng*. 72:163–168.

- Chan, Y.C., Chang, S.C., Hsuan, S.L., Chien, M.S., Lee, W.C., Kang, J.J., Wang, S.C. and Liao, J.W. 2007. Cardiovascular effects of herbicides and formulated adjuvants on isolated rat aorta and heart. *Toxicol in vitro.* 21(4):595-603.
- Charleston, D.S., Kfir, R., Dicke, M. and Vet, L.E.M. 2006. Impact of botanical extracts derived from *Melia azedarach* and *Azadirachta indica* on populations of *Plutella xylostella* and its natural enemies: A field test of laboratory findings. *Biol Control.* 39:105-114.
- Charman, S.A., Charman, W.N., Rogge, M.C., Wilson, T.D., Dutko, F.J. and Pouton, C.W. 1992. Self-emulsifying drug delivery systems: Formulation and biopharmaceutic evaluation of an investigational lipophilic compound. *Pharm Res.* 9(1):87-93.
- Chinese Pharmacopoeia Commission, 2000. Pharmacopoeia of the peoples republic of China. English ed. Chemical industry press, Beijing.
- Chiou, W.L. and Riegelman, S. 1971. Pharmaceutical application of solid dispersion systems. *J Pharm Sci.* 60:1281-1302.
- Chung, H.S., Hon, P.M., Lin, G., But, P.P.H. and Dong, H. 2003. Antitussive activity of *Stemona* alkaloids from *Stemona tuberosa*. *Planta Med.* 69:914-920.
- Cong, X., Zhao, H., Guillaume, D., Xu, G., Lu, Y. and Zheng, Q. 1995. Crystal structure and NMR analysis of the alkaloid protostemotinine. *Phytochemistry.* 40(2):615-617.
- Constatinides, P.P. 1995. Lipid microemulsions for improving drug dissolution and oral absorption: physical and biopharmaceutical aspects. *Pharm Res.* 12(11):1561-1572.

- Cuine, J.F., Charman, W.N., Pouton, C.W., Edwards, G.A. and Porter, C.J.H. 2007. Increasing the proportional content of surfactant (Cremophor EL) relative to lipid in self-emulsifying lipid-based formulations of danazol reduces oral bioavailability in beagle dogs. *Pharm Res.* 24(4):748-757.
- Curtis, C.F., Lines, J.D., Lu, B. and Renz, A. 1989. Natural and synthetic repellants. In: Curtis, C.F., editor. Appropriate technology in vector control. CRC Press, Florida, pp. 76-89.
- Devouard, F.N., Wales, J., Vareede, J.B.d., Moller, E., Walsh, K., Brioschi, F. and Davis, M., 2007a. Coconut oil Wikipedia. Wikimedia Foundation Inc, Florida.
- Devouard, F.N., Wales, J., Vareede, J.B.d., Moller, E., Walsh, K., Brioschi, F. and Davis, M., 2007b. Soybean Wikipedia. Wikimedia Foundation Inc, Florida.
- Do, T.L. 2001. Vietnamese traditional medicinal plants and drugs. 3rd ed. Publishing House of Medicine, Hanoi.
- Dong, T.T.X., Cui, X.M., Song, Z.H., J.Zhao, K., Ji, Z.N., Lo, C.K. and Tsim, K.W.K. 2003. Chemical assessment of roots of *Panax notoginseng* in china: Regional and seasonal variations in its active constituents. *J Agric Food Chem.* 51:4617-4623.
- Duyfjes, B.E.E. 1993. Stemonaceae. *Flora Malesiana ser I.* 11:399-409.
- Eaton, J.K. 1962. General requirements of pesticide emulsions. *Chem Ind*:1914-1916.
- Ebel, S. and Mueck, W. 1988. Implementation and efficiency of an automatic peak-purity-control procedure in HPLC-UV-VIS-coupling based on principal component analysis. *Chromatographia* 25(12):1075-1086.
- Edgecomb, D., Chiasson, H., Bostanian, N. and Manker, D., 2006. Development of a natural product insecticide based on the herbaceous plant, *Chenopodium ambrosioides* var. *ambrosioides*. Proceeding of ASP 2006 Natural product on target. American Society of Pharmacognosy, Washington, DC.

Egwunyenga, O.A., Alo, E.B. and Nmorsi, O.P.G. 1998. Laboratory evaluation of the repellency of *Dennettia tripetala* Baker (Anonaceae) to *Dermestes maculatus* (F.) (Coleoptera: Dermestidae). *J Stored Prod Res.* 34:195-199.

FAO/WHO. 1974. Toxicological evaluation of certain food additives with a review of general principles and of specifications, Seventeenth report of the joint FAO/WHO expert committee on food additives. *World Health Organ Tech Rep Ser* No. 539.

FAO/WHO. 1982. Evaluation of certain food additives and contaminants. Twenty-sixth report of the joint FAO/WHO expert committee on food additives. *World Health Organ Tech Rep Ser.* No. 683.

FAO/WHO. 1983. Evaluation of certain food additives and contaminants. Twenty-seventh report of the joint FAO/WHO expert committee on food additives. *World Health Organ Tech Rep Ser.* No. 696.

FAO/WHO. 1991. Evaluation of certain food additives and contaminants. Thirty-seventh report of the joint FAO/WHO expert committee on food additives. *World Health Organ Tech Rep Ser.* No. 806.

FAO/WHO. 1992. Evaluation of certain food additives and naturally occurring toxicants. Thirty-ninth report of the joint FAO/WHO expert committee on food additives. *World Health Organ Tech Rep Ser* No. 828.

Finn, O. and Forsyth, A. 1975. Contact dermatitis due to sorbitan monolaurate. *Contact Dermatitis.* 1:318.

Fitzpatrick, S., McCabe, J.F., Petts, C.R. and Booth, S.W. 2002. Effect of moisture on polyvinylpyrrolidone in accelerated stability testing. *Int J Pharm.* 246:143-151.

Ford, J.L. 1986. The current status of solid dispersions. *Pharm Acta Helv.* 61:69-88.

Fradin, M.S. and Day, J.F. 2002. Comparative efficacy of insect repellents against mosquito bites. *New Engl J Med.* 347:13-18.

Fu, K., Kaminski, M.A. and Liu, J.; Noble Laboratories, assignee. October 2003. Procedure for the simultaneous quantitative and qualitative analysis of both flavonoid glycosides and steroidal glycosides. United States patent 6635490.

Fu, K., Liu, J. and Xie, D.; June 2002. Methods of treating cancer using flavonoid glycosides and steroidal glycosides. United States patent 20020082223.

Gauthier, F. and Tatin, J.; ROHM & HAAS (US), assignee. 2003. Optimised pellet formulations. France patent EP1314776.

Ge, F., Ke, C., Tang, W., Yang, X., Tang, C., Qin, G., Xu, R., Li, T., Chen, X., Zuo, J. and Ye, Y. 2007. Isolation of chlorogenic acids and their derivatives from *Stemona japonica* by preparative HPLC and evaluation of their anti-AIV (H5N1) activity *in vitro*. *Phytochem Analysis*. 18(3):213-218.

Greger, H. 2006. Structural relationships, distribution and biological activities of *Stemona* alkaloids. *Planta Med*. 72:99-113.

Grimm, W. 1993. Basic principles of stability testing. In: Grimm, W. and Krummen, K., editors. *Stability testing in the EC, Japan and USA*. Wissenschaftliche Verlagsgesellschaft mbH, Germany.

Grove, M., Mullertz, A., Nielsen, J.L. and Pedersen, G.P. 2006. Bioavailability of seocalcitol: II: Development and characterisation of self-microemulsifying drug delivery systems (SMEDDS) for oral administration containing medium and long chain triglycerides. *Eur J Pharm Sci*. 28(3):233-242.

Gudmand-Hoyer, E. and Simony, K. 1977. Individual sensitivity to lactose in lactose malabsorption. *Am J Dig Dis*. 22(3):177-181.

Guillory, J.K. and Poust, R.I. 2002. Chemical kinetics and drug stability. In: Bunker, G.S. and Rhodes, C.T., editors. *Modern pharmaceutics*. Marcel Dekker, USA.

- Guo, J., Robertson, R.E. and Amidon, G.L. 1991. Influence of physical aging on mechanical properties of polymer free films: the prediction of long term aging affect on the water permeability and dissolution rate of polymer film-coated tablets. *Pharm Res.* 8:1500-1504.
- Guyot, M., Fawaz, F., Bildet, J., Bonini, F. and Lagueny, A.M. 1995. Physicochemical characterization and dissolution of norfloxacin/cyclodextrin compounds and PEG solid dispersions. *Int J Pharm.* 123:53-63.
- Hannuksela, M., Kousa, M. and Pirila, V. 1976. Allergy to ingredients of vehicles. *Contact Dermatitis.* 2:105-110.
- Hartauer, K., Arbuthnot, G., Baertschi, S.W., Johnson, R., Luke, W., Pearson, N., Rickard, E., Tsang, P. and Wiens, R. 2000. Influence of peroxide impurities in povidone and crospovidone on the tablet stability of raloxifene hydrochloride: identification and control of an oxidative degradation product. *Pharmaceut Dev Tech.* 5(3):303-319.
- Hartley, G.S. 1967. Emulsion as carriers of pesticides. *Chem Ind:*575-580.
- Henderson, A., Ranger, A., Lloyd, J., McSharry, C., Mills, R. and Moran, F. 1984. Pulmonary hypersensitivity in the alginate industry. *Scott Med J.* 29(2):90-95.
- Henderson, M.R. 1974. Malayan wild flowers: monocotyledons. Art Printing, Kuala Lumpur.
- Hitotsuyanagi, Y., Hikita, M., Nakada, K., Fukaya, H. and Takeya, K. 2007. Sessilifoliamide I, a new alkaloid from *Stemona Sessilifolia*. *Heterocycles.* 71(9):2035-2040.
- Ho, M.H., Lin, K.Y. and Wang, Y.S. 2007. Formulation factors that can reduce the formation of the phytotoxic impurity, *N,N'*-dibutylurea, from benomyl. *Chemosphere.* 68(8):1465-1473.

Hong, J.Y., Kim, J.K., Song, Y.K., Park, J.S. and Kim, C.K. 2006. A new self-emulsifying formulation of itraconazole with improved dissolution and oral absorption. *J Control Release.* 110(2):332–338.

ICH. 1995. Guidelines on validation of analytical procedures: Definitions and terminology. IFPMA, Switzerland.

ICH. 2000. Testing of new drug substances and products (Q1AR): International conference on harmonization. IFPMA, Geneva.

Irie, H., Harada, H., Ohno, K., Osaki, K., Taga, T. and Uyeo, S. 1970. The crystal structure of a new alkaloid, stemofoline, from *Stemona japonica*. *Chem Commun.* (17):1066.

Irie, H., Ohno, K., Osaki, K., Taga, T. and Uyeo, S. 1973. X-ray crystallographic determination of the structure of the alkaloid protostemonine. *Chem Pharm Bull.* 21:451–452.

Jang, D.J., Jeong, E.J., Lee, H.M. Kim, B.C., Lim, S.J. and Kim, C.K. 2006. Improvement of bioavailability and photostability of amlodipine using redispersible dry emulsion. *Eur J Pharm Sci.* 28(5):405–411.

Jiang, R.W., Hon, P.M., But, P.P.H., Chung, H.S., Lin, G., Ye, W.C. and Mak, T.C.W. 2002. Isolation and stereochemistry of two new alkaloids from *Stemona tuberosa*. *Tetrahedron.* 58:6705–6712.

Jiang, R.W., Hon, P.M., Xu, Y.T., Chan, Y.M., Xu, H.X., Shaw, P.C. and But, P.P.H. 2006a. Isolation and chemotaxonomic significance of tuberostemospironine-type alkaloids from *Stemona tuberosa*. *Phytochemistry.* 67:52–57.

Jiang, R.W., Hon, P.M., Zhou, Y., Chan, Y.M., Xu, Y.T., Xu, H.X., Greger, H., Shaw, P.C. and But, P.P.H. 2006b. Alkaloids and chemical diversity of *Stemona tuberosa*. *J Nat Prod.* 69:749–754.

- Jiwajinda, S., Hirai, N., Watanabe, K., Santisopasri, V., Chuengsamarnyart, N., Koshimizu, K. and Ohigashi, H. 2001. Occurrence of the insecticidal 16,17-didehydro-16(*E*)-stemofoline in *Stemona collinsae*. *Phytochemistry*. 56:693-695.
- Juhlin, L. 1981. Recurrent urticaria: clinical investigation of 330 patients. *Br J Dermatol.* 104:369-381.
- Kai, T., Akiyama, Y., Nomura, S. and Sato, M. 1996. Oral absorption improvement of poorly soluble drug using solid dispersion technique. *Chem Pharm Bull.* 44:568-571.
- Kaltenegger, E., Brem, B., Mereiter, K., Kalchhauser, H., Kahlig, H., Hofer, O., Vajrodaya, S. and Greger, H. 2003. Insecticidal pyrido[1,2-a]azepine alkaloids and related derivatives from *Stemona* species. *Phytochemistry*. 63:803-816.
- Kedzierewicz, F., Villieras, F., Zinutti, C., Hoffman, M. and Maincent, P. 1995. A 3 year stability study of tolbutamide solid dispersions and β -cyclodextrin complex. *Int J Pharm.* 117:247-251.
- Kenna, M.P. 1995. What happens to pesticides applied to golf courses. *USGA Green Section Record*. 33(1):1-9.
- Khambay, B.P.S. and Jewess, P. 2000. The potential of natural naphthoquinones as the basis for a new class of pest control agents: An overview of research at IACR-Rothamsted. *Crop Prot.* 19:597-601.
- Kim, E.J., Chun, M.K., Jang, J.S., Lee, I.H., Lee, K.R. and Choi, H.K. 2006. Preparation of a solid dispersion of felodipine using a solvent wetting method. *Eur J Pharm Biopharm.* 64:200-205.
- Kim, J.H., Papiernik, S.K., Farmer, W.J., Gan, J.Y. and Yates, S.R. 2003. Effect of formulation on the behavior of 1,3-dichloropropene in soil. *J Environ Qual.* 32(6):2223-2229.

- Kohri, N., Yamayoshi, Y., Xin, H., Iseki, K., Sato, N., Todo, S. and Miyazaki, K. 1999. Improving the oral bioavailability of albendazole in rabbits by the solid dispersion technique. *J Pharm Pharmacol.* 51:159–164.
- Komalamisra, N., Trongtokit, Y., Rongsriyam, Y. and Apiwathnasorn, C. 2005. Screening for larvicidal activity in some Thai plants against four mosquito vector species. *Southeast Asian J Trop Med Public Health.* 36(6):1412–1422.
- Kongchai, N. 2003. Formulation of antifungal cream from *Rhinacanthus nasutus* leaf extract. Master of Pharmacy in Pharmaceutical Sciences, Prince of Songkla University, Songkhla.
- Kostecki, K., Engelmeier, D., Pacher, T., Hofer, O., Vajrodaya, S. and Greger, H. 2004. Dihydrophenanthrenes and other antifungal stilbenoids from *Stemona cf. pierrei*. *Phytochemistry.* 65:99–106.
- Lachman, L., Deluca, P. and Aker, M.J. 1986. Kinetic principles and stability testing. In: Lachman, L., Lieberman, H.A. and Kanig, J.L., editors. *The theory and practice of industrial pharmacy.* 3rd ed. Lea&Febiger, Philadelphia, pp. 760–803.
- Leuner, C. and Dressman, J. 2000. Improving drug solubility for oral delivery using solid dispersions. *Eur J Pharm Biopharm.* 50:47–60.
- Limtrakul, P., Siwanon, S., Yodkeeree, S. and Duangrat, C. 2007. Effect of *Stemona curtisii* root extract on P-glycoprotein and MRP-1 function in multidrug-resistant cancer cells. *Phytomedicine.* 14:381–389.
- Lin, L.G., Zhong, Q.X., Cheng, T.Y., Tang, C.P., Ke, C.Q., Lin, G. and Ye, Y. 2006. Stemoninines from the roots of *Stemona tuberosa*. *J Nat Prod.* 69:1051–1054.
- Lomlim, L., Jirayupong, N. and Plabrukarn, A. 2003. Heat-accelerated degradation of solid state andrographolide. *Chem Pharm Bull.* 51(1):24–26.

- Long, C. 1998. Neem's not what it seemed. *Org Gardening.* 45(7):10.
- Lovrecich, M., Nobile, F., Rubessa, F. and Zingone, G. 1996. Effect of ageing on the release of indomethacin from solid dispersions with Eudagits. *Int J Pharm.* 131:247-255.
- Majumdar, P., Wu, H., Tipton, P. and Glaser, R. 2005. Oxanosine is a substrate of adenosine deaminase. Implications for the quest for a toxicological marker for nitrosation activity. *Chem Res Toxicol.* 18(12):1830-1841.
- Marrs, T.C. and Ballantyne, B. 2004. Pesticide toxicology and international regulation: Current toxicology series Hoboken, N.J. John Wiley & Sons Ltd., UK.
- Martin, A., Whitford, F., Jordan, T. and Blessing, A. 2004. Pesticides and formulation technology. Purdue University Cooperative Extension Service, West Lafayette.
- Montemurro, N., Grieco, F., Lacertosa, G. and Visconti, A. 2002. Chlorpyrifos decline curves and residue levels from different commercial formulations applied to oranges. *J Agric Food Chem.* 50(21):5975-5980.
- Morgan, D.R. 1992. Pesticides chemicals and health. Edward Arnold, UK.
- Morrison, R.T. and Boyd, R.N. 1992. Organic chemistry. 6th ed. Prentice Hall, New Jersey.
- Mungkornasawakul, P., Pyne, S.G., Jatisatiern, A., Lie, W., Ung, A.T., Issakul, K., Sawatwanich, A., Supyen, D. and Jatisatiern, C. 2004a. Phytochemical studies on *Stemona burkillii* Prain: two new dihydrostemofoline alkaloids. *J Nat Prod.* 67:1740-1743.
- Mungkornasawakul, P., Pyne, S.G., Jatisatiern, A., Supyen, D., Jatisatiern, C., Lie, W., Ung, A.T., Skelton, B.W. and White, A.H. 2004b. Phytochemical and larvicidal studies on *Stemona curtisii*: structure of a new pyrido[1,2-a]azepine *Stemona* alkaloid. *J Nat Prod.* 67:675-677.

- Mungkornasawakul, P., Pyne, S.G., Jatisatiennr, A., Supyen, D., Lie, W., Ung, A.T., Skelton, B.W. and White, A.H. 2003. Stemocurtisine, the first pyrido[1,2-a]azapine Stemona Alkaloid. *J Nat Prod.* 66:980-982.
- Murphy, D. 2005. Ecosmart introduces next generation natural botanical pesticides announcing EcoPCO "X" products. Ecosmart Technologies, Inc., USA.
- Okimoto, K., Miyake, M., Ibuki, R., Yasumura, M., Ohnishi, N. and Nakai, T. 1997. Dissolution mechanism and rate of solid dispersion particles of nilvadipine with hydroxypropylmethylcellulose. *Int J Pharm.* 159:85-93.
- Pacher, T., Seger, C., Engelmeier, D., Vajrodaya, S., Hofer, O. and Greger, H. 2002. Antifungal stilbenoids from *Stemona collinsae*. *J Nat Prod.* 65:820-827.
- Pathare, D.B., Jadhav, A.S. and Shingare, M.S. 2007. A validated stability indicating LC method for oxcarbazepine. *J Pharm Biomed Anal.* 43:1825-1830.
- Pedersen, D.S. and Rosenbohm, C. 2001. Dry column vacuum chromatography. *Synthesis.* 16:2431-2434.
- Pedigo, L.P. 1996. Entomology and pest management. Prentice-Hall, New Jersey.
- Penissi, A.B., Piezzi, R.S., Villar, M. and Rudolph, M.I. 2003. A new high-performance liquid chromatographic method for the determination of dehydroleucodine in plant extract. *Chromatographia.* 58:695-664.
- Pham, H.D., Yu, B.W., Chau, V.M., Ye, Y. and Qin, G.W. 2002. Alkaloids from *stemona collinsae*. *J Asian Nat Prod Res.* 4(2):81-85.
- Pilli, R.A. and Oliveira, M.C.F.d. 2000. Recent progress in the chemistry of the *Stemona* alkaloids. *Nat Prod Rep.* 17:117-127.

- Pilli, R.A., Rosso, G.B. and Oliveira, M.C.F.d. 2005. The alkaloids: chemistry and biology. In: Cordell, G.A., editor. *The Stemona alkaloids*, Amsterdam, pp. 77-173.
- Plimmer, J.R. 2003. Encyclopedia of agrochemicals. Chichester John Wiley & Sons, Inc., USA.
- Pray, W. 1990. Lactose intolerance. *US Pharm.* 15(11):24-29.
- Qian, J. and Zhan, Z.J. 2007. Novel alkaloids from *Stemona sessilifolia*. *Helv Chim Acta*. 90(2):326-331.
- Qin, X. and Freeh, P. 2001. Liquid chromatography/mass spectrometry (LC/MS) identification of photooxidative degradates of crystalline and amorphous MK-912. *J Pharm Sci.* 90(7):833-844.
- Quan, D., Xu, G. and Wu, X. 2007. Studies on preparation and absolute bioavailability of a self-emulsifying system containing puerarin. *Chem Pharm Bull.* 55(5):800-803.
- Rees, J.A. 1991. Storage and stability of dispensed products. In: Collett, D.M. and Aulton, M.E., editors. *Pharmaceutical practice*. Longman Singapore Publishers, Singapore.
- Reigelman, S. 1960. The effect of surfactants on drug stability. *J Am Pharm Assoc.* 49:339-343.
- Rinner, B., Siegk, V., Purstner, P., Efferth, T., Brem, B., Greger, H. and Pfragner, R. 2004. Activity of novel plant extracts against medullary thyroid carcinoma cells. *Anticancer Res.* 24:495-500.
- Roed-Peterson, J. and Hjorth, N. 1976. Contact dermatitis from antioxidants: Hidden sensitizers in topical medications and foods. *Br J Dermatol.* 94:233-241.

- Rowe, R.C., Sheskey, P.J. and Weller, P.J. 2003. Pharmaceutical excipients 2003. Pharmaceutical Press and American Pharmaceutical Association, Dundee.
- Sae-yun, A., Ovatlarnporn, C., Itharat, A. and Wiwattanapatapee, R. 2006. Extraction of rotenone from *Derris elliptica* and *Derris malaccensis* by pressurized liquid extraction compared with maceration. *J Chromatogr A*. 1125:172–176.
- Sakata, K., Aoki, K., Chang, C.F., Sakurai, A., Tamura, S. and Murakoshi, S. 1978. Stemospiroline, a new insecticidal alkaloid of *Stemona japonica* Miq. isolation, structure determination and activity. *Agric Biol Chem*. 42:457–463.
- Sastraruji, T., Jatisatiern, A., Issakul, K., Pyne, S.G., Ung, A.T., Lie, W. and Williams, M.C. 2006. Phytochemical studies on *Stemona* plants: isolation of new tuberostemonine and stemofoline alkaloids. *Nat Prod Commun*. 1:813–818.
- Sastraruji, T., Jatisatiern, A., Pyne, G.P., Ung, A.T., Lie, W. and Williams, M.C. 2005. Phytochemical studies on *Stemona* plants: isolation of stemofoline alkaloids. *J Nat Prod*. 68:1763–1767.
- Sathivel, S., Huang, J. and Prinyawiwatkul, W. 2008. Thermal properties and applications of the Arrhenius equation for evaluating viscosity and oxidation rates of unrefined pollock oil. *J Food Eng*. 84:187–193.
- Savello, D.R. and Shangraw, R.F. 1971. Stability of sodium ampicillin solutions in the frozen and liquid states. *Am J Hosp Pharm*. 28:754.
- Schinnerl, J., Brem, B., But, P.P.-H., Vajrodaya, S., Hofer, O. and Greger, H. 2007. Pyrrolo- and pyridoazepine alkaloids as chemical markers in *Stemona* species. *Phytochemistry*. 68:1417–1427.
- Schinnerl, J., Kaltenegger, E., Pacher, T., Vajrodaya, S., Hofer, O. and Greger, H. 2005. New pyrrolo[1,2-a]azepine type alkaloids from *Stemona* and *Stichoneuron* (Stemonaceae). *Monatsh Chem* 136:1671–1680.

- Sekiguchi, K. and Obi, N. 1961. Studies on absorption of eutectic mixture: A behavior eutectic mixture of sulfathiazole and that of ordinary sulfathiazole in man. *Chem Pharm Bull.* 9:866-872.
- Shah, N.H., Carvajal, M.T., Patel, C.I., Infeld, M.H. and Malick, A.W. 1994. Self-emulsifying drug delivery systems with polyglycolyzed glycerides for improving *in vitro* dissolution and oral absorption of lipophilic drugs. *Int J Pharm.* 106:15-23.
- Sinko, C.M., Yee, A.F. and Amidon, G.L. 1990. The effect of physical aging on the dissolution rate of anionic polyelectrolytes. *Pharm Res.* 7:648-653.
- Suarez, F., Savaiano, D. and Levitt, M. 1995. A comparison of symptoms after the consumption of milk or lactose-hydrolyzed milk by people with self-reported severe lactose intolerance. *New Engl J Med.* 333:1-4.
- Suarez, F. and Savaiano Dennis, A. 1997. Diet, genetics, and lactose intolerance. *Food Technol.* 51(3):74-76.
- Sukumar, K., Perich, J.M. and Boobar, R.L. 1991. Botanical derivatives in mosquito control: A review. *J Am Mosq Cont Assoc.* 7:210-237.
- Taguchi, H., Kanchanapee, P. and Amatayakul, T. 1977. The constituents of *Clitoria macrophylla* Wall. Cat., a Thai medicinal plant. The structure of a new rotenoid, clitoriacetal. *Chem Pharm Bull.* 25:1026-1030.
- Tantishaiyakul, V., Kaewnopparat, N. and Ingkatawornwong, S. 1996. Properties of solid dispersions of piloxicam in polyvinylpyrrolidones K-30. *Int J Pharm.* 143:59-66.
- Tewary, D.K., Bhardwaj, A. and Shanker, A. 2005. Pesticidal activities in five medicinal plants collected from mid hills of western Himalayas. *Ind Crop Prod.* 22:241-247.
- The United States Pharmacopeial Convention, 2007. The United States pharmacopeia 30th rev. and The national formulary 25th ed. (USP30/NF25). Rockville, MD.

- Tsi, Z.H. and Duyfjes, B.E.E. 2000. Flora of China. Science Press, Beijing.
- Veiga, M.D., Escobar, C. and Bernad, M.J. 1993. Dissolution behaviour of drugs from binary and ternary systems. *Int J Pharm.* 93:215–220.
- Vermeire, A. and Remon, J.P. 1999. Stability and compatibility of morphine. *Int J Pharm.* 187(1):17–51.
- Vo, V.C. 2001. A dictionary of traditional vietnamese medicinal plants. Bio-Pharmaceutical Publisher, Hanoi.
- Waghmare, J.T., Ware, A.M. and Momin, S.A. 2007. Neem oil as pesticide. *J Disper Sci Technol.* 28(2):323 – 328.
- Wang, P., Liu, A.L., An, Z., Li, Z.H., Du, G.H. and Qin, H.L. 2007a. Novel alkaloids from the roots of *Stemona sessilifolia*. *Chem Biodivers.* 4(3):523–530.
- Wang, P., Qin, H.L., Li, Z.H., Liu, A.L. and Du, G.H. 2007b. A new alkaloid from *Stemona sessilifolia*. *Chinese Chem Lett.* 18(2):152–154.
- Wang, Y.Z., Tang, C.P., Dien, P.H. and Ye, Y. 2007c. Alkaloids from the roots of *Stemona saxorum*. *J Nat Prod.* 70(8):1356–1359.
- Ware, G.W. 1983. Pesticides, theory and application. W.H. Freeman and Company, New York.
- Waterman, K.C. and Adami, R.C. 2005. Accelerated aging: Prediction of chemical stability of pharmaceuticals. *Int J Pharm.* 293:2005.
- Waterman, K.C., Adami, R.C., Alsante, K.M., Antipas, A.S., Arenson, D.R., Carrier, R., Hong, J., Landis, M.S., Lombardo, F., Shah, J.C., Shalaev, E., Smith, S.W. and Wang, H. 2002. Hydrolysis in pharmaceutical formulations. *Pharm Dev Technol.* 7(2):113–146.

- Wessel, W., Schoog, M. and Winkler, E. 1971. Polyvinylpyrrolidone (PVP), its diagnostic, therapeutic and technical application and consequences thereof. *Arznei-Forschung*. 21:1468-1482.
- Wilson, M.F. 2003. Optimising pesticide use: Wiley series in agrochemicals and plant protection New York John Wiley & Sons, Ltd., UK.
- Wiwattanapatapee, R., Chumthong, A., Pengnoo, A. and Kanjanamaneesathian, M. 2007. Effervescent fast-disintegrating bacterial formulation for biological control of rice sheath blight. *J Control Release*. 119(2):229-235.
- Wollgast, J. 2004. The contents and effects of polyphenols in chocolate: Quantitative and quantitative analyses of polyphenols in chocolate and chocolate raw products as well as evaluation of potential implications of chocolate consumption in human health. Doctor of Philosophy in Agricultural and Nutritional Sciences, University of Gießen, Germany.
- Xu, R.S., Lu, Y.J., Chu, J.H., Iwashita, T., Naoki, H., Naya, Y. and Nakanishi, K. 1982. Studies on some new *Stemona* alkaloids: a diagnostically useful ¹H NMR line-broadening effect. *Tetrahedron*. 38(17):2667-2670.
- Xu, Y.T., Hon, P.M., Jiang, R.W., Cheng, L., Li, S.H., Chan, Y.P., Xu, H.X., Shaw, P.C. and But, P.P.H. 2006. Antitussive effects of *Stemona tuberosa* with different chemical profiles. *J Ethnopharmacol*. 108(1):46-53.
- Yang, R.Z. and Tang, C.S. 1988. Plants used for pest control China: A literature review. *Econ Bot*. 42:376-406.
- Yang, X., Gulder, T.A.M., Reichert, M., Tang, C., Ke, C., Ye, Y. and Bringmann, G. 2007a. Parvistemins A-D, a new type of dimeric phenylethyl benzoquinones from *Stemona parviflora* Wright. *Tetrahedron*. 63(22):4688-4694.
- Yang, X.Z., Tang, C.P., Ke, C.Q. and Ye, Y. 2007b. Stilbenoids from *Stemona sessilifolia*. *J Asian Nat Prod Res*. 9(3):261-266.

- Ye, Y., Qin, G.W. and Xu, R.S. 1994. Alkaloids of *Stemona japonica*. *Phytochemistry*. 37(4):1205-1208.
- Yoshioka, S. and Stella, V.J. 2000. Stability of drugs and dosage forms. Kluwer Academic/Plenum, USA.
- Yrjonen, T., Vuorela, P., Klika, K.D., Pihlaja, K., Teeri, T.H. and Vuorela, H. 2002. Application of centrifugal force to the extraction and separation of parasorboside and gerberin from *Gerbera hybrida*. *Phytochem Analysis*. 13(6):349-353.
- Zhang, T., Zhang, Y.Z. and Tao, J.S. 2007. Antibacterial constituents from *Stemona sessilifolia*. *J Asian Nat Prod Res*. 9(5):509-515.
- Zhou, Y., Jiang, R.W., Hon, P.M., Xu, Y.T., Chan, Y.M., Chan, T.W.D., Xu, H.X., Ding, L.S., But, P.P.H. and Shaw, P.C. 2006. Analyses of *Stemona* alkaloids in *Stemona tuberosa* by liquid chromatography/tandem mass spectrometry. *Rapid Commun Mass Sp*. 20(6):1030-1038.