

CONTENTS

	Page
Contents	viii
List of Tables	ix
List of Figures	x
List of Abbreviations and Symbols	xii
Chapter	
1. Introduction	
Background and Rationale	1
Review of Literature	4
Objective and specific aims	14
2. Materials and Methods	
Subjects and Treatment	15
GCF Collection and Volume Measurement	18
Quantity of IL-1 β and IL-8	21
Measurement of Canine Movement	29
Statistical Analysis	32
Materials and Equipments	33
3. Results	38
4. Discussions	44
5. Conclusions	49
References	50
Appendices	
The reference calibration standard curves	58
Ethical approval	64
Invitation form (Translated)	65
Consent form (Translated)	66
Vitae	67

LIST OF TABLES

Table	Page
1. Show the data of gingival crevicular fluid volume at pressure sides of maxillary canines.	39
2. Show the data of concentration of interleukin-1 β at pressure sides of maxillary canines.	40
3. Show the data of concentration of interleukin 8 at pressure sides of maxillary canines.	41
4. Show the rate of maxillary canine retraction	42

LIST OF FIGURES

Figure	Page
1. A flow chart of two biological pathways of orthodontic tooth movement	5
2. Diagram shows osteoclast differentiation, survival and activation	6
3. The signal transduction pathways induced by osteotropic hormones and cytokines in osteoclast differentiation	9
4. Two space closure mechanics: the nickel-titanium closed coil spring and the elastic c-chain	17
5. Canine retraction with nickel-titanium closed coil spring	17
6. Canine retraction with elastic c-chain	18
7. The collection of GCF with No.30 standardized sterile paper point.	19
8. Diagram presents the steps of GCF collection, volume and elution	20
9. Diagram shows steps of interleukin-1 β analysis	22
10. Step of interleukin-1 β analysis 1	24
11. Step of interleukin-1 β analysis 2	24
12. Step of interleukin-1 β analysis 3	25
13. Diagram shows steps of interleukin-8 analysis	26
14. Step of interleukin-8 analysis 1	28
15. Step of interleukin-8 analysis 2	28
16. Step of interleukin-8 analysis 3	29
17. Landmarks on the cast	30
18. The image of scanned study casts	31
19. Nickel titanium closed coil spring and elastic c-chain	34
20. Paper points No.30 and sterile tube	34
21. Human IL-1 β ELISA kit	35
22. Human IL-8 ELISA kit	35
23. 20, 100, 200 and 1,000 μ l precision pipettors	36
24. Digital scale analytical balance	36

LIST OF FIGURES (CONTINUED)

Figure	Page
25. A standard ELISA reader	37
26. Graph of the levels of interleukin-1 β at any time	40
27. Graph of the levels of interleukin-8 at any time	42
28. Graph of the rate of maxillary canine retraction	43
29. Expression during differentiation of osteoclast precursors into osteoclasts	46