

REFERENCES

- Arala-Chaves, M. and Sequeira, T. 2000. Is there any kind of adaptive immunity in invertebrates. *Aquaculture*. 191: 247–258.
- Armstrong, P. B. 2001. The contribution of proteinase inhibitors to immune defense. *Trends Immunol.* 22, 47–52.
- Aspan, A., Hall, M. and Söderhäll, K. 1990. The effect of endogenous proteinase inhibitors on the prophenoloxidase activating enzyme, a serine proteinase from crayfish haemocytes. *Insect Biochem.* 20: 485–492.
- Bachere, E., Mialhe, E. and Rodriguez, J. 1995. Identification of defense effectors in the haemolymph of crustaceans with (bate) prospects and applications. *Fish Shellfish Immunol.* 5: 597–612.
- Bachere, E. 2000. Shrimp immunity and disease control. *Aquaculture*. 19: 3–11.
- Bai, C., Sen, P., Hofmann, K., Harper, J. W. and Elledge, S. J. 1996. SKPI connects cell cycle regulators to the ubiquitin proteolysis machinery through a novel motif, the F-box. *Cell.* 86: 263–274.
- Banchereau, J. and Steinman, R. M. 1998. Dendritic cells and the control of immunity. *Nature.* 392: 245.
- Bangrak, P., Graidist, P., Chotigeat, W., Supamattaya, K. and Phongdara, A. 2002. A syntenin-like protein with postsynaptic density protein (PDZ) domains produced by black tiger shrimp *Penaeus monodon* in response to white spot syndrome infection. *Dis. Aquat. Org.* 49: 19–26.
- Bender, R. C., Fryer, S. E. and Bayne, C. 1992. Proteinase inhibitor activity in the plasma of a mollusc: evidence for presence of α_2 -macroglobulin in *Biomphalaria glabrata*. *Comp. Biochem. Physiol.* 102: 821–824
- Bezprozvanny, I. and Maximov, A. 2001. Classification of PDZ domains. *FEBS Lett.* 509: 457–462.
- Buckholz, R. G., Simmons, C. A., Stuart, J. M. and Weiner, M. P. 1999. Automation of yeast two-hybrid screening. *J. Mol. Microbiol. Biotechnol.* 1: 135–140.
- Celia, H. Wilson-Kubalek, E. Milligan, R. A. and Teylon, L. 1999. Structure and function of a membrane-bound murine MHC class I molecule. *Proc. Natl. Acad. Sci.* 96: 5636–5639.

- Chang, P. S., Lo, C. F., Wang, Y. C. and Kou, G. H. 1996. Detection of white spot syndrome associated baculovirus (WSBV) target organs in the shrimp *Peneaus monodon* by *in situ* hybridization. *Dis. Aquat. Org.* 27: 131–139.
- Chen, Y. A., Mckillen, D. J., Wu, S., Jenny, M. J., Chapman, R., Gross, P. S., Warr, G. W. and Almeida, J. S. 2004. Optimal cDNA microarray design using expressed sequence tags for organisms with limited genomic information. *BMC. Bioinformatics.* 5: 191.
- Chien, C. T., Bartel, P. L., Sternglanz, R. and Field, S. 1991. The two hybrid system: a method to identify and clone genes for proteins that interact with a protein of interest. *Proc. Natl. Acad. Sci. U.S.A.* 88: 9578–9582.
- Cohen, G. B., Ren, R. and Baltimore, D. 1995. Modular binding domains in signal transduction proteins. *Cell.* 80: 237– 248.
- Chou, H. Y., Huang, C. Y., Wang, C. H., Chiang, H. C. and Lo, C. F. 1995. Pathogenicity of a baculovirus infection causing white spot syndrome in cultured penaeid shrimp in Taiwan. *Dis. Aquat. Org.* 23:165–173.
- Cho, C. T. and Pizzo, S. V 1994. α 2-macroglobulin, complement, and biologic defense: antigens, growth factors, microbial protease, and receptor ligation. *Lab. Invest.* 71: 792–812.
- De-Lorgeril, J., Saulnier, D., Janech, M. G., Gueguan, Y. and Bachere, E. 2005. Identification of genes that are differentially expressed in hemocytes of the Pacific blue shrimp (*Litopenaeus stylirostris*) surviving an infection with *Vibrio penaeicida*. *Physiol. Genomics.* 21: 174–183.
- Derynck, R., Roberts, A. B., Winkler, M. E., Chen, E. Y. and Goeddel, D. V. 1984. Human transforming growth factor- α : precursor structure and expression in *E. coli*. *Cell.* 38: 287–297.
- Destoumieux-Garzon, D., Saulnier, J., Garnier, J., Jouffrey, C., Bulet, P. and Bachere, E. 2001. Crustacean immunity: Antifungal peptides are generated from the C-terminal of shrimp hymocyanin in response to microbial challenge. *J. Biol. Chem.* 276: 47070–47077.
- Du, X-J., Wang, J-X., Liu, N., Zhao, X-F., Li, F-H. and Xiang, J-H. 2006. Identification and molecular characterization of a peritrophin-like protein

- from fleshy prawn (*Fenneropenaeus chinensis*). *Mol. Immunol.* 43: 1633–1644.
- Durand, S., Lightner, D. V., Nunan, L. M., Redman, R. M., Mari, J. and Monami, J. R. 1996. Application of gene probes as diagnostic tools for white spot baculovirus (WSBV) of Penaeid shrimp. *Dis. Aquat. Org.* 27:59–66.
- Evans, D. G., Sainio, M. and Baser, M. E. 2000. Neurofibromatosis type 2. *J. Med. Genet.* 37: 897–904.
- Fanning, A. S. and Anderson, J. M. 1999. PDZ domains: fundamental building blocks in the organization of protein complexes at the plasma membrane. *J. Clin. Invest.* 103: 767–772.
- Feng, S., Chen, J. K., Yu, H., Simon, J. A. and Schreiber, S. L. 1994. Two binding orientations for peptides to the Src SH3 domain: development of a general model for SH3–ligand interactions. *Science.* 266: 1241–1247.
- Fernandez–Larrea, J., Merlos–Suarez, A., Urena, J. M., Baselga, J. and Arribas, J. 1999. A role for a PDZ protein in the early secretory pathway for the targeting of proTGF–alpha to the cell surface. *Mol. Cell.* 3: 423–433.
- Field, S. and Ok–kyu, S. 1989. Protein–protein recognition probed using a yeast transcriptional activator system. *Nature.* 340: 245–246.
- Field, S. and Song, O. 1989. A novel genetics system to detect protein–protein interactions. *Nature* 340: 245–247.
- Fodor, S. P., Read, J. L., Pierrung, M. C., Stryer, L., Lu, A. T. and Solas, D. 1991. Light directed, spatially addressable parallel chemical synthesis. *Science.* 251: 767–773.
- Galaviz–Silva, L., Molina–Garza, Z. J., Alcocer–Gonzalez, J. M., Rosales–Encinas, J. L. and Ibarra–Gamez, C. 2004. White spot syndrome virus genetic variants detected in Mexico by a new multiplex PCR method. *Aquaculture.* 242:53–68.
- Gollas–Galván, T., Sotelo–Mundo, R. R., Yepiz–Plascencia, G., Vargas–Requena, C. and Vargas–Albores, F. 2003. Purification and characterization of alpha–2–macroglobulin from the white shrimp (*Penaeus vannamei*). *Comp. Biochem. Physiol. C: Toxicol. Pharmacol.* 134: 431–438.
- Garbriel, A. G. and Filipe, A. V. 2000. Infectious diseases in shrimp species with aquaculture potential. *Recent Res. Devl. Microbiolgy.* 4: 333–348.

- Geijsen, N., Uings, I. J., Pals, C., Armstrong, J., McKinnon, M., Raaijmakers, J. A., et al. 2001. Cytokine-specific transcriptional regulation through an IL-5R α interacting protein. *Science*. 293: 1136–1138.
- Grootjans, J. J., Zimmermann, P., Reekmans, G., Smets, A., Degeest, G., Durr, J., et al. 1997. Syntenin, a PDZ protein that binds syndecan cytoplasmic domains. *Proc. Natl. Acad. Sci. USA*. 94: 13683–13688.
- Grootjans, J. J., Reekmans, G., Ceulemans, H. and David, G. 2000. Syntenin-syndecan binding requires syndecan-syntenin and the co-operation of both PDZ domains of syntenin. *J. Biol. Chem.* 275, 19933–19941.
- Gross, P. S., Bartlett, T. C., Browdy, C. L., Chapman, R. W. and Warr, G. W. 2001. Immune gene discovery by expressed sequence tag analysis of hemocytes and hepatopancreas in the Pacific white shrimp, *Litopenaeus vannamei* and the Atlantic white shrimp, *L. setiferus*. *Dev. Comp. Immunol.* 25: 565–577.
- Gudderra, N. P., Sonenshine, D. E., Apperson, C. S. and Roe, R. M. 2002. Hemolymph proteins in tick. *J. Insect. Physiol.* 48: 269–278.
- Hanahan, D., and Weinberg, R. A. 2000. The hallmarks of cancer. *Cell*. 100:57–70.
- Hanover, J. A., Rudick, J. E., Willingham, M. C. and Pastan, I. 1983. α_2 -Macroglobulin binding in cultured fibroblasts: identification by affinity chromatography of high affinity binding sites. *Arch. Biochem. Biophys.* 227: 570–579.
- Harlan, J. E., Hajduk, P. J., Yoon, H. S., and Fesik, S. W. 1994. Pleckstrin homology domains bind to phosphatidylinositol-4,5-bisphosphate. *Nature* 37:168–170.
- Harper, J. W., Adami, G. R., Wei, N., Keyomarsi, K. and Elledge, S. J. 1993. The p21 Cdk-interacting protein Cip1 is a potent inhibitor of G1 cyclin-dependent kinase. *Cell*. 75: 805–816.
- Harris, B. Z. and Lim, W. A. 2001. Mechanism and role of PDZ domains in signaling complex assembly. *J. Cell. Sci.* 114: 3219–3231.
- Hergennahn, H-G., Hall, M. and Söderhäll, K. 1988. Purification and characterization of an α_2 -macroglobulin-like proteinase inhibitor from plasma of the crayfish *Pacifastacus leniusculus*. *Biochem. J.* 255: 801–806.
- Hirbec, H., Perestenko, O., Nishimune, A., Meyer, G., Nakanishi, S., Henley, J. M. and Dev, K. K. 2002. The PDZ proteins PICK1, GRIP, and syntenin bind

- multiple glutamate receptor subtypes. Analysis of PDZ binding motifs. *J. Biol. Chem.* 277: 15221–15224.
- Hitoshi, Y., Yamaguchi, N., Mita, S., Sonoda, E., Takaki, S., Tominaga, A., et al. 1990. Distribution of IL-5 receptor-positive B cells. Expression of IL-5 receptor on Ly-1(CD5)⁺ B cells. *J. Immunol.* 144: 4218–4225.
- Hoffmann, J. A., Kafatos, F. C., Janeway, C. A. and Ezekowitz, R. A. 1999. Phylogenetic perspectives in innate immunity. *Science.* 284: 1313–1496.
- Holmbald, T. and Söderhäll, K. 1999. Cell adhesion molecules and antioxidative enzymes in a crustacean, possible role in immunity. *Aquaculture.* 172: 111–123.
- Huang, W., Dolmer, K., Liao, X. and Gettins, P. G. W. 1998. Localization of basic residues required for receptor binding to the single α -helix of the receptor binding domain of human α_2 -macroglobulin. *Protein Sci.* 7: 2602–2612.
- Huang, Ru., Xie, Y., Zhang, J. and Shi, Z. 2005. A novel envelope protein involved in White spot syndrome virus infection. *J. Gen. Virol.* 86: 1357–1361.
- Hung, A. Y., and Sheng, M. 2002. PDZ domains: structural modules for protein complex assembly. *J. Biol. Chem.* 277:5699–5702.
- Inouye, K., Miwa, S., Oseko, N., Nakano, H., Kimura, T., Momoyama, K. and Hiraoka, M. 1994. Mass mortalities of cultured Kuruma shrimp *Penaeus japonicus* in Japan in 1993: electron microscopic evidence of the causative virus. *Fish Pathol.* 29: 149–158.
- International Human Genome Sequencing Consortium. Initial sequencing and analysis of the human genome. 2001. *Nature.* 409: 860–921.
- Ito, H., Fukuda, Y., Murata, K. and Kimura, A. 1983. Transformation of intact yeast cells treated with alkali cations. *J. Bacter.* 153: 163–168.
- Iuliano, R., Trapasso, F., Sama, I., Le Pera, I., Martelli, M. L., Lembo, F., et al. 2001. Rat protein tyrosine phosphatase eta physically interacts with the PDZ domains of syntenin. *FEBS. Lett.* 500: 41–44.
- Jannatipour, M., Dion, P., Khan, S., Jindal, H., Fan, X., Laganriere, J., et al. 2001. Schwannomin isoform-1 interacts with syntenin via PDZ domains. *J. Biol. Chem.* 276: 33093–33100.
- Johansson, M. W., Keyser, P., Sritunyalucksana, P. and Söderhäll, K. 2000. Crustacean haemocytes and haematopoiesis. *Aquaculture.* 191: 45–52.

- Kaelin, W. G., Jr., Pallas, D. D., DeCaprio, J. A., Kaye, F. J. and Livingston, D. M. 1991. Identification of cellular proteins that can interact specifically with the T/E1A-binding region of the retinoblastoma gene product. *Cell*. 64: 521-532.
- Kang, B. S., Cooper, D. R., Devedjiev, Y., Derewenda, U. and Derewenda, Z. S. 2003a. Molecular roots of degenerate specificity in syntenin's PDZ2 domain: reassessment of the PDZ recognition paradigm. *Structure*. 11: 845- 853.
- Kang, B. S., Cooper, D. R., Jelen, F., Devedjiev, Y., Derewenda, U., Dauter, Z., et al. 2003b. PDZ tandem of human syntenin: crystal structure and functional properties. *Structure*. 11: 459-468.
- Kang, B. S., Devedjiev, Y., Derewenda, U. and Derewenda, Z. S. 2004a. The PDZ2 domain of syntenin at ultra-high resolution: bridging the gap between macromolecular and small molecule crystallography. *J. Mol. Biol.* 338: 483-493.
- Kang, D. C., Gopalkrishnan, R. V., Lin, L., Randolph, A., Valerie, K., Pestka, S., et al. 2004b. Expression analysis and genomic characterization of human melanoma differentiation associated gene-5, mda-5: a novel type I interferon apoptosis-inducing gene. *Oncogene*. 23: 1789- 1800.
- Kanost, M. R. 1999. Serine proteinase inhibitors in arthropod immunity. *Dev. Comp. Immunol.* 23: 291-301.
- Kavanaugh, W. M., Turck, C. W. and Williams, L. T. 1995. PTB domain binding to signaling proteins through a sequence motif containing phosphotyrosine. *Science*. 268: 1177-1179.
- Kim, E., Niethammer, M., Rothschild, A., Jan, Y. N. and Sheng, M. 1995. Clustering of Shaker-type K⁺ channels by interaction with a family of membrane-associated guanylate kinases. *Nature*. 378: 85-88.
- Kim, J. H., Liao, D., Lau, L. F. and Huganir, R. L. 1998. SynGAP: a synaptic RasGAP that associates with the PSD-95/SAP90 protein family. *Neuron*. 20: 683-691.
- Kimura, T., Yamano, K., Nakano, H., Momoyama, K., Hiraoka, M. and Inouye, K. 1996. Detection of Penaeid rod-shaped DNA virus (PRDV) by PCR. *Fish Pathol.* 31: 93-98.

- Koroll, M., Rathjen, F. G. and Volkmer, H. 2001. The neural cell recognition molecule neurofascin interacts with syntenin-1 but not with syntenin-2, both of which reveal self-associating activity. *J. Biol. Chem.* 276: 10646–10654.
- Lanzavecchia, A., Reid, P. A. and Watts, C. 1992. Irreversible association of peptides with class II MHC molecules in living cells. *Nature.* 357: 249–252.
- Lee, D. C., Rose, T. M., Webb, N. R. and Todaro, G. J. 1985. Cloning and sequence analysis of a cDNA for rat transforming growth factor- α . *Nature.* 313: 489–491.
- Lee, S-Y. and Söderhäll, K. 2002. Early events in crustacean innate immunity. *Fish Shellfish Immunol.* 12: 421–437.
- Le Moullac, G., Groumellec, M. Ansquer, D., Froissard, S. and Levy, P. A. 1997. Haematological and phenoloxidase activity changes in the shrimp *Penaeus stylirostris* in relation with the moult cycle: protection against vibriosis. *Fish Shellfish Immunol.* 7: 227–234.
- Lehnert, S. A., Wilson, K. J., Byrne, K. and Moore, S. 1999. Tissue-specific expressed sequence tags from the black tiger shrimp *Penaeus monodon*. *Mar. Biotechnol.* 1: 465–476.
- Li, A. L., Li, H. Y., Jin, B. F., Ye, Q. N., Zhou, T., Yu, X. D., Pan, X., Man, J. H., Yu, M., Hu, M. R., Wang, J., Yang, S. C., Shen, B. F. and Zhang, X. M. 2004. A novel eIF5A complex functions as a regulator of p53 and p53-dependent apoptosis. *J. Biol. Chem.* 279: 49251–49258.
- Li, B. and Fields, S. 1993. Identification of mutations in p53 that affect its binding to SV40T antigen by using the yeast two-hybrid system. *FASEB J.* 7: 957–963.
- Lightner, D. V. 1996. *A handbook of pathology and diagnostic procedures for diseases of penaeid shrimp*. World Aquaculture Society, Baton Rouge, Louisiana, USA.
- Lightner, D.V. and Redman, R.M. 1998. Shrimp diseases and current diagnostic methods. *Aquaculture.* 164:201–220.
- Lin, D., Gish, G. D., Songyang, Z. and Pawson, T. 1999. The carboxyl terminus of B class ephrins constitutes a PDZ domain binding motif. *J. Biol. Chem.* 274: 3726–3733.

- Lin, J. J., Jiang, H. and Fisher, P. B. 1998. Melanoma differentiation associated gene-9, mda-9, is a human gamma interferon responsive gene. *Gene*. 207: 105-110.
- Lo, C., Ho, C., Peng, S., Chen, C., Hsu, H., Chiu, Y., Chang, C., Liu, K., Su, M., Wang, C. and Kou, G. 1996a. White spot syndrome baculovirus (WSBV) detected in cultured and captured shrimp, crabs and other arthropods. *Dis. Aquat. Org.* 27: 215-225.
- Lo, C.F., Leu, J.H., Ho, C.H., Chen, C.H., Peng, S.E., Chen, Y.T., Chou, C.M., Yeh, P.Y., Huang, C.J., Chou, H.Y., Wang, C.H. and Kou, G.H. 1996b. Detection of baculovirus associated with white spot syndrome (WSBV) in penaeid shrimps using polymerase chain reaction. *Dis. Aquat. Org.* 25: 133-141.
- Lonergan, K. M., Iliopoulos, O. Ohh, M., Kamura, T., Conaway, R. C., Conaway, J. W. and Kaelin Jr., W. G. 1998. Regulation of hypoxia-inducible mRNAs by the von Hippel-Lindau tumor suppressor protein requires binding to complexes containing elgins B/C and Cul2. *Mol. Cell. Biol.* 18: 732-741.
- Mancini, A., Koch, A., Stefan, M., Niemann, H. and Tamura, T. 2000. The direct association of the multiple PDZ domain containing proteins (MUPP-1) with the human c-Kit C-terminus is regulated by tyrosine kinase activity. *FEBS Lett.* 482: 54-58.
- Marks, H., Mennens, M., Vlak, J.M. and van Hulten, M.C.W. 2003. Transcriptional analysis of the white spot syndrome virus major virion protein genes. *J. Gen. Virol.* 84:1517-1523.
- Maxfield, F. R., Willingham, M. C., Haigler, H. T., Dragsten, P. and Pastan, I. 1981. Binding surface mobility, internalization, and degradation of rhodamine-labeled α_2 -macroglobulin. *Biochemistry.* 20: 5353-5358.
- McMahon, S. B., Van Buskirk, H. A., Dugan, K. A., Copeland, T. D. and Cole, M. D. 1998. The novel ATM-related protein TRRAP is an essential cofactor for the c-Myc and E2F oncoproteins. *Cell.* 94: 363-374.
- Melchior, R., Quigley, J. P. and Armstrong, P. B. 1995. α_2 -macroglobulin-mediated clearance of proteases from the plasma of the American horseshoe crab, *Limulus polyphemus*. *J. Biol. Chem.* 270: 13496-13502.

- Mellman, I., Turley, S. J. and Steinman, R. M. 1998. Antigen processing for amateurs and professionals. *Trends Cell Biol.* 8: 231–237.
- Momoyama, K., Hiraoka, M., Inouye, K., Kimura, T. and Nakano, H. 1995. Diagnostic techniques of the rod-shaped nuclear virus infection in the Kuruma shrimp, *Penaeus japonicus*. *Fish Pathol.* 30: 263–269.
- Mouse Genome Sequencing Consortium. Initial sequencing and comparative analysis of the mouse genome. *Nature.* 420: 520–562.
- Murata, Y., Takaki, S., Migita, M., Kikuchi, Y., Tominaga, A. and Takatsu, K. 1992. Molecular cloning and expression of the human interleukin 5 receptor. *J. Exp. Med.* 175: 341–351.
- Nadala, E.C.B., Tapay, L.M., Cao, S. and Loh, P.C. 1997. Detection of yellow head virus and Chinese baculovirus in Penaeid shrimp by western blot technique. *J. Virol. Meth.* 69: 39–44.
- Nadala, E.C.B. and Loh, P.C. 2000. Dot-blot nitrocellulose enzyme immunoassays for the detection of white-spot virus and yellow-head virus of Penaeid shrimp. *J. Virol. Meth.* 84: 175–179.
- Nelson, C. A., Petzol, S. J. and Unanue, E. R. 1994. Peptides determine the life span of MHC class II molecules in the antigen-presenting cell. *Nature.* 371: 250–252.
- Norian, L. A. and Koretzky, G. A. 2000. Intracellular adapter molecules. *Semin Immunol.* 12: 43–54.
- Nunan, L.N. and Lightner, D.V. 1997. Development of a nonradioactive gene probe by PCR for detection of white spot syndrome virus (WSSV). *J. Virol. Meth.* 63: 193–201.
- Ohno, K., Koroll, M., El Far, O., Scholze, P., Gomeza, J. and Betz, H. 2004. The neural glycine transporter 2 interacts with the PDZ domain protein Syntenin-1. *Neuroscience.* 26: 518–529.
- Okumura, T., Nagai, F., Yamamoto, S., Oomura, H., Inouye, K., Ito, M. and Sawada, H. 2005. Detection of white spot syndrome virus (WSSV) from hemolymph of Penaeid shrimps *Penaeus japonicus* by reverse passive latex agglutination assay using high-density latex particles. *J. Virol. Meth.* 124:143–148.
- Pawson, T., and Scott, J. D. 1997. Signaling through scaffold, anchoring, and adaptor proteins. *Science.* 278: 2075–2080.

- Pascal, S. M., Singer, A. U., Gish, G., Yamazaki, T., Shoelson, S. E., Pawson, T., et al. 1994. Nuclear magnetic resonance structure of anSH2 domain of phospholipase C-gamma 1 complexed with a high affinity binding peptide. *Cell*. 77: 461–472.
- Pease, A. C., Solas, D., Sullivan, E. J., Cronin, M. T., Holmes, C. P. and Fodor, S. P. 1994. Light generated oligonucleotide arrays for rapid DNA sequence analysis. *Proc. Natl. Acad. Sci. U.S.A.* 91: 5022–5026.
- Ponting, C. P., Phillips, C., Davies, K. E. and Blake, D. J. 1997. PDZ domains: targeting signalling molecules to sub-membranous sites. *Bioassays*. 19: 469–479.
- Poulos, B.T., Pantoja, C.R., Bradley-Dunlop, D., Aguilar, J. and Lightner, D.V. 2001. Development and application of monoclonal antibodies for the detection of white spot syndrome virus of penaeid shrimp. *Dis. Aquat. Org.* 47:13–23.
- Phizicky, E. M. and Fields, S. 1995. Protein-Protein Interactions: Methods for Detection and Analysis. *Microbiological Reviews* (Mar.), pp. 94–123.
- Quere, R., Commes, T., Marti, J., Bonami, J.R. and Piquemal, D. 2002. White spot syndrome virus and infectious hypodermal and hematopoietic necrosis virus simultaneous diagnosis by miniarray system with colorimetry detection. *J. Virol. Meth.* 105:189–196.
- Quigley, J. P. and Armstrong, P. B. 1983. An endopeptidase inhibitor, similar to mammalian α_2 -macroglobulin, detect in the hemolymph of an invertebrates, *Limulus polyphemus*. *J. Biol. Chem.* 258: 7903–7906.
- Rat Genome Sequencing Project Consortium. Genome Sequence of the Brown Norway Rat Yields Insights into Mamalian Evolution. 2004. *Nature*. 428: 493–521.
- Rattanachai, A., Hirono, I., Ohira, T., Takahashi, Y. and Aoki, T. 2004. Molecular cloning and expression analysis of alpha-2-macroglobulin in the kuruma shrimp, *Marsupenaeus japonicus*. *Fish Shellfish Immunol.* 16: 599–611.
- Raut, S., Weller, L. and Brrowcliffe, T. W. 1999. Phospholipid binding of factor VIII in different therapeutic concentrates. *Br. J. Haemato.* 107: 323–329.
- Rengpipat, S., Rukpratanporn, S., Piyatiratitivorakul, S. and Menasaveta, P. 2000. Immunity enhancement in black tiger shrimp (*Penaeus monodon*) by a probiont bacterium (*Bacillus* S11). *Aquaculture*. 191: 271–288.
- Roch, P. 1999. Defense mechanisms and disease prevention in farmed marine invertebrates. *Aquaculture*. 172: 125–145.

- Rojtinnakorn, J., Hirano, I., Itami, T., Takahashi, Y. and Aoki, T. 2002. Gene expression in hemocytes of kuruma prawn, *Penaeus japonicus*, in response to infection with WSSV by EST approach. *Fish Shellfish Immunol.* 13: 69–83.
- Rout, N., Citarasu, T., Ravindran, R. and Murugan, V. 2005. Transcriptional and translational expression profile of a white spot syndrome viral (WSSV) gene in different organs of infected shrimp. *Aquaculture.* 245:31–38.
- Rosenberry, B. 1996. World shrimp farming. *Shrimp News International*, San Diego, California, USA, 164 pp.
- Rosenberry, B. 2000. World shrimp farming. *Shrimp News International*, San Diego, California, USA, 324 pp.
- Rosenberry, B. 2002. World shrimp farming. *Shrimp News International*, San Diego, California, USA, 296 pp.
- Sahul-Hameed, A. S., Anilkumar, M., Stephen-Raj, M. L. and Jayaraman, K. 1998. Studies on the pathogenicity of systemic ectodermal and mesodermal baculovirus and its detection in shrimp by immunological methods. *Aquaculture.* 160: 31–45.
- Sarkar, D., Boukerche, H., Su, Z-Z. and Fisher, B. 2004. *mda-9/syntenin*: recent insights into a novel cell signaling and metastasis-associated gene. *Pharmacol. Ther.* 104: 101–115.
- Sambrook, J. and Russell, D. W. 2001. *Molecular Cloning: A Laboratory Manual 3rd Edition*. Chapter 18: Protein Interaction Technologies, Protocol #3: Detection of Protein-Protein Interactions using the GST Fusion Protein Pull-Down Technique. Cold Spring Harbor Laboratory Press: Plainview, NY.
- Schena, M., Shalon, D., Davis, R. W. and Brown, P. O. 1995. Quantitative monitoring of gene expression patterns with a complementary DNA microarray. *Science.* 270: 467–470.
- Sheng, M., and Sala, C. 2001. PDZ domains and the organization of supramolecular complexes. *Annu. Rev. Neurosci.* 24: 1–29.
- Soderhall, K. and Cerenius, L. 1992. Crustacean immunity. *Annu. Rev. Fish. Dis.* 2: 3–23.

- Songyang, Z., Shoelson, S. E., Chaudhuri, M., Gish, G., Pawson, T., Haser, W. G., et al. 1993. SH2 domains recognize specific phosphopeptide sequences. *Cell*. 72: 767–778.
- Sung, H. H., Wu, P. Y. and Song, Y. L. 1999. Characterization of monoclonal antibodies to haemocytes sub-population of tiger shrimp (*Penaeus monodon*): immunochemical differentiation of three major haemocyte types. *Fish Shellfish Immunol*. 3: 167–179.
- Sritunyalucksana, K., Cerenius, L. and Söderhäll, K. 1999. Molecular cloning and characterization of prophenoloxidase in the black tiger shrimp, *Penaeus monodon*. *Dev. Comp. Immunol*. 23: 179–186.
- Sritunyalucksana, K. and Söderhäll, K. 2000. The proPO and clotting system in crustacean. *Aquaculture*. 191: 53–69.
- Sritunyalucksana, K., Lee, S. Y. and Söderhäll, K. 2002. A β -1,3-glucan binding protein from the black tiger shrimp *Penaeus monodon*. *Dev. Comp. Immunol*. 26:237–245.
- Sritunyalucksana, K., Wongsuebsantati, K., Johansson M. W. and Söderhäll, K. 2001. Peroxinectin, a cell adhesive protein associated with the proPO system from the black tiger shrimp, *Penaeus monodon*. *Dev. Comp. Immunol*. 25:353–363.
- Starkey, P. M. and Barrett, A. J. 1982. Evolution of α_2 -macroglobulin: the demonstration in a variety of vertebrate species of a protein resembling human α_2 -macroglobulin. *Biochem. J*. 205: 91–95.
- Somboonwiwat, K., Marcos, M., Tassanakajon, A., Klinbunga, S., Aumelas, A., Romestand, B., Gueguen, Y., Boze, H., Moulin, G. and Bachere, E. 2005. Recombinant expression and anti-lipopolysaccharide factor (ALF) from the black tiger shrimp *Penaeus monodon*. *Dev. Comp. Immunol*. 29: 841–851.
- Sottrup-Jensen, L., Gliemann, J. and Van Leuven, F. 1986. Domain structure of human α_2 -macroglobulin; characterization of a receptor binding domain obtained by digestion with papain. *FEBS Lett*. 205: 20–24.
- Sottrup-Jensen, L. 1989a. α_2 -macroglobulin: structure, shape and mechanism of proteinase complex formation. *J. Biol. Chem*. 264: 11539–11542.
- Sottrup-Jensen, L., Sand, O., Kristensen, L. and Fey, G. H., 1989b. The alpha-macroglobulin bait region sequence diversity and localization of cleavage

- site for proteinases in five mammalian alpha-macroglobulin. *J. Biol. Chem.* 264, 15781–15789.
- Sottrup-Jensen, L. 2002. Localization of carbohydrate attachment sites and disulfide bridges in Limulus alpha-2-macroglobulin. Evidence for two forms differing primarily in their bait region sequences. *J. Biol. Chem.* 277: 43698–43706.
- Stockinger, B. 1992. Capacity of antigen uptake by B cells, fibroblasts or macrophages determines efficiency of presentation of a soluble self antigen (C5) to T lymphocytes. *Eur. J. Immunol.* 22: 1271.
- Sun, Y.-D., Zhao, X.-F., Kang, C.-J. and Wang, J.-X. 2006. Molecular cloning and characterization of Fc-TSP from Chinese shrimp *Fenneropenaeus chinensis*. *Mol. Immunol.* 43: 1202–1210.
- Supungul, P., Klinbunga, S., Pichyangkura, R., Jitrapakdee, S., Hirono, I., Aoki, T. and Tassanakajon, A. 2002. Identification of immune-related genes in hemocytes of black tiger shrimp *Penaeus monodon*. *Mar. Biotechnol.* 4: 487–494.
- Tapay, L. M., Nadala, E. C. B. and Loh, P. C. 1999. A polymerase chain reaction protocol for the detection of various geographical isolates of white spot virus. *J. Virol. Meth.* 82: 39–43.
- Tapon-Breudier, J., Bros, A., Couture-Tosi, E. and Delain, E. 1985. Electron microscopy of the conformational changes α_2 -macroglobulin from human plasma. *EMBO J.* 4: 85–89.
- Tavernier, J., Devos, R., Cornelis, S., Tuypens, T., Van der Heyden, J., Fiers, W., et al. 1991. A human high affinity interleukin-5 receptor (IL5R) is composed of an IL5-specific alpha chain and a beta chain shared with the receptor for GM-CSF. *Cell.* 66: 1175–1184.
- The Arabidopsis Genome Initiative. 2000. Analysis of the genome sequence of the flowering plant Arabidopsis thaliana. *Nature.* 408: 796–815.
- The *C. elegans* Sequencing Consortium. 1998. Genome sequence of the nematode *C. elegans*: A platform for investigating biology. *Science.* 282: 2012–2018.
- Théry, C., Boussac, M., Veron, P., Ricciardi-Castagnoli, P., Raposo, G., Garin, J. and Amigorena, S. 2001. Proteomic analysis of dendritic cell-derived

- exosomes: a secreted subcellular compartment distinct from apoptotic vesicles. *J. Immunol.* 166: 7309–7318.
- Torres, R., Firestein, B. L., Dong, H., Staudinger, J., Olson, E. N., et al. 1998. PDZ proteins bind cluster and synaptically colocalize with Eph receptors and their ephrin ligands. *Neuron.* 21: 1453–1463.
- Toyoshima, H. and Hunter, T. 1994. p27, a novel inhibitor of G1 cyclin-Cdk protein kinase activity, is related to p21. *Cell.* 78: 67–74.
- Tsing, A., Arcier, J. M. and Brehelin, M. 1989. Haemocytes of penaeid and palaemonid shrimp: morphology, cytochemistry, and hemograms. *J. Invert. Pathol.* 53: 64–77.
- Tu, J. C., Xiao, B., Naisbitt, S. Yuan, J. P., Petralia, R. S., et al. 1999. Coupling of mGluR/Homer and PSD-95 complexes by the shank family of postsynaptic density protein. *Neuron.* 23: 583–592.
- Uetz, P., Giot, L., Cagney, G., Manfields, T. A., Judson, R. S., Knight, J. R., Lockshon, D., et al. 2000. A comprehensive analysis of protein interactions in *Saccharomyces cerevisiae*. *Nature.* 403: 623–627.
- Van de Braak, C. T. B., Taverne, N., Botterblom, M. H. A. Van der Knaap, W. P. W. and Rombout, J. H. W. M. 2000. Characterization of different morphological features of black tiger shrimp (*Penaeus monodon*) haemocytes using monoclonal antibodies. *Fish Shellfish Immunol.* 10: 515–530.
- Van der Geer, P., Wiley, S., Lai, V. K., Olivier, J. P., Gish, G. D., Stephens, R., et al. 1995. A conserved amino-terminal Shc domain binds to phosphotyrosine motifs in activated receptors and phosphopeptides. *Curr Biol.* 5: 404–412.
- Van Hulten, M. C. W. Goldbach, R. W. and Vlak, J. M. 2000a. Three functionally diverged major structural proteins of white spot syndrome virus of shrimp. *Virology.* 81: 2525–2529.
- Van Hulten, M. C. W., Westernberg, M., Goodall, S. D. and Vlak, J. M. 2000b. Identification of two major virion protein genes of white spot syndrome virus of shrimp. *Virology.* 226: 227–236.
- Van Hulten, M. C. W., Witteveldt, J., Peters, S., Kloosterboer, N., Tarchini, R., Fiers, M., Sandbrink, H., Klein Lankhorst, R. and Vlak, J. M. 2001. The white spot syndrome virus DNA genome sequence. *Virology.* 286: 7–22.

- Vargas-Ablores, F. and Yepiz-Plascencia, G. 2000. The proPO and clotting system in crustacean. *Aquaculture*. 191: 53-69.
- Jiménez-Vega, F., Vargas-Albores, F. and Söderhäll, K. 2005. Characterisation of a serine proteinase from *Penaeus vannamei* haemocytes. *Fish Shellfish Immunol*. 18: 101-108.
- Velculescu, V. E., Zhang, L., Vogelstein, B. and Kinzler, K. W. 1995. Serial analysis of gene expression. *Science*. 270: 484-487.
- Wang, B., Li, F., Dong, B., Zhang, X., Zhang, Z. and Xiang, J. 2006. Discovery the gene in response to white spot syndrome virus (WSSV) Infection in *Fenneropenaeus chinensis* through cDNA microarray. *Mar. Biotechnol*. 0: 1-10.
- Wang, S., Rabb, R. W., Schatz, P. J., Guggino, W. B. and Li, M. 1998. Peptide binding consensus of the NHE-RF-PDZ1 domain matches the C-terminal sequence of cystic fibrosis transmembrane conductance regulator (CFTR). *FEBS Lett*. 427: 103-108.
- Wang, C. S., Tsai, Y. J. and Chen, S. N. 1998. Detection of white spot disease virus (WSDV) infection in shrimp using in situ hybridization. *J. Invertebr. Pathol*. 72: 170-173.
- Wang, Q., Nunan, L. M. and Lightner, D. V. 2000. Identification of genomic variations among geographic isolates of white spot syndrome virus using restriction analysis and Southern blot hybridization. *Dis. Aquat. Org*. 43: 175-181.
- Waksman, G., Shoelson, S. E., Pant, N., Cowburn, D. and Kuriyan, J. 1993. Binding of a high affinity phosphotyrosyl peptide to the Src SH2 domain: crystal structures of the complexed and peptide-free forms. *Cell*. 72: 779-790.
- Witteveldt, J., Cifuentes, C. C., Valk, J. M. and Van Hulten, M. C. W. 2004. Protection of *Penaeus monodon* against white spot syndrome virus by oral vaccination. *J. Virol*. 78: 2057-2061.
- Westernberg, M., Heinhuis, B., Zuidema, D. and Vlak, J. M. 2005. siRNA injection induce-independent protection in *Penaeus monodon* against white spot syndrome virus. *Virus Res*. 114: 133-139.
- Wongpanya, R., Tang, S., Lursinsap, C., Kuphaumat, K. and Tassanakajon, A. 2004. Highly expressed genes in lymphoid organ of healthy and *Vibrio harveyi* challenged shrimp *Penaeus monodon*. In: Proceedings of the 7th Asian

- Fisheries Forum 2004, Penang, Malaysia, 30 November–4 December, p. 201.
- Wongteerasupaya, C., Wongswinsansri, S., Boonsaeng, V., Panyim, S., Pratanpipat, P., Nash, G. L., Withyachumnarnkul, B. and Flegel, T. K. 1996. DNA fragment of *Penaeus monodon* baculovirus PmNOBII gives positive in situ hybridization with white-spot viral infections in six Penaeid species. *Aquaculture*. 143: 23–32.
- Yaffe, M. B. and Elia, A. E. 2001. Phosphoserine/threonine-binding domains. *Curr. Opin. Cell Biol.* 13: 131–138.
- Yamashiro, D. J., Borden, L. A. and Maxfield, F. R. 1989. Kinetics of α_2 -macroglobulin endocytosis and degradation in mutant and wildtype Chinese hamster ovary cells. *J. Cell Physiol.* 139: 377–382.
- Yang, F., He, J., Lin, X., Li, Q., Pan, D., Zhang, X. and Xu, X. 2001. Complete genome sequence of the shrimp white spot bacilliform virus. *J. Virol.* 75: 11811–11820.
- Yeh, M.S., Huang, C. J., Leu, J. H., Lee, Y. C. and Tsai, I. H. 1999. Molecular cloning and characterization of a hemolymph clottable protein from tiger shrimp (*Penaeus monodon*). *Eur. J. Biochem.* 266: 624–633.
- Yoganandhan, K., Sathish, S., Murugan, V., Narayanan, R. B. and Sahul Hameed, A. S. 2003. Screening the organs for early detection of white spot syndrome virus in *Peneaus indicus* by histopathology and PCR techniques. *Aquaculture*. 215: 21–29.
- Zimmermann, P., Tomatis, D., Rosas, M., Grootjans, J., Leenaerts, I., Degeest, G., et al. 2001. Characterization of syntenin, a syndecanbinding PDZ protein, as a component of cell adhesion sites and microfilaments. *Mol. Biol. Cell.* 12: 339–350.
- Zimmermann, P., Meerschaert, K., Reekmans, G., Leenaerts, I., Small, J. V., Vandekerckhove, J., et al. 2002. PIP(2)-PDZ domain binding controls the association of syntenin with the plasma membrane. *Mol. Cell.* 9: 1215–1225.