

BIBLIOGRAPHY

- Abbadi, A., Brummel, M., Schutt, B.S., Slabaugh, M.B., Schuch, R. and Spener, F. (2000) Reaction mechanism of recombinant 3-oxoacyl (acyl-carrier-protein) synthase III from *Cuphea wrightii* embryo, a fatty acid synthase type II condensing enzyme. *Biochem. J.* 345:153-160
- Adams, S.H., Alho, C.S., Asins, G., Hegardt, F.G. and Marerro, P.F. (1997) Gene expression of mitochondrial 3-hydroxy-3-methylglutaryl-CoA synthase in a poorly ketogenic mammal: effect of starvation during the neonatal period of the piglet. *Biochem. J.* 324:65-73.
- Alex, D., Bach, T.J. and Chye, M.L. (2000) Expression of *Brassica juncea* 3-hydroxy-3-methylglutaryl-CoA synthase is developmentally regulated and stress-responsive. *The Plant J.* 22(5):414-426.
- Ayte, J., Gil-Gomez, G., Haro, D., Marerro, P.F. and Hegardt, F.G. (1990) Rat mitochondrial and cytosolic 3-hydroxy-3-methylglutaryl-CoA synthases are encoded by two different genes. *Proc. Natl. Acad. Sci. USA.* 87:3874-3878.
- Ayte, J., Gil-Gomez, G., and Hegardt, F.G. (1993) The rat mitochondrial 3-hydroxy-3-methylglutaryl-CoA synthase gene contains elements that mediate its multihormonal regulation and tissue specificity. *Eur. J. Biochem.* 213:773-779
- Bach, T.J. (1995) Some new aspect of isoprenoid biosynthesis in plants--a review. *Lipids.* 30:191-202.
- Backhaus, R.A. (1985) Rubber information in plants--a mini review. *Israel J. Bot.* 34:283-293.

- Barker, W.C., Ketcham, L.K., Dayhoff, M.O. (1978) Duplication of protein sequences. In Dayhoff, MO (ed.), *Atlas of Protein Sequence and Structure*. Vol. 5, Suppl. 3 pp. 359-362. Natl Biomed Res Found, Silver Spring, MD.
- Basson, M.E., Thorsness, M., and Rine, J. (1986) *Saccharomyces cerevisiae* contains two functional genes encoding a 3-hydroxy-3-methylglutaryl-CoA reductase. *Proc. Natl. Acad. Sci. USA.* 83:5563-5567.
- Beenakkers, A.T.M., Van Der Horst, D.J. and Van Marrewijk, W.J.A. (1985) Insect lipids and lipoproteins, and their role in physiological processes. *Prog. Lipid Res.* 24:19-67.
- Boukaftane, Y., Duncan, A., Wang, S., Labuda, D., Robert, M.F., Sarrazin, J., Schappert, K. and Mitchell, G.A. (1994) Human mitochondrial HMG-CoA synthase: liver cDNA and partial genomic cloning, characterization, mapping to 1p12-13, and possible role in vertebrate evolution. *Genomic* 23:552-559.
- Brown, M.S. and Goldstein, J.L. (1997) The SREBP pathway: regulation of cholesterol metabolism by proteolysis of a membrane-bound transcription factor. *Cell.* 89:331-340.
- Buesa, C., Martinez-Gonzalez, J., Casals, N., Haro, D., Piulachs, M.D., Belles, X. and Hegardt, F.G. (1994) *Blattella germanica* has two 3-hydroxy-3-methylglutaryl-CoA synthase genes, both are regulated in the ovary during the gonadotrophic cycle. *J. Biol. Chem.* 264:11707-11713.
- Cabano, J., Buesa, C., Hegardt, F.G. and Marrero, P.F. (1997) Catalytic properties of recombinant 3-hydroxy-3-methylglutaryl-CoA synthase-1 from *Blattella germanica*. *Insect Biochem. Molec. Biol.* 27(6):499-505.

- Casals, N., Buesa, C., Marrero, P.F., Bellea, X. and Hegardt, F.G. (2001) 3-hydroxy-3-methylglutaryl-CoA synthase-1 of *Blattella germanica* has structural and functional features of an active retrogene. *Insect Biochem. Molec. Biol.* 31(45):425-433.
- Casals, N., Buesa, C., Piulachs, M D., Cabano, J. P., Marrero, P.F., Bellea X. and Hegardt F.G. (1996) Coordinated expression and activity of 3-hydroxy-3-methylglutaryl-CoA synthase and reductase in the fat body of *Blattella germanica* (L.) during vitellogenesis. *Insect Biochem. Molec. Biol.* 26:837-843.
- Casals, N., Roca, N., Gnewero, M., Gil-Gomez, G., Ayte, J., Ciudad, C. J. and Hegardt, F.G. (1992) Regulation of the expression of the mitochondrial 3-hydroxy-3-methylglutaryl-CoA synthase gene, its role in the control of ketogenesis. *Biochem. J.* 283:261-264.
- Chou, P.Y. and Fasman, G.D. (1974) Prediction of protein conformation. *Biochemistry* 13:222-245.
- Chun, K.Y., Vinarov, D.A., Zajicek, J. and Miziorko, H.M. (2000a) 3-Hydroxy-3-methylglutaryl-CoA synthase: participation of invariant acidic residues in formation of the acetyl-S-enzyme reaction intermediate. *Biochemistry* 39:14670-14681.
- Chun, K.Y., Vinarov, D.A., Zajicek, J. and Miziorko, H.M. (2000b) 3-Hydroxy-3-methylglutaryl-CoA synthase a role for glutamate-95 in general acid/base catalysis of C-C bond formation. *J. Biol. Chem.* 275:17946-17953.
- Chye, M.L., Tan, C.T., Chua, N.H. (1992) Three genes encode 3-hydroxy-3-methylglutaryl-CoA reductase in *Hevea brasiliensis*: *hmg1* and *3* are differentially expressed. *Plant Mol. Biol.* 19:473-484.

- Clinkenbeard, K.D., Reed, W.D., Mooney, R.A., and Lane, M.D. (1975a) Intracellular localization of 3-hydroxy-3-methylglutaryl-CoA cycle enzyme in liver. *J. Biol. Chem.* 250:3108-3116.
- Clinkenbeard, K.D., Sugiyama, T. and Lane, M.D. (1975b) Cytosolic 3-hydroxy-3-methylglutaryl-CoA synthase from chicken liver. *Meth. Enzymol.* 35:160-167.
- Couillaud, F. (1991) Evidence for regulation of juvenile hormone biosynthesis operating before mevalonate in locust corpora allata. *Molec. Cell Endocr.* 77:159-166
- Couillaud, F. and Feyereisen, R. (1991) Assay of 3-hydroxy-3-methylglutaryl-CoA synthases in *Diploptera punctata* corpora allata. *Insect Biochem.* 21:131-135.
- Darwin, C. (1859) *The origin of species by means of natural selection*. John Murray, London.
- Dayhoff, M.O. (1978) *Atlas of Protein Sequence & Structure*. In Natl. Biomed. Res. Found. Vol. 5, Suppl. 3. Washington, DC.
- Dickenson, P.B. (1965) The ultrastructure of the vessel of *Hevea brasiliensis*. In Mullins, L.Ed., Mac, L. and Sons, *Proc. Nat. Rubber Prod. Res. Assoc. Jubilee Conf. Cambrige* pp.52. London.
- Donoghue, M.J. (1992) Homology. In Keller, E.F. and Lloyd, E. (eds.), *Key-words in evolutionary biology*. pp. 170-179. Harvard University press, Cambridge, MA.
- Doolittle, R.F. (1987) Clocks and Trees. In Doolittle, R.F. (ed.), *OF URF and ORFS A Primer on How to Analysis Derived Amino Acid Sequences*. Chapter 3, pp. 37-47. Mill Valley press, CA.
- Feng, D.F. and Doolittle, R.F. (1990) Progressive alignment and phylogenetic tree construction of protein sequences. In Doolittle, R.F. (ed.), *Molecular*

Evolution: Computer Analysis of Protein and Nucleic Acid Sequences. Methods in Enzymology. Vol.183, pp. 375-381. Academic Press, New York.

Ferguson, J.J. and Rudney, H. (1959) The biosynthesis of β -hydroxy- β -methylglutaryl-Coenzyme A in yeast. *J. Biol. Chem.* 234:1072-1074.

Feyereisen, R. (1985) In Kerkut, G.A. and Gilbert, L.I. (eds.), *Comprehensive Insect Physiology, Biochemistry and Pharmacology*. Vol. 7, pp. 391-429. Pergamon Press, Oxford.

Gil-Gomez, G., Ayte, J. and Hegardt, F.G. (1993) The rat mitochondrial 3-hydroxy-3-methylglutaryl-CoA synthase gene contains an element that mediates its multihormonal regulation and tissue specificity. *Eur. J. Biochem.* 231:773-779.

Gil, G., Goldstein, J.L., Slaughter, C.A. and Brown, M.S. (1986a) Cytosolic 3-hydroxy-3-methylglutaryl-CoA synthase from the hamster isolation and sequencing of full length cDNA. *J. Biol. Chem.* 216:3710-3716.

Gil, G., Goldstein, J.L., Slaughter, C.A. and Brown, M.S. (1986b) Cytosolic 3-hydroxy-3-methylglutaryl-CoA synthase from the hamster isolation of the gene and characterization of the 5'flanking region. *J. Biol. Chem.* 216:3717-3724.

Gil-Gomez, G., Smith, J.R., Goldstein, J.L. and Brown, M.S. (1987) Optional exon in the 5'untranslated region of the 3-hydroxy-3methylglutaryl-CoA synthase sequence: conserved sequence and splicing pattern in human and hamster. *Proc. Natl. Acad. Sci.* 84:1863-1866.

Gomez, J.B. (1976) Comparative ultracytology of young and mature latex vessels in *H. brasiliensis*. *Proc. Int. Rubber Conf. Kuala Lumpur*, 1975. Rubber Research Institute of Malaysia, Kuala.

- Goldstein, J.L. and Brown, M.S. (1990) Regulation of the mevalonate pathway. *Nature* 343:425-430.
- Hegardt, F.G. (1999) Mitochondrial 3-hydroxy-3-methylglutaryl-CoA synthase: a control enzyme in ketogenesis. *Biochem. J.* 338:569-582.
- Homans, L.N.S. and Van Gils, G.E. (1948) *Proc. 2nd Rubber Technol. Conf.* London p. 292.
- Hua, X., Yokoyama, C., Wu, J., Briggs, M.R., Brown, M.S., Goldstein, J.L. and Wang, X. (1993) SREBP-2, a second basic-helix-loop-helix-leucine zipper protein that stimulates transcription by binary to a sterol regulatory element. *Proc. Natl. Acad. Sci.* 90:11603-11607.
- Johnson, E.A. and Schroeder, W.A. (1996) Microbial carotenoid. *Adv. Biochem. Eng. Bio. Technol.* 53:119-178.
- Katayama, S., Adachi, N., Takao, K., Nakagava, T., Matsuda, H. and Kavamukai, M. (1995) Molecular cloning and sequencing of the *hcs* gene which encodes 3-hydroxy-3-methylglutaryl-CoA synthase of *Schizosaccharomyces pombe*. *Yeast* 11:1533-1537.
- Koeppe, J.K., Fuchs, M., Chen, T.T., Hunt, L.M., Kovalick, G.E. and Briers, T. (1985) In Kerkut, G.A. and Gilbert, L.I. (eds.), *Comprehensive Insect Physiology, Biochemistry and Pharmacology*. vol. 8 pp. 165-203. Pergamon Press, Oxford.
- Kuroda, M., Ohta, T., Uchiyama, I., Baba, T., Yuzava, H., Kobayashi, I., Cui, L., Oguchi, A., Aoki, K., Nagai, Y., Lian, J., Ito, T., Kanamori, M., Matsumaru, H., Murayama, A., Hosoyama, A., Mizutani-Ui, Y., Kobayashi, N., Sawano, T., Inoue, R., Kaito, C., Sekimizu, K., Hirakawa, H., Kuhara, S., Goto, S., Yabuzaki, J., Kanehisa, M., Yamashita, A., Oshima, K., Furuya, K., Yoshino,

- C., Shiba, T., Hattori, M., Ogasawara, N., Yahashi, H. and Hiramatsu, K. (2001) Whole genome sequencing of metcill-resistant *Staphylococcus aureus*. *Lancet* 357:1225-1240.
- Lange, B.M., Rujan, T., Martin, W. and Croteau, R. (2000) Isoprenoid biosynthesis: the evolution of two ancient and distinct pathways across genomes. *Proc. Natl. Acad. Sci. USA*. 97(24):13172-13177.
- Li, W.H. (1997) Evolution by gene duplication and Domain shuffling. In *Molecular Evolution*. pp. 269-334. Sunderland Massachusetts, USA.
- Lichtenthaler, H.K., Schwender, J., Disch, A. and Rohmer, M. (1997) Biosynthesis of isoprenoids in higher plant chloroplasts proceeds via a mevalonate-independent pathway. *FEBS Letter* 400:217-274.
- Lowe, D.M. and Tubbs, P.K. (1985) 3-Hydroxy-3-methylglutaryl-CoA synthase from ox liver purification, molecular and catalytic properties. *Biochem. J.* 227:591-599.
- Lowry, O.H., Rosebrough, N.J., Farr, A.L. and Randall, R.J. (1951) Protein measurement with the Folin phenol reagent. *J. Biol. Chem.* 193:265.
- Lynen, F. (1969) Biochemical problems of rubber synthesis. *J. Rubb. Res. Inst. Malaya*. 24(4):389-406.
- Magnuson, K., Jackowski, S., Rock, C.O. and Cronan, J.E. (1993) Regulation of fatty acid biosynthesis in *Escherichia coli*. *Microbiol. Rev.* 57:522-542.
- Martinez-Gonzalez, J., Buesa, C., Piulachs, M.D., Belles, X. and Hegardt, F.G. (1993) 3-Hydroxy-3-methylglutaryl CoA synthases from *Blattella germanica* cloning, expression, developmental pattern and tissue expression. *Eur. J. Biochem.* 217:691-699.

- Mascaro, C., Buesa, C., Ortiz, J.A., Haro, D. and Hegardt, F.G. (1995) Molecular cloning and tissue expression of human mitochondrial 3-hydroxy-3-methylglutaryl-CoA synthase. *Arch. Biochem. Biophys.* 317(2):385-390.
- Mascaro, C., Ortiz, J.A., Romos, M.M., Haro, D. and Hegardt, F.G. (2000) Sterol regulatory element binding protein-mediated effect of fluvastatin cytosolic 3-hydroxy-3-methylglutaryl-CoA synthase transcription. *Arch. Biochem. Biophys.* 374(2):286-292.
- Meganathan, R. (1996) Biosynthesis of the isoprenoid quinones menaquinones (vitamin K2) and ubiquinone (Coenzyme Q). In Neidhardt, F.C., Curtis III, R., Ingraham, J.L., Lin, E.C., Low, K.B., Magasanik, B., Reznikoff, W.S., Riley, M., Schaechter, M. and Umbaroger, H.E. (ed.), *Escherichia coli and Salmonella: Cellular and Molecular Biology*, 2nd ed. Vol. I., pp. 624-656. American Society for Microbiology, Washington, DC.
- Middleton, B. and Tubbs, P.K. (1972) The purification and some properties of 3-hydroxy-3-methylglutaryl-CoenzymeA synthase from baker's yeast. *Biochem. J.* 126:27-34.
- Middleton, B. & Tubbs, P.K. (1974) An enzyme-bound intermediate in the biosynthesis of HMG-CoA. *Biochem. J.* 137:15-23.
- Misra, I., Charlie, H.A. and Miziorko, H.M. (1995) Avian cytosolic 3-hydroxy-3-methylglutaryl-CoA synthase: evaluation of the role of cysteines in reaction chemistry. *Biochem. Biophys. Acta* 1247(2):253-259.
- Misra, I., Narasimhan, C. and Miziorko, H.M. (1993). Avian 3-hydroxy-3-methylglutaryl-CoA synthase, characterization of a recombinant cholesterologenic isozyme and demonstration of the requirement for a sulphhydryl

functionality in formation of the acetyl-S-enzyme reaction intermediate. *J. Biol. Chem.* 268:12129-12135.

Misra, I. and Miziorko, H.M. (1996) Evidence for the interaction of avian 3-hydroxy-3-methylglutaryl-CoA synthase histidine-246 with acetoacetyl-CoA. *Biochemistry* 35:9610-9616.

Misra, I., Wang, C.Z., Miziorko, H.M. (2003) The influence of conserved aromatic residues in 3-hydroxy-3-methylglutaryl-CoA synthase. *J. Biol. Chem.* 278(29):26443-26449.

Mitchell, G.A. (1994) Pubmed Accession number P54871.

Miziorko, H.M. and Behnke, C.E. (1985) Amino acid sequence of an active site peptide of avian liver mitochondrial 3-hydroxy-3-methylglutaryl-CoA synthase. *J. Biol. Chem.* 260:13513-13516.

Miziorko, H.M., Clinkenbeard, K.D., Reed, W.D. and Lane, M.D. (1975) 3-Hydroxy-3-methylglutaryl-CoA synthase. *J. Biol. Chem.* 250:5768-5773.

Moir, G.F.J. (1959) Ultracentrifugation and staining of *Hevea* latex. *Nature* (London) 184:1628.

Montamat, F., Guilloton, M., Kasst, F. and Delrot, S. (1995) Isolation and characterization of a cDNA encoding *Arabidopsis thaliana* 3-hydroxy-3-methylglutaryl-CoA synthases. *Gene* 167:197-201.

Needleman, S.B. and Wunsch, C.D. (1970) A general method application to the search for similarities in the amino acid sequences of two proteins. *J. Mol. Biol.* 48:442-453.

Ng, W.V., Kennedy, S.P., Mahairas, G.G., Berquist, B., Pan, M., Shukla, H.D., Lasky, S.R., Baliga, N., Thorsson, V., Sbrogna, J., Swartzell, S., Weir, D., Hall, J.,

- Dahl, T.A., Welti, R., Goo, Y.A., Leithauser, B., Keller, K., Cruz, R., Danson, M.J., Hough, D.W., Maddocks, D.G., Jablonski, P.E., Krebs, M.P., Angevine, C.M., Dale, H., Isenbarger, T.A., Peck, R.F., Pohlschrod, M., Spudich, J.L., Jung, K-H., Alam, K., Freitas, T., Hou, S., Daniels, C.J., Dennis, P.P., Omer, A.D., Ebhardt, H., Lowe, T.M., Liang, P., Riely, M., Hood, L. and Dassarma, S. (2000) Genome sequence of halobacterium species NRC-1. *Proc. Natl. Acad. Sci. USA.* 97(22):12176-12181.
- Page, M.A. and Tubbs, P.K. (1978) Some properties of 3-hydroxy-3-methylglutaryl-CoA synthase from ox liver. *Biochem. J.* 173:925-928.
- Price, A.C., Choi, K-H., Health, R.J., Li, Z., White, S.W. and Rock, C.O. (2001) Inhibition of β -ketoacyl-acyl carrier protein synthase by thiolactomycin and cerulin. *J. Biol. Chem.* 276(9):6551-6559.
- Qui, X., Janson, C. A., Konstantinidis, A. K., Nwagwu, S., Silverman, C., Smith, W.W., Khandekar, S., Lonsdale, J. and Abdel-Meguid, S.S. (1999) Crystal structure of β -ketoacyl-acyl carrier protein synthase III. A key condensing enzyme in bacterial fatty acid biosynthesis. *J. Biol. Chem.* 274:36465-36471.
- Reed, W.D., Clinkenbeard, K.D. and Lane, M.D. (1975) Molecular and catalytic properties of mitochondrial (ketogenic) 3-hydroxy-3-methylglutaryl-CoA synthase. *J. Biol. Chem.* 250:3117-3123.
- Reed, W.D. and Lane, M.D. (1975) Mitochondrial 3-hydroxy-3-methylglutaryl-CoA synthase from chicken liver. *Meth. Enzymol.* 35:155-160.
- Reynolds, G.A., Goldstein, J.L. and Brown, M.S. (1985) Multiple mRNAs for 3-hydroxy-3-methylglutaryl-CoA reductase determined by multiple transcription

- initiation sites and intron splicing sites in the 5'-untranslated region. *J. Biol. Chem.* 260:10369-10377.
- Rodriguez, J.C. and Boronat, A. (2002) Elucidation of the methylerythritol phosphate pathway for isopernoid biosynthase in bacteria and plastid. A metabolic milestone achieved through genomics. *Plant Physiol.* 130:1079-1089.
- Rodriguez, J.C., Gil-Gomez, G., Hegardt, F.G. and Haro, D. (1994) Peroxisome proliferators-activated receptor mediates induction of the mitochondrial 3-hydroxy-3-methylglutaryl-CoA synthase gene by fatty acids. *J. Biol. Chem.* 269:18767-18772.
- Rodriguez, J.C., Otiz, J.A., Hegardt, F.G. and Haro, D. (1997) Chicken ovalbumin upstream promoter transcription activator or repressor of the mitochondrial 3-hydroxy-3-methylglutaryl-CoA synthase gene. *Biochem. J.* 326:587-592.
- Rodriguez, J.C., Otiz, J.A., Hegardt, F.G. and Haro, D. (1998) The hepatocyte nuclear factor 4 (HNF-4) repress the mitochondrial 3-hydroxy-3-methylglutaryl-CoA synthase gene. *Biochem. Biophys. Res. Commu.* 242:692-698.
- Rohmer, M., Knani, M., Simunin, P., Sutter, B. and Sahm, H. (1993) Isoprenoid biosynthesis in bacteria: A novel pathway for the early steps leading to isopentenyl diphosphate. *Biochem. J.* 295:517-524.
- Royo, T., Ayte, J., Albericio, F., Giralt, E., Haro, D. and Hegardt, F.G. (1991) Diurnal rhythm of rat liver cytosolic 3-hydroxy-3-methylglutaryl-CoA synthase. *Biochem. J.* 280:61-64.
- Russ, A.P., Ruzicka, V., Maerz, W., Appelhans, H. and Gross, W. (1992) Amplification and direct sequencing of a cDNA encoding human cytosolic 3-

- hydroxy-3-methylglutaryl-CoA synthases. *Biochem. Biophys. Acta.* 1132:329-331.
- Sambrook, J., Fritsch, E.F. and Maniatis, T. (1989) *Molecular Cloning: a Laboratory Manual.* pp. 2.6-2.111. Cold Spring Harbor Laboratory Press, Cold Spring Harbor, NY.
- Sanger, F., Nicklen, S. and Coulson, A.R. (1977) DNA sequencing with chain-terminating inhibitors. *Proc. Natl. Acad. Sci. USA.* 74:5463-5467.
- Scarsdal, J.N., Kazanine, G., He, X., Reynolds, K.A. and Wright, H.T. (2001) Crystal structure of the *Mycobacterium tuberculosis* of β -ketoacyl-acyl carrier protein synthase III. *J. Biol. Chem.* 276(23):20516-20522.
- Schooley, D.A. and Baker, F.C. (1985) Juvenile hormone biosynthesis. In Kerkut, G.A. and Gilbert, L.I. (eds.), *Comprehensive Insect Physiology, Biochemistry and Pharmacology.* Vol. 7, pp. 363-389. Pergamon Press, Oxford.
- Serra, D., Casals, N., Asins, G., Royo, T., Ciudad, C. J. and Hegardt, F.G. (1993) Regulation of mitochondrial 3-hydroxy-3-methylglutaryl-CoA synthase protein by starvation fat reducing and diabetes. *Arch. Biochem. Biophys.* 307:40-45.
- Serra, D., Fillat, C., Matas, R., Bosch, F. and Hegardt, F.G. (1996) Tissue-specific expression and dietary regulation of chimeric mitochondrial 3-hydroxy-3-methylglutaryl-CoA synthase/human growth hormone gene in transgenic mice. *J. Biol. Chem.* 271:7529-7534.
- Stewart, P.R. and Rudney, H. (1966) The biosynthesis of β -hydroxy- β -methylglutaryl-Coenzyme A in yeast. *J. Biol. Chem.* 241:1212-1216.
- Suvachittanont, W. and Wititsuwannakul, R. (1995) 3-Hydroxy-3-methylglutaryl-CoA synthase in *Hevea brasiliensis*. *Phytochemistry* 40(3):757-761.

- Sawanmanee, P., Fincher, G.B. and Suvachittanont, W. (2002) Molecular cloning of 3-hydroxy-3-methylglutaryl-CoA synthase in *Hevea brasiliensis* Mull. Arg. *Sci. Asia* 28:29-36.
- Sawanmanee, P., Sirinupong, N. and Suvachittanont, W. (2004) Regulation of the expression of 3-hydroxy-3-methylglutaryl-CoA synthase gene in *Hevea brasiliensis* (B.H.K) Mull. Arg. *Plant Sci.* 166:531-537.
- Tettelin, H., Nelson, K.E., Paulsen, I.T., Eisen, J.A., Read, T.D., Peterson, S., Heidelberg, J., DeBoy, R.T., Haft, D.H., Dodson, R.J., Durkin, A.S., Gwinn, M., Colonay, J.F., Nelson, W.C., Peterson, J.D., Umayam, L.A., White, O., Salzberg, S.L., Lewis, M.R., Radune, D., Holtzapple, E., Khouri, H., Wolf, A.M., Utterback, T.R., Hensen, C.L., Macdonald, L.A., Feldblyum, T.V., Angiuoli, S., Dickinson, T., Hickey, E.K., Holt, I.E., Loftus, B.J., Yang, F., Smith, H.O., Venter, J.C., Dougherty, B.A., Morrison, D.A., Hollingshead, S.K. and Fraser, C.M. (2001) Complete genome sequence of a virulent isolate of *Streptococcus pneumoniae*. *Science* 293:498-506.
- Thellin, O., Zorzi, W., Lakaye, B., Borman, B.D., Coumans, B., Hennen, G., Grisar, T., Igout, A. and Heinen, E. (1999) Housekeeping genes as internal standards: use and limits. *J. Biotech.* 75:291-295.
- Thumelin, S., Forestier, M., Girard, J. and Pegorer, J-P. (1993) Developmental changes in mitochondrial 3-hydroxy-3-methylglutaryl-CoA synthase gene expression in rat liver, intestine, and kidney. *Biochem. J.* 292:493-496.
- Tittiger, C.O., Keeffe, C., Bengoa, C.S., Barkami, L.S., Seybold, S.J. and Blomquist, G.J. (2000) Isolation and endocrine regulation of an 3-hydroxy-3-methylglutaryl-CoA synthases cDNA from the male Jeffrey pine beetle,

Dendroctonus jeffreyi (Coleoptera: Scolytidae). *Insect Biochem. Mol. Biol.* 30:1203-1211.

Tugwood, J.D., Issemann, I., Anderson, R.G., Bundell, K.R., McPheat, W.L. and Green, S. (1992) The mouse peroxisome proliferator activated receptor recognizes a response element in the 5'flanking sequence of the rat acetyl-CoA oxidase gene. *EMBO J.* 11:433-439.

Tzamarias, D., Alexandraki, D. and Thireos, G. (1986) Multiple *cis*-acting elements modulate the translational efficiency of *GCN4* mRNA in yeast. *Proc. Natl. Acad. Sci. USA.* 83:4849-4853.

Van der Heijden, R., de Boer-Hlupa, V., Verpoorte, R. and Duine, J.A. (1994a) Enzymes involved in the metabolism of 3-hydroxy-3-methylglutaryl-coenzyme A in *Catharanthus roseus*. *Plant Cell Tiss. Organ Cult.* 38:345-349.

Van der Heijden, R., Verpoorte, R. and Duine, J.A. (1994b) Biosynthesis of 3S-hydroxy-3-methylglutaryl-coenzyme A in *Catharanthus roseus*: acetoacetyl-CoA thiolase and HMG-CoA synthase show similar chromatographic behaviour. *Plant Physiol. Biochem.* 32:807-812.

Vollmer, S.H., Mende-Mueller, L.M. and Mizorko, H.M. (1988) Identification of the site of the acetyl-S-enzyme formation on avian liver mitochondrial 3-hydroxy-3-methylglutaryl-CoA synthase. *Biochem.* 27:4288-4292.

Wegener, A., Gimbel, W., Werner, T., Hani, J., Errist, D. and Sandermann, H.Jr. (1997) Molecular cloning of ozone-inducible protein from *Pinus sylvestris* L. with high sequence similarity to vertebrate 3-hydroxy-3-methylglutaryl CoA synthases. *Biochem. Biophys. Acta.* 28:247-252.

- Wilding, E.I., Brown, J.R., Bryant, A.P., Chalker, A.F., Holmes, D.J., Ingraham, K.A., Iordanescu, S., So, C.Y., Rosenberg, M. and Gwynn, M.N. (2000a) Identification, evolution, essentiality of the mevalonate pathway for isopentenyl diphosphate biosynthesis in gram-positive cocci. *J. Bacteriol.* 182:4319-4327.
- Wilding, E.I., Kim, D-Y., Bryant, A.P., Gwynn, M.N., Lunsford, R.D., McDevitt, D., Myers, J.E., Rosenberg, Jr.M., Sylvester, D., Stauffacher, C.V. and Rodwell, V.W. (2000b). Essentiality, expression, and characterization of the class II 3-hydroxy-3-methylglutaryl-coenzyme A reductase of *Staphylococcus aureus*. *J. Bacteriol.* 182:5147-5152.
- Wititsuwannakul, R. (1986) Diurnal variation of 3-hydroxy-3-methylglutaryl-CoA reductase in latex of *Hevea brasiliensis*. *Experientia* 42:44.
- Yokoyama, C., Wang, X., Briggs, M.R., Admon, A., Wu, J., Hua, X., Goldstein, J.L. and Brown, M.S. (1993) SREBP-1, a basic-helix-loop-helix-leucine zipper protein that controls transcription of the low density lipoprotein receptor gene. *Cell* 75:287-197.