

Reference

- Acton, R.T., Weinheimer, P.F. and Niedermeier, W., 1973. The carbohydrate composition of invertebrate hemagglutinin subunits isolated from the lobster *Panulirus argus* and the oyster *Crassostrea virginica*. *Comp. Biochem. Physiol.* 44B, 185–9.
- Aderen, A and Ulevitch, R., 2000. Toll-like receptors in the induction of the innate immune response. *Nature* 406, 782-787.
- Agrawal B.B.L. and Goldstein I.J., 1972. Concanavalin A, the jack bean (*Canavalia ensiformis*) phytohemagglutinin. In: V. Ginsberg, (eds.), *Methods in Enzymology*, vol. 28, pp. 314–316. Academic Press, New York.
- Agundis, C., Pereyra ,A., Zenteno R., Brassart, C., Sierra, C., Vazquez, L. and Zenteno, E., 2000. Quantification of lectin in freshwater prawn (*Macrobrachium rosenbergii*) hemolymph by ELISA. *Comp. Biochem. Physiol.* 127B, 165-172.
- Alpuche, J., Pereyra, A., Agundis, C., Rosas, C., Pascual, C., Slomianny, M.C., Vázquez, L. and Zenteno, E., 2005. Purification and characterization of a lectin from the white shrimp *Litopenaeus setiferus* (*Crustacea decapoda*) hemolymph. *Biochim. Biophys. Acta.* 1724, 86-93.
- Amirante, G.A., 1986. Agglutinins and lectins of Crustacea. In: Gupta, A.P. (eds.), *Hemocytic and Humoral Immunity in Arthropods*, pp. 359–380. New York: Wiley.
- Anderson, R.S. and Good, R.A., 1976. Opsonic involvement in phagocytosis by mollusk hemocytes. *J. Invertebr. Pathol.* 27, 57-64.
- Arason, G.J., 1996. Lectins as defence molecules in vertebrates and invertebrates. *Fish Shellfish Immun.* 6, 277–289.
- Armstrong, P.B. and Quigley J.P., 1999. β_2 -Macroglobulin: an evolutionary conserved arm of the innate immune system. *Dev. Comp. Immunol.* 23, 375-390.
- Ashida, M. and Brey, P., 1997. Recent advances in research on the insect prophenoloxidase cascade. In: Brey,P.T., Hultmark, D. (eds.), *Molecular Mechanisms of Immune Responses in Insects*, pp. 135–172. London: Chapman and Hall.

- Azumi K, Yokosawa H, Ishii S-i., 1991. Lipopolysaccharide induces release of a metallo protease from hemocytes of the ascidian, *Halocynthia roretzi*. *Dev. Comp. Immunol.* 15, 1-7.
- Bailey-Brock, J. and Moss, S., 1992. Penaeid taxonomy, biology and zoogeography. In: A. Fast and J. Lester (eds.), *Marine Shrimp Culture: Principles and Practices*, pp. 9-28. Amsterdam: Elsevier.
- Banerjee, S., Chaki, S., Bhowal, J. and Chatterjee, B.P., 2003. Mucin binding mitogenic lectin from freshwater Indian gastropod *Belamyia bengalensis*: purification and molecular characterization. *Arch. Biochem. Biophys.* 421,125-34.
- Bradford, M.M., 1976. A rapid and sensitive method for the quantitation of microgram quantities of protein utilizing the principle of protein-dye binding. *Anal. Biochem.* 72, 248-254.
- Chanratchakool, P., Pearson, M., Limsuwan, C. and Roberts, R.J., 1995. Oxytetracycline sensitivity of *Vibrio* species isolated from diseased black tiger shrimp, *Penaeus monodon Fabricius*. *J. Fish Dis.* 18, 79-82.
- Chattopadhyay S., Anam K. and Aditya A.K., 1995. Bioassay evaluation of acute toxicity levels of mercuric chloride and cadmium chloride on the early growing stage of *Labeo rohita*. *J. Ecobio.* 7, 41-47.
- Chen, C., Ratcliffe, N.A. and Rowley, A.F., 1993. Detection, isolation and characterization of multiple lectins from the haemolymph of the cockroach, *Blaberus discoidalis*. *J. Biochem.* 294, 181-190.
- Chen, C., Rowley, A.F. and Ratcliffe N.A., 1998. Detection, purification by immunoaffinity chromatography and properties of β -1,3-glucanspecific lectins from the sers of several insect species. *Insect Biochem. Mol. Biol.* 28,721-731.
- Cohen, E., Ilodi, G.H.U., Korytnyk, W. and Sharma, M., 1983. Inhibition of *Limulus* agglutinins with *N*-acetylneuraminic acid and derivatives. *Dev. Comp. Immunol.* 7, 189-192.
- Cominetti, M.R., Marques, M.R.F., Lorenzini, D.M., Löfgren, S.E., Daffre, S. and Barracco, M.A., 2002. Characterization and partial purification of a lectin from the hemolymph of the white shrimp *Litopenaeus schmitti*. *Dev. Comp. Immunol.* 26, 715-721.

- Cooper, D.N., Boulianne, R.P., Charlton, S., Farrell, E.M., Sucher, A. and Lu, B.C., 1997. Fungal galectins, sequence and specificity of two isolectins from *Coprinus cinereus*. *J. Biol. Chem.* 272, 1514-1521.
- Courtney Smith, L., Azumi, K. and Nonaka, M., 1999. Complement systems in invertebrates. The ancient alternative and lectin pathways. *Immunopharmacol.* 42, 107-120.
- Cumming, D. A., Hellerqvist, C.G., Harris-Brandts, M., Michnick, S. W., Carver, J. P. and Bendiak, B., 1989. Structures of asparagine-linked oligosaccharides of the glycoprotein fetuin having sialic acid linked to N-acetylglucosamine. *Biochemistry*, 28, 6500-6512.
- Dall W., Hill, J., Rothlisbera, P.C. and Shaples, D.J., 1990. *The biology of the penaeidae*, pp 489. Academic Press, San Diego, CA.
- Davis, B.J., 1964. Disc electrophoresis: II. Method and application to human serum protein. *Ann. N.Y. Acad. Sci.* 121, 404-427.
- Delves, P.J. and Roitt, I.M., 2000. The immune system. Part 1. *N. Engl. J. Med.* 343, 37-49.
- Delves, P.J. and Roitt, I.M., 2000. The immune system. Part 2. *N. Engl. J. Med.* 343, 108-17.
- Denis, M., Mercy Palatty, P. D., Renuka Bai, N. and Jeya Suriya, S., 2003. Purification and characterization of a sialic acid specific lectin from the hemolymph of the freshwater crab *Paratelphusa jacquemontii*. *Eur. J. Biochem.* 270, 4348-4355.
- Destoumieux, D., Bulet, P., Loew, D., Alain Dorsselaer, V., Rodriguez, J. and Bachère E., 1997. Penaeidins, a New Family of Antimicrobial Peptides Isolated from the Shrimp *Penaeus vannamei* (Decapoda). *J. Biol. Chem.* 272, 28398-28406.
- Dodd, R.B. and Drickamer, K., 2001. Lectins-like protein in model organisms : implications for evolution of carbohydrate binding activity. *Glycobiology* 11, 71-79.
- Drickamer, K. and Taylor, M. E., 1993. Biology of animal lectins. *Annu. Rev. Cell Biol.* 9, 237-264.
- Drickamer, K., and Taylor, M.E., 1998. Evolving views of protein glycosylation. *Trends Biochem. Sci.* 23, 321-324.
- Drif, L. and Brehelin, M., 1994. Purification and characterization of an agglutinin from the hemolymph of *Locusta migratoria* (Orthoptera). *Insect. Biochem. Molec. Biol.* 24, 283-289.

- Dwek, R.A., Lellouch, A.C., Wormald, M.R., 1995. Glycobiology: Other function of sugar in the IgG molecule. *J. Anat.* 187, 279-292.
- Fearon, D.T. and Lockley, R.M., 1996. The instructive role of innate immunity in the acquired immune response. *Science* 272, 50-3.
- Fischer, T., Thoma, B., Scheurich, P. and Pfizenmaier, K., 1990 Glycosylation of the human interferon γ receptor. *N-linked carbohydrates contribute to structural heterogeneity and are required for ligand binding.* *J. Biol. Chem.* 265, 1710-7.
- Fountain, D.W. and Campbell, B.A., 1984. A lectin isolated from mucus of *Helix aspersa*. *Comp. Biochem. Physiol.* 77B, 419-429.
- Fragkiadakis, G.A. and Stratakis, E.K., 1995. Characterization of hemolymph lectins in the prawn *Parapenaeus longirostris*. *J. Invertbr. Pathol.* 65, 111-117.
- Fragkiadakis, G.A. and Stratakis, E.K., 1997. The lectin from the crustacean *Liocarcinus depurator* recognises *O*-acetylsialic acids. *Comp. Biochem. Physiol.* 117B, 545-552.
- Goldstein, I.J., Hughes, C.E., Monsigny, M., Osawa, T. and Sharon, N., 1980. What should be called a lectin? *Nature* 285, 66.
- Graves, B.J., Crowther, R.L., Chandran, C., Rumberger, J.M., Li, S. and Huang, K.S., 1994. Insight into E-selectin/ligand interaction from the crystal structure and mutagenesis of the lec/EGF domains. *Nature* 367, 532-538.
- Hall, J.L. and Rowlands, D.T., 1974. Heterogeneity of lobster agglutinins: II. Specificity of agglutinin-erythrocyte binding. *Biochemistry* 13, 828-832.
- Hall, M., Wang, R., Antwerpen, R., Sottrup-Jensen, L. and Söderhäll, K., 1999. The crayfish plasma clotting protein: a vitellogenin-related protein responsible for clot formation in crustacean blood. *Proc. Natl. Acad. Sci. U.S.A.* 96, 1965-1970.
- Hardy, S.W., Grant, P. T. and Fletcher, T. C., 1977. A hemagglutinin in the tissue fluid of the Pacific oyster, *Crassostrea gigas* with specificity for sialic acid residues in glycoproteins. *Experientia* 33, 767-769.
- Holmskov, U., Malhotra, R., Sim, R.B. and Jensenius, J.C. 1994. Collectin: Colleagenous C-type lectins of the innate immune defense system. *Immunol. Today* 15, 67-74.

- Huang, M.T.F., Enle, A.F. and Hummen, C.S., 1981. Immune response of the prawn, *Macrobrachium rosenbergii*, to bacterial infection. *J. Invertbr. Pathol.* 38, 213–219.
- Imai, T., Goto, R., Kittarka, J. and Kamiya, H., 1994. Lectins in the rock lobster *Jasus novaehollandiae* hemolymph. *Crustaceana* 67, 121-130.
- Imler, J.L. and Hoffmann, J.A., 2000. Signaling mechanisms in the antimicrobial host defense of *Drosophila*. *Curr. Opin. Microbiol.* 3, 16-22.
- Jayasree, S., 2001. Biological properties of a natural agglutinin in the hemolymph of Indian white prawn, *Penaeus indicus* H. Milne Edwards. *Aquaculture* 194, 245-252.
- Jayasree, S., Selvam, G.S. and Thomas S., 2000. Development of an enzyme-linked immunosorbent assay (ELISA) for agglutinin, and antibacterial protein of the shrimp *Fenneropenaeus indicus*. *J. Crust. Biol.* 20, 621-627.
- Johansson, M. W. and Soderhall, K., 1988. Isolation and purification of a cell adhesion factor from crayfish blood cells. *J. Cell Biol.* 106, 1795-1803.
- Johansson, M. W. and Soderhall, K., 1992. Cellular defence and cell adhesion in crustaceans. *Animal Biology* 1, 97-107.
- Kanost, M.R., 1999. Serine proteinase inhibitors in arthropod immunity. *Dev. Comp. Immunol.* 23, 291-301.
- Kato, Y., Nakamura, T., Takeuchi, T., 1994. Haemagglutination activity of haemolymph of *Bombyx mori* treated with a juvenile hormone analogue. *J. Seric. Sci. Jpn.* 63, 221–8.
- Kawabata, S. and Iwanaga, S., 1999. Role of lectins in the innate immunity of horseshoe crab. *Dev. Comp. Immunol.* 23, 391– 400.
- Kobayashi, M., Johansson, M. W. and Soderhall, K., 1990. The 76kD cell-adhesion factor from crayfish haemocytes promotes encapsulation in vitro. *Cell and Tissue Research* 260, 13-18.
- Komatsu, M. and Ando, S., 1998. A very-high-density lipoprotein with clotting ability from hemolymph of sand crayfish, *Ibacus ciliatus*. *Biosci. Biotechnol. Biochem.* 62, 459–463.

- Kondo, M., Itami, T. and Takahashi, Y., 1998. Preliminary characterization of lectins in the hemolymph of kuruma prawn. *Fish Pathol.* 33, 429-435.
- Kongtawelert, P., 1998. Isolation and characterization of lectin from Thai marine crab (*Scylla serrata*) with binding specificity to sialoglycoconjugates and its application. *Mol. Mar. Biol. Biotechnol.* 7, 280–286.
- Kopacek, P., Grubhoffer, L. and Soderhall, K., 1993. Isolation and characterization of a hemagglutinin with affinity for lipopolysaccharides from plasma of the crayfish *Pacifastacus leniusculus*. *Dev. Comp. Immunol.* 17, 407–418.
- Kornfeld, R. and Kornfeld, S., 1985. Assembly of asparagine-linked oligosaccharides. *Annu. Rev. Biochem.* 54, 631–664.
- Laemmli, U.K., 1970. Cleavage of structural proteins during the assembly of the head of bacteriophage T4. *Nature* 227, 680– 685.
- Lavilla-Pitogo, C.R., Baticados, M.C.L., Cruz-Lacierda, E.R. and de la Pena, L.D., 1990. Occurrence of luminous bacterial diseases of *Penaeus monodon* larvae in the Philippines. *Aquaculture* 91, 1–13.
- Lightner, D.V., 1996. Epizootiology, distribution and the impact on international trade of two penaeid shrimp viruses in the Americas. *Rev. Sci. Tech. Oie.* 15, 579–601.
- Liu, Y., Chirino, A.J., Misulovin, Z., Leteux, C., Feizi, T., Nussenzweig, M.C. and Bjorkman, P.J., 2000. Crystal structure of the cysteine-rich domain of mannose receptor complexed with a sulfated carbohydrate ligand. *J. Exptl. Med.* 191, 1105-1115.
- Lodish, H. F., 1991. Recognition of complex oligosaccharides by the multi-subunit asialoglycoprotein receptor. *Trends in Biochemical Sciences* 16, 374–377.
- Loker ,E.S., Adema, C.M., Zhang, S.M. and Kepler, T.B., 2004. Invertebrate immune systems not homogeneous, not simple, not well understood. *Immunol. Rev.* 198, 10–24
- Lowry, O.H., Rosenbrough, N.J., Farr, A.L. and Randall, R.J., 1951. Protein measurement with the Folin-phenol reagent. *J. Biol.Chem.* 193, 265-275.
- Liu, J., 1997 Collectins: collectors of microorganisms for the innate immune system. *BioEssays* 19, 509-518, 1997.
- Mashewari, R., Mullainadhan, P. and Arumugam, M., 1977. Characterisation of a natural haemagglutinin with affinity for acetylated amino sugars in the serum of the

- marine prawn, *Penaeus indicus* (H Milne Edwards). *Fish Shellfish Immunol.* 7, 17-28.
- Martin, G. G., Poole, D., Poole, Ch., Hose, J. E., Arias, M., Reynolds, L., McKerrell, N. and Whang, 1993. A. Clearance of bacteria injected into the hemolymph of the penaeid shrimp *Sicyonia ingentis*. *J. Invert. Pathol.* 62, 1-8.
- Marques, M.R.F. and Barracco, M.A., 2000. Lectins, as non-self recognition factors, in crustaceans. *Aquaculture.* 191, 23-44.
- Medzhitov, R. and Janeway, C., 2000. Innate immunity. *N. Eng. J. Med.* 343, 338-344.
- Medzhitov, R. and Janeway, C., 2000. Innate immune recognition: mechanisms and pathways. *Immunol. Rev.* 173, 89-97.
- Mercy, P.D.Sr. and Ravindranath, M.H., 1994. Hemolysis and clearance of erythrocytes in *Scylla serrata* are related to the agglutination by the native sialic acid-specific lectin. *Comp. Biochem. Physiol.* 109A, 1075-1083.
- Middleton, D., Holdich, D.M. and Ratcliffe, N.A., 1996. Haemagglutinins in six species of freshwater crayfish. *Comp. Biochem. Physiol.* 114A, 143-152.
- Millar, D.A. and Ratcliffe, N.A., 1994. Invertebrates. In: Turner, R.J. (ed.), *Immunology, a Comparative Approach*, pp. 29-68. Chichester: Wiley.
- Montano-Perez, K., Yepiz-Plascencia, G., Higuera-Ciapara, I., Vargas-Albores, F., 1999. Purification and characterization of the clotting protein from the white shrimp *Penaeus vannamei*. *Comp. Biochem. Physiol.* 122B, 381-387.
- Motoh, H., 1984. Biology and ecology of *Penaeus monodon*. Proceedings of the First International Conference on the Culture of Penaeid Prawns/Shrimp. SEAFDEC Aquaculture Department, Iloilo City, pp. 27-36.
- Mullainadhan, P. and Renwartz, L., 1986. Lectin-dependent recognition of foreign cells by hemocytes of the mussel, *Mytilus edulis*. *Immunobiology* 171, 263-273.
- Muramoto, K., Matsuda, T., Nakada, K. and Kamiya, H., 1995. Occurrence of multiple lectins in the hemolymph of kuruma prawn *Penaeus japonicus*. *Fisheries Science* 61, 131-135.

- Munoz, M., Cedeno, R., Rodriguez, J., Van der Knaap, W. P. W., Mialhe, E. and Bachere, E., 2000. Measurement of reactive oxygen intermediate production in haemocytes of the penaeid shrimp, *Penaeus vannamei*. *Aquaculture* 191, 89-107.
- Murali, S., Mullainadhan, P., Arumugam, M., 1999. Purification and characterization of a natural agglutinin from the serum of the hermit crab, *Diogenes affinis*. *Biochim. Biophys. Acta*. 1472, 13-24.
- Muramoto, K. and Kamyia, H., 1989. The amino-acid sequence of multiple lectins of the acorn barnacle *Megabalanus rosa* and its homology with animal lectins. *Biochim. Biophys. Acta* 1039, 42-51.
- Muramoto, K, Kado, R, Takei, Y, Kamiya, H., 1991. Seasonal changes in the multiple lectin compositions of the acorn barnacle *Megabalanus rosa* as related to ovarian development. *Comp. Biochem. Physiol.* 98B, 603-607.
- Natori, S., Shiraishi, S., Hori, S. and Kobayashi, A., 1999. The roles of *Sarcophaga* defense molecules in immunity and metamorphosis. *Dev. Comp. Immunol.* 23, 317-328.
- Nalini M., Mullainadhan P. and Arumugam M., 1994. Characterization of a natural hemagglutinin in the serum of a fresh-water crab *Parathelphusa hydrodromus*. *Arch. Int. Physiol., Biochim. Biophys.* 102 , 259-264.
- Nash, G., Nithimathachoke, C., Tungmandi, C., Arkarjamorn, A., Prathanpipat, P. and Ruamthaveesub, P., 1992. Vibriosis and its control in pond-reared *Penaeus monodon* in Thailand. In: Shariff, M., Subasinghe, R.P., Arthur, J.R. (eds.), *Diseases in Asian Aquaculture I*. Fish Health Section. Asian Fisheries Society et al., pp.143-155. Manila, Philippines: Asian Fisheries Society.
- Nesser, R., Koellreutter, B. and Wuersch, P., 1986. Oligomanoside type glycopeptides inhibiting adhesion of *Escherichia coli* strains mediated by type1 pili, preparation of potent inhibitors from plant glycopeptides. *Infect. Immun.* 58, 428- 436.
- O'Connor, S.E. and Imperiali, B., 1996. Modulation of protein structure and function by asparagine-linked glycosylation. *Chem.Biol.* 3, 803-812.
- Okino, N., Kawabata, S., Saito, T., Hirata, M., Takagi, T. and Iwanaga, S., 1995. Purification, characterization and cDNA cloning of a 27-kDa lectin L10 from horseshoe crab hemocytes. *J. Biol. Chem.* 270, 31008-31015.

- Olafsen, J.A., 1986. Invertebrate lectins: biochemical heterogeneity as a possible key to their biological function. In: Brehelin, M (ed.), *Immunity in Invertebrates*, pp. 94–111. Berlin: Springer-Verlag.
- Olafsen, J. A., 1988. Role of lectins in invertebrate humoral defense. *Am. Fish. Soc. Spec. Publ.* 18, 189-205.
- Olafsen, J. A., 1995. Role of lectins (C-reactive protein) in defense of marine bivalves against bacteria. In J. Mestecky, M. W. Russell, S. Jackson, S. M. Michalek, H. Tlaskalová-Hogenová, and J. Sterzl (ed.), *Advances in mucosal immunology*, pp. 343-348. New York: Plenum Press.
- Olafsen, J.A., Fletcher, T. C. and Grant P. T., 1992. Agglutinin activity in Pacific oyster (*Crassostrea gigas*) hemolymph following in vivo *Vibrio anguillarum* Challenge. *Dev. Com. Immunol.* 16,123-138.
- Paijit, N., 2001. Characterization of lectin from hemolymph of banana prawn (*Penaeus merguensis* de Man). Master of Science Thesis in Biochemistry Prince of Songkla University.
- Pereyra, A., Zenteno, R., Vazquez, L., Martinez-Cairo, S., Rodriguez, A., Mendoza-Hernandez, G., Zenteno, E. and Agundis, C., 2004. Characterization of lectin aggregates in the hemolymph of freshwater prawn *Macrobrachium rosenbergii*. *Biochim. Biophys. Acta.* 1673, 122– 130.
- Pieters, J., 2001. Evasion of host cell defense mechanisms by pathogenic bacteria. *Curr. Opin. Immunol.* 13, 37-44.
- Prayitno, S.B. and Latchford, J.W., 1995. Experimental infections of crustaceans with luminous bacteria related to Photobacterium and *Vibrio*. Effect of salinity and pH on infectiosity. *Aquaculture* 132, 105–112.
- Primavera, J. H.,1990. External and internal anatomy of adult penaeid prawns/shrimps. SEAFDEC, Aquaculture Department, The Philippines, Poster.
- Qu, X. M., Zhang, C. F., Komano, H. and Natori, S., 1987. Purification of a lectin from the hemolymph of Chinese oak silk moth (*Antheraea pernyi*) pupae. *J. Biochem.* 101, 545-551.

- Quinitio, E.T., Hara, A., Yamauchi, K., Mizushima, T. and Fuji, A., 1989. Identification and characterization of vitellin in a hermaphrodite shrimp, *Pandalu kessleri*. *Comp. Biochem. Physiol.* 94B, 445–451.
- Ratanapo, S. and Chulavatnatol, M., 1990. Monodin, a new sialic acid-specific lectin from black tiger prawn (*Penaeus monodon*). *Comp. Biochem. Physiol.* 97B, 515–520.
- Ratanapo, S. and Chulavatnatol, M., 1992. Monodin-induced agglutination of *Vibrio vulnificus*, a major infective bacterium in black tiger prawn (*Penaeus monodon*). *Comp. Biochem. Physiol.* 102B, 855–859.
- Ratcliffe, N.A., Rowley, A.F., Fitzgerald, S.W. and Rhodes, C.P., 1985. Invertebrate immunity: Basic concepts and recent advances. *Int. Rev. Cytol.* 97, 183–350.
- Ravindranath, M.H., Higa, H.H., Cooper, E.L. and Paulson, J.C., 1985. Purification and characterization of an *O*-acetylsialic acid-specific lectin from a marine crab *Cancer antennarius*. *J. Biol. Chem.* 260, 8850–8856.
- Renwranz, L., 1986. Lectins in molluscs and arthropods: their occurrence, origin and roles in immunity. *Symp. Zool. Soc. Lond.* 56, 81–93.
- Richards, E.H. and Renwranz, L.R., 1991. Two lectins on the surface of *Helix pomatia* haemocytes: Ca^{2+} -dependent, GalNac-specific lectin and a Ca^{2+} -independent, mannose 6-phosphate-specific lectin which recognises activated homologous opsonins. *J. Comp. Physiol.* 161B, 43–54.
- Rosenberry, B. 1999. World Shrimp Farming, 1999. *Shrimp News International*, San Diego.
- Roth, J., Kempf, A., Reuter, G., Schauer, R. and Gehring, W.J., 1992. Occurrence of sialic acids in *Drosophila melanogaster*. *Science* 256, 673–675.
- Ruangpan, L. and Kitao, T., 1991. *Vibrio* bacteria isolated from black tiger shrimp, *Penaeus monodon Fabricius*. *J. Fish Dis.* 14, 383–388.
- Saito, T., Hatada, M., Iwanaga, S., and Kawabata, S., 1997. A Newly Identified Horseshoe Crab Lectin with Binding Specificity to O-antigen of Bacterial Lipopolysaccharides. *J. Biol. Chem.* 272, 30703–30708.
- Schauer, R., 1982. Chemistry, metabolism and biological functions of sialic acids. *Adv. Carbohydr. Chem. Biochem.* 40, 131–234.

- Schauer, R., 1985. Sialic acids and their roles as biological masks. *Trends. Biochem. Sci.* 10, 357–360.
- Sharon, N., 1984. Surface carbohydrates and surface lectins are recognition determinants in phagocytosis, *Immunol. Today* 5, 1–5.
- Sharon, N and Lis, H. 1995. Lectins, protein with a sweet tooth function in cell recognition. *Essays in Biochemistry* 30, 59-75.
- Sharon, N. and Lis, H., 2004. History of lectins: from hemagglutinins to biological recognition molecules. *Glycobiology* 14, 53–62.
- Sima, P., and V. Vetvicka. 1993. Evolution of Immune-Reactions. *Cri. Rev. Immunol.* 13, 83-114.
- Smith, V.J. and Chisholm, R.S., 1992. Non-cellular immunity in crustaceans. *Fish Shellfish Immunol.* 2, 1-31.
- Soderhall, K. and Cerenius, L., 1992. Crustacean immunity. *Annu. Rev. Fish Dis.* 2, 3–23.
- Soderhall, K., Cerenius, L. and Johansson, M. W., 1996. The prophenoloxidase activating system in invertebrates. In: Soderhall, K., Iwanaga, S. and Vasta, G. R. (eds.), *New Directions in Invertebrate Immunology*, pp. 229-253. Fair Haven, SOS Publications.
- Soderhall, K. and Cerenius, L., 1998. Role of prophenoloxidase-activating system in invertebrate immunity. *Curr. Opin. Immunol.* 10, 23-28.
- Sojar, H.T. and Bahl, O.P., 1987. Chemical deglycosylation of glycoproteins. *Method in Enzymology.* 138, 341–350.
- Song, Y.L., Cheng, W., Shen, C.H., Ou, Y.C. and Sung, H.H., 1990. Occurrence of *Vibrio vulnificus* Infections in Cultured Shrimp and Eel in Taiwan. *Proceedings of ROC-JAPAN Symposium on Fish Diseases*, pp. 172–179. September 1990, Japan.
- Song, Y. L. and Hsieh, Y. T., 1994. Immunostimulation of tiger shrimp (*Penaeus monodon*) hemocytes for generation of microbicidal substances: analysis of reactive oxygen species. *Dev. Comp. Immunol.* 18, 201-209.
- Sritunyaluksana, K., Sithisarn, P., Withayachumnarnkul, B. and Flegel, T.W., 1999. Activation of prophenoloxidase, agglutinin and antibacterial activity in haemolymph of the

- black tiger prawn, *Penaeus monodon*, by immunostimulants. *Fish. Shellfish. Immunol.* 9, 21–30.
- Sritunyalucksana, K. and Soderhall, K., 2000. The proPO and clotting system in crustaceans. *Aquaculture* 191, 53-69.
- Stahl, P. D., 1992. The mannose receptor and other macrophage lectins. *Curr. Opin. Immunol.* 4, 49–52.
- Steel, R.G.D. and Torrie, J.H., 1980. *Principle of procedure of statistics*. New york: McGraw-Hill.
- Stein, E. A., Soheil, Y. and Cooper, E. L., 1986. Bacterial agglutinins of the earthworm *Lumbricus terrestris*. *Comp.Biochem. Physiol.* 84B, 409-415.
- Stoscheck, CM., 1990. Quantitation of Protein. *Methods in Enzymology* 182, 50-69.
- Suzuki, T. and Mori, K., 1990. Hemolymph lectin of the pearl oyster, *Pinctada fucata martensii*: a possible non-self recognition system. *Dev. Comp. Immunol.* 14, 161–73.
- Suzuki, T. and Mori, K., 1991. Immunolocalization and in vitro secretion of hemolymph lectin of the pearl oyster, *Pinctada fucata martensii*. *Zool. Sci.* 8, 23-29.
- Takahashi T., Itoh M. and Shimabayashi Y., 1980. Aggregation and fragmentation of *Phaseolus vulgaris* lectin. *Agric. Biol. Chem.* 44 , 1655–1657.
- Tamplin, M.L. and Fisher, W.S., 1989. Occurrence and characteristics of agglutination of *Vibrio cholerae* by serum from the Eastern oyster. *Crassostrea virginica*. *Appl. Environ. Microbiol.* 55, 2882-2887.
- Tarentino, A.L. and Plummer, T.H., 1994. Enzymatic Deglycosylation of Asparagine-Linked Glycans Properties and Specificity of Oligosaccharide Cleaving Enzymes from *Flavobacterium meningosepticum*. *Methods in Enzymology* 230, 44–57.
- Thornqvist, P. O., Johansson, M. W. and Soderhall, K., 1994. Opsonic activity of cell adhesion proteins and β -1,3-glucan-binding proteins from two crustaceans. *Dev. Comp. Immunol.* 18, 3-12.
- Toda, M., Jimbo, M., Muramoto, K., Sakai, R. and Kamiya, H., 1998. Isolation and characterization of a D-galactose-binding lectin from the acorn barnacle *Balanus rostratus*. *Fish Sci.* 64, 638–642.

- Towbin, H., Staehelin, T. and Gordon, J., 1979. Electrophoretic transfer of proteins from polyacrylamide gels to nitrocellulose sheets. Procedure and some applications. *Proc. Natl. Acad. Sci.* 76,4350–4.
- Tunkijjanukij, S. and Olafsen, J.A., 1998. Sialic acid-binding lectin with antibacterial activity from the horse mussel: Further characterization and immunolocalization. *Dev. Comp. Immunol.* 22, 139-150.
- Tunkijjanukij, S., Giaver, H., Chin, C.C., and Olafsen, J.A., 1998. Sialic acid in hemolymph and affinity purified lectins from two marine bivalves. *Comp. Biochem. Physiol.* 119, 705–713.
- Umetsu, K., Yamashita, K. and Susuki, T., 1991. Purification and carbohydrate binding specificity of a blood-type B binding lectin from hemolymph of a crab *Charibdis japonica*. *J. Biochem.* 109, 718–721.
- Vargas-Albores, F., 1995. The defense system of brown shrimp *Penaeus californiensis*: humoral recognition and cellular responses. *J. Mar. Biotechnol.* 3, 153–156.
- Vargas-Albores, F., Guzman-Murillo, M.A. and Ochoa, J.L., 1993. A lipopolysaccharide-binding agglutinin isolated from brown shrimp (*Penaeus californiensis* HOLMES) hemolymph. *Comp. Biochem. Physiol.* 104A, 407–413.
- Vargas-Albores, F., Jimenez-Vega, F. and Soderhall, K., 1996. A plasma protein isolated from brown shrimp (*Penaeus californiensis*) which enhances the activation of prophenoloxidase system by β -1,3-glucan. *Dev. Comp. Immunol.* 20, 299-306.
- Vargas-Albores, F., Jimenez-Vega, F. and Yepiz-Plascencia, G., 1997. Purification and comparison of β -1,3-glucan binding protein from white shrimp (*Penaeus vannamei*). *Comp. Biochem. Physiol.* 116B, 453-458.
- Vargas-Albores, F. and Yepiz-Plascencia, G., 2000. Beta glucan binding protein and its role in shrimp immune response. *Aquaculture* 191, 13-21.
- Varki, A., 1993. Biological roles of oligosaccharides: all of the theories are correct. *Glycobiology* 3, 97-130.
- Vasta, G.R., 1991. The multiple biological roles of invertebrate lectins: their participation in non-self recognition mechanisms, in: G.R. Warr, N. Cohen (Eds.), *Phylogenesis of Immune Functions*, pp. 73-101. Boca Raton, FL: CRC Press.

- Vasta, G.R., 1992. Invertebrate lectins: distribution, synthesis, molecular biology, and function, in: H.J. Allen, E.C. Kisalius (eds.), *Glycoconjugates*, pp. 593-634. Marcel Dekker, New York.
- Vasta, G.R., Ahmed, H. and Quesenberry, M.S., 1996. Invertebrate C-types lectins and pentraxins as non-self recognition molecules. In: Soderhall, K., Iwanaga, S., Vasta, G.R. (eds.), *New Directions in Invertebrate Immunology*, pp.189-227. SOS Publications: Fair Haven, NJ.
- Vasta, G.R. and Marchalonis, J.J., 1987. Lectins from protochordates as putative recognition molecules. *Prog. Clin. Biol. Res.* 233, 23-32.
- Vasta, G.R., Warr, G.W. and Marchalonis, J.J., 1983. Serological characterization of humoral lectins from the freshwater prawn, *Macrobrachium rosenbergii*. *Dev. Comp. Immunol.* 7, 13-20.
- Vazquez, L., Jaramillo, L., Lascurain, R., Cooper, E.L., Rosas, P. and Zenteno, E., 1996. Bacterial agglutination by the sialic acid-specific serum lectin from *Macrobrachium rosenbergii*. *Comp. Biochem. Physiol.* 113B, 355-359.
- Vazquez, L., Masso, F., Rosas, P., Montano, L. and Zenteno, E., 1993. Purification and characterization of a lectin from *Macrobrachium rosenbergii* (Crustacea, Decapoda) hemolymph. *Comp. Biochem. Physiol.* 105B, 617-623.
- Vazquez, L., Perez, A., Millan, D., Agundis, C., Martin, G., Cooper, E.L., Lascurain, R. and Zenteno, E., 1997. Morphology of hemocytes from the freshwater prawn *Macrobrachium rosenbergii*. *J. Morphol.* 234, 147-153.
- Wallace, R.A., 1965. Resolution and isolation of avian and amphibian yolk granule protein using DEAE-cellulose. *Anal. Biochem.* 11, 297-311.
- Walport, M.J., 2001. J. Complement. First of two parts. *N. Eng. J. Med.* 344, 1058-1066.
- Wang, C., Eufemi, M., Turano, C. and Giartosio, A., 1997. Innocence of the carbohydrate moiety on the stability of glycoproteins. *Biochemistry* 35, 7299-7307.
- Wang, Q.Y., Cai, S.L. and Li, J., 1997. The shrimp farming industry in China. *World Aquaculture* 3, 23-29.
- Weis, W.I. and Drickamer, K., 1996. Structural basis of lectin-carbohydrate recognition. *Annu. Rev. Biochem.* 65, 441-473.

- Weis, W. I., Drickamer, K. and Hendrickson, W. A., 1992. Structure of a C-type mannose-binding protein complexed with an oligosaccharide. *Nature* 360, 127–134.
- Wilson, R., Chen, C. and Ratcliffe, N.A., 1999. Innate immunity in insects: the role of multiple, endogenous serum lectins in the recognition of foreign invaders in the cockroach, *Blaberus discoidalis*. *J. Immunol.* 162, 1590–1596.
- Xu, B., Xu, H.S., Ji, W.S. and Shi, J., 1994. Pathogens and pathogenicity to *Penaeus orientalis* Kishinouye. *Acta. Oceanologica. Sinica.* 132, 297–304.
- Yamashita, K., Hara-kuge, S. and Ohkura, T., 1999. Intracellular lectin associated with N-linked glycoprotein traffic. *Biochim.Biophys. Acta.* 473, 147–160.
- Yang, H., Luo, T., Li, F., Li, S. and Xu, X., 2006. Purification and characterisation of a calcium-independent lectin (PjLec) from the haemolymph of the shrimp *Penaeus japonicus*. *Fish Shellfish Immunol.* Article in Press, Corrected Proof.
- Yeaton, R.W., 1981. Invertebrate lectins: I. Occurrence. *Dev.Comp. Immunol.* 5, 391-402.
- Yeh, M. S., Chen, Y. L. and Tsai, I. H., 1998. The hemolymph clottable proteins of tiger shrimp, *Penaeus monodon*, and related species. *Comp. Biochem. Physiol.* 121B, 169-176.
- Zenteno, R., Vazquez, L., Martinez-Cairo, S., Bouquelet, S., Agundis, C. and Zenteno, E., 2000. Identification of lectin isoforms in juvenile freshwater prawns *Macrobrachium rosenbergii* (De Man, 1879). *Glycoconjugate* 17, 339-347.
- Zenteno, R., Vazquez, L., Sierra, C., Pereyra, A., Slomianny, M.C., Bouquelet, S. and Zenteno, E., 2000. Chemical characterization of the lectin from the freshwater prawn *Macrobrachium rosenbergii* (De Man) by MALDI-TOF. *Comp. Biochem. Physiol.* 127B, 243-250.
- Zipris, D., Gilboa-Garber, N. and Susswein, A.J., 1986. Interaction of lectins from gonads and haemolymph of the sea hare *Aplysia* with bacteria. *Microbios.* 46, 193-198.