

BIBLIOGRAPHY

- Agostini, E., Milrad de Forchetti, S. R. and Tigier, H. A. 1999. Characterization and application of an ionic peroxidase isozyme from *Brassica napus* roots. *LABPV Newslett.* 13: 153-159.
- Agostini, E., Hernández-Ruiz, F., Arnoa, M. B., Milrad de Forchetti, S. R., Tigier, H. A. and Acosta, M. 2002. A peroxidase isozyme secreted by turnip (*Brasica napus*) hairy-root cultures:inactivation by hydrogen peroxide and application in diagnostic kits. *Biotechnol. Appl. Biochem.* 35: 1-7.
- Aitken, M., Massey, I., Chen, T. and Heck, P. 1994. Characterization of reaction products from the enzyme catalyzed oxidation of phenolic pollutants. *Water Resources* 28: 1879-1889.
- Allain, C. C., Poon, L. S., Chan, C. S. G., Richmond, W. and Fu, P. C. 1974. Enzymatic determination of serum total cholesterol. *Clin. Chem.* 20 (4): 470-475.
- Amaya I., Botella, M. A., de la Calle, M., Medina M. I., Heredia, A., Bressan, R. A., Hasegawa, P. M., Quesada, M. A. and Valpuesta, V. 1999. Improved germination under osmotic stress of tobacco plants overexpressing a cell wall peroxidase. *FEBS Lett.* 457: 80-84.
- Anderson, M.D., Prasad, T.K. and Stewart, C.R. 1995. Changes in isozyme Profiles of catalase, peroxidase, and glutathione reductase during acclimation to chilling in mesocotyls of maize seedlings. *Plant Physiol.* 109: 1247-1257.

- Archer, B. L., Barnard, D., Cockbain, E. G., Dickenson, P. B. and McMullen, A. I. 1969. Structure, composition and biochemistry of *Hevea brasiliensis* In: L. Bateman (ed.) The chemistry and physics of rubber-like-substances. Maclaren & Son Ltd., London, pp. 43-54.
- Archibald, F. S., Bourbonnais, R., Jurasek, L. and Paice, M. G. 1997. Kraft pulp bleaching and delignification by *Trametes versicolor*. *J. Biotech.* 53: 215-236.
- Aruna, N. and Lali, A. 2001. Purification of a plant peroxidase using reversibly soluble ion-exchange polymer. *Process Biochem.* 37: 431-437.
- Ashurst, P. R. 1995. Production and packaging of non-carbonated fruit juices and fruit beverages. Blackie academic and profestional, Glasgow. 413 p.
- Assigbetse, K., Cuny, G., Valette, C., Delannoy, E., Bresson, E., Jalloul, A., Daniel, J. F., Geiger, J. P. and Nicole, M. 1999. Cloning and characterization of a bacterial-induced peroxidase-encoding cDNA from cotton. *Plant Physiol.* 121: 312-319.
- Avrameas, S., Ternynck, T. and Guesdon, J. L. 1978. Coupling of enzyme to antibodies and antigens. In: Engvall, E. and Pesce, A. J. (eds.). Quantitative enzyme immunoassay. Blackwell Scientific, Oxford, pp. 7-23.
- Azarashivili, S. T., Evtodienko, V. Y. and Kudzina L. Y. 1996. Isolation, purification and kinetic properties of oxalate oxidase (EC 1.2.3.4) from beet shoots. *Russ. J. Plant Physiol.* 43: 169-173.
- Baier, M., Goldberg, R., Catesson, A. M., Francesch, C. and Rolando, C. 1993. Seasonal changes of isoperoxidase from poplar bark tissues. *Phytochem.* 32 (4): 789–793.

- Bagu, M., Chibbar, R. N. and Kartha, K. K. 1995. Molecular cloning and expression analysis of peroxidase genes from wheat. *Plant Mol. Biol.* 29: 647-662.
- Barham, D. and Trinder, P. 1972. An improved colour reagent for the determination of blood glucose by the oxidase system. *Analyst* 97: 142-145.
- Battistuzzi, G., D'Onofrio, M., Loschi, L. and Sola, M. 2001. Isolation and characterization of two peroxidases from *Cucumis sativus*. *Arch. Biochem. Biophys.* 388: 100-112.
- Battistuzzi, G., Bellei, M., Bortolotti, C. A., Rocco, G. D., Leonardi, A. and Sola, M. 2004. Characterization of the solution reactivity of a basic heme peroxidase from *Cucumis sativus*. *Arch. Biochem. Biophys.* 423 (2): 317-331.
- Baumeister, M. A., Medina-Selby, A., Coit, D., Nguyen, S., George-Nascimento, C. and Gyenes, A. 2000. Hepatitis B virus e antigen specifics epitopes and limitations of commercial anti-HBe immunoassays. *J. Med. Virol.* 26: 256-263.
- Besse, P., Seguin, M., Lebren, P., Chevallier, M. H., Nicholas, D. and Lanand, C. 1994. Genetic diversity among wild and cultivated populations of *Hevea brasiliensis* assessed by nuclear RFLP analysis. *Theoret. Appl. Genet.* 88: 199-207.
- Bhopale, G. M. and Naik, S. R. 2000. Approach to diagnosis of toxoplasmosis. *The India. Pract.* 53 (2): 141-149.
- Blee, K. A., Choi, J. W., O'Connell, A. P., Schuch, W., Lewis, N. G. and Bolwell, G.P. 2003. A lignin-specific peroxidase in tobacco whose antisense suppression leads to vascular tissue modification. *Phytochem.* 64: 163-176.

- Bodzek, M., Bohdziewicz, J. and Kowalska, M. 1994. Preparation of membrane-immobilized enzymes for phenol decomposition, *J. Chem. Technol. Biotechnol.* 61: 231-238.
- Bosco, F., Capolongo, A. and Ruggeri, B. 2002. Effect of temperature, pH, ionic strength, and activity of lignin peroxidases : Implications for bioremediation. *Bioremed. J.* 6: 65-76.
- Bosshard, H. R., Anni, H. and Yoentani, T. 1991. Yeast cytochrome *c* peroxidase. In: Everse, J., Everse, K. E. and Grisham, M. B. (eds.). *Peroxidases in chemistry and Biology Vol. II*. CRC Press, Boca, Raton, FL. pp. 51-84.
- Botella, M. A., Quesada, M. A., Hasegawa, P. M. and Valpuesta, V. 1993. Nucleotide sequences of two peroxidase genes from tomato (*Lycopersicon esculentum*). *Plant Physiol.* 103: 665-666.
- Breda, C. B., Buffard, D., van Huystee, R. B. and Esnault, R. 1993. Differential expression of two peanut peroxidase cDNA clones in peanut plants and cells in suspension culture in response to stress. *Plant Cell Rep.* 12: 268-272.
- Buchanan, I.D., Nicell, J.A. and Wagner, M. 1998. Reactor models for horseradish peroxidase-catalyzed aromatic removal. *J. Environ. Eng. ASCE.* 124: 794-801.
- Buffard, D., Breda, C., van Huystee, R. B., Asemota, O., Pierre, M., Dang Ha, D. B. and Esnault, R, 1990. Molecular cloning of complementary DNAs encoding two cationic peroxidases from cultivated peanut cells. *Proc. Natl. Acad. Sci. USA*, 87: 8874-8878.
- Bunkelmann, J. R. and Martinez, R. N. 1996. Ascorbate peroxidase. *Plant Physiol.* 110: 589-598.

- Capelli, N., Tognoli, M., Flach, J., Overney, S., Penel, C., Greppin, H. and Simon, P. 1996. Eleven cDNA clones from *Arabidopsis thaliana* encoding isoperoxidases (accession nos. X98313, X98314, X98315, X98316, X98317, X98318, X98319, X98320, X98321, X98322 and X98323). *Plant Physiol.* 112: 446.
- Caramelo, L., Martinez, M.J. and Martinez, A.T. 1999. A search for Ligninolytic peroxidase in the fungus *Pleurotus eryngii* involving α -keto- γ -thiomethylbutyric acid and lignin model dimers. *Appl. Environ. Microbiol.* 65 (3): 916-922.
- Carneiro-Proietti, A. B., Lima-Martins, M. V. and Passos, V. M. 1998. Presence of human immunodeficiency virus (HIV) and T lymphotropic virus type I and II (HTLV-I/II) in a hemophiliac population in Belo Horizonte, Brazil, and correlation with additional serological results. *Haemophilia* 4: 47-50.
- Carpin, S., Crevecoeur, M., de Meyer, M., Simon, P., Greppin, H. and Penel, C. 2001. Identification of a Ca^{2+} -pectate binding site on an apoplastic peroxidase. *Plant Cell* 13: 511-520.
- Chabanet, A., Catesson, A. M. and Goldberg, R. 1993. Peroxidase and phenoloxidase activity in mung bean hypocotyl cell walls. *Phytochem.* 33 (4): 759 – 763.
- Cheong, Y. H., Chang, H. S., Gupta, R., Wang, X., Zhu, T. and Luan, S. 2002. Transcriptional profiling reveals novel interactions between wounding, pathogen, abiotic stress, and hormonal responses in *Arabidopsis*. *Plant Physiol.* 129: 661-677.

- Chittoor J. M., Leach, J. E. and White, F. F. 1997. Differential induction of a peroxidase gene family during infection of rice by *Xanthomonas oryzae* pv. *oryzae*. *Mol. Plant Microbe Interac.* 10: 861-871.
- Chevallier, M. H. 1988. Genetic variability of *Hevea brasiliensis* germplasm, using isozyme markers. *J. Natur. Rubb. Res.* 3: 42-53.
- Christensen, J.H., Welinder, K. G., Bauw, G., van Montagu, M. V. and Boerjan, W. 1998. Purification and characterization of peroxidases correlated with lignification in poplar xylem. *Plant Physiol.* 118: 125-135.
- Christensen, J.H., Overney, S., Rohde, A., Diaz, W. A., Bauw, G., Simon, P., van Montagu, M. and Boerjan, W. 2001. The syringaldazine-oxidizing peroxidase PXP 3-4 from poplar xylem: cDNA isolation, characterization and expression. *Plant Mol. Biol.* 47: 581-593.
- Christopoulos, T. K. 1999. Nucleic acid analysis. *Anal. Chem.* 71: 425-438.
- Cluck, T. W., Collings, K., Collins, J. K., Biles, C., Wann, E. V. and Perkins-Veazie, P. 1996. Peroxidase isozyme of frozen sweet corn. *Proc. Okla Acad. Sci.* 76: 107-10.
- Cohen, J. D., and Bandurski, R. S. 1978. The bound auxin: protection of indole-acetic acid from peroxidase catalyzed oxidation. *Planta* 139 (3): 203-208.
- Collinge, M. and Boller, T. 2001. Differential induction of two potato genes, *Stprx2* and *StNAC*, in response to infection by *Phytophthora infestans* and to wounding. *Plant Mol. Biol.* 46: 521-529.
- Cook, A. S. and Sekhar, B. C. 1953. Fractions from *Hevea brasiliensis* latex centrifuged at 59000 g. *J. Rubb. Res. Inst. Malaya* 14: 163-171.

- Curtis, M.D., Rae, A.L., Rusu, A.G., Harrison, S.J., Manners, J.M. 1997. A peroxidase gene promoter induced by phytopathogens and methyl jasmonate in transgenic plants. *Mol. Plant Microbe Interact.* 10: 326-338.
- Dalton, D. A. 1991. Ascorbate peroxidase. In: Everse, J., Everse, K. E. and Grisham, M. B. (eds.). *Peroxidases in chemistry and Biology Vol. II.* CRC Press, Boca, Raton, FL. pp. 139-154.
- de Boer, E. and Wever, R. 1988. The reaction mechanism of the novel vanadium-bromoperoxidase: A steady-state analysis. *J. Biol. Chem.* 263: 12326-12340.
- Decedue, C. T., Roger, S. J. and Borchert, R. 1984. Molecular weight difference among potato peroxidase. *Phytochem.* 23 (4): 723-727.
- Deepa, S. S. and Arumughan, C. 2002. Purification and characterization of soluble peroxidase from oil palm (*Elaeis guineensis* Jacq.) leaf. *Phytochem.* 61: 503-511.
- De Hann, J.B., Bladier, C.B., Griffith, P., Kelner, M., O'Shea, R.D., Cheung, N.S., Bronson, R.T., Silvestro, M. J., Wild, S. S., Beart, P.M., Hertzog, P.J. and Kola, I. 1998. Mice with homozygous mutation for the most abundant glutathione peroxidase, Gpx1, show increased susceptibility to the oxidative stress-inducing agent paraquat and hydrogen peroxide. *J. Biol. Chem.* 273 (35): 22528-22536.
- de Marco, A. and Roubelakis-Angelakis, A. 1996. The complexity of enzymic control of hydrogen peroxide concentration may affect the regeneration potential of plant protoplasts. *Plant Physiol.* 110: 137-145.
- Deshpande, S. S. 1996. Enzyme immunoassays from concept to product development. Chapman & Hall, USA. 464 p.

- Dickenson, P. B. 1969. Electron microscopical studies of latex vessel system of *Hevea brasiliensis*. *J. Rubb. Res. Inst. Malaya* 21: 543-550.
- Dhwan, S. 2000. Design and construction of novel molecular conjugates for signal amplification (I): conjugation of multiple horseradish peroxidase molecules to immunoglobulin via primary amines on lysine peptide chains. *Peptides* 6516: 1-8.
- Douroupi, T. and Margaritis, L. H. 1999. Biochemical and molecular data on *Urtica dioica* plant peroxidase. *LABPV Newslett.* 14: 13-20.
- Duker, L. A. 1997. Enzymes: enzyme reagents related biochemicals. In: Worthington enzyme manual. Worthington biochemical corporation, New Jersey, USA.
- Durán, N and Esposito, E. 1997. Lignin biodegradation and effluent treatment by ligninolytic fungi, In: I.S. De Melo, J.L. Acevedo (eds.), Microbiologia Ambiental, CNPMA/EMBRAPA Publishers, S.P., Brazil, p.269-234.
- Durán, N. and Esposito, E. 2000. Potential applications of oxidative enzymes and phenoloxidase-like compounds in waste-water and soil treatment: a review. *Appl. Catal. B.* 28: 83-99.
- el-Turk, J., Asemota, O., Leymarie, J., Sallaud, C., Mesnage, S., Breda, C., Buffard, D., Kondorosi, A. and Esnault, R. 1996. Nucleotide sequences of four pathogen-induced alfalfa peroxidase-encoding cDNAs. *Gene* 170: 213-216.
- Faulstich, H. and Fiume, L. 1985. Protein conjugate of fungal toxins. *Methods Enzymol.* 112: 225-237.

- Ferrer, I., Dezotti, M. and Durán, N. 1991. Decolorization of kraft effluent by free and immobilized lignin peroxidase and horseradish peroxidase. *Biotechnol. Lett.* 13: 577-581.
- Ferrer, M. A. and Ros Bacel, A. 1994. Inactivation of cell wall acidic peroxidase isoenzymes during the oxidation of coniferyl alcohol in lupins *Phytochem.* 36 (5): 1161-1163.
- Folkes, L. K., Candeias, L. P. and Wardman, P. 1998. Toward targeted 'oxidation therapy' of cancer: peroxidase-catalysed cytotoxicity of indole-3-acetic acids. *Int. J. Radiat Oncol. Biol. Phys.* 42: 917-920.
- Folkes, L. K., Greco, O., Dachs, G. U., Stratford, M. R. L. and Wardman, P. 2002. 5-fluoroindole-3-acetic acid: a prodrug activated by a peroxidase with potential for use in targeted cancer therapy. *Biochem. Pharmacol.* 6: 265-272.
- Fossati, P. and Prencipe, L. 1982. Serum triglycerides determined colorimetrically with an enzyme that produces hydrogen peroxide measurement. *Clin. Chem.* 28: 2077-2080.
- Fossati, P. Prencipe, L. and Berti, G. 1980. Use of 3,5- dichloro-2-hydroxybenzenesulfonic acid/4-aminophenazone chromogenic system in direct enzymatic assay of uric acid in serum and urine. *Clin. Chem.* 26: 227-231.
- Fossati, P. Prencipe, L. and Berti, G. 1983. Enzymatic creatinine assay: a colorimetric method base on hydrogen peroxide measurement. *Clin. Chem.* 29: 1494-1496.

- Fosdal, C. G., Sharma, P. and Lonneborg, A. 2001. Isolation of the first putative peroxidase cDNA from a conifer and the local and systemic accumulation of related proteins upon pathogen infection. *Plant Mol. Biol.* 47: 423-435.
- Frey-Wyssling, A. 1929. Microscopic investigations on the occurrence of resins in *Hevea* latex. *Arch. V. d. rubber.* 13: p. 392-399.
- Fujiyama, K., Takemura, H., Shibayama, S., Kobayashi, K., Choi, J. K., Shinmyo, A., Takano, M. and Okada, H. 1988. Structure of the horseradish peroxidase isozyme C genes. *Eur. J. Biochem.* 173: 681-687.
- Fujiyama, K., Takemura, H., Shinmyo, A., Okada, H. and Takano, M. 1990. Genomic DNA structure of two new horseradish-peroxidase-encoding genes. *Gene* 89: 163-169.
- Goth, L., Meszaros, I and Nemeth, H. 1984. Clinical study of the determination of serum catalase enzyme activity. *Hung. Sci. Instr.* 57: 7-12.
- Goth, L., Meszaros, I and Nemeth, H. 1987. Serum catalase enzyme activity in liver disease. *Acta Biol. Hung.* 8: 287-290.
- Goth, L., Nemeth, H and Meszaros, I. 1988. Serum catalase activity for detection of hemolytic diseases. *Clin. Chem.* 29: 741-743.
- Goth, L. 1989. Origin of serum catalase activity in acute pancreatitis. *Clin. Chim. Acta* 186: 39-44.
- Griffin, B. W. 1991. Chloroperoxidase: A Review. In: Everse, J., Everse, K. E. and Grisham, M. B. (eds.). Peroxidases in chemistry and biology Vol. II. CRC Press, Boca, Raton, FL. pp. 85-137.
- Grison, R. and Pilet, P.E. 1985. Maize root peroxidase: Relationship with polyphenol oxidases. *Phytochem.* 24 (11): 2519 – 2521.

- Gray, J. S. S., Yang, B. Y., Hull, S. R., Venzke, D. P. and Montgomery, R. 1996. The glycans of soybean peroxidase. *Glycobiol.* 6: 23-32.
- Guo, Z. X., Li, L. and Shen, H. X. 1999. Study and analytical application of bromopyrogallol red as a hydrogen donor substrate for peroxidase. *Anal. Chim. Acta* 379: 63-68.
- Guerra, A., Ferraz, A., Cotrim A, Goncalves, A. and Silva, F. 1997. The effect of four variables in the polymerization of acid soluble lignin by horseradish /hydrogen peroxide system as shown by statistic experimental design. *In:* Proc. of the 5th Brazilian Symposium on the chemistry of lignins and other wood components, Curibita, Brazil, 1: 293-298.
- Guerra A, Ferraz, A., Cotrim, A. and Silva, F. 1998. Polymerization of acid soluble lignin fragments by potato-polyphenolosidase enzymes. *In:* Proc. 7th International conference on biotechnology in the pulp and paper industry, Vancouver, 2: 167-169.
- Halliwell, B., and Gutteridge, J. M. C. 1989. Protection against oxidants in biological systems: the superoxide theory of oxygen toxicity. *In:* Free radicals in biology and medicine. (2nd ed.). Clarendon Press, Oxford, 543 p.
- Hazell, P. and Murray, D. R. 1982. Peroxidase isozymes and leaf senescence in sunflower, *Helianthus annus* L. *Planzenphysiol.* 108 (1): 87-92.
- Heinzkill, M., Bech, L., Halkier, T., Schneider, P. and Anke, T. 1998. Characterization of laccases and peroxidase from wood-rotting fungi (Family Coprinaceae) *Appl. Environ. Microbiol.* 64: 1601-1606.

- Hiraga, S., Sasaki, K., Yamakawa, H., Mitsuhashi, I., Toshima, H., Matsui, H., Honma, M. and Ohashi, Y. 2000. Wound-induced expression of a tobacco peroxidase is not enhanced by ethephon and suppressed by methyl jasmonate and coronatine. *Plant Cell Physiol.* 41: 165-170.
- Hofmann, B., Tolzer, S., Pelletier, I., Altenbuchner, J., van Pee K-H. and Hecht, H. J. 1998. Structural investigation of the cofactor free chloroperoxidases. *J Mol Biol.* 279: 889-900.
- Horak, D., Karpisek, M., Turkova, J. and Benes, M. 1999. Hydrazidefunctionalized poly (2 hydroxyethyl metacrylate) microspheres for immobilization of horseradish peroxidase, *Biotechnol. Prog.* 15: 208-214.
- Hosono, M., Iwamoto, N., Hayashi, H., Takeuchi, N. and Iwamura,, J. Measurement of serum catalase activity and its clinical significance. *Rinsho. Byori.* 44: 444-448.
- Hoyle, M., C. 1977. High resolution of peroxidase-indole acetic acid oxidase isozymes from horseradish by isoelectric focusing. *Plant Physiol.* 42: 462-468.
- Huangpu, J., Graham, M. C., Graham, J. S. 1996. Cloning of a soybean cDNA (accession no. U41657) encoding the abundant anionic seed coat peroxidase (PGR95-136). *Plant Physiol.* 110: 714.
- Huh, G. H., Lee, S. J., Bae, Y. S., Liu, J. R. and Kwak, S. S. 1997. Molecular cloning and characterization of cDNAs for anionic and neutral peroxidases from suspension-cultured-cells of sweet potato and their differential expression in response to stress. *Mol. Gen. Genet.* 255: 382-391.

- Hurst, R., Bao, Y., Ridley, S. and Williamson, G. 1999. Phospholipid hydroperoxidase cysteine peroxidase activity of human serum albumin. *Biochem. J.* 338: 723-728.
- Husereau, D. R. and Suresh, M. R. 2001. A general affinity method to purify peroxidase -tagged antibodies. *J. Immunol. Methods* 249: 33-41.
- Ibrahim, M. S., Ali, H. I., Taylor, K. E., Biswas, N. and Bewtra, J. K. 1999. Removal of phenol from industrial waste-water using *Arthromyces ramosus* peroxidase in a continuous flow system. In: Proceedings of the 52nd Industrial Waste Conference, Fac. Eng. Ain Shams Univ., Cairo, Egypt. 271 p.
- Ikemoto, M., Tsunekawa, S., Awane, M., Fukuda, Y., Murayama, H., Igarashi, M., Nagata, A., Kasai, Y. and Totani, M. 2001. A useful ELISA system for human liver-type arginase, and its utility in diagnosis of liver diseases. *Clin. Biochem.* 34: 455-461.
- Ilarslan, H., Palmer R., G., Imsande, J. and Horner, H. T. 1997. Quantitative determination of calcium oxalate and oxalate in developing seeds of soybean (*liguminosae*). *Am. J. Bot.* 84: 1042-1046.
- Intapruk, C., Takano, M. and Shinmyo, A. 1994. Nucleotide sequence of a new cDNA for peroxidase from *Arabidopsis thaliana*. *Plant Physiol.* 104: 285-286.
- Ito, H., Ohbayashi, F., Matsui, H., Honma, M., Shinmyo, A., Ohashi, Y., Caplan, A. B. and Rodriguez, R. L. 1994. Molecular cloning and characterization of two complementary DNAs encoding putative peroxidases from rice (*Oryza sativa* L.) shoots. *Plant Cell Rep.* 13: 361-366.

- Ito, H., Tsugawa, H., Matsui, H., Honma, M., Otsuki, Y., Murakami, T. and Ohashi, Y. 2000. Xylem-specific expression of wound-inducible rice peroxidase genes transgenic plants. *Plant Sci.* 155: 85-100.
- Itoh, N., Sasaki, H., Ohsawa, N., Shibata, M.S. and Miura, J. I. 1996. Bromoperoxidase in *Corallina pilulifera* is regulated by its vanadate content. *Phytochem.* 42 (2): 277-281.
- Ishikawa, T., Takeda, T., Shigeoka, S., Hirayama, T. 1993. Hydrogen peroxidase generation in organelles of *Euglena gracilis*. *Phytochem.* 33 (6): 1297-1299.
- Jackson, P. and Ricardo, C. P. P. 1992. Cytochrome *c* aided resolution of *Lupinus albus* isoperoxidase in cathodal polyacrylamide gel electrophoresis system. *Anal. Biochem.* 200: 36-41.
- Jackson, P. and Ricardo, C. P .P. 1998. The changing peroxidase polymorphism in *Lupinus albus* during vegetative development. *Aust. J. Plant Physiol.* 25: 261-269.
- Jacob, J. L., and Prevot, J. C. 1992. Metabolism of the laticiferous system and its biochemical regulation. In: Sethuraj, M. R., and Mathew, N. M., (eds.). Natural Rubber: biology, cultivation and technology. Elsevier Science Publishers B. V., Netherlands. pp. 116-136.
- Jespersen, H.M., Kjaersgaard, I.V.H., Osrergaard, L. and Welinder, K.G. 1997. From sequence analysis of three novel ascorbate peroxidase from *Arabidopsis thaliana* to structure. Function and evolution of seven types of ascorbate peroxidase. *Biochem. J.* 326: 305-310.

- Jonsson, L. J., Palmqvist, E. and Nilvebrant, N. O. 1998. Detoxification of wood hydrolysates with laccase and peroxidase from the white-rot fungus *Trametes versicolor*. *Appl. Microbiol. Biotechnol.* 49: 691-697.
- Justesen, A., F., Jespersen, H., M. and Welinder, K. G. 1998. Analysis of two incompletely spliced *Arabidopsis* cDNAs encoding novel types of peroxidases. *Biochim. Biophys. Acta* 1443: 149-154.
- Kangpitsadan, N. 2004. Para rubber: History and its important. In: Para rubber. Department of Agriculture. Dokbea, Bangkok, pp.1-3.
- Kaothien, P., Shimokawatoko, Y., Kawaoka, A., Yoshida, K. and Shinmyo, A. 2000. A cis-element containing PAL-box functions in the expression of the wound-inducible peroxidase gene of horseradish. *Plant Cell Rep.* 19: 558-562.
- Kaplan, A., Szabo, L., L. and Opheim, K. E. 1988. Clinical chemistry: Interpretation and techniques. (3ed). *Lea & Febiger. U.S.A.* 400 p.
- Karam, J. and Nicell, J. A. 1997. Potential applications of enzymes in waste treatment. *J. Chem. Technol. Biotechnol.* 69: 141-145.
- Kavita, S., Penel, C., Gagnon, J. and Dunand, C. 2004. Purification and identification of a Ca^{2+} -pectate binding peroxidase from *Arabidopsis* leaves. *Phytochem.* 65: 307-312.
- Kawakami, S., Mizuno, M. and Tsuchida, H. 1999. The defense mechanism against oxidative stress generated in potato tubers during low-temperature storage. *LABPV Newslett.* 14: 125-132. (www.unige.ch/LABPV/perox.html)
- Kemeny, D. M. and Challacombe, S. J. 1988. ELISA and other solid phase Immunoassays: theoretical and practical aspects. Wiley, New York. 378 p.

- Kerdvongbundit, P., Udomjarumani, S., Arunoprayote, S. and Thainugul, W. 2003. Challenges for rubber price and marketing. In: IRRDB symposium “Challenges for natural rubber in globalization” 15-17 September 2003, The Imperial Mae Ping Hotel, Chiang Mai, Thailand.
- Kim, D. S., Jeon, S. E. and Park, K. C. 2004. Oxidation of indole-3-acetic acid by horseradish peroxidase induces apoptosis in G361 human melanoma cells. *Cell. Signal* 16: 81-88.
- Kim K. Y., Huh, G. H., Lee, H. S., Kwon, S. Y., Hur, Y. and Kwak, S. S. 1999. Molecular characterization of cDNAs for two anionic peroxidases from suspension cultures of sweet potato. *Mol. Gen. Genet.* 261: 941-947.
- Kim, S. J. and Shoda, M. 1999. Purification and characterization of a novel peroxidase from *Geotrichum candidum* dec 1 involved in decolorization of dyes. *Appl. Environ. Microbiol.* 65 (3): 1029-1035.
- Kjaersgard I. V., Jespersen, H. M., Rasmussen, S. K. and Wilinder, K. G. 1997. Sequence and RT-PCR expression analysis of two peroxidases from *Arabidopsis thaliana* belonging to a novel evolutionary branch of plant peroxidases. *Plant Mol. Biol.* 33: 699-708.
- Klotz, K. L., Liu T.T., Liu, L. and Lagrimini, L. M. 1998. Expression of the tobacco anionic peroxidase gene is tissue-specific and developmentally regulated. *Plant Mol. Biol.* 36: 509-520.
- Kotsira, V. P. and Clonis, Y. D. 1997. Oxalate oxidase from barley root: purification to homogeneity and study of some molecular, catalytic, and binding properties. *Arch. Biochem. Biophys.* 340: 239-249.

- Kotsira, V. P. and Clonis, Y. D. 1998. Chemical modification of barley root oxalate oxidase shows the present of lysine, a carboxylate, and disulfides, essential for enzyme activity. *Arch. Biochem. Biophys.* 356: 117-126.
- Kumar, A., Malhotra, R., Malhotra, D. B. and Grover, S. K. 2000. Co-immobilization of cholesterol oxidase and horseradish peroxidase in a sol-gel film. *Anal. Chim. Acta.* 414: 43-50.
- Kvaratskhelia, M., Winkel, C. and Thorneley, R. N. F. 1997. Purification and characterization of a novel class III peroxidase isoenzyme from tea leaves. *Plant Physiol.* 114: 1237-1245.
- Laemmli, U. K. 1970. Cleavage of structural proteins during the assembly of the head of bacteriophage T₄. *Nature* 227: 680-685.
- Lagrimini, L. M. and Rothstein, S. 1987. Tissue specificity of tobacco peroxidase isozyme and their induction by wounding and tobacco mosaic virus infection. *Plant Physiol.* 84 (2): 438-442.
- Lagrimini, L. M., Bradford, S. and Rothstein, S. 1990. Peroxidase-induced wilting in transgenic tobacco plants. *Plant Cell* 2: 7-18.
- Lagrimini, L. M., Joly, R. J., Dunlap, J. R. and Liu, T.T.Y. 1997. The consequence of peroxidase over expression in transgenic plants on root growth and development. *Plant Mol. Biol.* 33: 887-895.
- Leconte, A., Lebrun, P., Nicholas, D. and Seguin, M. 1994. Electrophoresis application to *Hevea* clone identification. *Plantation, Researché Develop.* 1 (2): 34-36.
- Lee, M.Y. and Kim, S.S. 1994. Characateristics of six isoperoxidase from Korean radish root. *Phytochem.* 359 (20): 287 – 290.

- Leff, J. A., Oppegard, M. A., Curiel, T. J., Brown, K. S., Schooley, R. T. and Repine, J. E. 1992a. Progressive increases in serum catalase activity in advancing human immunodeficiency virus infection. *Free Radic. Biol. Med.* 13: 143-149.
- Leff, J. A., Parsons, P. E., Day, C. E., Moore, E. E., Moore, F. A., Oppegard, M. A. and Repine, J. E. 1992b. Increased serum catalase activity in septic patients with the adult respiratory distress syndrome. *Am. Rev. Respir. Dis.* 146: 985-989.
- Leff, J. A., Burton, L. K., Berger, E. M., Anderson, B. O., Wilke, C. P. and Repine, J. E. 1993. Increased serum catalase activity in rats subjected to thermal skin injury. *Inflammation* 17: 199-204.
- Lidén-, H., Vijayakumar, A. R., Gorton, L. and Marko-Varga, G. 1998. Rapid alcohol determination in plasma and urine by column liquid chromatography with biosensor detection. *J. Pharmaceut. Biomed. Anal.* 17: 1111-1128.
- Littlechild, J. 1999. Haloperoxidases and their role in biotransformation reactions. *Curr. Opin. Chem. Biol.* 3: 28-34.
- Liu, Z., Gurlo, T. and von Grafenstein, H. 2000. Cell-ELISA using β -galactosidase conjugated antibodies. *J. Immunol. Methods* 234: 153-167.
- López-Molina, D., Heering, H. A., Smulevich, G., Tudela, J., Thorneley, R. N. F., García-Cánovas, F. and Rodríguez,-López, J. N. 2003. Purification and characterization of a new cationic peroxidase from fresh flowers of *Cynara scolymus* L. *J. Inorg. Biochem.* 94: 243-254.
- Martinez, A. T. 2002. Molecular biology and structure-function of lignin degrading heme peroxidases. *Enzyme Microb. Technol.* 30: 425-44.

- Machado, K. M. G., Silva, W. R. F. and Bononi. U. L. R. 1996. Screening of ligninolytic fungi for soil remediation II-Production of peroxidases and phenolosidases. *Int. Deteriorat. Biodegrad.* 37: 130-137.
- McGall, G. H. 1997. The fabrication of high density oligonucleotide arrays for hybridization-based sequence analysis. In: Hori, W. and Nagle, E. (eds.). Biochip arrays and integrated devices for clinical diagnosis. IBC Library series, Southborough, pp. 2.1-2.33.
- McManus, M. T. 1994. Peroxidase in the separation zone during ethylene induced leaf abscission. *Phytochem.* 35 (3): 567 – 572.
- McDougall, G. J. 1993. Solubilization of wall bound peroxidases limited proteolysis. *Phytochem.* 33 (4): 765-767.
- Messerschmidt, A. and Wever, R. 1996. X-ray structure of a vanadium containing enzyme: chloroperoxidase from the fungus *Curvularia inaequalis*. *Proc. Natl. Acad. Sci. U.S.A.* 93 : 392-396.
- Mercykytty, V. C., Marattukalam, Joseph. G., Saraswathyamma, C. K. and Meenakumari, T. 2002. Identification of *Hevea* clones A manual. Anaswara Offset Private Limited, Cochin, India. 103 p.
- Miland, E., Smyth, M. E. and Ófágáin, C. 1996. Phenol removal by modified peroxidases. *J. Chem. Technol. Biotech.* 67: 227-236.
- Miziorko, H. M. 1985. 3-hydroxy-3-methyl glutaryl CoA synthase from chicken liver. *Methods Enzymol.* 110: 19-26.
- Modesto, R. R. and Pesce, A. J. 1971. The reaction of 4, 4'-difluoro-3,3' - dinitrodiphenyl sulfone with γ -globulin and horseradish peroxidase. *Biochim. Biophys. Acta* 229: 384-395.

- Mohan, R., Bajar, A. M. and Kolattukudy, P. E 1993. Induction of a tomato anionic peroxidase gene (*tap1*) by wounding in transgenic tobacco and activation of *tap1/GUS* and *tap2/GUS* chimeric gene fusions in transgenic tobacco by wounding and pathogen attack. *Plant Mol. Biol.* 21: 341-354.
- Morgens, P. H., Callahan, A. M., Dunn, L. J. and Abeles, F. B. 1990. Isolation and sequencing of cDNA clones encoding ethylene-induced putative peroxidases from cucumber cotyledons. *Plant Mol. Biol.* 14: 715-725.
- Mujer, C. V., Mendoza, M. T. and Ramirez, D. A. 1983. Coconut peroxidase isoenzymes: isolation, partial purification and physicochemical properties. *Phytochem.* 22 (6): 1335-1340.
- Mulvey, C. and Ohlendieck, K. 2003. Use of continuous-elution gel electrophoresis as a preparative tool for blot overlay analysis. *Anal. Biochem.* 319: 122-130.
- Myton, K.E. and Fry, S. 1995. Dithiothreitol and cobalt effects on membrane-associated peroxidase oxidizing feruloyl-CoA. *Phytochem.* 38 (3): 573-577.
- Nagy, S., Chen, C. S. and Shaw, P. E. 1993. Fruit juice processing technology. Agri. Science, Auburndale. 354 p.
- Nauck, M., Warnick, G. R. and Rifai, N. 2002. Methods for measurement of LDL-Cholesterol: A critical assessment of direct measurement by homogeneous assays versus calculation. *Clin. Chem.* 48 (2): 236-254.
- Neidle, S. L. and Geigert, J. 1986. Biohalogenation: Principles, basic roles and applications. Ellis Horwood, Chichester. 531 p.

- Nelson, B. C., Uden, P. C., Rockwell, G. F., Gorski, K. M. and Aguilera, Z. B. 1997. Determination of oxalate in parenteral nutrition solution by capillary electrophoresis. *J. Chromat. Anal.* 771: 285-299.
- Nielsen, K. L., Indiani, C., Henriksen, A., Feis, A., Becucci, M., Gajhede, M., Smulevich, G. and Welinder, K. G. 2001. Differential activity and structure of highly similar peroxidases. Spectroscopic, crystallographic, and enzymatic analyses of lignifying *Arabidopsis thaliana* peroxidase A2 and horseradish peroxidase A2. *Biochem.* 40: 11013-11021.
- Ohya, T., Morimura, Y., Saji, H., Mihara, T. and Ikawa, T. 1997. Purification and characterization of ascorbate peroxidase in roots of Japanese radish. *Plant Sci.* 125: 137-145.
- Oka, M. J., Simic, T., Djukanovic, L., Reljic, Z. and Davizevic, Z. 1999. Alteration in plasma antioxidant capacity in various degree of chronic renal failure. *Clin. Nephrol.* 51: 233-241.
- Osakabe, K., Koyama, H., Kawai, S., Katayama, Y. and Morohoshi, N. 1995. Molecular cloning of two tandem arranged peroxidase genes from *Populus kitakamiensis* and their differential regulation in the stem. *Plant Mol. Biol.* 28: 677-689.
- Østergaard, L., Teilum, K., Mirza, O., Mattsson, O., Petersen, M., Welinder, K. G., Mundy, J., Gajhede, M. and Henriksen, A. 2000. *Arabidopsis* ATP A2 peroxidase. Expression and high-resolution structure of a plant peroxidase with implications for lignification. *Plant Mol. Biol.* 44: 231-243.

- O'Sullivan, M. J. and Marks, V. 1981. Method for the preparation of enzyme-antibody conjugates for used in enzyme immunoassay. *Methods Enzymol.* 73: 147-166.
- Padiglia, A., Cruciani, H., Pazzaglia, G., Medda, R. and Morohoshi, N. 1995. Purification and characterization of *Opuntia* peroxidase. *Phytochem.* 38 (2): 295-297.
- Pakianathan, S. W., Tata, S. J., Chon, L. F. and Sethuraj, M. R. 1992. Certain aspects of physiology and biochemistry of latex production. In: Sethuraj, M. R. and Mathew, N. M. (eds.). Natural Rubber: biology, cultivation and technology. Elsev. Sci. Publ. B. V., Netherlands. p. 298-323.
- Pang, J., Chan, G. S. Y., Zhang, J., Liang, J. and Wong, M. H. 2003. Physiological aspects of vetiver glass for rehabilitation in abandoned metalliferous mine wastes. *Chemosphere* 52: 1559-1570.
- Pividori, M. I., Merkoci, A. and Aligret, S. 2001. Classical dot-blot format implemented as an amperometric hybridization genosensor. *Biosen. Bioelect.* 16: 1133-1142.
- Pradutkanchana, S. 2003. Evaluation of enzyme linked immunosorbent assay and indirect hemagglutination assay for detection of leptospiral antibody by using three different antigens. Master of Science thesis, Microbiology department, Faculty of Science, Prince of Songkla University. 102 p.
- Peldszus, S., Huck, P.M. and Andrew, S. A. 1998. Quantitative determination of oxalate and other organic acids in drinking water at low µg/l concentrations. *J. Chromat. Anal.* 798: 198-203.

- Peralta-Zamora, P., Esposito, E., Pelegrini, R., Groto, R., Reyes, J. and Durán, N. 1998a. Effluent treatment of pulp and paper, and textile industries using immobilized horseradish peroxidase. *Environ. Technol.* 19: 55-63.
- Peralta-Zamora, P., Gimenes, I.F., Cordi, L., Reyes, J. Alves, O. L and Durán, N. 1998b. Remediation of effluents from pulp and paper industry using horseradish peroxidase immobilized on ceramic materials. In: C.C. Gaylarde, T.C.P. Barbosa, N.H. Gabilan (eds.). Proceedings of the Third Latin American Biodegradation & Biodeterioration Symposium –LABS-3, Florianopolis, Brazil. Paper 69, pp1.
- Pérez-Ruiz, T., Martínez-Lozano, C., Tomás, V. and CasaJús, R. 1995. Flow injection spectrofluorimetric determination of oxalate based on its enhancing effect on the oxidation of rhodamine B by dichromate. *Analyst* 120: 2111-2114.
- Petrarulo, M. Cerelli, E., Marangella, M., Cosseddu, D., Vitale, C. and Linari, F. 1994. Assay of plasma oxalate with soluble oxalate oxidase. *Clin. Chem.* 40: 2030-2034.
- Pividori, M. I., Merkoçi, A. and Alegret, S. 2001. Classical dot-blot format implemented as an amperometric hybridization genosensor. *Biosens. & Bioelect.* 16: 1133-1142.
- Pomar, F., Bernal, M. A., Diaz, J. and Merino, F. 1997. Purification, characterization and kinetic properties of pepper fruit acidic peroxidase. *Phytochem.* 46 (8): 1313-1317.

- Poulos, T. L., Patterson, W. R. and Sundaramoorthy, M. 1995. The crystal structure of ascorbate and manganese peroxidase: the role of non-haem metal in catalytic mechanism. *Biochem. Soc. Trans.* 23: 228-232.
- Preobrazhenskaya, Y. V., Voskoboev, A. I. and Burd, N. V. 2003. Phosphatase activity of non-heme chloroperoxidase the bacterium *Serratia marcescens*. *FEBS lett.* 536: 41-44.
- Pryce, T. M., Wilson, R. D. and Kulski, J. K. 1999. Identification of enterococci by ribotyping with horseradish-peroxidase-labelled 16S rDNA probes. *J. Microbiol. Methods* 36: 147-155.
- Puengyam, P. 2001. Characterization of vitellogenin and determination of vitellogenin receptor from greenback mullet (*Lisa subviridis*). Master of Science thesis, Biochemistry department, Faculty of Science, Prince of Songkla University. 101 p.
- Punder, S.C.S. 2003. Co-immobilization of cholesterol esterase, cholesterol oxidase and peroxidase onto alkylamine glass beads for measurement of total cholesterol in serum. *Curr. Appl. Phys.* 3: 129-133.
- Ralph, J. P. and Catcheside, D. E. A. 1998. Involvement of manganese peroxidase in the transformation of macromolecules from low-rank coal by *Phanerochaete chrysosporium*. *Appl. Microbiol. Biotechnol.* 49: 778-784.
- Rang, H. P. and Dale, M. M. 1987. Cancer chemotherapy. In: Pharmacology. Churchill, Livingstone, Edinburgh. 323 p.
- Rattanapumee, P. 2000. Peroxidase in *Hevea brasiliensis* leaves. Master of Science thesis, Biochemistry Department, Faculty of Science, Prince of Songkla University. 147 p.

- Reddy, C. A. 1993. An overview of the recent advances on the physiology and molecular biology of lignin peroxidases of *Phanerochaete chrysosporium*. *J. Biotechnol.* 30: 91–107.
- Reddy, C. A. and D'Souza, T. M. 1994. Physiology and molecular biology of the lignin peroxidases of *Phanerochaete chrysosporium*. *FEMS Microbiol. Rev.* 13: 137–152.
- Richmond, W. 1992. Analytical reviews in clinical biochemistry: the quantitative analysis of cholesterol. *Ann. Clin. Biochem.* 29: 577-597.
- Riquelme, A. and Cardemil, L. 1993. Peroxidase in the cell walls of seeds and seedlings of *Araucaria araucana*. *Phytochem.* 32 (1): 15-20.
- Rothschild, N., ek Novotný, C., Šašek, V. and Dosoretz, C. G. 2002. Ligninolytic enzymes of the fungus *Irpex lacteus* (*Polyporus tulipiferae*): isolation and characterization of lignin peroxidase. *Enz. Microb. Tech.* 31: 627–633.
- Roy, B. C., Gupta, M. D., Bhoumik, L. and Ray, J. K. 2002. Spectroscopic investigation of water-soluble polyaniline copolymers. *Synth. Met.* 130: 27-33.
- Ruiz-Duenas, F. J., Guillen, F., Camarero, S., Perez-Boada, M., Martines, M. J. and Martinez, A.T. 1999. Regulation of peroxidase transcript level in liquid cultures of the ligninolytic fungus *Pleurotus eryngii*. *Appl. Environ. Microbiol.* 65 (10): 4458-4463.
- Sasaki, S., Nishida, T., Tsutsumi, Y. and Kendo, R. 2004. Lignin dehydrogenative polymerization mechanism: a poplar cell wall peroxidase directly oxidizes polymer lignin and produces *in vitro* dehydrogenative polymer rich in β -o-4 linkage. *FEBS Lett.* 562: 197-201.

- Saeki, K., Ishikawa, O., Fukuoka, T., Nakagawa, H., Kai, Y., Kakuno, T., Yamashita, J., Kasai, N. and Horio, T. 1986. Barley leaf peroxidase: purification and characterization. *J. Biochem.* 99: 485-494.
- Sakharov, I. Y., Ouporov, I. V., Vorobiev, A. K., Roig, M. G. and Pletjushkina, O. Y. 2004. Modeling and characterization of polyelectrolyte complex of polyaniline and sulfonated polystyrene produced by palm tree peroxidase. *Synt. Met.* 142 (8): 957-962.
- Sanchez, M., Pena, M. J., Revilla, G. and Zarra, I. 1996. Changes in dehydrodiferulic acid and peroxidase activity against ferulic acid associated with cell walls during growth of *Pinus pinaster* hypocotyl. *Plant Physiol.* 111: 941-946.
- Sanger, F., Nicklen, S. and Coulson, A. R. 1977. DNA sequencing with chain-terminating inhibitors. *Proc. Natl. Acad. Sci. USA.* 74: 5463-5467.
- Schuller, D. J., Ban, N., van Huystee, R. B., McPherson, A. and Poulos, T. L. 1996. The crystal structure of peanut peroxidase. *Structure* 4: 311-321.
- Setälä, H., Pajunen, A., Rummakko, P., Sipilä, J. and Brunow, G. 1999. A novel type of spiro compound formed by oxidative cross coupling of methyl sinapate with a syringyl lignin model compound. A model system for the β-1 pathway in lignin biosynthesis. *J. Chem. Soc. Perkin Trans. 1*: 461-464.
- Shannon, L.M., Kay, E. and Lew, J.Y. 1966. Peroxidase isozymes from horseradish roots. *J. Biol. Chem.* 261 (20): 9382 – 9390.
- Shen, S.Y. and Tu, S. I. 1999. Immobilization of horseradish peroxidase in cross-linked phyllosilicates: conditions and characterizations, *Biotech. Appl. Biochem.* 29: 185-191.

- Sherf, B. A., Bajar, A. M. and Kolattukudy, P. E. 1993. Abolition of an inducible highly anionic peroxidase activity in transgenic tomato. *Plant Physiol.* 101: 201-208.
- Silaghi-Dumitrescu, R. L. 1999. HRP: A summary of its structure, mechanism and substrate diversity. *LABPV Newslett.* (www.unige.ch/LABPV/perox.html).
- Simon, P., Tacchini, P., Penel, C. and Greppin, H. 1993. In: Welinder, K. G., Rasmussen, S. K., Penel, C. and Greppin, H. (eds.). *Plant peroxidase: biochemistry and physiology*, University of Geneva, Switzerland, pp. 46-474.
- Singh, A. K. and Shichi, H. 1998. A novel glutathione peroxidase in bovine eye. *J. Biol. Chem.* 273 (40): 26171 – 26178.
- Slaughter, M. R. and O'Brien, P. J. 2000. Fully-automated spectrophotometric method for measurement of antioxidant activity of catalase. *Clin. Biochem.* 33 (7): 525- 534.
- Sornwatana, T. and Chulalavatanatol, M. 1996. Changes in peroxidase isozymes during post-harvest deterioration of cassava tubers. The 22nd Congress Science and Techology of Thailand, October. 16-18: 278.
- Sottomayor, M., DiCosmo, F. R. and Barceló, A. R. 1997. On the fate of catharanthine and vindoline during the peroxidase-mediated enzymatic synthesis of α -3',4'-anhydrovinblastine. *Enz. Microb. Technol.* 21: 543-549.
- Southorn, W. A. 1961. Microscopy of *Hevea* latex. In: Proc. Nat. Rubb. Res. Conf. Rubber Research Institute of Malaya, Kuala Lumpur. 766 p.

- Soylu, S., Baysal, Ö. and Soylu, E. M. 2003. Induction of disease resistance by the plant activator, acibenzolar-S-methyl (ASM), against bacterial canker (*Clavibacter michiganensis* subsp. *michiganensis*) in tobacco seedlings. *Plant Sci.* 165: 1069-1075.
- Srinivas, N. D., Rashmi, K. R. and Raghavarao, K. S. M. S. 1999. Extraction and purification of a plant peroxidase by aqueous two-phase extraction coupled with gel filtration. *Process Biochem.* 35: 43 – 48.
- Sugimoto, M., Furui, S. and Suzuki, Y. 1997. Molecular cloning and characterization of a cDNA encoding putative phospholipids hydroperoxide glutathione peroxidase from spinach. *Biosci. Biotech. Biochem.* 61 (8): 1379-1381.
- Šukalović, V. H-T., Vučetic, M. and Vučinić, Ž. 2003. Plasma membrane-bound phenolic peroxidase of maize roots: in vitro regulation of activity with NADPH and ascorbate. *Plant Sci.* 165: 1429-1435.
- Suvachittanont, W. and Pongpaiboon, K. 1994. Factors affecting isozyme patterns in *Hevea brasiliensis*. The 11th FAOBMB Symposium Bangkok, Thailand, Nov. 15-18.
- Suwanmanee, P., Sirinupong, N. and Suvachittanont, W. 2004. Regulation of the expression of 3-hydroxy-3-methylglutaryl-CoA synthase gene in *Hevea brasiliensis* (B.H.K.) Mull. Arg. *Plant Sci.* 166: 531-537.
- Svojanovsky, S. R., Egodage, K L., Wu, J., Slavik, M. and Wilson, G. S. 1999. High sensitivity ELISA determination of taxol in various human biological fluids. *J. Pharmaceut. Biomed. Anal.* 20 (3): 549-555.

- Tarasova, N. S. 1998. Combination of low catalase activity with lipid peroxidation activation in serum of chronic alcoholics with kidney diseases. *Klin. Med.* 76: 43-44.
- Tatsuma, T., Ogawa, T., Sato, R. and Oyama, N. 2001. Peroxidase-incorporated sulfonate polyaniline-polycation complexes for electrochemical sensing of H₂O₂. *J. Electroanal. Chem.* 501: 180-185.
- Tatsumi, K., Wada, S. and Ichikawa, H. 1996. Removal of chlorophenols from waste-water by immobilized horseradish peroxidase. *Biotechnol. Bioeng.* 51: 126-136.
- Tepaya, N. 1999. Hydroxymethyl glutaryl Coenzyme A synthase in C-serum from *Hevea brasiliensis* latex. Master of Science Thesis in Biological Sciences, Department of Biochemistry, Faculty of Science, Prince of Songkla University. 112 p.
- Tijssen, P. 1993. Properties and preparation of enzymes used in enzyme immunoassays. In: Burdon, R. H. and Van Knippenberg, R. H. (eds.). Practice and theory of enzyme immunoassays. Elsevier Sci. Publ. B. V., Amsterdam. pp. 173-220.
- Tijssen, P. and Kurstak, E. 1984. Highly efficient and simple methods for the preparation of peroxidase and active peroxidase-antibody conjugates for enzyme immunoassays. *Anal. Biochem.* 136: 451-457.
- Tognolli, M., Penel, C., Greppin, H. and Simon, P. 2002. Analysis and expression of the class III peroxidase large gene family in *Arabidopsis thaliana*. *Gene* 288: 129-138.

- Torres, E., Bustos-Jaimes, I. and Le Borgne, S. 2003. Potential use of oxidative enzyme for the detoxification of organic pollutants. *Appl. Cat. B: Envir.* 46 (1): 1-15.
- Tournaire, C., Kushnir, S., Bauw, G., Inze, D., de la Serve, B.T. and Renaudin, J. P. 1996. A thiol protease and an anionic peroxidase are induced by lowering cytokinins during callus growth in petunia. *Plant Physiol.* 111: 159-168.
- Tutschek, R. 1979. Characterization of a peroxidase from *Sphagnum Magellanicum*. *Phytochem.* 18: 1437-1439.
- Underhill, S. J. R. and Critchley, C. 1995. Cellular localisation of polyphenol oxidase and peroxidase activity in *Litchi chinensis* Sonn. pericarp. *Aust. J. Plant Physiol.* 22: 627 – 623.
- Vainshtein, B. K., Melik-Adamyan, W. R., Barynin, V. V., Vagin, A. A., Grebenko, A. I., Borisov, V. V., Bartels, K. S., Fita, I. and Rossmann, M. G. 1996. Three-dimentional structure of catalase from *Penicillium vitale* at 2.0 Å resolution. *J. Mol. Biol.* 188: 49-61.
- van Huystee, R. B. and Zheng, X. 1993. Cationic peanut peroxidase and the oxidation of ferulic acid. *Phytochem.* 34 (4): 1437-1439.
- van Schlijndel, J. W., Barnett, P., Roelse, J., Vollenbroek, E. G. and Wever, R. 1994. The stability and steady-state kinetics of vanadium chloroperoxidase from the fungus *Curvularia inaequalis*. *Eur. J. Biochem.* 225: 151-157.
- Varghese, Y. A., Knaak, C., Sethuraj, M. R. and Ecke, W. 1997. Evaluation of random amplified polymorphic DNA (RAPD) markers in *Hevea brasiliensis*. *Plant Breed.* 116: 47-52.

- Veitch, N. C. 2004. Horseradish peroxidase: a modern view of a classic enzyme. *Phytochem.* 65 (3): 249-259.
- Vendemiale, G., Grattagliano, I. and Altomare, E. 1999. An update on the role of free radicals and antioxidant defense in human disease. *Int. J. Clin. Lab. Res.* 29: 49-55.
- Vierling, R. A., Nesbit., L. A., Lopes-Ribot, J. L. and Morrow, J. R. 1999. An anti-soybean peroxidase monoclonal antibody conjugated to soybean peroxidase (SPAP) improves immunoassay technology. *LABPV Newslett.* 15: 59-67.
- Vitai, M. and Goth, L. 1998. Reference ranges of normal blood catalase activity and levels in familial hypocatalasemia in Hungary. *Clin. Chim. Acta* 262: 35-42.
- Walujono, K. and Agung Suseno, P. 1973. Experiment with PAA electrophoresis for *Hevea* clones identification. Symposium of International Rubber Research and Development (IRRDB). Indonesia. 21 p.
- Webb, R. P. and Alllen, R. D. 1995. Isolation and characterization of cDNA for Spinach cytosolic ascorbate peroxidase. *Plant Physiol.* 108: 1325-1331.
- Weger, H.G. 1997. Interaction between Cu (II), Mn (II) and salicylhydroxamic acid in determination of algal peroxidase activity. *Phytochem.* 46 (2): 195-201.
- Welinder, K. G. 1976. Covalent structure of the glycoprotein horseradish peroxidase. *FEBS Lett.* 72: 19-23.
- Welinder, K. G. 1992. Superfamily of plant, fungal and bacterial peroxidases. *Curr. Opin. Struct. Biol.* 2: 388-393.

- Welinder, K. G., Justesen, A. F., Kjaersgaard, I. V. H., Jensen, R. B., Rusmussen, S. K., Jespersen, H. M. and Duroux, L. 2002. Structure diversity and transcription of class III peroxidases from *Arabidopsis thaliana*. *Eur. J. Biochem.* 269: 6063-6081.
- Welinder, K. G. and Lasen, Y. B. 2003. Covalent structure of soybean seed coat peroxidase. *Biochim. Biophys. Acta* 1698: 121-126.
- Wever, R., Tromp, M. G. M., Krenn, B. E., Maryani, A. and van Ton, M. 1991. Brominating activity of the seaweed *Ascophyllum nodosum*: impact on the biosphere. *Environ. Sci. Technol.* 25: 446-449.
- Wilson, M. B. and Nakane, P. K. 1979. Preparation and standardization of enzyme-labeled conjugates. In: Nakamura, R. M., Ditto, W. R. and Tucker, E. S. Immunoassays in clinical laboratory. (eds.). Alan R. Liss, New York, pp. 81-98.
- Wititsuwanakul, R., Wititsuwanakul, D., Satayasevana, B. and Pasitkul, P. 1997. Peroxidase from *Hevea brasiliensis* bark: Purification and properties. *Phytochem.* 44 (2): 237-241.
- Wong, S. S. 1993. Chemistry of protein conjugation and cross-linking. CRC Press, Boca, FL. 453 p.
- Xue, L., Charest, P.M. and Jabaji-Hare, S.H. 1998. Systemic induction of peroxidase, 1,3- β -glucanases, chitinase, and resistance in bean plants by binucleate *Rhizoctonia* species. *Phytopathol.* 88 (4): 359-365.

- Yazynina, E.V., Zherdev, A.V., Dzantiev, B. B., Izumrudov, V. A., Gee, S. J. and Hammock, B. D. 1999. Microplate immunoassay technique using polyelectrolyte carriers: kinetic studies and application to detection of the herbicide atrazine. *Anal. Chim. Acta* 399: 151-160.
- Yoshida, K., Kaothien, P., Matsui, T., Kawaoka, A. and Shinmyo, A. 2002. Molecular biology and application of plant peroxidase genes. *Appl. Microbiol. Biotechnol.*
- Yoshimura, K., Yabuta, Y., Tamoi, M., Ishikawa, T. and Shigeoka, S. 1999. Alternatively spliced mRNA variants of chloroplast ascorbate peroxidase isoenzymes in spinach leaves. *Biochem. J.* 338: 41-48.
- Young, S. A., Guo, A., Guikema, J. A., White, F. F. and Leach, J. E. 1995. Rice cationic peroxidase accumulates in xylem vessels during incompatible interaction with *Xanthomonas oryzae* pv *oryzae*. *Plant Physiol.* 107: 1333-1341.
- Yun, B. W., Huh, G. H., Lee, H. S., Kwon, S. Y., Jo, J. K., Kim, J. S., Cho, K. Y. and Kwak, S. S. 2000. Differential resistance to methyl viologen in transgenic tobacco plants that express sweet potato peroxidases. *J. Plant Physiol.* 156: 504-509.
- Zahida, M.S., Deva, W., Peerzada, G.M. and Behere, D.V. 1998. Oxidation of phenols by horseradish peroxidase and lactoperoxidase compound II —kinetic considerations. *Indian J. Biochem. Biophys.* 35: 353-359.
- Zeng, J., and Fenna, R. E. 1992. X-ray crystal structure of canine myeloperoxidase at 3 Å resolution. *J. Mol. Biol.* 226: 185-207.

- Zhang, T., Zhao, Q.X., Huang, H., Li, Q., Zhang, Y. and Qi, M. 1998. Kinetic study on the removal of toxic phenol and chlorophenol from waste water by horseradish peroxidase. *Chemosphere* 37: 1571-1578.
- Zancani, M., Nagy, G., Vianello, A. and Macri, F. 1995. Copper-inhibited NADH-dependent peroxidase activity of purified soybean plasm membranes. *Phytochem.* 40 (2): 367-371.