

References

- Ainsworth, G. (ed.). 1973. *The fungi, an advance treatise*. Academic Press. New York, N.Y.
- Akashi, T., Homma, M., Kanbe, T. and Tanaka, K. 1993. Ultrastructure of proteinase-secreting cells of *Candida albicans* studied by alkaline bismuth staining and immunocytochemistry, *J. Gen. Microbiol.* 139, 2185-2195.
- Alenius, H., Palosuo, T., Kelly, Y., Kurup, V., Reunala, T., Mäkinen-Kiljunen, S., Turjanmaa, K. and Fink, J. 1993. IgE reactivity to 14-kD and 22 kD natural rubber proteins in latex-allergic children with spina bifida and other congenital abnormalities. *Int. Arch. Allergy Immunol.* 102, 61-66.
- Allen, M.J., Voelker, D.R. and Mason, R.J. 2001. Interactions of surfactant protein A and D with *Saccharomyces cerevisiae* and *Aspergillus fumigatus*. *Infect. Immun.* 69, 2037-2044.
- Andriole, V.T., Kravetz, H.M. 1962. The use of amphotericin B in man. *JAMA*. 180, 269-272.
- Andriole, V.T. and Bodey, G.P. (eds.). 1994. *Pocket Guide to Systemic Antifungal Therapy*. Scientific Therapeutics, Springfield, NJ.
- Andriole, V.T. 1998. Current and future therapy of invasive fungal infections. In: Remington, J. and Swartz, M. (eds.) *Current Clinical Topics in Infectious Diseases*. Pp. 19-36. Blackwell Sciences, Malden, MA.
- Andriol, V.T. 1999. The 1998 Garrod Lecture. Current and future antifungal therapy: new targets for antifungal agents. *J. Antimicrob. Chemother.* 44, 151-162.
- Archer, B.L. 1960. The proteins of *Hevea brasiliensis* latex. 4. Isolation and characterization of crystalline hevein. *Biochem. J.* 75, 236-240.
- Archer, B.L. 1983. An alkaline protease inhibitor from *Hevea brasiliensis* latex. *Phytochemistry* 23, 633-639.
- Archer, B.L. and Audley, B.G. 1967. Biosynthesis of rubber. In: Nord, F.F. (ed.), *Advances in Enzymology*. Vol. 29, pp. 221-257. New York: Interscience.
- Archer, B.L., Audley, B.G. and Bealing, F.L. 1982. Biosynthesis of rubber in *Hevea brasiliensis*. *Plast. Rubb. Intl.* 7, 109-111.

- Archer, B.L., Bernard, G., Cockbain, E.G.C., Dickenson, P.B. and McMullen, A.I. 1963a. Structure, composition and biochemistry of *Hevea* latex. In: Bateman, L. (ed.), *Chemistry and Physics of Rubber-like Substances*, pp. 41-72. London: McLaren and Sons.
- Archer, B.L., Cockbain, E.G., McSweeney, G.P. and Hong, T.C. 1969. Studies on composition of latex serum and bottom fraction. *J. Rubber Res. Inst. Malays.* 21, 560-569.
- Ashman, R.B. and Papadimitriou, J.M. 1995. Production and function of cytokines in natural and acquired immunity to *Candida albicans* infection. *Microbiol. Rev.* 59, 646-672.
- Attanyaka, D.P.S.T.G., Kekwick, R.G.O. and Franklin, F.H.C. 1991. Molecular cloning and nucleotide sequencing of rubber elongation factor from *Hevea brasiliensis*. *Plant Mol. Biol.* 16, 1079-1081.
- Audley, B.G. and Archer, B.L. 1988. Biosynthesis of rubber. In: Robert, A.D. (ed.), *Natural Rubber Science and Technology*, pp. 35-62. London: Oxford University Press.
- Ausubel, F.M., Brent, R., Kingston, R.E., Moore, D.D., Seidman, J.G., Smith, J.A. and Struhl, K. 1987. *Current protocols in molecular biology*, 1st ed. John Wiley & Sons, USA.
- Baker, B., Zambryski, P., Staskawicz, B. and Dinesh-Kumar, S.P. 1997. Signaling in plant-microbe interactions [review]. *Science* 276, 726-733.
- Bloch, C., Patel, Jr. S.U., Baud, F., Zvelebil, M.J., Carr, M.D., Sadler, P.J. and Thornton, J.M. 1998. ^1H NMR structure of an antifungal γ -thionin protein SI α 1: Similarity to scorpion toxins. *Proteins* 32, 334-349.
- Bobichon, H., Gache, D. and Bouchet, P. 1994. Ultrarapid cryofixation of *Candida albicans*: evidence for a fibrillar reticulated external layer and mannan channels within the cell wall. *Cryo-Lett.* 15, 161-172.
- Bodey, G.P. 1993. *Candidiasis: pathogenesis, diagnosis, and treatment*, 2nd ed. Raven Press, New York, N.Y.
- Bowles, D.J. 1990. Defense-related proteins in higher plants. *Annu. Rev. Biochem.* 59, 873-907.
- Braun, B.R. and Johnson, A.D. 1997. Control of filament formation in *Candida albicans* by the transcriptional repressor *TUP1*. *Science* 277, 105-109.

- Bradford, M.M. 1976. A rapid and sensitive method for the quantitation of microgram quantities of protein utilizing the principle of protein-dye binding. *Anal. Biochem.* 72, 248-254.
- Broekaert, W.F., Van Parijs, J., Allen, A.K. and Peumans, W.J. 1988. Comparison of some molecular, enzymatic and antifungal properties of chitinases from thorn-apple, tobacco and wheat. *Physiol. Mol. Plant Pathol.* 33, 319-331.
- Broekaert, W.F., Lee, H.I., Kush, A., Chua, N.H. and Raikhel, N. 1990. Wound-induced accumulation of mRNA containing a hevein sequence in laticifers of rubber tree (*Hevea brasiliensis*). *Proc. Natl. Acad. Sci. USA* 87, 7633-7637.
- Broekaert, W.F., Terras, F.R., Cammue, B.P. and Osborn, R.W. 1995. Plant defensins: novel antimicrobial peptides as components of host defense system. *Plant Physiol.* 108, 1353-1358.
- Bull, J., Mauch, F., Hertig, C., Regmann, G. and Dudler, R. 1992. Sequence and expression of a wheat gene that encodes a novel protein associated with pathogen defense. *Mol. Plant Microbe Interact.* 5, 516-519.
- Cacioli, P. 1997. Introduction to latex and the rubber industry. *Rev. fr. Allergol.* 37, 1173-1176.
- Calderone, R.A. 1993. Molecular interactions at the interface of *Candida albicans* and host cells. *Arch. Med. Res.* 24, 275-279.
- Cassone, A. 1989. Cell wall of *Candida albicans*: its functions and its impact on the host. *Curr. Top. Med. Mycol.* 3, 248-314.
- Chaffin, W.L., López-Ribot, J.L., Casanova, M., Gozalbo, D. and Martínez, J.P. 1998. Cell wall and secreted proteins of *Candida albicans*: identification, function, and expression. *Microbiol. Mol. Biol. Rev.* 62, 130-180.
- Chapot, M.P., Peumans, W.J. and Strosberg, A.D. 1986. Extensive homologies between lectins from non-leguminous plants. *FEBS Lett.* 195, 231-234.
- Chareonthiphakorn, N., Wititsuwannakul, D., Golan-Goldhirsh, A. and Wititsuwannakul, R. 2002. Purification and characterization of NAD(P)H quinone reductase from the latex of *Hevea brasiliensis* Müll.-Arg. (Euphorbiaceae). *Phytochemistry* 61, 123-128.
- Churngchow, N., Suntaro, A. and Wititsuwannakul, R. 1995. β -1,3-glucanase isozymes from the latex of *Hevea brasiliensis*. *Phytochemistry* 39, 505-509.

- Chye, M.L. and Cheung, K.Y. 1995. Beta-1,3-glucanase is highly-expressed in laticifers of *Hevea brasiliensis*. *Plant Mol. Biol.* 29, 397-402.
- Cornish, K., Wood, D.F. and Windle, J.J. 1999. Rubber particles from four different species, examined by transmission electron microscopy and electron paramagnetic-resonance spin labeling, are found to consist of a homogenous rubber core enclosed by a contiguous, monolayer biomembrane. *Planta* 210, 85-96.
- Cox, G., and Perfect, J. 1993. Fungal infections. *Curr. Opin. Infect. Dis.* 6, 422-426.
- Cutler, J.E. 1991. Putative virulence factors of *Candida albicans*. *Annu. Rev. Microbiol.* 45, 187-218.
- Czuppon, A.B., Chen, Z., Rennert, S. Engelke, T., Meyer, H.E., Heber, M. and Baur, X. 1993. The rubber elongation factor of rubber trees (*Hevea brasiliensis*) is the major allergen in latex. *J. Allergy Clin. Immunol.* 92, 690-697.
- d' Auzac, J. and Jacob, J.L. 1989. The composition of latex from *Hevea brasiliensis* as a laticiferous cytoplasm. In: d' Auzac, J., Jacob, J.L. and Chrestin, H. (eds.), *Physiology of rubber tree latex*, pp. 59-96. Florida: CRC Press.
- Dae-Hee, K., Lee, Y.T., Lee, Y.J., Chung, J.H., Lee, B.L., Choi, B.S. and Younghoon, L. 1998. Bacterial expression of tenecin 3, and insect antifungal protein isolated from *Tenebrio molitor*, and its efficient purification. *Mol. Cells* 8, 786-789.
- de Faÿ, E. and Jacob, J.L. 1989. Anatomical organization of the laticiferous system in the bark. In: d' Auzac, J., Jacob, J.L. and Chrestin, H. (eds.), *Physiology of rubber tree latex*, pp. 4-14. Florida: CRC Press.
- Dennis, M.S. and Light, D.R. 1989. Rubber elongation factor from *Hevea brasiliensis*. Identification, characterization, and role in rubber biosynthesis. *J. Biol. Chem.* 264, 18608-18617.
- Dickenson, P.B. 1969. Electron microscopical studies of latex vessel system of *Hevea brasiliensis*. *J. Rubb. Res. Inst. Malaya.* 21, 543.
- Domer, J.E. 1989. *Candida* cell wall mannan: a polysaccharide with diverse immunologic properties. *Crit. Rev. Microbiol.* 17, 33-51.

- Dupont, J., Moreau, F., Lance, C. and Jacob, J.L. 1976. Phospholipid composition of the membrane of lutoids from *Hevea brasiliensis* latex. *Phytochemistry* 15, 1215-1217.
- Dussourd, D.E. and Eisner, T. 1987. Vein-cutting behavior: insect counterploy to the latex defense of plants. *Science* 237, 898-901.
- Ellul, H., Beezer, A.E., Brain, A.P.R., Miles, R. J. and Sivayogan, S. R. 1985. The effect of chemical modification of *Saccharomyces cerevisiae* on electrophoretic mobility, cell-wall structure and amphotericin B uptake. *Biochim. Biophys. Acta* 845, 151-157.
- Elorza, M.V., Rico, H. and Sentandreu, R. 1983. Calcofluor white alters the assembly of chitin fibrils in *Saccharomyces cerevisiae* and *Candida albicans* cells. *J. Gen. Microbiol.* 129, 1577-1582.
- Fahn, A. 1990. *Plant anatomy*. 4th ed., Pergamon Press, Oxford and New York.
- Farrell, B.D., Dussourd, D.E. and Mitter, C. 1991. Escalation of plant defense: do latex and resin canals spur plant diversification? *Am. Nat.* 138, 881-900.
- Fidantsef, A.L., Stout, M.J., Thaler, J.S. and Duffey, S.S. 1999. Signal interactions in pathogen and insect attack: expression of lipoxygenase, proteinase inhibitor II, and pathogenesis-related protein P4 in the tomato, *Lycopersicon esculentum*. *Physiol. Mol. Plant Pathol.* 54, 97-114.
- Florach, D.E. and Stiekema, W.J. 1994. Thionins: properties, possible biological roles and mechanisms of action. *Plant Mol. Biol.* 26, 25-37.
- Folch, J. and Lees, M. 1951. Proteolipids, a new type of tissue lipoproteins. Their isolation from brain. *J. Biol. Chem.* 191, 807-817.
- Fox, J.L. 1993. Fungal infection rates are increasing. *ASM News* 59, 515-518.
- Frey-Wyssling, A. 1929. Microscopic investigations on the occurrence of resins in *Hevea* latex, *Arch. Rubberg.* 13, 392.
- Gadea, I., Cuenca, M., Gegúndez, M.I., Zapardiel, J., Valero, M.L. and Soriano, F. 1997. Effect of pH and buffer system on the in-vitro activity of five antifungals against yeasts. *J. Antimicrob. Chemother.* 39, 453-459.

- Georgopapadakou, N.H. and Walsh, T.J. 1996. Antifungal agents: chemotherapeutic targets and immunologic strategies. *Antimicrob. Agents Chemother.* 40, 270-291.
- Ghannoum, M.A. and Rice, L.B. 1999. Antifungal agents: mode of action, mechanisms of resistance, and correlation of these mechanisms with bacterial resistance. *Clin. Microbiol. Rev.* 12, 501-517.
- Gidrol, X., Chrestin, H., Tan, H.L. and Kush, A. 1994. Hevein, a lectin-like protein from *Hevea brasiliensis* (rubber tree) is involved in the coagulation of latex. *J. Biol. Chem.* 269, 9278-9283.
- Giordani, R., Siepaio, M., Moulin-Traffort, J. and Regli, P. 1991. Antifungal action of *Carica papaya* latex: isolation of fungal cell wall hydrolysing enzymes. *Mycoses* 34, 469-477.
- Giordani, R. and Lafon, L. 1993. Action of *Carica papaya* latex on cell wall glycosidases from *Lactuca sativa* pith. *Phytochemistry* 34, 1473-1475.
- Giordani, R., Cardenas, M.L., Moulin-Traffort, J. and Regli, P. 1996. Fungicidal activity of latex sap of *Carica papaya* and antifungal effect of D(+)-glucosamine on *Candida albicans* growth. *Mycoses* 39, 103-110.
- Giordani, R., Gachon, C., Buc, J., Regli, P. and Jacob, J.L. 1999. Antifungal action of *Hevea brasiliensis* latex. Its effect in combination with fluconazole on *Candida albicans* growth. *Mycoses* 42, 465-474.
- Giordani, R., Regli, P. and Buc, J. 2002. Antifungal effect of *Hevea brasiliensis* latex with various fungi. Its synergistic action with amphotericin B against *Candida albicans*. *Mycoses* 45, 476-481.
- Girbes, T., Citores, L., Iglesias, R., Ferreras, J.M., Munoz, R., Rojo, M.A., Arias, F.J., Garcia, J.R., Mendez, E. and Calonge, M. 1993. Ebulin 1, a nontoxic novel type 2 ribosome-inactivating protein from *Sambucus ebulus* L. leaves. *J. Biol. Chem.* 268, 18195-18199.
- Gold, W., Stuat, H.A., Pagano, J.F. and Donovick, R. 1956. Amphotericins A and B, antifungal antibiotics produced by a Streptomyces. I. In vitro studies. In; *Anibiotics Annual*, 1955-1956, Medical Encyclopedia Inc, pp. 579-586. New York.

- Gomez, J.B. and Moir, G.F.J. 1979. The ultracytology of latex vessels in *Hevea brasiliensis*, *Monograph No. 8*, Malaysian Rubber Research and Development Board.
- Gomez, J.B. and Hamzah, S. 1989. Particle size distribution in *Hevea* latex – some observations on the electron microscopic method. *J. Nat. Rubb. Res.* 4, 204-211.
- Greco, W.R., Bravo, G. and Parsons, J.C. 1995. The search for synergy: a critical review from a response surface perspective. *Pharmacol. Rev.* 47, 331-385.
- Guerbette, F., Grosbois, M., Jolliot-Croquin, A., Kader, J.C. and Zachowski, A. 1999. Lipid-transfer proteins from plants: structure and binding properties. *Mol. Cell. Biochem.* 192, 157-161.
- Hammer, K.A., Carson, C.F. and Riley, T.V. 2004. Antifungal effects of *Melaleuca alternifolia* (tea tree) oil and its components on *Candida albicans*, *Candida glabrata* and *Saccharomyces cerevisiae*. *J. Antimicrob. Chemother.* 53, 1081-1085.
- Hamzah, S.B. and Gomez, J.B. 1982. Electron microscopy of ultracentrifuged fractions of *Hevea* latex. I. Top-fractions. *J. Rubb. Res. Inst. Malaysia* 30, 161-173.
- Han, K.H., Shin, D.H., Yang, J., Kim, I.J., Oh, S.K. and Chow, K.S. 2000. Genes expressed in the latex of *Hevea brasiliensis*. *Tree physiol.* 20, 503-510.
- Hao, J.J., Geng, C., Xie, W., Gong, Z., Liu, W.Y. and Wang, E. 1999. Isolation and characterization of viridin, a new 65 kDa antifungal protein from the mould *Trichoderma viride*. *Biol. Chem.* 380, 1243-1245.
- Hao, J.J., Ye, J.Q., Yang, Q., Gong, Z.Z., Liu, W.Y. and Wang, E. 2000. A silent antifungal protein (AFP)-like gene lacking two introns in the mould *Trichoderma viride*. *Biochim. Biophys. Acta* 1475, 119-124.
- Hasma, H. 1987. Proteolipids of natural rubber particles. *J. Nat. Rubb. Res.* 2, 129-133.
- Hasma, H. 1992. Proteins of natural rubber latex concentrate. *J. Nat. Rubb. Res.* 7, 102-112.
- Hazen, K.C. and Hazen, B.W. 1993. Surface hydrophobicity and hydrophilic protein alterations in *Candida albicans*. *FEMS Microbiol. Lett.* 107, 83-88.
- Herbrecht, R. 1996. The changing epidemiology of fungal infections: are the lipid-based forms of amphotericin B and advance? *Eur. J. Haematol.* 56, 12-17.

- Hernández-Arana, A., Rojo-Domínguez, A., Soriano-García, M. and Rodríguez-Romero, A. 1995. The thermal unfolding of hevein, a small disulfide-rich protein. *Eur. J. Biochem.* 228, 649-652.
- Hiemenz, J.W. and Walsh, T.J. 1996. Lipid formulations of amphotericin B: recent progress and future directions. *Clin. Infect. Dis.* 22, S133-144.
- Hiraga, K., Hayashi, S., Kitazawa, M. and Oda, K. 1999. Isolation and some properties of a novel killer toxin-like protein produced by *Streptomyces* sp. F-287. *Biosci. Biotechnol. Biochem.* 63, 1037-1044.
- Ho, C.C., Subramanian, A. and Yong, W.M. 1976. Lipids associated with the particles in *Hevea* latex. *Proceeding of the International Rubber Conference Volume 2*, pp. 441-456. Kuala Lumpur: RRIM.
- Hopkins, W.G. 1999. *Introduction to plant physiology*. 2nd ed. New York: John Wiley & Sons; 467-469.
- Huynh, Q.K., Borgmeyer, J.R., Smith, C.E., Bell, L.D. and Shah, D.M. 1996. Isolation and characterization of a 30 kDa protein with antifungal activity from leaves of *Engelmannia pinnatifida*. *Biochem. J.* 15, 723-727.
- Iglesias, R., Arias, F.J., Rojo, M.A. Escarmis, C., Ferreras, J.M. and Girbes, T. 1993. Molecular action of the type I ribosome-inactivating protein saporin 5 on *Vicia sativa* ribosomes. *FEBS Lett.* 325, 291-294.
- Iijima, R., Kurata, S. and Natori, S. 1993. Purification, characterization, and cDNA cloning of an antifungal protein from the hemolymph of *Sarcophaga peregrina* (fresh fly) larvae. *J. Biol. Chem.* 268, 12055-12061.
- Ishii, N., Yamamoto, M., Yoshihara, F., Arisawa, M. and Aoki, Y. 1997. Biochemical and genetic characterization of Rbf1p, a putative transcription factor of *Candida albicans*. *Microbiology* 143, 429-435.
- Jabra-Rizk, M.A., Falkler, W.A., Merz, W.G., Baqui, A.A.M.A., Kelley, J.I. and Meiller, T.F. 2001. Cell surface hydrophobicity-associated adherence of *Candida dubliniensis* to human buccal epithelial cells. *Rev. Iberoam. Micol.* 18, 17-22.

- Jekel, P.A., Hartmann, B.H. and Beintema, J.J. 1991. The primary structure of hevamine, an enzyme with lysozyme/chitinase activity from *Hevea brasiliensis* latex. *Eur. J. Biochem.* 200, 123-130.
- John, P. 1992. Biosynthesis of the major crop products: the biochemistry, cell physiology and molecular biology involved in the synthesis by crop plants of sucrose, fructan, starch, cellulose, oil, rubber, and protein. New York: John Wiley& Sons; 1992.
- Johnson, M.D., MacDougall, C., Ostrosky-Zeichner, L., Perfect, J.R. and Rex, J.H. 2004. Minireview combination antifungal therapy. *Antimicrob. Agents Chemother.* 48, 693-715.
- Joshi, B.N., Sainani, M.N., Bastawade, K.B., Gupta, V.S. and Ranjekar, P.K. 1998. Cysteine protease inhibitor from pearl millet: a new class of antifungal protein. *Biochem. Biophys. Res. Commun.* 246, 382-387.
- Kapteyn, J.C., Montijn, R.C., Dijkgraaf, G.J., van den Ende, H. and Klis, F.M. 1995. Covalent association of β -1,3-glucan with β -1,6-glucosylated mannoproteins in cell walls of *Candida albicans*. *J. Bacteriol.* 177, 3788-3792.
- Kauffmann, S.H.E. 1990. Heat shock proteins and the immune response. *Immunol. Today* 11, 129-136.
- Kennedy, M.J. 1987. Adhesin and association mechanisms of *Candida albicans*. *Curr. Top. Med. Mycol.* 2, 73-169.
- Kerridge, D. 1993. Fungal dimorphism: a sideways look. In: Vanden Bossche, H., Odds, F.C. and Kerridge, D. (eds.), *Dimorphic fungi in biology and medicine*. pp. 3-10. New York: Plenum Press.
- Khardori, N. 1989. Host-parasite interaction in fungal infections. *Eur. J. Clin. Microbiol. Infect. Dis.* 8, 331-351.
- Klessing, D.F. and Malany, J. 1994. The salicylic acid signal in plants. *Plant. Mol. Biol.* 26, 1439-1458.
- Klis, F.M. 1994. Review: cell wall assembly in yeast. *Yeast* 10, 851-869.
- Klis, F.M., Caro, L.H.P., Vossen, J.H., Kapteyn, J.C., Ram, A. RF.J., Montijn, R.C., Van Berkell, M.A.A. and Van den Ende, H. 1997. Identification and characterization of a major building.

- Ko, J.H., Chow, K.S. and Han, K.H. 2003. Transcriptome analysis reveals novel features of the molecular events occurring in the laticifers of *Hevea brasiliensis* (para rubber tree). *Plant Mol. Biol.* 53, 479-492.
- Kollár, R., Reinhold, B.B., Petráková, E., Yeh, H.J., Ashwell, G., Drgonová, J., Kapteyn, J.C., Klis, F.M. and Cabib, E. 1997. Architecture of the yeast cell wall. Beta(1-->6)-glucan interconnects mannoprotein, beta(1-->)3-glucan, and chitin. *J. Biol. Chem.* 272, 17762-17775.
- Komiyama, T., Shirai, T., Ohta, T., Urakami, H., Furuichi, Y., Ohta, Y. and Tsukada, Y. 1998. Action properties of HY1 killer toxin from *Williopsis saturnus* var. *saturnus* and antibiotics, aculeacin A and papulacandin B. *Biol. Pharm. Bull.* 21, 1013-1019.
- Koo, J.C., Lee, S.Y., Chun, H.J., Cheong, Y.H., Choi, J.S., Kawabata, S., Miyagi, M., Tsunasawa, S., Ha, K.S., Bae, D.W., Han, C.D., Lee, B.L. and Cho, M.J. 1998. Two hevein homologs isolated from the seed of *Pharbitis nil* L. exhibit potent antifungal activity. *Biochim. Biophys. Acta* 1382, 80-90.
- Kozlowski, T.T. and Pallardy, S.G. 1997. *Physiology of woody plants*. 2nd ed., Academic Press, New York.
- Kurtz, M.B. Kirsch, D.R. and Kelly, R. 1988. The molecular genetics of *Candida albicans*. *Microbiol. Sci.* 5, 58-63.
- Kurtz, M.B., Kelly, R. and Kirsch, D.R. 1990. Molecular genetics of *Candida albicans*. In: Kirsch, D.R., Kelly, R. and Kurtz, M.B. (eds.), *The genetics of Candida*. pp. 21-74. Boca Raton: CRC Press, Inc.
- Kush, A., Goyvaerts, E., Chye, M.L. and Chua, N.H. 1990. Laticifer-specific gene expression in *Hevea brasiliensis* (rubber tree). *Proc. Natl. Acad. Sci.* 87, 1787-1790.
- Kush, A. 1994. Isoprenoid biosynthesis: the *Hevea* factory! *Plant physiol. Biochem.* 32, 761-767.
- Lacadena, J., Martinez del Poxo, A., Gasset, M., Patino, B., Campos-Olivas, R., Vazquez, C., Martinez-Ruiz, A., Mancheno, J.M., Onaderra, M. and Gavilanes, J.G. 1995. Characterization of the antifungal protein secreted by the mould *Aspergillus giganteus*. *Arch. Biochem. Biphys.* 324, 273-281.
- Laemmli, U.K. 1970. Cleavage of structural proteins during the assembly of the head of bacteriophage T4. *Nature* 277, 680-685.

- Lamberty, M., Ades, S., Uttenweiler-Joseph, S., Brookhart, G., Bushey, D., Hoffmann, J.A. and Bulet, P. 1999. Insect immunity. Isolation from the lepidopteran *Heliothis virescens* of a novel insect defensin with potent antifungal activity. *J. Biol. Chem.* 274, 9320-9326.
- Lampen, J.O. 1966. Interference by polyenic antifungal antibiotics (especially nystatin and filipin) with specific membrane functions. *Symp. Soc. General Microbiol.* 16, 111-130.
- Landon, C., Sodano, P., Hetru, C., Hoffmann, J. and Ptak, M. 1997. Solution structure of drosomycin, the first inducible antifungal protein from insects. *Protein Sci.* 6, 1878-1884.
- Landon, C., Pajon, A., Vovelle, F. and Sodano, P. 2000. The active site of drosomycin, a small insect antifungal protein, delineated by comparison with the modeled structure of Rs-AFP2, a plant antifungal protein. *J. Pept. Res.* 56, 231-238.
- Lau, C.M., Gomez, J.B., Subramaniam, A. 1986. An electron microscopy study of the epoxidation of natural rubber particles. In: *Proc. Int. Rubb. Conf. Vol. 2.* pp. 525-529. Kuala Lumpur: RRIM.
- Lee, H.I., Broekaert, W.F. and Raikhel, N.V. 1991. Co- and post-translational processing of the hevein preproprotein of latex of the rubber tree (*Hevea brasiliensis*). *J. Biol. Chem.* 266, 15944-15948.
- Lee, S.Y., Moon, J.H., Kurata, S., Natori, S. and Lee, B.L. 1995. Purification and cDNA cloning of an antifungal protein from the hemolymph of *holotrichia diomphalia* larvae. *Biol. Pharm. Bull.* 18, 1049-1052.
- Lee, Y.J., Chung, T.J., Park, C.W., Hahn, Y., Chung, J.H., Lee, B.L., Han, D.M., Jung, Y.H., Kim, S. and Lee, Y. 1996. Structure and expression of the tenecin 3 gene in *Tenebrio molitor*. *Biochem. Biophys. Res. Commun.* 218, 6-11.
- Lee K.M., Kim, D.H., Lee, Y.H., Choi, B.S., Chung, J.H. and Lee, B.L. 1999. Antifungal activities of recombinant antifungal protein by conjugation with polyethylene glycol. *Mol. Cells* 9, 410-416.
- Lee, Y.T., Kim, K.H., Suh, J.Y., Chung, J.H., Lee, B.L., Lee, Y. and Choi, B.S. 1999. Structural characteristics of tenecin 3, an insect antifungal protein. *Biochem. Mol. Biol. Int.* 47, 369-376.

- Lerner, D.R. and Raikhel, N.V. 1989. Cloning and characterization of root-specific barley lectin. *Plant physiol.* 91, 124-129.
- Levitz, S. 1992. Overview of host defenses in fungal infections. *Clin. Infect. Dis.* 14, 37-42.
- Light, D.R. and Dennis, M.S. 1989. Purification of prenyltransferase that elongates cis-polyisoprene rubber from the latex of *Hevea brasiliensis*. *J. Biol. Chem.* 264, 18589-18597.
- Lin, Y.H. and Lu, C.L. 1994. Latex trypsin inhibitors of sweet potato (*Ipomoea batatas* Lam.). *Bot. Bull. Acad. Sin.* 35, 153-159.
- Lyman, C.A. and Walsh, T.J. 1992. Systemically administered antifungal agents: a review of their clinical pharmacology and therapeutic applications. *Drugs* 44, 9-35.
- Lynen, F. 1969. Biochemical problems of rubber synthesis. *J. Rubb. Res. Inst. Malaya* 21, 389-406.
- Lynn, K.R. and Clevette-Radford, N.A. 1986. Isolation and characterization of proteases from *Euphorbia lactea* and *Euphorbia lactea cristata*. *Phytochemistry* 25, 807-810.
- Lynn, K.R. and Clevette-Radford, N.A. 1987a. Acid phosphatases from latices of Euphorbiaceae. *Phytochemistry* 26, 655-657.
- Magee, P.T. 1997. Which came first, the hypha or the yeast? *Science* 277, 52-53.
- Masuoka, J. and Hazen, K.C. 1997. Cell wall protein mannosylation determines *Candida albicans* cell surface hydrophobicity. *Microbiology* 143, 3015-3021.
- McMullen, A.I. and McSweeney, G.P. 1966. Biosynthesis of rubber. *Biochem. J.* 101, 42-47.
- Moir, G.F.J. 1959. Ultracentrifugation and staining of *Hevea* latex. *Nature* 184, 1626-1628.
- Molano, J., Bowers, B. and Cabib, E. 1980. Distribution of chitin in the yeast cell wall. An ultrastructural and chemical study. *J. Cell Biol.* 85, 199-212.
- Money, N.P. 1990. Measurement of pore size in hyphal cell wall of Achyla bisexualis. *Exp. Mycol.* 14, 234-242.
- Moody, J.A. 1992. Synergism testing: broth microdilution checkerboard and broth macrodilution methods. In: Isenberg, H. D. (ed.). *Clinical microbiology procedures handbook*. p.5.18.1-5.18.28. American Society for Microbiology, Washington, D.C.
- Moulin-Traffort, J., Giordani, R. and Regli, P. 1990. Antifungal action of latex saps from *Lactuca sativa* L. and *Asclepias curassavica* L. *Mycoses* 33, 383-392.

- National Committee for Clinical Laboratory Standards. Reference method for broth dilution antifungal susceptibility testing of yeasts: Approved Standard, 1997. NCCLS document M27-A. Wayne, Pa, National Committee for Clinical Laboratory Standards.
- Odds, F.C. 1988. *Candida and Candidosis, a review and bibliography*, 2nd edn. London: Baillière Tindall, London, United Kingdom.
- Odds, F.C. 1994. *Candida* species and virulence. *ASM News* 60, 313-318.
- Oh, S.K., Kang, H., Shin, D.H., Yang, J., Chow, K.S., Yeang, H.Y., Wagner, B., Breiteneder, H. and Han, K.H. 1999. Isolation, characterization, and functional analysis of a novel cDNA clone encoding a small rubber particle protein from *Hevea brasiliensis*. *J. Biol. Chem.* 274, 17132-17138.
- Oksala, E. 1990. Factors predisposing to oral yeast infections. *Acta Odontol. Scand.* 48, 71-74.
- Ostoia-Saloma, P., Carrero, J.C., Petrossian, P., Herion, P., Landa, A. and Laclette, J.P. 2000. Cloning, characterization and functional expression of a cyclophilin of *Entamoeba histolytica*. *Mol. Biochem. Parasitol.* 107, 219-225.
- Pakianathan, S.W., Tata, S.J. and Chon, L.F. 1992. Certain aspects of physiology and biochemistry of latex production, In: Sethuraj, M.R. and Mathew, N.M. (eds.). *Developments in Crop Science, Natural Rubber: Biology, Cultivation and Technology*. Vol. 23. pp. 298-323. The Netherlands: Elsevier.
- Peña-Cortés, H., Fisahn, J. and Willmitzer, L. 1995. Signals involved in wound-induced proteinase inhibitor II gene expression in tomato and potato plants. *Proc. Natl. Acad. Sci. USA* 92, 4106-4113.
- Pfaller, M. and Wenzel, R. 1992. Impact of the changing epidemiology of fungal infections in the 1990's. *Eur. J. Clin. Microbiol. Dis.* 11, 287-291.
- Philpott, M.W. and Wesgarth, D.R. 1953. Stability and mineral composition of *Hevea* latex. *J. Rubb. Res. Inst. Malaya* 14, 133-148.
- Pichová, I., Pavličková, L., Dostál, J., Dolejší, E., Hrušková-Heidingsfeldová, O., Weber, J., Rumí, T. and Souček, M. 2001. Secreted aspartic proteases of *Candida albicans*, *Candida tropicalis*, *Candida parapsilosis* and *Candida lusitaniae*. *Eur. J. Biochem.* 268, 2669-2677.

- Premakumari, D. and Panikka, A.O.N. 1992. Anatomy and ultracytology of latex vessels. In: Sethuraj, M.R., Mathew, N.M. (eds.). *Development in Crop Science, Natural Rubber: Biology, Cultivation and Technology*, vol.23: pp. 67-87. Elsevier, The Netherlands.
- Raikhel, N.V. and Wilkins, T.A. 1987. Isolation and characterization of a cDNA clone encoding wheat germ agglutinin. *Proc. Natl. Acad. Sci. USA* 84, 6745-6749.
- Reiss, E. 1993. Immunochemistry of fungal antigens (part B): opportunistic pathogens. In Murphy, J.W., Friedman, H. and Bendinelli, M. (eds.), *Fungal infections and immune responses*. pp. 439-468. New York. Plenum Press.
- Roberts, W.K. and Selitrennikoff, C.P. 1990. Zeamatin, an antifungal protein from maize with membrane-permeabilizing activity. *J. Gen. Microbiol.* 136, 1771-1778.
- Rojas, E., Llinas, P., Rodríguez-Romero, A., Hernández, C., Linares, M., Zenteno, E. and Lascurain, R. 2001. Hevein, an allergenic lectin from rubber latex, activates human neutrophils' oxidative burst. *Glycoconj. J.* 18, 339-345.
- Rotrosen, D., Calderone, R.A. and Edwards, J.E. Jr. 1986. Adherence of *Candida* species to host tissues and plastic surfaces. *Rev. Infect. Dis.* 8, 73-85.
- Ruiz-Herrera, J. 1992. *Fungal cell wall: structure, synthesis and assembly*. Boca Raton: CRC Press, Inc.
- Sanglard, D., Ischer, F., Parkinson, T., Falconer, D. and Bille, J. 2003. *Candida albicans* mutations in the ergosterol biosynthetic pathway and resistance to several antifungal agents. *Antimicrob. Agents Chemother.* 47, 2404-2412.
- Schägger, H. and von Jagow, G. 1987. Tricine-sodium dodecyl sulfate-polyacrylamide gel electrophoresis for the separation of proteins in the range from 1 to 100 kDa. *Anal. Biochem.* 166, 368-379.
- Scherer, S. and Magee, P.T. 1990. Genetics of *Candida albicans*. *Microbiol. Rev.* 54, 226-241.
- Schlumbaum, A., Mauch, F., Vogeli, U. and Boller, T. 1986. Plant chitinases are potent inhibitors of fungal growth. *Nature* 324, 365-367.
- Scopes, R.K. 1994. *Protein purification: principles and practice*. 3rd ed., pp. 347-348. New Delhi: Narosa.

- Scully, C., El-Kabir, M. and Samaranayake, L.P. 1994. *Candida* and oral candidosis: a review. *Crit. Rev. Oral Biol. Med.* 5, 125-157.
- Segura, A., Moreno, M. and Garcia-Olmedo, F. 1993. Purification and antipathogenic activity of lipid transfer proteins (LPTS) from the leaves of *Arabidopsis* and spinach. *FEBS Lett.* 332, 243-246.
- Segura, A., Moreno, M., Madueno, F., Molina, A. and Garcia-Olmedo, F. 1999. Snakin-1, a peptide from potato that is active against plant pathogens. *Mol. Plant Microbe Interact.* 12, 16-23.
- Selitrennikoff, C.P. 2001. Antifungal proteins. *Appl. Environ. Microbiol.* 67, 2883-2894.
- Sentandreu, R., Mormeneo, S. and Ruiz-Herrera, J. 1994. Biogenesis of the fungal cell wall. In: Wessels, J.G.H. and Meinhardt, F. (eds.), *The mycota I: growth, differentiation and sexuality*. pp. 111-124. Berlin, Germany. Springer-Verlag KG.
- Shepherd, M.G. 1986. The pathogenesis and host defence mechanisms of oral candidosis. *New Zealand Dent. J.* 82, 78-81.
- Sherief, P.M. and Sethuraj, M.R. 1978. The role of lipids and proteins in the mechanism of latex vessel plugging in *Hevea brasiliensis*. *Physiologia Plantarum* 42, 351-355.
- Singh, A.P., Wi, S.G., Chung, G.C., Kim, Y.S. and Kang, H. 2003. Micromorphological and protein characterization of rubber particle in *Ficus carica*, *Ficus benghalensis* and *Hevea brasiliensis*. *J. Exp. Bot.* 54, 985-992.
- Skrbec, D., Romeo, D. 2002. Inhibition of *Candida albicans* secreted aspartic protease by a novel series of peptidomimetics, also active on the HIV-1 protease. *Biochem. Biophys. Res. Commun.* 297, 1350-1353.
- Soedjanaatmadja, U.M.S., Hofsteenge, J., Jeronimus-Stratingh, C.M., Bruins, A.P. and Beinteman, J.J. 1994. Demonstration by mass spectrometry that pseudo-hevein and hevein have ragged C-terminal sequences. *Biochim. Biophys. Acta* 1209, 144-148.
- Southorn, W.A. 1961. Microscopy of *Hevea* latex. In: *Proc. Nat. Rubb. Inst. Conf. 1960*. pp. 766-776. Kuala Lumpur: RRIM.
- Southorn, W.A. and Yip, E. 1968. Latex flow studies III. Electrostatic considerations in colloidal stability of fresh *Hevea* latex. *J. Rubb. Res. Inst. Malaya* 20, 210-215.

- Southorn, W.A. 1969. Physiology of *Hevea* latex flow. *J. Rubb. Res. Inst. Malaya* 21, 494-512.
- Sritanyarat, W., Pearce, G., Siems, W.F., Ryan, C.A., Wititsuwannakul, R., Wititsuwannakul, D. 2006. Isolation and characterization of isoinhibitors of the potato protease inhibitor I family from the latex of the rubber trees, *Hevea brasiliensis*. *Phytochemistry* 67, 1644-1650.
- Stevens, D.A., Kan, V.L., Judson, M.A., Morrison, V.A., Dummer, S., Denning, D.W., Bennett, J.E., Walsh, T.J., Patterson, T.F. and Pankey, G.A. 2000. Practice guidelines for diseases caused by *Aspergillus*. *Clin. Infect. Dis.* 30, 696-709.
- Stintzi, A., Heitz, T., Plasad, V., Wiedemann-Merdinoglu, S., Kauffman, S., Geoffroy, P., Legrand, M. and Fritig, B. 1993. Plant "pathogenesis-related" proteins and their role in defense against pathogens. *Biochimie*. 75, 687-706.
- Stoldt, V.R., Sonneborn, A., Leuker, C.E. and Ernst, J.F. 1997. Efg1p, an essential regulator of morphogenesis of the human pathogen *Candida albicans*, is a member of a conserved class of bHLH proteins regulating morphogenetic processes in fungi. *EMBO J.* 16, 1982-1991.
- Subramaniam, A. 1976. Molecular weight and other properties of natural rubber: a study of clonal variation. In: *Proc. Int. Rubber Conf.* 1975. pp. 3-11. Kuala Lumpur: RRIM.
- Surarit, R., Gopal, P.K. and Shepherd, M.G. 1988. Evidence for a glycosidic linkage between chitin and glucan in the cell wall of *Candida albicans*. *J. Gen. Microbiol.* 134, 1723-1730.
- Tata, S.J. 1975. Hevein: its isolation, purification and some structural aspects. In: *Proc. Int. Rubber Conference, Kuala Lumpur, vol II*, pp. 499-517. Rubber Res. Inst. Malaysia, Kuala Lumpur.
- Thevissen, K., Ghazi, A., De Samblanx, G.W., Brownlee, C., Osborn, R.W. and Broekaert, W.F. 1996. Fungal membrane responses induced by plant defensins and thionins. *J. Biol. Chem.* 271, 15018-15025.
- Tronchin, G., Bouchara, J.P., Robert, R. and Senet, J.M. 1988. Adherence of *Candida albicans* germ tubes to plastic: ultrastructural and molecular studies of fibrillar adhesins. *Infect. Immun.* 56, 1987-1993.

- Van den Tempel, M. 1952. Electron microscopy of rubber globules in *Hevea* latex. *Trans. Instn. Rubb. Ind.* 28, 303-308.
- Van Parijs, J., Broekaert, W.F., Goldstein, I.J. and Peumans, W.J. 1991. Hevein: an antifungal protein from rubber-tree (*Hevea brasiliensis*) latex. *Planta* 183, 258-264.
- Van Loon, L.C. and Van Strien E.A. 1999. The families of pathogenesis-related proteins, their activities, and comparative analysis of PR-1 type proteins. *Physiol. Mol. Plant Pathol.* 55, 85-97.
- Vehaar, G. 1959. Natural latex as a colloidal system. *Rubber Chem. Technol.* 32, 1622-1627.
- Vicher, W. 1923. Über die Konstanz anatomischer und physiologischer Eigenschaften von *Hevea brasiliensis* Müller Arg. (Euphorbiaceae). *Verh. Naturforsch. Ges. Basel.* 35, 174-185.
- Walujono, K., Scholma, R.A., Beintema, J.J., Mariono, A. and Hahn, A.M. 1975. Amino acid sequence of hevein. In: *Proc. Int. Rubber Conference*, Kuala Lumpur, Vol II, pp. 518-531. Rubber Res. Inst. Malaysia, Kuala Lumpur.
- Webster, C.C. and Baulkwil, W.J. 1989. *Rubber*. 1st ed. Singapore: Longman Scientific & Technical.
- Wei, G.X. and Bobek, L.A. 2005. Human salivary mucin MUC7 12-mer-L and 12-mer-D peptides: antifungal activity in saliva, enhancement of activity with protease inhibitor cocktail or EDTA, and cytotoxicity to human cells. *Antimicrob. Agents Chemother.* 49, 2336-2342.
- Wilkins, T.A. and Raikhel, N.V. 1989. Expression of rice lectin is governed by two temporally and spatially regulated mRNAs in developing embryos. *Plant cell* 1, 541-549.
- Wititsuwannakul, D. and Wititsuwannakul, R. 2001. Biochemistry of natural rubber and structure of latex. In: Steinbuchel, A. (ed.), *Biopolymers*, Vol. 2, pp. 151-201. Germany: Wiley-VCH.
- Wititsuwannakul, D., Chareonthiphakorn, N., Mario, P. and Wititsuwannakul, R. 2002. Polyphenol oxidases from latex of *Hevea brasiliensis*: purification and characterization. *Phytochemistry* 61, 115-121.

- Wititsuwaannakul, D., Rattanapittayaporn, A., Koyama, T. and Wititsuwaannakul, R. 2004. Involvement of *Hevea* latex organelle membrane proteins in the rubber biosynthesis activity and regulatory function. *Macromol. Biosci.* 4, 314-323.
- Wititsuwanakul, R., Pasitkul, P., Kanokwiroon, K. and Wititsuwanakul, D. 2007. A role for a *Hevea* latex lectin-like protein in mediating rubber particle aggregation and latex coagulation. *Phytochemistry*, doi:10.1016/j.phytochem.2007.08.019.
- Wititsuwanakul, R., Rukseree, K., Kanokwiroon, K. and Wititsuwanakul, D. 2007. A rubber particle protein specific for *Hevea* latex lectin binding involved in latex coagulation. *Phytochemistry*, revised.
- Wojtaszek, P. 1997. Oxidative burst: an early plant response to pathogen infection [review]. *Biochem. J.* 322, 681-692.
- Wright, C.S., Garilanes, F. and Peterson, D.L. 1984. Primary structure of wheat germ agglutinin isolectin 2. Peptide order deduced from x-ray structure. *Biochemistry* 23, 280-287.
- Xiuqian, Z.S. 1987. The significance of the structure of laticifer with relation to the exudation of latex in *Hevea brasiliensis*. *J. Nat. Rubb. Res.* 2, 94-98.
- Ye, X.Y. and Ng, T.B. 2000. Mungin, a novel cyclophilin-like antifungal protein from the mung bean. *Biochem. Biophys. Res. Commun.* 273, 1111-1115.
- Yeang, H.Y., Yip, E. and Hamzah, S., 1995. Characterization of zone 1 and zone 2 rubber particles in *Hevea brasiliensis* latex. *J. Nat. Rubb. Res.* 10, 108–123.
- Yeang, H.Y., Yusof, F. and Abdullah, L. 1995. Precipitation of *Hevea brasiliensis* latex proteins with trichloroacetic acid and phosphotungstic acid in preparation for the Lowry protein assay. *Anal. Biochem.* 226, 35-43.
- Yeang, H.Y., Cheong, K.F., Sunderasan, E., Hamzah, S., Chew, N.P., Hamid, S., Hamilton, R.G. and Cardosa, M.J. 1996. The 14.6 kd rubber elongation factor (Hev b1) and 24 kd (Hev b3) rubber particle proteins are recognized by IgE from patients with spina bifida and latex allergy. *J. Allergy Clin. Immunol.* 98, 628-639.
- Yeang, H.Y., Ward, M.A., Zamri, A.S.M., Dennis, M.S. and Light, D.R. 1998. Amino acid sequence similarity of Hev b 3 to two previously reported 27- and 23-kDa latex proteins allergenic to spina bifida patients. *Allergy* 53, 513-519.

- Yip, E. and Gomez, J.B. 1984. Characterization of cell sap of *Hevea* and its influence on cessation of latex flow. *J. Rubb. Res. Inst. Malaya* 32, 1-19.
- Yu, L., Lee, K.K., Ens, K., Doig, P.C., Carpenter, M.R., Staddon, W., Hodges, R.S., Paranchych, W. and Irvin, R.T. 1994. Partial characterization of a *Candida albicans* fimbrial adhesin. *Infect. Immun.* 62, 2834-2842.
- Yu, L., Lee, K.K., Hodges, R.S., Paranchych, W. and Irvin, R.T. 1994. Adherence of *Pseudomonas aeruginosa* and *Candida albicans* to glycosphingolipid (asialo-GM1) receptors is achieved by a conserved receptor-binding domain present on their adhesins. *Infect. Immun.* 62, 5213-5219.
- Zhang, G.P., Shi, Y.L., Wang, W.P. and Liu, W.Y. 1999. Cation channel formed at lipid bilayer by Cinnamomin, a new type II ribosome-inactivating protein. *Toxicon* 37, 1313-1322.