### **Contents**

	Page
Contents	Viii
List of Tables	ix
List of Figures	X
List of Abbreviations and Symbols	xii
Chapter	
1. Introduction	1
Review of Literatures	3
Objectives	37
2. Materials and Methods	38
Materials	38
Methods	39
3. Results	55
4. Discussion	102
5. Conclusions	108
References	109
Vitae	128

## **List of Tables**

Tal	ble	Page
1	Recommended classifications of pathogenesis-related proteins (PRs)	19
2	The amount of acetone to be added to the solution	42
3	Composition of reagents for SDS-PAGE	50
4	Composition of reagents for Tricine-SDS-PAGE	52
5	Screening of a crude 60-80% acetone fraction from the <i>H. brasiliensis</i> against	58
	various potential microbial pathogens of the oral cavity and respiratory tract	
6	Antifungal activity of 60-80% acetone precipitates against C. albicans	59
7	Amino acid composition of hevein and the purified antifungal protein	65
8	Purification of antimicrobial protein (hevein)	66
9	Inhibition effect of chitotriose on the antifungal activity of hevein	76
10	Enhancing affects of small rubber particles (SRP) and small rubber particle proteins	82
	(SRPP) in combination with amphoteric B against C. albicans ATCC 10231	
11	Enhancing affect on antifungal activity of SRPP combined with amphotericin B	84
	(AMB) against Candida spp.	
12	Effect of different SRPP fractions on the aggregation of C. albicans ATCC 10231	87
13	Peptide sequences, amino acid compositions and calculated experimental and	92
	theoretical masses of tryptic 14 kDa-derived peptides.	
14	Peptide sequences, amino acid compositions and calculated experimental and	96
	theoretical masses of tryptic 24 kDa-derived peptides.	
15	Enhancing effect of the trypsinized SRPP on the antifungal activity of AMB against	99
	C. albicans ATCC 90028	
16	MIC <sub>80</sub> values of AMB against C. albicans ATCC 10231 with and without trypsinized	10
	SRPP proteolipid fractions	

# **List of Figures**

Fiş	Figure	
1	Mature bark of <i>Hevea brasiliensis</i> (a three dimensional view)	5
2	General organization of Hevea brasiliensis bark at tapping cut level	7
3	Ultracentrifuged freshly collected latex	15
4	Cell wall structure	30
5	Structures of representative antifungal agents	33
6	Schematic representation of the interaction between amphotericin B and cholesterol	36
	in a phospholipids bilayer	
7	Antifungal activity in protein fractions of acetone precipitated proteins of B-serum	57
8	Chromatographic profile of hevein from DEAE Sepharose Fast Flow column	61
	chromatography	
9	Analysis of proteins by 12% SDS-PAGE	62
10	Mass spectrum analysis of purified antifungal protein by MALDI-TOF mass	63
	spectrometer	
11	N-terminal sequencing analysis of purified hevein	64
12	Thermal stability of hevein-antifungal protein	68
13	pH stability of hevein-antifungal protein	70
14	Anti-Candida activity of purified hevein	72
15	Growth inhibition (clear zone) of hevein	74
16	Effect of Ca <sup>2+</sup> on <i>C. tropicalis</i> ATCC 750 aggregation induced by hevein	78
17	Effect of EDTA on C. tropicalis ATCC 750 aggregation induced by hevein	79
18	Yeast cells aggregation by small rubber particle (SRP)	80
19	Yeast cells aggregation by small rubber particle proteins (SRPP)	86
20	Agglutination of SRPP against C. albicans ATCC 10231	88
21	Tricine SDS-PAGE (16.5% gel) of rubber particle bound proteins from rubber zone	89
22	Glycoprotein staining of SRPP	90

## **List of Figures (Continued)**

Fiş	Figure	
23	The 14 kDa tryptic digest mass spectrum from peptide mass fingerprinting analysis by	93
	MALDI -TOF mass spectrometer	
24	The amino acid sequence and their tryptic cleavage site of the 14 kDa (REF)	94
25	The 24 kDa tryptic digest mass spectrum from peptide mass fingerprinting analysis by	95
	MALDI -TOF mass spectrometer	
26	The amino acid sequence and tryptic cleavage site of the 24 kDa-SRPP	97
27	Tricine SDS-PAGE (16.5% gel) of trypsinized SRPP	100

#### **List of Abbreviations and Symbols**

 $\mathring{A}$  = angstrom, a unit of length equal to  $10^{-8}$  cm

 $A_{280}$  = absorbance at the wavelength of 280 nm

 $A_{620}$  = absorbance at the wavelength of 620 nm

ACN = acetonitrile

AIDS = acquired immune deficiency syndrome

AMB = amphotericin B

ATCC = American Type Culture Collection

BF = bottom fraction

BFM = bottom fraction membrane

BSA = bovine serum albumin

°C = degree Celsius

ca = circa (about)

 $Ca^{2+}$  = calcium ion

CaCl, = calcium chloride

CAPS = 3-[cyclohexylamino]-1-propanesulfonic acid

CBB = calcium binding buffer

cDNA = complementary deoxyribonucleic acid

CFU/ml = Colony Forming Unit/milliliter

cm = centimeter

Da = Dalton

DDI = deionized water

DEAE = diethylaminoethyl

DMSO = dimethyl sulfoxide

DNA = deoxyribonucleic acid

DPH = 1,6-diphenyl-1,3,5-hexatriene

DTT = dithiothreitol

EDTA = Ethylenediamine-tetraacetic acid disodium salt-2-hydrate

#### List of Abbreviations and Symbols (Continued)

FLU = fluconazole

FW = Frey Wyssling

GlcNAc = N-acetyl-D-glucosamine

GPI = glycosyl phosphatidylinositol

h = hour

HCl = hydrochloric acid

HCCA = alpha cyano-4-hydroxycinnamic acid

HPI = Hevea protease inhibitor

HR = hypersensitive response

ITRA = itraconazole

K<sup>+</sup> = potassium ion

kDa = kilodalton

L = liter

LMW = low molecular weight

LTPs = lipid-transfer proteins

 $M = molar, mol L^{-1}$ 

 $M_r$  = relative molecular mass

mA = milliampere

MAbs = monoclonal antibodies

MALDI-TOF = matrix-assisted laser desorption and ionization with time of flight

 $Mg^{2+}$  = magnesium ion

mg = milligram

mg/ml = milligram/milliliter

 $MgSO_4$  = magnesium sulfate

MIC = minimal inhibitory concentration

min = minute

ml = milliliter

#### **List of Abbreviations and Symbols (Continued)**

mm = millimeter

mm<sup>2</sup> = square millimeter

mM = millimolar

MOPS = morpholinepropanesulfonic acid

MS = mass spectrometry

MW = molecular weight

 $N_2$  = nitrogen gas

NaCl = sodium chloride

NaH<sub>2</sub>PO<sub>4</sub>·2H<sub>2</sub>O = monosodium dihydrogen orthophosphate dihydrate

Na<sub>2</sub>HPO<sub>4</sub>·2H<sub>2</sub>O = disodium hydrogen orthophosphate dehydrate

NCCLS = National Committee for Clinical Laboratory Standards

ng = nanogram

 $ng/\mu l$  = nanogram/microliter

 $NH_4HCO_3$  = ammonium bicarbonate

nm = nanometer

OD = optical density

PBS = phosphate buffer saline

pH = potentia hydrogenium

PMF = peptide mass fingerprints

PR = pathogenesis-related

REF = rubber elongation factor

RIPs = ribosome-inactivating proteins

RNA = ribonucleic acid

rRNA = ribosomal ribonucleic acid

RP = rubber particle

RRIM = Rubber Research Institution of Malaysia

SA = salicylic acid

#### **List of Abbreviations and Symbols (Continued)**

SAR = systemic acquired resistance

SDA = Sabouraud dextrose agar

SDS = sodium dodecyl (lauryl) sulfate

SDS-PAGE = sodium dodecyl (lauryl) sulfate-polyacrylamide gel electrophoresis

SISA = simple interactive statistical analysis

spp. = species

SRP = small rubber particle

SRPP = small rubber particle protein

std = standard

TBS = Tris-buffer saline

TEMED = N,N,N'N'-tetramethylethylenediamine

TERB = terbinafine

TFA = Trifluoroacetic acid

Tris = Tris (hydroxymethyl) aminomethane

U.S. = United States

VOR = voriconazole

v/v = volume/volume

w/v = weight/volume

YEPG = yeast extract-peptone-glucose medium

 $\mu g/ml$  = microgram per milliliter

μl = microliter

 $\mu m = micrometer$ 

 $\mu M = micromolar$ 

o = degree

% = percentage

x g = gravitation acceleration

 $\pm$  = plus or minus