

Contents

	Page
บทคัดย่อ	(iii)
Abstract	(iv)
Acknowledgement	(v)
Contents	(vi)
List of Tables	(viii)
List of Figures	(x)
1. Introduction	1
Introduction	1
Review of Literatures	3
Objectives	45
2. Methods of study	46
Materials	46
Instruments	46
Methods	47
Preparation of undoped TiO ₂ and trivalent (Al, B)-doped TiO ₂	48
Characterization of undoped TiO ₂ and trivalent (Al, B)-doped TiO ₂	53
Photocatalytic activities of methylene blue (MB) by undoped TiO ₂ and trivalent (Al, B)-doped TiO ₂	55
3. Results	56
Synthesis and characterization of titanium dioxides	56
Photocatalytic activities of methylene blue (MB) by undoped TiO ₂ , comercial P25-TiO ₂ , and trivalent (Al,B)-doped TiO ₂	138
4. Discussions	199
Synthesis of titanium dioxides	199
Characterization of titanium dioxides	201

Contents (Continued)

	Page
Photocatalytic activities of methylene blue (MB) by undoped TiO ₂ and trivalent (Al, B)-doped TiO ₂	221
5. Summary	230
References	233
Vitae	244

List of Tables

Table	Page
1 Properties of titanium	2
2 X-ray data on TiO ₂ modifications	5
3 Properties of the three modifications of titanium dioxide	6
4 Structure and UV-Vis absorption characteristics of methylene blue and its common reduced and oxidised forms	33
5 Photophysical properties of methylene blue	34
6 The crystalline phase of Al-doped TiO ₂ samples	62
7 The crystalline phase of B-doped TiO ₂ samples	63
8 The crystallite size of Al-doped TiO ₂ samples	64
9 The crystallite size of B-doped TiO ₂ samples	65
10 The content of anatase and rutile crystalline in Al-doped TiO ₂ samples	67
11 The content of anatase and rutile crystalline in B-doped TiO ₂ samples	68
12 Surface area of undoped TiO ₂ , P25-TiO ₂ , and Al-doped TiO ₂ samples	71
13 Surface area of undoped TiO ₂ , P25-TiO ₂ , and B-doped TiO ₂ samples	72
14 Porosity of undoped TiO ₂ , P25-TiO ₂ , and A-doped TiO ₂ samples	73
15 Porosity of undoped TiO ₂ , P25-TiO ₂ , and B-doped TiO ₂ samples	74
16 Assignment of the FT-IR bands of all Al-doped TiO ₂ samples	93
17 Assignment of the FT-IR bands of all B-doped TiO ₂ samples	96
18 The data of weight loss of Al-doped TiO ₂ samples	102
19 The data of weight loss of B-doped TiO ₂ samples	104
20 The onset of absorption and band gap energy of Al-doped TiO ₂ samples	122
21 The onset of absorption and band gap energy of B-doped TiO ₂ samples	123
22 Band gap energy from direct and indirect method of Al-doped TiO ₂ samples	132
23 Band gap energy from direct and indirect method of B-doped TiO ₂ samples	133
24 Phase of these trivalent (Al, B)-doped TiO ₂ samples by adding synthesis additives	206

List of Tables (Continued)

Table	Page
25 IUPAC classification of the pore	208
26 The isotherm type and porosity type of Al-doped TiO ₂ samples	210
27 The isotherm type and porosity type of B-doped TiO ₂ samples	211
28 The relative remained of MB solution C/C_0 as a time of adsorption (1 h) for Al-doped TiO ₂ samples	222
29 The relative remained of MB solution C/C_0 as a time of adsorption (1 h) for B-doped TiO ₂ samples	223
30 The amount of MB molecule adsorbed on the surface of Al-doped TiO ₂ samples (At 656 nm)	224
31 The amount of MB molecule adsorbed on the surface of B-doped TiO ₂ samples (At 656 nm)	225
32 The percentage degradation of MB under irradiation time (3 h) for Al-doped TiO ₂ samples (including adsorption)	226
33 The percentage degradation of MB under irradiation time (3 h) for B-doped TiO ₂ samples (including adsorption)	227

List of Figures

Figure	Page
1 Crystal structure of TiO ₂ , (a) Anatase, (b) Rutile, (c) Brookite	4
2 TiO ₂ pigment manufactured by the sulfate process	7
3 TiO ₂ pigment manufactured by the chloride process	7
4 An overview of products prepared by Sol-Gel methods.	10
5 The heterogeneous photocatalytic oxidation processes of titanium dioxide photocatalyst	30
6 The structure of methylene blue	32
7 UV-Vis absorption spectrum of MN aqueous solution (solid line) and the relative emitted light intensity (dotted line) for 8W blacklight bulb	35
8 Photocatalytic degradation pathway of methylene blue	38
9 Tautomeric forms of Acid Orange 7 in solution	41
10 Schematic presentation of the mechanisms of generation of oxidative species, following excitation of the AO-7/ TiO ₂ system with solar light	41
11 Photolysis mechanism of dye/visible light system	43
12 Dye photosensitization mechanism of TiO ₂ nanocrystallites.	43
13 Photosensitized photocatalysis mechanism of Ce ⁴⁺ -TiO ₂ sol System.	44
14 Interband photocatalysis mechanism of Ce ⁴⁺ -TiO ₂ nanocrystallites.	44
15 Flow chart of the preparation of undoped TiO ₂ powder by sol-gel method	50
16 Flow chart of the preparation of Al-doped TiO ₂ powder by sol-gel method	51
17 Flow chart of the preparation of B-doped TiO ₂ powder by sol-gel method	52
18 XRD patterns of Al-doped TiO ₂ samples which studying in various parameters : a) amount_ Al doped TiO ₂ , b) water_ Al doped TiO ₂ , c) acid_ Al doped TiO ₂ , and d) calcined_ Al doped TiO ₂ samples	59
19 XRD patterns of B-doped TiO ₂ samples which studying in various parameters : a) amount_ B doped TiO ₂ , b) water_ B doped TiO ₂ , c) acid_ B doped TiO ₂ , and d) calcined_ B doped TiO ₂ samples	61

List of Figures (Continued)

Figure	Page
20 Nitrogen adsorption isotherm of Al-doped TiO ₂ samples : a) amount_ Al doped TiO ₂ , b) water_ Al doped TiO ₂ , c) acid_ Al doped TiO ₂ , and d) calcined_ Al doped TiO ₂ samples.	76
21 Nitrogen adsorption isotherm of B-doped TiO ₂ samples : a) amount_ B doped TiO ₂ , b) water_ B doped TiO ₂ , c) acid_ B doped TiO ₂ , and d) calcined_ B doped TiO ₂ samples	77
22 t-plot of nitrogen adsorption isotherm of Al-doped TiO ₂ samples : a) amount_ Al doped TiO ₂ , b) water_ Al doped TiO ₂ , c) acid_ Al doped TiO ₂ , and d) calcined_ Al doped TiO ₂ samples	79
23 t-plot of nitrogen adsorption isotherm of B-doped TiO ₂ samples : a) amount_ B doped TiO ₂ , b) water_ B doped TiO ₂ , c) acid_ B doped TiO ₂ , and d) calcined_ B doped TiO ₂ samples	80
24 Pore size distribution curve of Al-doped TiO ₂ samples : a) amount_ Al doped TiO ₂ , b) water_ Al doped TiO ₂ , c) acid_ Al doped TiO ₂ , and d) calcined_ Al doped TiO ₂ samples	82
25 Pore size distribution curve of B-doped TiO ₂ samples : a) amount_ B doped TiO ₂ , b) water_ B doped TiO ₂ , c) acid_ B doped TiO ₂ , and d) calcined_ B doped TiO ₂ samples	83
26 FT-IR spectrum of Al-doped TiO ₂ samples in the range 4,000 – 400 cm ⁻¹	88
27 FT-IR spectrum of B-doped TiO ₂ samples in the range 4,000 – 400 cm ⁻¹	92
28 TGA curve of Al-doped TiO ₂ samples	100
29 TGA curve of B-doped TiO ₂ samples	101
30 DTA curve of Al-doped TiO ₂ samples	106
31 DTA curve of B-doped TiO ₂ samples	108
32 SEM image of Al-doped TiO ₂ samples	112
33 SEM image of B-doped TiO ₂ samples	116

List of Figures (Continued)

Figure	Page
34 TEM images of synthesized TiO ₂ samples (undoped TiO ₂ sample : 27a and 27b, Al-doped TiO ₂ sample : 27c and 27d and B-doped TiO ₂ sample : 27e and 27f)	118
35 The diffused UV-Vis absorption spectra of Al-doped TiO ₂ samples : a) amount_Al/TiO ₂ , b) water_Al/TiO ₂ , c) acid_Al/TiO ₂ and d) calcined_Al/TiO ₂ samples	120
36 The diffused UV-Vis absorption spectra of B-doped TiO ₂ samples : a) amount_B/TiO ₂ , b) water_B/TiO ₂ , c) acid_B/TiO ₂ and d) calcined_B/TiO ₂ samples	121
37 Plot of $(\alpha h\nu)^{1/2}$ versus E_{phot} for an indirect transition of Al-doped TiO ₂ samples. The band gap (E_g) are obtained by extrapolation to $\alpha = 0$.	126
38 Plot of $(\alpha h\nu)^{1/2}$ versus E_{phot} for an indirect transition of B-doped TiO ₂ samples. The band gap (E_g) are obtained by extrapolation to $\alpha = 0$.	128
39 Plot of $(\alpha h\nu)^2$ versus E_{phot} for a direct transition Al-doped TiO ₂ samples. The band gap (E_g) are obtained by extrapolation to $\alpha = 0$.	129
40 Plot of $(\alpha h\nu)^2$ versus E_{phot} for a direct transition of B-doped TiO ₂ samples. The band gap (E_g) are obtained by extrapolation to $\alpha = 0$.	131
41 XRF spectrum of Al-doped TiO ₂ sample	136
42 XRF spectrum of B-doped TiO ₂ sample	137
43 The absorbance of methylene blue in the concentration range of 1.0×10^{-4} M to 1.0×10^{-5} M.	138
44 The absorbance of methylene blue in the concentration range of 1.0×10^{-5} M to 1.0×10^{-6} M.	138
45 The absorbance of methylene blue in the concentration range of 1.0×10^{-6} M to 1.0×10^{-7} M.	139

List of Figures (Continued)

Figure	Page
46 The standard calibration curve of methylene blue in the concentration range of 1.0×10^{-4} M to 1.0×10^{-5} M.	139
47 The standard calibration curve of methylene blue in the concentration range of 1.0×10^{-5} M to 1.0×10^{-7} M.	140
48 The absorbance of methylene blue in the concentration range of 1.0×10^{-5} M to 1.0×10^{-7} M.	140
49 The UV-Vis spectral change of methylene blue in synthesized Al-doped TiO_2 samples suspension as a function of time of irradiation.	147
50 The UV-Vis spectral change of methylene blue in synthesized B-doped TiO_2 samples suspension as a function of time of irradiation.	155
51 The relative remained C/C_0 of methylene blue in synthesized Al-doped TiO_2 samples suspension as a function of time of irradiation.	175
52 The relative remained C/C_0 of methylene blue in synthesized B-doped TiO_2 samples suspension as a function of time of irradiation.	198
53 XRD patterns of the titania powders with various additives after being calcined at a) 900°C and b) 1200°C for 1 h.	203
54 IUPAC classification of adsorption isotherms	207
55 The structures proposed for the physisorbed water on TiO_2 surface	212
56 The SEM images of $\text{Al}_2\text{O}_3/\text{TiO}_2$ samples : a) $\text{Al}_2\text{O}_3/\text{TiO}_2$ sample from Lee et al., (2004), b) $\text{H}_2\text{SO}_4\text{-Al}/\text{TiO}_2$ sample (this work), c) $\text{Al}_2\text{O}_3/\text{TiO}_2$ sample from Zhang et al.,(2003), and d) $\text{H}_3\text{PO}_4\text{-Al}/\text{TiO}_2$ sample (this work).	215
57 SEM images of TiO_2 from the study of Yu et al., 2003	216
58 TEM images of rutile TiO_2 ; Wang et al., 2001 (a) tenuous fiber of rutile phase (b) : higher magnification of the dark area in (a).	217
59 TEM photos of TiO_2 ; a-c (Yang et al., 2002) and d-e (Seo et al., 2001).	218
60 Possible steps involved in MB degradation by TiO_2 photocatalyst	228