

BIBLIOGRAPHY

- A^ostrand, P.-O., Sommer-Larsen, P., Hvilsted S., Ramanujam, P. S., Bak, K.L. and Sauer, S. P. A. 2000. "Five-membered Rings as Diazo Components in Optical Data Storage Devices: an Ab Initio Investigation of the Lowest Singlet Excitation Energies", Chem. Phys. Lett. 325(2000), 115-119.
- Barf, G. A. and Sheldon, R. A. 1995. " Ruthenium(II) 2-(phenylazo)pyridine Complexes as Epoxidation Catalysts", J. Mol. Catal. A: Chemical. 98(1995), 143-147.
- Byabartta, P., Santra, P. K., Misra, T. K., Sinha, C. and Kennard, C. H. L. 2001. "Synthesis, Spectral Characterization, Redox Studies of Isomeric Dichloro-bis [1-alkyl-2-(naphthyl-(α/β)-azo)imidazole]ruthenium(II). Single Crystal X-ray Structure of Blue-green dichloro-bis-[1-ethyl-2-(naphthyl- α -azo)imidazole] Ruthenium(II)", Polyhedron. 20 (2001), 905-913.
- Childs, B. J., Craig, D. C., Scudder, M. L. and Goodwin, H.A. 1998. "Structural and Electronic Studies of the Coordination of 6-(thiazol-2-yl)-2,2'-bipyridine and Related Systems to Fe(II), Co(II) and Ni(II)", Inorg. Chim. Acta. 274(1998), 32-41.
- Creutz, C. 1993. "Encyclopedia of Chemistry", 2nd ed McGraw-Hill Inc. United State, 972-975.

- Crutchley, R. J. and Lever, A. B. P. 1982. "Comparative Chemistry of Bipyrazyl and Bipyridyl Metal Complexes: Spectroscopy, Electrochemistry, and Photoanation", Inorg. Chem. 21(1982), 2276-2282.
- Eggleston, D. S., Goldsby, K. A., Hodgson, D. J. and Meyer, T. J. 1985. "Structural Variations Induced by Changes in Oxidation State and Their Role in Electron Transfer. Crystal and molecular Structures of *cis*-[Ru(bpy)₂Cl₂].3.5H₂O and *cis*-[Ru(bpy)₂Cl₂]Cl.2H₂O", Inorg. Chem. 24(1985), 4573-4580.
- Eklund, J. C., Bond, A. M., Alden, J. A. and Compton, R. G., 1998. "Perspectives in Modern Voltammetry: Basic Concepts and Mechanistic Analysis", Department of Chemistry, Monash University, Clayton, Australia and Physical and Theoretical Chemistry Laboratory, Oxford University, Oxford, UK., 4-12.
- Evans, I. P., Spencer A. and Wilkinson, G. 1973. "Dichlorotetrakis(dimethyl sulphoxide)ruthenium(II) and its Use as a Source Material for Some New Ruthenium(II) Complexes", J. Chem. Soc., Dalton Trans. (1973), 204-209.
- Fitzpatrick, L. J. and Goodwin, H. A. 1982. "Coordination of Conjugated Imine Systems with Group VIII A Metals. I Iron and Ruthenium Complexes of 2-(2-Pyridyl)thiazole", Inorg. Chim. Acta, 61(1982), 229-233.
- Gordon, A. J. and Ford, R. A. 1972. "The Chemist's Companion a Hand Book of Practical Data, Techniques, and References", 1972, 167-168.

Goswami, S., Chakravarty, A. R. and Chakravorty, A. 1981. "Chemistry of Ruthenium. 2.¹ Synthesis, Structure, and Redox Properties of 2-(Arylazo)pyridine Complexes", Inorg. Chem. 20(1981), 2246-2250.

Goswami, S., Mukherjee, R. and Chakravorty, A. 1983. "Chemistry of Ruthenium.

12.¹ Reactions of Bidentate Ligands with Diaquobis[2-(arylazo)pyridine]ruthenium(II) Cation. Stereoretentive Synthesis of Tris Chelates and Their Characterization: Metal Oxidation, Ligand Reduction, and Spectroelectrochemical Correlation", Inorg. Chem. 22(1983), 2825-2832.

Hotze, A.C.G., Velders, A. H., Uguzzoli, F., Biagini-Cingi, M., Manotti-Lanfredi, A. M., Haasnoot, J. G. and Reedijk, J. 2000. "Synthesis, Characterization, and Crystal Structure of α -[Ru(azpy)₂(NO₃)₂] (azpy = 2-(Phenylazo)pyridine) and the Products of Its Reactions with Guanine Derivatives", Inorg. Chem. 39 (2000), 3838-3844.

Klotz, I. M. and Ming, W. C. L. 1953. "Stability Constants for Some Metal Chelates of Pyridine-2-azo-p-dimethylaniline", J. Am. Chem. Soc. 75(1953), 4159-4162.

Krause, R. A. and Krause, K. 1980. "Chemistry of Bipyridyl-like Ligands. Isomeric Complexes of Ruthnium(II) with 2-(Phenylazo)pyridine¹", Inorg. Chem. 19 (1980), 2600-2603.

Meyer, T. J. 1997. "Efficient Light-to-Electrical Energy Conversion : Nanocrystalline TiO₂ Films Modified with Inorganic Sensitizers", J. Chem. Ed. 74 (1997), 652-656.

Misra, T. K., Das, D., Sinha, C., Ghosh, P. and Pal, C. K. 1998. "Chemistry of Azoimidazoles: Synthesis, Spectral Characterization, Electrochemical Studies, and X-ray Crystal Structures of Isomeric Dichloro Bis[1-alkyl-2-(arylazo)imidazole]Complexes of Ruthenium(II)", Inorg. Chem. 37 (1998), 1672-1678.

Nair, R. B., Teng, E. S., Kirkland, S. L. and Murphy, C. J. 1998. "Synthesis and DNA-Binding Properties of $[\text{Ru}(\text{NH}_3)_4\text{dppz}]^{2+}$ ", Inorg. Chem. 37(1998), 139-141.

Orellana, G., Ibarra, C. A. and Santoro, J. 1988. " ^1H and ^{13}C NMR Coordination-Induced Shifts in a Series of Tris(α -diimine)ruthenium(II) Complexes Containing Pyridine, Pyrazine, and Thiazole Moieties", Inorg. Chem. 27(1988), 1025-1030.

Panneerselvam, K., Hansognern, K., Rattanawit, N., Liao, F-L. and Lu,T-H. 2000. "Crystal Structure of the [Protonated 2-(phenylazo)pyridine and Protonated 2-(4-hydroxyphenylazo)pyridine (3:1)]tetrafluoroborate", Anal. Sci. 16(2000), 1107-1108.

Pal, S., Misra, T. K., Sinha, C., Slawin, A.M.Z and Woollins, J. D. 2000. "Ruthenium(II) complexes of α -Diimines: Synthesis, Spectral Characterization, Electrochemical Properties and Single-Crystal X-ray Structure of Bis(2,2'-bipyridine){1-benzyl-2-(*p*-tolylazo)imidazole} Ruthenium(II) perchlorate", Polyhedron. 19(2000), 1925-1933.

Rack, J. J. and Gray, H. B. 1999. "Spectroscopy and Electrochemistry of *mer*-[RuCl₃(DMSO)(tmen)]. Dimethyl sulfoxide Is Sulfur-Bonded to Ru(II), Ru(III), and Ru(IV)", Inorg. Chem. 38(1999), 2-3.

Rillema, D. P., Allen, G., Meyer, T. J. and Conrad, D. 1983. "Redox Properties of Ruthenium(II) Tris Chelate Complexes Containing the Ligands 2,2'-Bipyrazine, 2,2'-Bipyridine, and 2,2'-Bipyrimidine¹", Inorg. Chem. 22(1983), 1617-1622.

Santra, P. K., Misra, T. K., Das, D., Sinha, C., Slawin, A. M. Z. and Woollins, J. D. 1999 "Chemistry of Azopyrimidines. Part II. Synthesis, Spectra, Electrochemistry and X-ray Crystal Structures of Isomeric Dichloro bis[2-(arylazo)pyrimidine] Complexes of Ruthenium (II)", Polyhedron, 18 (1999), 2869-2878.

Seal, A. and Ray, S. 1984. "Structures of Two Isomers of Dichlorobis (2-phenylazopyridine)ruthenium(II), [RuCl₂(C₁₁H₉N₃)₂]", Acta. Crystallogr., Sect. C: Cryst. Struct. Commun. 40(1984), 929-932.

Solomon. 1996. "Organic Chemistry", 6th ed, 923-931.

Steel, P. J. and Constable, E. C. 1990. "Synthesis, Spectroscopy, and Electrochemistry of Homo- and Hetero-leptic Ruthenium(II) Complexes of New Pyrazole-containing Bidentate Ligands", J. Chem. Soc., Dalton Trans. (1990), 1389-1396.

- Velders, A. H., Kooijman, H., Spek, A. L., Haasnoot, J. G., Vos, D. and Reedijk, J. 2000. "Strong Differences in the in Vitro Cytotoxicity of Three Isomeric Dichlorobis(2-phenylazopyridine)ruthenium(II) Complexes", Inorg. Chem. 39 (2000), 2966-2967.
- Ye, B.-H., Chen, X.-M., Zeng, T.-X. and Ji, L.-N. 1995. "Syntheses, Spectra and Crystal Structures of Ruthenium(II) Complexes with Polypyridyl: [Ru(bipy)₂(phen)](ClO₄)₂.H₂O and [Ru(bipy)₂(Me-phen)](ClO₄)₂", Inorg. Chim. Acta, 240(1995), 5-11.
- Zaki, Z. M. 2000. "Spectral, Thermal and Electrical Properties of Some New Azo Complexes", Spectrochim. Acta. Part A. 56(2000), 1917-1923.
- Zhen, Q.-X., Ye, B.-H., Liu, J.-G., Zhang, Q.-L., Ji, L.-N. and Wang, L. 2000. "Synthesis, Characterization and DNA-Binding Properties of [Ru(phen)₂taptpt]²⁺ and [Ru(phen)₂dptatp]²⁺", Inorg. Chim. Acta. 303(2000), 141-147.