

Bibliography

- Bardwell, D. A., Cargill-Thompson, A. M. W., Jeffery, J. C., McCleverty, J. A. and Ward, M. D. 1996. "New tricks for an old ligand: cyclometallated and didentate co-ordination of 2,2':6',2"-terpyridine to ruthenium(II)" J. Chem. Soc. Dalton Trans. (1996), 873-878.
- Berger, R. M., McMillin, D. R. 1988. "Localized States in Reduced and Excited-State Ruthenium(II) Terpyridyls" Inorg. Chem. 27(1988), 4245-4249.
- Boelrijk, A. E. M., Jorna, A. M. J. and Reedijk, J. 1995. "Oxidation of Octyl α -D-Glucuronic Acid, Catalyzed by Several Ruthenium Complexes, Ccontaining a 2-(Phenyl)azopyridine or a 2-(Nitrophenyl)azopyridine Ligand" J. Mol. Catal. A 103(1995), 73-85.
- Brown, C. J. 1966. "A Refinement of the Crystal Structure of Azobenzene" Acta. Cryst. 21(1966), 146-152.
- Coe, B. J., Thompson, D. W., Culbertson, C. T., Schoonover, J. R. and Meyer, T. J. 1995. "Synthesis and Photophysical Properties of Mono(2,2',2"-terpyridine) Complexes of Ruthenium(II)" Inorg. Chem. 34(1995), 3385-3395.
- Dobson, J. C., Helms, J. H., Doppelt, P., Sullivan, P. B., Hatfield, W. E. and Meyer T. J. 1989. "Electronic Structure of the Oxidation Catalyst cis-[Ru^{IV}(bpy)₂(py)-(O)](ClO₄)₂" Inorg. Chem. 28(1989), 2200-2204.

- Dovletoglou, A., Adeyemi, S.A. and Meyer, T. J., 1996. "Coordination and Redox Chemistry of substituted-Polypyridyl Complexes of Ruthenium" Inorg. Chem. 35(1996), 4120-4127.
- Duati, M., Fanni, S. and Vos, J. G., 2000. "A New Luminescent Ru(tpry) Complex Incorporating a 1,2,4-Triazole Based σ -Donor Ligand." Inorg. Chem. 3(2000), 68-70.
- Gerli, A., Reedijk, J., Lakin, M. T. and Spek, A. L., 1995. "Redox Properties and Electrocatalytic Activity of the Oxo/Aqua System $[\text{Ru}(\text{tpry})(\text{bpz})(\text{O})]^{2+}/[\text{Ru}(\text{tpry})(\text{bpz})(\text{H}_2\text{O})]^{2+}$. X-ray Crystal Structure of $[\text{Ru}(\text{tpry})(\text{bpz})\text{Cl}]\text{PF}_6 \cdot \text{MeCN}$ (tpry = 2,2',2''-Terpyridine; bpz = 2,2'-Bipyrazine)" Inorg. Chem. 34(1995), 1836-1843.
- Gordon A. J. and Richard, A. F., 1972. The Chemist's Companion a Hand Book of Practical Data, Techniques and Reference. New York: John Wiley and Sons Publishers.
- Goswami, S., Chakravaty, A. R. and Chakrevorty, A. 1983. "Chemistry of Ruthenium. 7. Aquo Complexes of Isomeric Bis[2-(phenylazo)pyridine]-ruthenium(II) Moieties and Their Reactions: Solvolysis, Protic Equilibria, and Electrochemistry" Inorg. Chem. 22(1983), 602-609.

- Goswami, S., Mukherjee, R. and Chakrevorty, A., 1983. "Chemistry of Ruthenium. 12.¹ Reactions of Bidentate Ligands with Diaquabis[2-(arylo)pyridine]-ruthenium(II) Cation. Stereotensive Synthesis of Tris Chelates and Their Characterization: Metal Oxidation, Ligand Reduction, and Spectroelectrochemical Correlation" Inorg. Chem. 22(1983), 2828-2832.
- Goswami, S., Chakravaty, A. R. and Chakrevorty, A., 1982. "Chemistry of Ruthenium. 5.¹ Reaction of *trans*-Dihalobis[2-(phenylazo)pyridine]ruthenium(II) with Tertiary Phosphines: Chemical, Spectroelectrochemical, and Mechanistic Characterization of Geometrically Isomerized Substitution Products" Inorg. Chem. 21(1982), 2737-2742.
- Grover, N., Welch, T. W., Fairley, T. A., Cory, M. and Thorp, H. H. 1994 "Covalent Binding of aquaruthenium Complexes to DNA" Inorg. Chem. 33(1994) 3544-3548.
- Grover, N. and Thorp, H. H. 1994 "Efficient Electrocatalytic and Stoichiometric Oxidative Cleavage of DNA by Oxoruthenium(IV)" J. Am. Chem. Soc. 113(1991), 7030-7031.
- Gupta, N., Grover, N., Neyhart, G. A., Singh, P. and Thorp, H. H., 1993. "Synthesis and Properties of New DNA Cleavage Agents Based on Oxoruthenium(IV)" Inorg. Chem. 32(1993), 310-316.

Hansongnern, K., Saeteaw, U., Cheng, J., Liao, F-L. and Lu, T-H. 2001. "Nitro-KN [2-(phenylazo)pyridiazanyl-KN²]-pyridine-KN] (2,2':6',2"terpyridine -K³N)rutenium(II) tetrafluoroborate¹" Acat. Cryst. C57(2001), 895-896.

Hecker, C. R., Fanwick, P. E. and McMillin, D. R. 1991 "Evidence for Dissociative Photosubstitution Reaction of [Ru(trpy)(bpy)(NCCCH₃)]²⁺. Crystal and Molecular Structure of [Ru(trpy)(bpy)(py)](PF₆)₂•(CH₃)₂CO" Inorg. Chem. 30(1991), 659-666.

Huheey, E. J., Keiter, E. A. and Keiter, R.L., 1993. Inorganic Chemistry: Principle of Structure and Reactivity. 4th ed., New York: HarperCollins College Publishers.

Irving, M., Klotz, M., and Ming W. C. L., 1953. "Stability Constants for Some Metal Chelates of Pyridine-2-azo-*p*-dimethylaniline" J. Am. Chem. Soc. 75 (4953), 4159-4162.

Krause, R. A. and Krause, K., 1982. "Chemistry of Bipyridyl-like Ligands. 2 Mixed Complexes of Ruthenium(II) with 2-(phenylazo)pyridine; A New π -Bonding Probe¹" Inorg Chem. 21(1982), 1714-1720.

Krause, R. A. and Krause, K., 1980. "Chemistry of Bipyridyl-like Ligands. Isomeric Complexes of Ruthenium(II) with 2-(phenylazo)pyridine" Inorg Chem. 19 (1980), 2600-2603.

- Konno, H., Ishii, Y., Sakamoto, K. and Ishitani, O., 2002. "Synthesis, Spectroscopic Characterization, Electrochemical and Photochemical Properties of Ruthenium(II) Polypyridyl Complexes with a Tertiary Amine Ligand" *Polyhedron* 21(2002), 61-68.
- Misra, T. K., Das, D., Sinha, C., Ghosh, P. and Pal., C. K., 1998. "Chemistry of azoimidazoles: Synthesis, Spectral Characterization, Electrochemical Studied and X-ray Crystal Structure of Isomeric Dichloro Bis[1-alkyl-2-arylazo]imidazole] Complexes of Ruthenium(II)" *Inorg. Chem.* 37(1998), 1672-1678.
- Mosher, P. J., Yap, G. P. A. and Crutchley, R. J., 2001. "Influence of the Inner Coordination Sphere on the Ru(III)-Cyanamido Ligand-to-Metal Charge Transfer Chromophore." *Inorg. Chem.* 40(2001), 550-553.
- Nazeeruddin, M. K., Kay, A., Rodicic, I., Humphry-Baker, R., Muller, E., Liska, P., Vlachopoulos, N. and Gratzel, M., 1993. "Conversion of Light to Electricity by *cis*-X₂Bis(2,2'-bipyridyl-4,4'-dicarboxylate)ruthenium(II) Charge-Transfer Sensitizers (X = Cl⁻, Br⁻, I⁻, CN⁻ and SCN⁻) on Nanocrystalline TiO₂ electrodes" *J. Am. Chem. Soc.* 115(1993), 6382-6390.
- Panneerselvam, K., Hansongnern, K., Rattanawit, N., Liao, F-l. and Lu, T-H., 2000. "Crystal Structure of the [Protonated 2-(phenylazo)pyridine and Protonated 2-(4-hydroxyphenylazo)pyridine (3:1)tetrafluoroborate" *Anal Sci.* 16(2000), 1107-1108.

Pramanik, N. C., Pramanik, K., Ghosh, P. and Bhattacharya, S., 1998. "Chemistry of $[\text{Ru}(\text{tpy})(\text{pap})(\text{L}')]^n$ (tpy = 2,2':6',2"-terpyridine; pap = 2-(phenylazo)pyridine; $\text{L}' = \text{Cl}^-, \text{H}_2\text{O}, \text{CH}_3\text{CN}, 4\text{-picoline}, \text{N}_3^-$; $n = 1, 2$). X-ray crystal structure of $[\text{Ru}(\text{tpy})(\text{pap})(\text{CH}_3\text{CN})](\text{ClO}_4)_2$ and catalytic oxidation of water to dioxygen by $[\text{Ru}(\text{tpy})(\text{pap})(\text{H}_2\text{O})]^{2+}$ " Polyhedron 17(1998), 1525-1534.

Ramussen, S. C., Ronco, S. E., Mlsna, D. A., Billadeau, M. A., Pennington, W. T., Kolis, J. W. and Petersen, J. D., 1995. "Ground-and Excited-State Properties of Ruthenium(II) Complexes Containing Tridentate Azine Ligands, $\text{Ru}(\text{tpy})(\text{bpy})\text{L}^{2+}$, Where L Is a Polymerizable Acetylene" Inorg Chem. 34(1995), 821-829.

Sadler, J. L. and Bard, A. J., 1968. "The Electrochemical Reduction of Aromatic Azo Compounds." J. Am. Chem. Soc. 90(1968), 1979-1989.

Saeteaw, U., 2000. "Synthesis and Characterization of Ruthenium(II) Complexes with 2,2':6',2"-Terpyridine and 2-(Phenylazo)pyridine Ligands" M. Sc. Inorganic Chemistry, Prince of Songkla University. (Unpublished)

Seal, A. and Ray, S. 1984. " Structures of Two Isomers of Dichlorobis(2-phenylazo)pyridine)ruthenium(II) $[\text{RuCl}_2(\text{C}_{11}\text{H}_9\text{N}_3)_2]$ " Acta. Cryst. 40(1984), 929-932.

- Seok, W. K., Moon, S. W., and Kim, M. Y. 1998, "NMR Study on Ru(II) Complexes Containing 2,2':6',2"-terpyridine" Bull. Korean Chem. Soc. 19(1998), 1207-1210.
- Sinha, P. K., Chakvararty, J. and Bhattacharya, S., 1996. "Ruthnium Phenolates: Synthesis, Characterization and Reactivities of a Group of Salicylaldiminato and 2-(Arylazo)phenolato Complexes of Ruthenium." Polyhedron 15(1996), 2931-2938.
- Sullivan, P. B., Calvert, J. M. and Meyer, T. J., 1980. "Cis-Trans Isomerism in (trpy)-(PPh₃)RuCl₂. Comparison between the Chemical and Physical Properties of a Cis-Trans Isomeric Pair" Inorg. Chem 19(1980), 1404-1407.
- Takauchi, K. J., Thompson, M. S., Pipes, D.W. and Meyer, T.J., 1984. "Redox and Spectral Properties of Monooxo Polypyridyl Complexes of Ruthenium and Osmium in Aqueous Media" Inorg. Chem. 23(1984), 1845-1851.
- Tokel-Takvoryan, N. E., Hemingway, R. E. and Bard, A. J., 1973. "Electrogenerated Chemiluminescence. XIII. Electrochemical and Electrogenerated Chemiluminescence Studies of Ruthenium Chelates" J. Am. Chem. Soc. 95(1973), 6582-6589.

Vogler, L. M., Jones, S. W., Jonsen, G. E., Brewar, G. R. and Brewer, K. J., 1996.
"Comparing the Spectroscopic and Electrochemical Properties of Ruthenium and Osmium Complexes of the Tridentate Polyazine Ligands 2,2':6',2"-terpyridine and 2,3,5,6-tetrakis(2-pyridyl)pyrazine" Inorg. Chim. Acta. 250(1996), 155-162.