

# Contents

	Page
Abstract (Thai)	(3)
Abstract (English)	(5)
Acknowledgments	(7)
Contents	(8)
List of Tables	(11)
List of Figures	(14)
Abbreviations and Symbols	(20)
Chapter	
1 INTRODUCTION	1
1.1 Introduction	1
1.2 Literatures reviews	5
1.3 Objectives	8
2 MATERIALS AND METHODS	9
2.1 Materials	9
2.2 Instruments	10
2.3 Syntheses of ligands	12
2.4 Syntheses of complexes	13
2.5 Methods for structures determination	15
2.5.1 Electrospray and Fast-atom bombardment mass spectrometry (ES-MS and FAB-MS)	15
2.5.2 Infrared spectroscopy (IR)	16
2.5.3 Nuclear Magnetic Resonance spectroscopy (NMR)	16
2.5.4 UV-Visible absorption spectroscopy (UV-Visible)	16
	(8)

## Contents (continued)

	Page
2.5.5 Cyclic Voltammetry (CV)	17
3 RESULTS	18
3.1 Syntheses of ligands	18
3.2 Characterization of ligands	20
3.2.1 Electrospray mass spectrometric results of ligands	21
3.2.2 <sup>1</sup> H NMR spectroscopic results of ligands	26
3.2.3 Infrared spectroscopic results of ligands	37
3.2.4 UV-Visible absorption spectroscopic results of ligands	44
3.2.5 Cyclic Voltammetric results of ligands	51
3.3 Synthesis and characterization of <i>cis</i> -Ru(bpy) <sub>2</sub> Cl <sub>2</sub>	57
3.4 Synthesis and characterization of [Ru(bpy) <sub>3</sub> ](BF <sub>4</sub> ) <sub>2</sub>	62
3.5 Syntheses of [Ru(bpy) <sub>2</sub> L](BF <sub>4</sub> ) <sub>2</sub>	74
3.6 Characterization of [Ru(bpy) <sub>2</sub> L](BF <sub>4</sub> ) <sub>2</sub>	76
3.6.1 Elemental analyses results of complexes	76
3.6.2 Mass spectrometric results of complexes	78
3.6.3 UV-Visible absorption spectroscopic results of complexes	84
3.6.4 Infrared spectroscopic results of complexes	92
3.6.5 NMR spectroscopic results of complexes	99
3.6.6 Cyclic Voltammetric results of complexes	130
4 DISCUSSION	135
4.1 Electrospray and FAB mass spectrometric techniques	135
4.2 Infrared spectroscopic technique	136

## Contents (continued)

	Page
4.3 Nuclear Magnetic Resonance spectroscopic technique	139
4.4 UV-Visible absorption spectroscopic technique	144
4.5 Cyclic Voltammetric technique	147
5 SUMMARY	153
Bibliography	155
Appendix	161
Appendix A Cyclic Voltammograms	162
Vitae	172

## List of Tables

Table	Page
1 The physical properties of ligands	20
2 The electrospray mass spectroscopic data of ligands	21
3 <sup>1</sup> H NMR spectroscopic data of azpy, dmazpy and deazpy	26
4 <sup>1</sup> H NMR spectroscopic data of azpym and deazpym	29
5 Infrared data of ligands in the KBr pellet	38
6 UV-Visible data of ligands in various solvents	44
7 Cyclic voltammetric data of free ligands in 0.1 M TBAH acetonitrile at scan rate 100 mV/s (ferrocene as an internal standard, ΔE <sub>p</sub> = 70 mV)	52
8 Infrared data of <i>cis</i> -Ru(bpy) <sub>2</sub> Cl <sub>2</sub> in the KBr pellet	57
9 <sup>1</sup> H NMR data of <i>cis</i> -Ru(bpy) <sub>2</sub> Cl <sub>2</sub> in DMSO- <i>d</i> <sub>6</sub> solution	60
10 Infrared data of [Ru(bpy) <sub>3</sub> ](BF <sub>4</sub> ) <sub>2</sub> in the KBr pellet	62
11 FAB-mass spectrometric data of [Ru(bpy) <sub>3</sub> ](BF <sub>4</sub> ) <sub>2</sub>	64
12 UV-Visible data of [Ru(bpy) <sub>3</sub> ](BF <sub>4</sub> ) <sub>2</sub> in various solvents	66
13 <sup>1</sup> H NMR data of [Ru(bpy) <sub>3</sub> ](BF <sub>4</sub> ) <sub>2</sub> in acetone- <i>d</i> <sub>6</sub> solution	68
14 HMQC correlation data for [Ru(bpy) <sub>3</sub> ](BF <sub>4</sub> ) <sub>2</sub> in acetone- <i>d</i> <sub>6</sub> solution	69
15 The physical properties of [Ru(bpy) <sub>2</sub> L](BF <sub>4</sub> ) <sub>2</sub> (L = azpy, dmazpy deazpy, azpym and deazpym)	74
16 The solubility of [Ru(bpy) <sub>2</sub> L](BF <sub>4</sub> ) <sub>2</sub> (L = azpy, dmazpy, deazpy, azpym and deazpym)	75
17 The analytical data of [Ru(bpy) <sub>2</sub> L](BF <sub>4</sub> ) <sub>2</sub> (L = azpy, dmazpy, deazpy azpym and deazpym)	77
18 Mass spectrometric data of [Ru(bpy) <sub>2</sub> L](BF <sub>4</sub> ) <sub>2</sub> (L = azpy, dmazpy deazpy, azpym and deazpym)	78

## List of Tables (continued)

Table		Page
19	UV-Visible data of $[\text{Ru}(\text{bpy})_2\text{L}](\text{BF}_4)_2$ (L = azpy, dmazpy, and deazpy) in various solvents	84
20	UV-Visible spectral data of $[\text{Ru}(\text{bpy})_2\text{L}](\text{BF}_4)_2$ (L = azpym and deazpym) in various solvents	85
21	Infrared data of $[\text{Ru}(\text{bpy})_2\text{L}](\text{BF}_4)_2$ (L = azpy, dmazpy, deazpy, azpym and deazpym) in the KBr pellet	93
22	The NMR data of $[\text{Ru}(\text{bpy})_2\text{azpy}](\text{BF}_4)_2$ in acetone- $d_6$ solution	101
23	The NMR data of $[\text{Ru}(\text{bpy})_2\text{dmazpy}](\text{BF}_4)_2$ in acetone- $d_6$ solution	107
24	The NMR data of $[\text{Ru}(\text{bpy})_2\text{deazpy}](\text{BF}_4)_2$ in acetone- $d_6$ solution	113
25	The NMR data of $[\text{Ru}(\text{bpy})_2\text{azpym}](\text{BF}_4)_2$ in acetone- $d_6$ solution	119
26	The NMR data of $[\text{Ru}(\text{bpy})_2\text{dezpym}](\text{BF}_4)_2$ in acetone- $d_6$ solution	125
27	Cyclic voltammetric data of $[\text{Ru}(\text{bpy})_2\text{L}]^{2+}$ (L = azpy, dmazpy, deazpy, azpym and deazpym) in 0.1 M TBAH acetonitrile at scan rate 100 mV/s (ferrocene as an internal standard, $\Delta E_p = 75$ mV)	130
28	The N=N stretching mode of free ligands and $[\text{Ru}(\text{bpy})_2\text{L}](\text{BF}_4)_2$ (L = azpy, dmazpy, deazpy, azpym and deazpym)	137
29	$^1\text{H}$ NMR chemical shifts of $[\text{Ru}(\text{bpy})_2\text{L}]^{2+}$ (L = azpy, dmazpy, deazpy, azpym and deazpym) in acetone- $d_6$ solution	141
30	UV-Visible data of free ligands and $[\text{Ru}(\text{bpy})_2\text{L}]^{2+}$ (L = azpy, dmazpy, deazpy, azpym and deazpym) in acetonitrile solution	146
31	Reduction potentials data of $[\text{Ru}(\text{bpy})_2\text{L}]^{2+}$ (L = azpy, dmazpy, deazpy, azpym and deazpym) in 0.1 M TBAH acetonitrile at scan rate 100 mV/s (ferrocene as an internal standard)	149

## List of Tables (continued)

Table		Page
32	Oxidation potentials data of $[\text{Ru}(\text{bpy})_2\text{L}]^{2+}$ (L = azpy, dmazpy, deazpy, azpym and deazpym) in 0.1 M TBAH acetonitrile at scan rate 100 mV/s (ferrocene as an internal standard)	151

## List of Figures

Figure		Page
1	The structures of azpy, dmazpy, deazpy, azpym and deazpym	3
2	Electrospray mass spectrum of dmazpy	22
3	Electrospray mass spectrum of deazpy	23
4	Electrospray mass spectrum of azpym	24
5	Electrospray mass spectrum of deazpym	25
6	The structure of azpy, dmazpy and deazpy with proton numbering systems	27
7	The structure of azpym and deazpym with proton numbering systems	30
8	$^1\text{H}$ NMR spectrum of azpy in acetone- $d_6$ solution	32
9	$^1\text{H}$ NMR spectrum of dmazpy in acetone- $d_6$ solution	33
10	$^1\text{H}$ NMR spectrum of deazpy in acetone- $d_6$ solution	34
11	$^1\text{H}$ NMR spectrum of azpym in acetone- $d_6$ solution	35
12	$^1\text{H}$ NMR spectrum of deazpym in acetone- $d_6$ solution	36
13	Infrared spectrum of azpy in the KBr pellet	39
14	Infrared spectrum of dmazpy in the KBr pellet	40
15	Infrared spectrum of deazpy in the KBr pellet	41
16	Infrared spectrum of azpym in the KBr pellet	42
17	Infrared spectrum of deazpym in the KBr pellet	43
18	Absorption spectrum of azpy in $\text{CH}_3\text{CN}$ solution	46
19	Absorption spectrum of dmazpy in $\text{CH}_3\text{CN}$ solution	47
20	Absorption spectrum of deazpy in $\text{CH}_3\text{CN}$ solution	48
21	Absorption spectrum of azpym in $\text{CH}_3\text{CN}$ solution	49

## List of Figures (continued)

Figure		Page
22	Absorption spectrum of deazpym in CH <sub>3</sub> CN solution	50
23	Cyclic voltammogram of azpy in CH <sub>3</sub> CN at scan rate 100 mV/s	54
24	Cyclic voltammogram of dmazpy in CH <sub>3</sub> CN at scan rate 100 mV/s	54
25	Cyclic voltammogram of deazpy in CH <sub>3</sub> CN at scan rate 100 mV/s	55
26	Cyclic voltammogram of azpym in CH <sub>3</sub> CN at scan rate 100 mV/s	55
27	Cyclic voltammogram of deazpym in CH <sub>3</sub> CN at scan rate 100 mV/s	56
28	Infrared spectrum of <i>cis</i> -Ru(bpy) <sub>2</sub> Cl <sub>2</sub> in the KBr pellet	59
29	<sup>1</sup> H NMR spectrum of <i>cis</i> -Ru(bpy) <sub>2</sub> Cl <sub>2</sub> in DMSO- <i>d</i> <sub>6</sub> solution	61
30	Infrared spectrum of [Ru(bpy) <sub>3</sub> ](BF <sub>4</sub> ) <sub>2</sub> in the KBr pellet	63
31	FAB mass spectrum of [Ru(bpy) <sub>3</sub> ](BF <sub>4</sub> ) <sub>2</sub>	65
32	Absorption spectrum of [Ru(bpy) <sub>3</sub> ](BF <sub>4</sub> ) <sub>2</sub> in CH <sub>3</sub> CN solution	67
33	<sup>1</sup> H NMR spectrum of [Ru(bpy) <sub>3</sub> ](BF <sub>4</sub> ) <sub>2</sub> in acetone- <i>d</i> <sub>6</sub> solution	70
34	<sup>1</sup> H- <sup>1</sup> H COSY spectrum of [Ru(bpy) <sub>3</sub> ](BF <sub>4</sub> ) <sub>2</sub> in acetone- <i>d</i> <sub>6</sub> solution	71
35	<sup>13</sup> C NMR spectrum of [Ru(bpy) <sub>3</sub> ](BF <sub>4</sub> ) <sub>2</sub> in acetone- <i>d</i> <sub>6</sub> solution	72
36	HMQC spectrum of [Ru(bpy) <sub>3</sub> ](BF <sub>4</sub> ) <sub>2</sub> in acetone- <i>d</i> <sub>6</sub> solution	73
37	FAB mass spectrum of [Ru(bpy) <sub>2</sub> azpy](BF <sub>4</sub> ) <sub>2</sub>	79
38	FAB mass spectrum of [Ru(bpy) <sub>2</sub> dmazpy](BF <sub>4</sub> ) <sub>2</sub>	80
39	Electrospray mass spectrum of [Ru(bpy) <sub>2</sub> deazpy](BF <sub>4</sub> ) <sub>2</sub>	81
40	FAB mass spectrum of [Ru(bpy) <sub>2</sub> azpym](BF <sub>4</sub> ) <sub>2</sub>	82
41	FAB mass spectrum of [Ru(bpy) <sub>2</sub> deazpym](BF <sub>4</sub> ) <sub>2</sub>	83
42	Absorption spectrum of [Ru(bpy) <sub>2</sub> azpy](BF <sub>4</sub> ) <sub>2</sub> in CH <sub>3</sub> CN solution	87
43	Absorption spectrum of [Ru(bpy) <sub>2</sub> dmazpy](BF <sub>4</sub> ) <sub>2</sub> in CH <sub>3</sub> CN solution	88



## List of Figures (continued)

Figure		Page
44	Absorption spectrum of $[\text{Ru}(\text{bpy})_2\text{deazpy}](\text{BF}_4)_2$ in $\text{CH}_3\text{CN}$ solution	89
45	Absorption spectrum of $[\text{Ru}(\text{bpy})_2\text{azpym}](\text{BF}_4)_2$ in $\text{CH}_3\text{CN}$ solution	90
46	Absorption spectrum of $[\text{Ru}(\text{bpy})_2\text{deazpym}](\text{BF}_4)_2$ in $\text{CH}_3\text{CN}$ solution	91
47	Infrared spectrum of $[\text{Ru}(\text{bpy})_2\text{azpy}](\text{BF}_4)_2$ in the KBr pellet	94
48	Infrared spectrum of $[\text{Ru}(\text{bpy})_2\text{dmazpy}](\text{BF}_4)_2$ in the KBr pellet	95
49	Infrared spectrum of $[\text{Ru}(\text{bpy})_2\text{deazpy}](\text{BF}_4)_2$ in the KBr pellet	96
50	Infrared spectrum of $[\text{Ru}(\text{bpy})_2\text{azpym}](\text{BF}_4)_2$ in the KBr pellet	97
51	Infrared spectrum of $[\text{Ru}(\text{bpy})_2\text{deazpym}](\text{BF}_4)_2$ in the KBr pellet	98
52	$^1\text{H}$ NMR spectrum of $[\text{Ru}(\text{bpy})_2\text{azpy}](\text{BF}_4)_2$ in acetone- $d_6$ solution	102
53	$^1\text{H}$ - $^1\text{H}$ COSY spectrum of $[\text{Ru}(\text{bpy})_2\text{azpy}](\text{BF}_4)_2$ in acetone- $d_6$ solution	103
54	$^{13}\text{C}$ NMR spectrum of $[\text{Ru}(\text{bpy})_2\text{azpy}](\text{BF}_4)_2$ in acetone- $d_6$ solution	104
55	HMQC spectrum of $[\text{Ru}(\text{bpy})_2\text{azpy}](\text{BF}_4)_2$ in acetone- $d_6$ solution	105
56	$^1\text{H}$ NMR spectrum of $[\text{Ru}(\text{bpy})_2\text{dmazpy}](\text{BF}_4)_2$ in acetone- $d_6$ solution	108
57	$^1\text{H}$ - $^1\text{H}$ COSY spectrum of $[\text{Ru}(\text{bpy})_2\text{dmazpy}](\text{BF}_4)_2$ in acetone- $d_6$ solution	109
58	$^{13}\text{C}$ NMR spectrum of $[\text{Ru}(\text{bpy})_2\text{dmazpy}](\text{BF}_4)_2$ in acetone- $d_6$ solution	110
59	HMQC spectrum of $[\text{Ru}(\text{bpy})_2\text{dmazpy}](\text{BF}_4)_2$ in acetone- $d_6$ solution	111
60	$^1\text{H}$ NMR spectrum of $[\text{Ru}(\text{bpy})_2\text{deazpy}](\text{BF}_4)_2$ in acetone- $d_6$ solution	114
61	$^1\text{H}$ - $^1\text{H}$ COSY spectrum of $[\text{Ru}(\text{bpy})_2\text{deazpy}](\text{BF}_4)_2$ in acetone- $d_6$ solution	115
62	$^{13}\text{C}$ NMR spectrum of $[\text{Ru}(\text{bpy})_2\text{deazpy}](\text{BF}_4)_2$ in acetone- $d_6$ solution	116

## List of Figures (continued)

Figure		Page
63	HMQC spectrum of $[\text{Ru}(\text{bpy})_2\text{deazpy}](\text{BF}_4)_2$ in acetone- $d_6$ solution	117
64	$^1\text{H}$ NMR spectrum of $[\text{Ru}(\text{bpy})_2\text{azpym}](\text{BF}_4)_2$ in acetone- $d_6$ solution	120
65	$^1\text{H}$ - $^1\text{H}$ COSY spectrum of $[\text{Ru}(\text{bpy})_2\text{azpym}](\text{BF}_4)_2$ in acetone- $d_6$ solution	121
66	$^{13}\text{C}$ NMR spectrum of $[\text{Ru}(\text{bpy})_2\text{azpym}](\text{BF}_4)_2$ in acetone- $d_6$ solution	122
67	HMQC spectrum of $[\text{Ru}(\text{bpy})_2\text{azpym}](\text{BF}_4)_2$ in acetone- $d_6$ solution	123
68	$^1\text{H}$ NMR spectrum of $[\text{Ru}(\text{bpy})_2\text{deazpym}](\text{BF}_4)_2$ in acetone- $d_6$ solution	126
69	$^1\text{H}$ - $^1\text{H}$ COSY spectrum of $[\text{Ru}(\text{bpy})_2\text{deazpym}](\text{BF}_4)_2$ in acetone- $d_6$ solution	127
70	$^{13}\text{C}$ NMR spectrum of $[\text{Ru}(\text{bpy})_2\text{deazpym}](\text{BF}_4)_2$ in acetone- $d_6$ solution	128
71	HMQC spectrum of $[\text{Ru}(\text{bpy})_2\text{deazpym}](\text{BF}_4)_2$ in acetone- $d_6$ solution	129
72	Cyclic voltammogram of $[\text{Ru}(\text{bpy})_3]^{2+}$ in $\text{CH}_3\text{CN}$ at scan rate 100 mV/s	132
73	Cyclic voltammogram of $[\text{Ru}(\text{bpy})_2\text{azpy}]^{2+}$ in $\text{CH}_3\text{CN}$ at scan rate 100 mV/s	132
74	Cyclic voltammogram of $[\text{Ru}(\text{bpy})_2\text{dmazpy}]^{2+}$ in $\text{CH}_3\text{CN}$ at scan rate 100 mV/s	133
75	Cyclic voltammogram of $[\text{Ru}(\text{bpy})_2\text{deazpy}]^{2+}$ in $\text{CH}_3\text{CN}$ at scan rate 100 mV/s	133
76	Cyclic voltammogram of $[\text{Ru}(\text{bpy})_2\text{azpym}]^{2+}$ in $\text{CH}_3\text{CN}$ at scan rate 100 mV/s	134
77	Cyclic voltammogram of $[\text{Ru}(\text{bpy})_2\text{deazpym}]^{2+}$ in $\text{CH}_3\text{CN}$ at scan rate 100 mV/s	134

## List of Figures (continued)

Figure		Page
78	UV-Vis spectra of $[\text{Ru}(\text{bpy})_2\text{L}]^{2+}$ (L = azpy, dmazpy, deazpy, azpym deazpym) in $\text{CH}_3\text{CN}$ solution	144
79	Cyclic voltammograms for successive one-step reductions of each bidentate ligands bound to ruthenium(II)	150
80	Cyclic voltammogram of ligands in reduction range (azpy, dmazpy and deazpy) with various scan rates (50-1000 mV/s)	162
81	Cyclic voltammogram of ligands in reduction range (azpym and deazpym) with various scan rates (50-1000 mV/s)	163
82	Cyclic voltammogram of ligands in the range 0.4 - 0.7 V (dmazpy, deazpy and deazpym) with various scan rates (50-1000 mV/s)	164
83	Cyclic voltammogram of ligands in the range 0.75 - 1.15 V (dmazpy, deazpy and deazpym) with various scan rates (50-1000 mV/s)	165
84	Cyclic voltammogram of Ru(II/III) couple in oxidation range of $[\text{Ru}(\text{bpy})_2\text{L}]^{2+}$ (L = bpy and azpy) by varying scan rates (50-1000 mV/s)	166
85	Cyclic voltammogram of ligand with substituents in oxidation range for $[\text{Ru}(\text{bpy})_2\text{L}]^{2+}$ (L = dmazpy, deazpy and deazpym) complexes by varying scan rates (50-1000 mV/s)	167
86	Cyclic voltammogram of couple I in reduction range of $[\text{Ru}(\text{bpy})_2\text{L}]^{2+}$ (L = azpy, dmazpy and deazpy) by varying scan rates (50-1000 mV/s)	168
87	Cyclic voltammogram of couple I in reduction range of $[\text{Ru}(\text{bpy})_2\text{L}]^{2+}$ (L = azpym and deazpym) by varying scan rates (50-1000 mV/s)	169

## List of Figures (continued)

Figure		Page
88	Cyclic voltammogram of couple II in reduction range of $[\text{Ru}(\text{bpy})_2\text{L}]^{2+}$ (L = azpy, dmazpy and deazpy) by varying scan rates (50-1000 mV/s)	170
89	Cyclic voltammogram of couple II in reduction range of $[\text{Ru}(\text{bpy})_2\text{L}]^2$ (L = azpym and deazpym) by varying scan rates (50-1000 mV/s)	171

## Abbreviations and Symbols

bpy	=	2,2'-bipyridine
azpy	=	2-(phenylazo)pyridine
dmazpy	=	2-(4'- <i>N,N</i> -dimethylaminophenylazo)pyridine
deazpy	=	2-(4'- <i>N,N</i> -diethylaminophenylazo)pyridine
azpym	=	2-(phenylazo)pyrimidine
deazpym	=	2-(4'- <i>N,N</i> -diethylaminophenylazo)pyrimidine
DMSO	=	<i>N,N</i> -Dimethylsulphoxide
DMF	=	<i>N,N</i> -Dimethylformamide
MLCT	=	metal-to-ligand charge transfer
A.R. grade	=	Analytical reagent grade
Rel. Abun.	=	relative abundance
ppm	=	part per million
mmol	=	millimole
mL	=	milliliter
mV/s	=	millivolt per second
nm	=	nanometer
cm <sup>-1</sup>	=	wave number
g	=	gram
h	=	hour
Hz	=	hertz
$\lambda$	=	wavelength
$\epsilon$	=	molar extinction coefficient
°	=	degree