

BIBLIOGRAPHY

- Baranoff, E., Collin, J.-P., Furusho, J., Furusho, Y., Laemmel, A.-C. and Sauvage, J.-P. 2002. "Photochemical or Thermal Chelate Exchange in the Ruthenium Coordination Sphere of Complexes of the Ru(phen)₂L Family (L = Diimine or Dinitrile Ligands)", Inorg. Chem. 41(2002), 1215-1222.
- Braf, G. A. and Sheldon, R. A. 1995. "Ruthenium(II) 2-(phenylazo)pyridine complexes as epoxidation catalysts", J. Mol. Catal A: Chemical. 98(1995), 143-147.
- Barton, J. K., Danishefsky, A. T. and Goldberg, J. M., 1984. "Tris(phenanthroline)ruthenium(II): Stereoselectivity in Binding to DNA" J. Am. Chem. Soc. 106 (1984), 2172- 2176.
- Barton, J. K., Goldberg, J. M., Kumar, C. V. and Turro, N. J. 1986. "Binding modes and Base Specificity of Tris(phenanthroline)ruthenium(II) Enantiomers with Nucleic Acids: Tuning the Stereoselectivity", J. Am. Chem. Soc. 108(1986), 2081-2088.
- Bonneson, P., Walsh, J. L., Pennington, W. T., Cordes, A. W. and Durham, B. 1983. "Six-Coordinate Complexes with 1,10-Phenanthroline Ligands in the Trans Configuration. Preparation of *trans*-Bis(1,10-phenanthroline)ruthenium(II) Complexes and Crystal Structure of *trans*-Bis(1,10-phenanthroline)bis(pyridine)ruthenium(II) Hexafluorophosphate", Inorg. Chem. 22(1983), 1761-1765.
- Concepción, J., Loeb, B., Simón-Manso, Y. and Zuloaga, F. 2000. "Influence of L-type Ligands on the Relative Stability and Interconversion of *cis-trans*-[Ru(phen)₂L₂]ⁿ⁺ Type Complexes. A Theoretical Study", Polyhedron 19 (2000), 2297-2302.

- Dwyer, F. P., Goodwin, H. A. and Gyarfas, E. C. 1963. "MONO- and Bis-(2,2'-bipyridine) and -(1,10-phenanthroline) Chelates of Ruthenium and Osmium. II. Bischelates of Bivalent and Tervalent Ruthenium", Aust. J. Chem. 16 (1963), 544-548.
- Goswami, S., Mukherjee, R. and Chakravorty, A. 1981. "Chemistry of Ruthenium. 2.¹ Synthesis, Structure, and Redox Properties of 2-(arylazo)pyridine Complexes" Inorg. Chem. 20(1981), 2246-2250.
- Goswami, S., Mukherjee, R. and Chakravorty, A. 1983. "Chemistry of Ruthenium. 12¹ Reactions of Bidentate Ligands with Diaquobis[2-(arylazo)pyridine] ruthenium(II) Cation. Stereoretentive Synthesis of Tris Chelates and Their Characterization: Metal Oxidation, Ligand Reduction, and Spectroelectrochemical Correlation", Inorg. Chem. 22(1983), 2825-2832.
- Hotze, A.C.G., Velders, A. H., Uguzzoli, F., Biagini-Cingi, M., Manotti-Lanfredi, A.M., Haasnoot, J. G. and Reedijk, J. 2000. "Synthesis, Characterization, and Crystal Structure of α -[Ru(azpy)₂(NO₃)₂] (azpy = 2-(Phenylazo)pyridine) and the Products of Its reactions with Guanine Derivatives", Inorg. Chem. 39(2000), 3838-3844.
- Hughes, H. P., Martin, D., Bell, S., McGarvey, J. J. and Vos, J. G. 1993. "Photophysical and Photochemical Properties of Dinuclear Ruthenium(II) Complexes Containing 2,2'-Bipyridine and 1,10-Phenanthroline Moieties", Inorg. Chem. 32(1993), 4402-4408.
- Huheey, E. J., Keiter, E. A. and Keiter, R. L. 1993. Inorganic Chemistry: Principle of Structure and Reactivity. 4th ed. New York : HarperCollins College Publishers.

- Ji, Z., Huang, S. D. and Guadalupe, A. 2000. "Synthesis, X-ray Structures, Spectroscopic and Electrochemical Properties of Ruthenium(II) Complexes Containing 2,2'-Bipyrimidine", Inorg. Chim. Acta, 305(2000), 127-134.
- Krause, R. A. and Krause, K. 1980. "Chemistry of Bipyridyl-like Ligands. Isomeric Complexes of Ruthenium(II) with 2-(Phenylazo)pyridine¹", Inorg. Chem. 19 (1980), 2600-2603.
- Krause, R. A. and Krause, K. 1980. "Chemistry of Bipyridyl-like Ligands. 2. Mixed Complexes of Ruthenium(II) with 2-(Phenylazo)pyridine: A New π -Bonding Probe¹", Inorg. Chem. 21(1982), 1714-1720.
- Kumar, C. V., Barton, J. K. and Turro, N. J. 1985. "Photophysics of Ruthenium Complexes Bound to Double Helical DNA", J. Am. Chem. Soc. 107(1985), 5518-5523.
- Mori, T. Yamaguchi, M., Sato, M. and Yamagishi, T. 1998. "Preparation and Molecular Structure of (*N*-benzyl-1,2-didehydroglycinato)bis(1,10-phenanthroline)ruthenium(II) Chloride: [Ru(*N*-Bn-gly—H₂)(phen)₂]Cl", Inorg. Chim Acta. 267(1998), 329-333.
- Moucheron, C., Mesmaeker, A. K-D. and Choua, S. 1997. "Photophysics of Ru(phen)₂^{(PHEHAT)²⁺}: A Novel "Light Switch" for DNA and Photo-oxidant for Mononucleotides", Inorg. Chem. 39(1997), 584-592.
- Nagai, T., Tomizawa, H., Sugahara, K., Takeda, Y. and Ishida, K. 1999. "Contribution of a Local Electric Dipole Moment to the Hydrophilic Nature of [Ru(phen)₂(1,5,6,10tetraazaphenanthrene)]²⁺ Complex in Aqueous Solutions", J. Mol. Struct. 478(1999), 211-218
- Nair, R. B., Teng, E. S., Kirkland, S. L. and Murphy, C. J. 1998. "Synthesis and DNA-Binding Properties of [Ru(NH₃)₄dppz]²⁺", Inorg. Chem. 37(1998), 139-141.

- Panneerselvam, K., Hansognern, K., Rattanawit, N., Liao, F-L. and Lu, T-H. 2000. "Crystal Structure of the [Protonated 2-(phenylazo)pyridine and Protonated 2-(4-hydroxyphenylazo)pyridine (3:1)]tetrafluoroborate", Anal. Sci. 16 (2000), 1107-1108.
- Ryan, E. M., Wang, R., Vos, J. G., Hage, R. and Haasnoot, J. G. 1993. "The Effect of the Nature of the Polypyridyl Ligand on the Physical Properties of Ruthenium Polypyridyl Compounds Containing Pyridyltriazoles", Inorg. Chim. Acta 208(1993), 49-58.
- Santra, P. K., Misra, T. K., Das, D., Sinha, C., Slawin, A. M. Z. and Woollins, J. D. 1999. "Chemistry of Azopyrimidines. PartII. Synthesis, Spectra, Electrochemistry and X-ray Crystal Structures of Isomeric Dichloro bis[2-(arylazo)pyrimidine] Complexes of Ruthenium(II)", Polyhedron 18(1999), 2869-2878.
- Staniewicz, R. J., Sympson, R. F. and Hendricker, D. G. 1977. "Preparation and Investigation of the Spectral and Electrochemical Properties of Mixed-Ligand Ruthenium(II) Complexes Containing 1,8-Naphthyridines", Inorg. Chim. 16(1977), 2166-2171.
- Sullivan, B.P., Salmon, D. J. and Meyer, T. J. 1978. "Mixed Phosphine 2,2'-Bipyridine Complexes of Ruthenium", Inorg. Chem. 17(1978), 3334-3341.
- Tokel-Takvoryan, N. E., Hemingway, R. and Bard A. J. 1973. "Electrogenerated Chemiluminescence. XIII. Electrochemical and Electrogenerated Chemiluminescence Studies of Ruthenium Chelates", J. Am. Chem. Soc. 95 (1973), 6582-6589.

- Torres, A. S., Maloney, D. J., Tate, D., Saad, Y. and MacDonnell,F. M. 1999.
“Retention of Optical Activity During Conversion of Λ -[Ru(1,10-phenanthroline)₃]²⁺ to Λ -[Ru(1,10-phenanthroline-5,6-dione)₃]²⁺ and Λ -[Ru(dipyrido[a:3,2-h:2',3'-c]-phenazine)₃]²⁺”, Inorg. Chim. Acta. 293 (1999), 37-43.
- Wallace, A. W., Murphy, W. R., Petersen, J. and Petersen, J. D. 1989.
“Electrochemical and Photophysical Properties of Mono- and Bimetallic Ruthenium(II) Complexes”, Inorg. Chim. Acta. 166(1989), 47-54.
- Yang, X.-J., Janiak, C., Heinze, J., Drepper, F., Mayer, P., Piotrowski, H. and Klüfers, P. 2001. “Heteroleptic 5,5’-Disubstituted-2,2’-bipyridine complexes of Ruthenium(II): Spectral, Electrochemical, and Structural Investigations”, Inorg. Chim. Acta. 318(2001), 103-116.
- Zhen, Q.-X., Ye, B.-H., Liu, J.-G., Zhang, Q.-L., Ji, L.-N. and Wang, L. 2000.
“Synthesis, Characterization and DNA-Binding Properties of [Ru(phen)₂taptp]²⁺ and [Ru(phen)₂dptatp]²⁺”, Inorg. Chem. Acta. 303(2000), 141-147.