

## References

- Arco M. D., Gutiérrez S. C., Martín C., and Rives V. 2003. "Intercalation of  $[\text{Cr}(\text{C}_2\text{O}_4)_3]^{3-}$  Complex in Mg, Al Layered Double Hydroxides", Inorg. Chem. 42(2003), 4232-4540.
- Ameis R., Kremer S., and Reinen D. 1985. "Jahn-Teller Effect of  $\text{Ti}^{3+}$  in Octahedral Coordination: A Spectroscopic Study of  $\text{TiCl}_6^{3-}$  Complexes", Inorg. Chem. 24(1985), 2751-2754.
- Andrés R., Gruselle M., Malézieux B., Verdaguer M., and Vaissermann J. 1999. "Enantioselective Synthesis of Optically Active Polymeric Homo- and Bimetallic Oxalate-Bridged Networks  $[\text{M}_2(\text{C}_2\text{O}_4)_3]_n$ ", Inorg. Chem. 38(1999), 4637-4646.
- Armentano D., Munno G. D., Faus J., Lloret F., and Julve M. 2001. "Syntheses Crystal Structures, and Magnetic Properties of the Oxalato-Bridged Mixed-Valence Complexes  $[\text{Fe}^{\text{II}}(\text{bpm})_3]_2[\text{Fe}^{\text{III}}_2(\text{C}_2\text{O}_4)_5] \cdot 8\text{H}_2\text{O}$  and  $\text{Fe}^{\text{II}}(\text{bpm})_3\text{Na}(\text{H}_2\text{O})_2\text{Fe}(\text{C}_2\text{O}_4)_3 \cdot 4\text{H}_2\text{O}$  (bpm = 2,2'-Bipyrimidine)", Inorg. Chem. 40(2001), 655-660.
- Ballhausen C. J. 1962. "Introduction to Ligand Field Theory", McGraw-hill, New York, pp. 235-245

- Bataille T., Louër M., Auffrédic J. P., and Louër D. 2000. "Crystal Structure and Thermal Behavior of  $\text{La}(\text{H}_2\text{O})_2\text{M}(\text{C}_2\text{O}_4)_2 \cdot \text{H}_2\text{O}$  (M = K,  $\text{NH}_4$ ) Studied by Power X-Ray Diffraction", J. Solid State Chem. 150(2000), 81-95.
- Bayot D., Tinant B., and Devellers M. 2004. "Spectroscopic and structural characterizations of ammoniumperoxo-carboxylato molybdate(VI) complexes", Inorg. Chem. 357(2004), 809-816.
- Becher H.J., Amsonait N., Prigge U., and Gatz G. 1977. "Preparation, Vibration Spectra and Structures of alkali oxo-oxalatomolybdates(VI)", Anorg. Allg. Chem. 430(1977), 255-262.
- Bérezovsky F., Hajem A. A., Triki S., Pala J. S., and Molinié P. 1999. "Infinite Two-Dimensional Sheet-like Array of a 2,2'-bipyridine-bis-(oxalato)chromate(III) Complex: Crystal Structure and Magnetic Properties of  $[\text{K}(\text{H}_2\text{O})\text{Cr}(\text{C}_2\text{O}_4)_2(\text{bpym})]$ ", Inorg. Chem. 284(1999), 8-13.
- Bernheim R.A. and Reichenbecher E. F. 1960 "EPR of Cr(III) in single Crystal of  $\text{NaMgAl}(\text{C}_2\text{O}_4)_3 \cdot 3\text{H}_2\text{O}$ ", J. Chem. Phys. 51(1969), 996-1001
- Booth H. S. 1939. "Inorganic Synthesis V.1", McGraw-Hill Inc., New York, pp.36-37.
- Bordor A., Tóth I., Bányai I., Zékány L., and Sjöberg S. 2003. "Studies of equilibrium, structure, and dynamics in the aqueous Al(III)-oxalate-fluoride system by potentiometry,  $^{13}\text{C}$  and  $^{19}\text{F}$  NMR spectroscopy", Geochim. Cosmochim. Acta. 67(2003), 2793-2803.

- Broomhead J. A., Dwyer M., and Kane-maguire N. 1968 "Synthesis and Resolution of Heterochelate Metal Complexes of Chromium(III) and Cobalt(III) with the Ligands 2,2'-Bipyridine, 1,10-Phenanthroline, and Oxalate Ion", Inorg. Chem. 7(1968), 1388-1393.
- Bruker. 2000. SMART (Version 5.6), SAINT (Version 5.6), SADABS (Version 2.0) SHELXTL (Version 6.12). Bruker AXS Inc., Madison, Wisconsin, USA.
- Chaiyapoom L. 2004. "Synthesis and Characterization of Products from Oxalato Complexes of Chromium and Aluminium" Master of Science Thesis in Inorganic Chemistry, Prince of Songkla University, Thailand.
- Cindrić M., Strukan N., and Vrdoljak V. 1999. "Synthesis and Characterization of New Molybdenum(VI) Oxalate Complexes. Crystal Structure of Tetramethylammonium Salt of m-Oxo-diaquadioxalato-tetraoxo dimolybdenum(VI)", Croatica Chemica Acta. 72(1999), 501-509.
- Coleman W.F. 1975. "Environment Effects on the  ${}^2E \rightarrow {}^4A_2$  Luminescence of A Series of Cr(III)-Oxalate Complexes", J. Luminescence. 10(1975), 163-169
- Coleman W.F. 1982. "Further Examination of Forbidden d-d Transitions in  $Cr(oxalate)_3^{3-}$ ", J. Chem. Educ. 59(1982), 643-644
- Cotton F. A. and Wilkinson G. 1972. "Advanced Inorganic Chemistry", 3<sup>rd</sup> ed. John Wiley & Sons, New York, pp. 260-528

- Cotton F.A., and Wilkinson G. 1988. "Advanced Inorganic Chemistry", 5<sup>th</sup> ed., John Wiley & Sons Ltd., New York, pp.482
- Cotton F. A., Wilkinson G., Murillo C. A., and Bochmann M. 1999. "Advanced Inorganic Chemistry", 5<sup>th</sup> ed. John Wiley & Sons, New York, pp.730
- Coronado E., Galán-Mascarós J. R., Gómez-García C. J., and Martínez-Agudo J. M. 2001. "Tuning the Magnetic Properties in the Layered Molecular based Magnets  $A[\text{Fe}^{\text{II}}\text{Ru}_x^{\text{III}}\text{M}_{1-x}^{\text{III}}(\text{ox})_3]$  ( $\text{M}^{\text{III}} = \text{Cr}$  or  $\text{Fe}$ ;  $\text{ox} = \text{Oxalate}$ ;  $A = \text{organic}$  or  $\text{Organometallic Cation}$ )", Synth. Met. 122(2001), 501-507.
- Cunningham G. E., Burley R. W., and Friend M. T. 1952. "Potassium Dioxalato Diaquo Chromium(III) Complexes: Trans-Cis Isomerization", Nature. 28(1952), 1103.
- Dardenne K., Vivien D., and Huguenin D. "Color of Mn(V)-Substituted Apatites  $A_{10}((\text{B},\text{Mn})\text{O}_4)_6\text{F}_2$ ,  $A=\text{Ba}, \text{Sr}, \text{Ca}$ ;  $\text{B}=\text{P}, \text{V}$ ", J. Solid State Chem. 146(1999), 464-472
- Daniele P.G. 1983. "The Formation of Proton and Alkali Metal Complexes with Ligands of Biological Interest in Aqueous Solution. Thermodynamics of  $\text{Li}^+$ ,  $\text{Na}^+$  and  $\text{K}^+$ -Dicarboxylate Complex Formation", Thermochim. Acta. 62(1983), 101-112.
- Decurtins S., Schmalle H. W., Schneuwly P., Engling J. and Gütlich P. 1993. "A Concept for the Synthesis of 3-Dimensional Homo- and Bimetallic Oxalate-Bridged Networks  $[\text{M}_2(\text{ox})_3]_n$ . Structural, Mössbauer, and Magnetic Studies

in the Field of Molecular-Based Magnets”, J. Am. Chem. soc. 116(1993), 9521-9528.

Decurtins S., Schmalle H. W., Oswald H. R., Linden A., Ensling J., Gütlich P. and Hauser A. 1994. "A Polymeric Two-dimensional Mixed-metal Network. Crystal Structure and Magnetic Properties of  $\{[P(Ph)]_4[MnCr(ox)_3]\}_n$ ", Inorg. Chim. Acta. 216(1994), 65-73.

Decurtins S., Schmalle H. W., Pellaux R., Schneuwly P. and Hauser A. 1996. "Chiral, Three-Dimensional Supramolecular Compounds: Homo- and Bimetallic Oxalate and 1,2-Dithiooxalate-Bridged Networks. A Structural and Photophysical Study", Inorg. Chem. 35(1996), 1451-1460.

Delgado G., Mora A., and Sagredo V. 2002. "Magnetic Susceptibility and Crystal Structure Analysis of Potassium Iron Oxalate Trihydrate", Physica B. 320(2002), 410-412.

Del Arco M., Gutiérrez S., Martín C., and Rives V. 2003. "Intercalation of  $[Cr(C_2O_4)_3]^{3-}$  Complex in Mg,Al Layered Double Hydroxides" Inorg. Chem. 42 (2003), 4232-4240

Dinnebier R. E., Vensky S., Panthöfer M., and Jansen M. 2003. "Crystal and Molecular Structures of Alkali Oxalates: First Proof of a Staggered Oxalate Anion in the Solid State", Inorg. Chem. 42(2003), 1499-1507.

Doetschman D. C. 1974. "Electron Paramagnetic Resonance Studies of Transition Metal Oxalates and Their Photochemistry in Single Crystals. I.

$K_3[Cr(C_2O_4)_3] \cdot 3H_2O$  in  $K_3[Al(C_2O_4)_3] \cdot 3H_2O$ ", J. Chem. Phys., 60(1974), 2647-2653.

Fenn R. H. Graham A.J. and Gillard R.D. 1967. "Structure of tris-oxalato-complexes of trivalent metal", Nature, 231(1967), 1012-1013

Godzisz D., Ilczyszyn M., and Ilczyszyn M.M. 2003. " $\beta$ -Alanine-oxalic acid (1:1) hemihydrate crystal: structure,  $^{13}C$ -NMR and vibrational properties, protonation character", Spectrochim. Acta Part A. 59(2003), 681-693.

Graddon D. P. 1956. "The Absorption Spectra of Complex Oxalates", J. Inorg. Nucl. Chem. 3(1956), 308-322.

Hall S. R., King, G. S. D., and Stewart J. M. 1999. XTAL3.6 System. University of Western Australia.

Hermanowicz K., Mączka M., Dereń P. J., Hanuza J., Stręk W., and Drulis H. 2001. "Optical properties of chromium(III) in trigonal  $KAl(MoO_4)_2$  and monoclinic  $NaAl(MoO_4)_2$  hosts", J. Lumin. 92(2001), 151-159.

Hua X., Larsson K., Neal T. J., Wyllie G. R. A., Shang M., and Lappin A. G. 2001. "Structure and Magnetic properties of  $[Cr(en)_2(ox)][Cr(en)(ox)_2] \cdot 2H_2O$ ,  $\Delta$ - $[Cr(en)_3] \Delta$ - $[Cr(ox)_3]$  and  $\Delta$ - $[Co(en)_3] \Delta$ - $[Cr(ox)_3]$ ", Inorg. Chem. Com. 4(2001), 635-639.

- Hueey J.E., Keiter E.A. and Keiter R.L. 1993. "Inorganic Chemistry Principle of structure and Reactivity,"<sup>4<sup>th</sup></sup>, Harper Collins College Publishers, New York, pp.387-471
- Kawasaki Y., and Foster L. S. 1969. "Zero-Field Splittings in tris(Oxalatochromium)(III)Complexes", J. Chems. Phys. 50 (1969), 1010-1013.
- Langford V.S., Von Arx M. E., and Hauser A. 1999. "Superexchange and Dipole-Dipole Energy Transfer from the  $[\text{Cr}(\text{ox})_3]^{3-}$  of 3D Oxalate Networks to Encapsulated  $[\text{Cr}(\text{bipy})_3]^{3+}$ ", J. Phys. Chem. A., 103(1999), 7161-7169.
- Maiman T.H., Hoskins R.H., D'Haenens I. J., Asawa C.K., and Evtuhov V. 1961. "Stimulated Optical Emission in Fluorescent Solids.II. Spectroscopy and Stimulated Emission in Ruby", Phys. Rev., 123(1961), 1151-1157
- Malézieux B., Andrés R., Brissard M., Gruselle M., Train C., Herson P., Troitskaya L. L., Sokolov V. I., Ovseenko S. T., Demeschik T. V., Ovanesyan N. S., and Mamed'yarova I. A. 2001. "(Ferrocenylmethyl)trialkyl Ammoniums as Template Cations in Optically Active Two-dimensional Oxalate Bridging [Cr-Mn] and [Cr-Ni] Molecule-based Magnets: Synthesis and Magnetic Properties", J. Organo. Chem. 637-639(2001), 182-190.
- Miessler G. L.,Tarr D. A. 1998. "Inorganic Chemistry,"<sup>2<sup>nd</sup></sup>, Prentice-Hall,Inc., New-Jersey, pp.472-473

- Mytych P., Cies'la P., and Stasicka Z. 2005. "Photoredox processes in the Cr(VI)–Cr(III)–oxalate system and their environmental relevance", Appl. Catal. B 59(2005), 165-174
- Martin L., Turner S. S., Day P., Guionneau P., Howard J.A. K., Hibbs D. E., Light M. E., Hursthouse M. B., Uruichi M., and Yakushi K. 2001. "Crystal Chemistry and Physical Properties of superconducting and Semiconducting Charge Transfer Salts of the Type (BEDT-TTF)<sub>4</sub>[A<sup>I</sup>M<sup>III</sup>(C<sub>2</sub>O<sub>4</sub>)<sub>3</sub>]·PhCN, where A<sup>I</sup> = H<sub>3</sub>O, NH<sub>4</sub>, K; M<sup>III</sup> = Cr, Fe, Co, Al; BEDT-TTF = bis(ethylenedithio) tetrathiafulvalene", Inorg. Chem. 40(2001), 1363-1371.
- Öhrström L., and Svensson G. 2000. "On the Structures and Properties of Cr(DMSO)<sub>6</sub><sup>3+</sup> and the Coordination polymer [cis-Cr(III)(oxalate)<sub>2</sub>(DMSO)<sub>2</sub>K(DMSO)<sub>2</sub>]<sub>n</sub>", Inorg. Chim. Acta. 305(2000), 157-162.
- Roman P., Miralles C. G. and Luque A. 1996. "Synthesis, Structure and Characterisation of [Ni(bipy)<sub>3</sub>][NaAl(ox)<sub>3</sub>]: (bipy = 2,2'-bipyridine, ox = oxalate)", J. Chem. Soc., Dalton Trans., (1996), 3985-3989.
- Scaringe R. P., Hatfield W. E. and Hodgson D. J. 1977. "Magnetic and Structural Characterization of the Chromium(III) Dimer Sodium Di-μ-hydroxobis[bis(oxalate)chromate(III)]Hexahydrate, Na<sub>4</sub>[Cr(C<sub>2</sub>O<sub>4</sub>)<sub>2</sub>OH]<sub>2</sub>·6H<sub>2</sub>O", Inorg. Chem. 22(1977), 175-183.



- Schönherr T., Spanier J., and Schmidtke H.-H. 1989. "Trigonal Level Splittings of Cr<sup>3+</sup> Doped in NaMg[Al(ox)<sub>3</sub>]·8H<sub>2</sub>O Single Crystals", J. Phys. Chem. 93(1989), 5969-5972
- Sakagami N., Kita E., Kita P., Wisniewska J., and Kaizaki S. 1999. "The Crystal Structure of Bis(oxalato)chromium(III) Complexes with Histamine and B<sub>6</sub> vitamin: Na[Cr(ox)<sub>2</sub>(hm)].3H<sub>2</sub>O and Na[Cr(ox)<sub>2</sub>(PM)].H<sub>2</sub>O"(hm, histamine; PM, pyridoxamine)", Polyhedron. 18(1999), 2001-2007.
- Skoog D. A. and Leary J. J. 1992. "Principle of Instrumental Analysis", 4<sup>th</sup>ed. Saunders College Publishing, Philadelphia, pp.426-453
- Suchocki A.B., Gilliland G.D., Powell R.C., Bowen J.M., and Walling J. C. 1987. "Spectroscopic properties of Alexandrite Crystals II", J. Lumin. 37(1987), 29-37
- Tamaki H., Zhong Z. J., Matsumoto N., Kida S., Koikawa M., Achiwa N., Hashimoto Y., and Ökawa H. 1992. "Design of Metal-Complex Magnets. Syntheses and Magnetic Properties of Mixed-Metal Assemblies {NBu<sub>4</sub>[MCr(ox)<sub>3</sub>]}<sub>x</sub> (NBu<sub>4</sub><sup>+</sup> = Tetra(*n*-butyl)ammonium Ion; ox<sup>2-</sup> = Oxalate Ion; M = Mn<sup>2+</sup>, Fe<sup>2+</sup>, Co<sup>2+</sup>, Ni<sup>2+</sup>, Cu<sup>2+</sup>, Zn<sup>2+</sup>)", J. Am. Chem. Soc. 114(1992), 6974-6979.
- Taura T. 1988. "Carbon-13 Nuclear Magnetic Resonance Spectra of Potassium(Ethylenediaminetetraacetato)cobaltate(III) in Organic Solvents", Inorg. Chim. Acta. 27(1988), 2845-2847.

Taylor D. 1978. "The Crystal Structure of Potassium Tris(oxalato)-chromate(III) and – aluminate(III) Trihydrate: a Reinvestigation", Aust. J. Chem., 31(1978), 1455-1462.

Von Arx M. E., Langford V. S., Oetliker U. and Hauser A. 2002. "Resonant Energy Transfer in the Mixed Crystal Series  $[\text{Rh}(\text{bpy})_3][\text{NaAl}_x\text{Cr}_{1-x}(\text{ox})_3]\text{ClO}_4$  (bpy = 2,2'-bipyridine, ox = Oxalate, x = 0.05-1)", J. Phys. Chem. 106(2002), 7099-7105.

Yager T. D., and Eaton G. R. 1979. "Allowed and Forbidden d-d Transitions in  $\text{Cr}(\text{oxalate})_3^{3-}$ ", J. Chem. Educ. 56(1979), 635.

Youssef S., 1986 "Thermal decomposition of some double oxalate, precursors of double oxides, sodium metal trioxides with metal= tin, germanium, vanadium, and titanium", Thermochim. Acta. 106(1986), 1-7.

Department of Chemistry, The Ohio State University. 2003. Optical Properties I: Color-Pigments and Gemstones. (online) Available: [www.chemistry.ohio-state.edu](http://www.chemistry.ohio-state.edu)

Berkeley University of California. 1998. Color in minerals. (online) Available: [www.ist-socrates.berkeley.edu](http://www.ist-socrates.berkeley.edu)