

## REFERENCES

- Abrahamson, M., Mason, R. and Hasson, H. 1991. Human cystatin C: role of the N-terminal sediment in the inhibitor of human cysteine proteinases and its inactivation by leukocyte elastase. *J. Biochem.* 273: 621-626.
- Aguilera, J. M. and Kessler, H. G. 1989. Properties of mixed and filled-type dairy gels. *J. Food Sci.* 54: 1213-1217, 1221.
- Akahane, Y. and Shimizu, Y. 1990. Effect of setting incubation on the water-holding capacity of salt-ground fish meat and its heated gel. *Nippon Suisan Gakkaishi.* 56: 139-143.
- Akazawa, H., Miyauchi, Y., Sakurada, K., Wassan, D.H. and Repond, K.D. 1993. Evaluation of proteinase inhibitors in Pacific whiting surimi. *J. Aquat. Food Prod. Technol.* 2(3): 79-95.
- Almenta-Lopez, R., Guerrero, L.I. and Huerta, S. 2002. Astaxanthin extraction from shrimp waste by lactic acid fermentation and enzymatic hydrolysis of the carotenoprotein complex. *J. Food Sci.* 67: 1002-1006.
- Alvarez, C., Couso, I and Tejada, M. 1995. Sardine surimi gels as affected by salt concentration, blending heat treatment and moisture. *J. Food Sci.* 60: 622-626.
- Alvarez, C., Couso, I. and Tajada, M. 1999. Microstructure of suwari and kamaboko sardine surimi gel. *J. Sci. Food Agric.* 79: 839-844.
- An, H., Peter, M.Y. and Seymour, T.A. 1996. Role of endogenous enzyme in surimi gelation. *Trends Food Sci. Technol.* 7: 321-327.
- An, H., Seymour, T.A., Wu, J. and Morrissey, M.T. 1994. Assay systems and characterization of Pacific whiting (*Merluccius productus*) protease. *J. Food Sci.* 59: 277-281.
- An, H., Weerasinghe, V., Seymour, T.A. and Morrissey, M.T. 1994. Cathepsin degradation of Pacific whiting surimi proteins. *J. Food Sci.* 59: 1013-1317.
- Anastasi, A., Brown, M.A., Kembhavi, A.A., Nicklin, M.J., Sayers, C.A., Sunter, D.C. and Barrett, A.C. 1983. Cystatin, a protein inhibitor of cysteine proteinases. Improved purification from egg white, characterization, and detection in chicken serum. *Biochem J.* 211: 129-138.

- Ando, H., Adachi, M. Umead, K, K., Matsuura, A., Nonaka, M., Uchio, R., Tanaka, H. and Motoki, M. 1989. Purification and characteristics of novel transglutaminase derived from microorganisms. *Agric. Biol. Chem.* 53: 2613-2617.
- Araki, H. and Seki, N. 1993. Comparision of reactivity of transglutaminase to various fish actomyosins. *Nippon Suisan Gakkaishi*. 95: 711-716.
- Arnott, S. 1977. Ordered conformations of gel-forming polysaccharides obtained by x-ray diffraction analysis of oriented fibers in development. In *Food Carbohydrate* (Birch, G.G. and Shallenberger, R.S. eds.). Applied Science Publishers, Ltd. London.
- Asagami, T. Ogiwara, M. Wakameda, A. and Noguchi, S.F. 1995. Effect of microbial transglutaminase on the quality of frozen surimi made from various kinds of fish species. *Fish. Sci.* 61: 267-272.
- Asgha, A., Samejima, K. and Yasui, T. 1995. Functionality of muscle proteins in gelation mechanisms of structure meat products. *Crit. Rev. Food Sci. Nutr.* 22 : 27-106.
- Ashie, I.N.A. and Lanier, T.C. 1999. High-pressure effects on gelation of surimi and turkey breast muscle enhanced by microbial transglutaminase. *J. Food Sci.* 40: 47-54.
- Ashie, I.N.A. and Laneir, T.C. 2000. Transglutaminase in seafood processing. In *Seafood enzymes utilization and influence on postharvest seafood quality.* (Haard, N.F. and Simpson, B.K. eds.). p. 147-166. New York. Marcel Dekker.
- Ashie, I.N.A. and Simpson, B.K. 1997. Purification and characterization of cathepsin L from hepatopancreas of carp *Cyprinus carpio*. *Comp. Biochem. Physiol.* 115B: 531-537.
- Ayensa, M.G., An, H., Gomez-Guillen, M.C., Montero, P. and Borderias A.J. 1999. Partial protease activity characterization of squid *Todaropsis eblanae* mantle. *Food Sci. Technol. Int.* 5: 391-396.
- Baker-Royer, E.N. and Dodson, E.J. 1992. Crystallographic refinement of the structure of actindin at 1.7 Å resolution by fast fourier least-squares method. *Acta. Cryst. Sect. A*36: 559-572.
- Barret, A.J. 1997. Cathepsin D and other carboxyl proteinases. In *Proteinase in mammalian cell and tissues* (Barrett, A.J. ed.). p. 209-248. North-Holland Publishing. Amsterdam.

- Barett, A.J. and Starkey, P.M. 1973. The interaction of  $\alpha_2$ - macroglobulin with proteinase: characteristics and specificity of the reaction, and a hypothesis concerning its molecular mechanism. *Biochem. J.* 133: 709-724.
- Baronoski, E.S., Nip, W.K. and Moy, J.H. 1984. Partial characterization of crude enzyme extract from the fresh water prawn (*Macrobrachium rosenbergii*). *J. Food Sci.* 49: 1494–1495.
- BeMiller, J.M. and Whistler, R.L. 1996. Carbohydrates. In *Food Chemistry* (Fennema, O.R. ed.). p. 158-221. Marcel Dekker. New York.
- Benjakul, S., Chantarasuwan, C. and Visessanguan, W. 2003. Effect of medium temperature setting on gelling characteristics of surimi from some tropical fish. *Food Chem.* 82: 567-574.
- Benjakul, S., Seymour, T.A., Morrissey, M.T. and An, H. 1997. Recovery of proteinase from Pacific whiting surimi wash water. *J. Food Biochem.* 21: 431-3.
- Benjakul, S. and Visessanguan, W. 2000. Pig plasma protein: potential used as protease inhibitor for surimi manufacture; inhibitory activity and the active components. *J. Sci. Food Agric.* 80: 1351-1356.
- Benjakul, S. and Visessanguan, W. 2003. Transglutaminase-mediated setting in bigeye snapper surimi. *Food Res. Int.* 36: 253–266.
- Benjakul, S., Visessanguan, W., Aewsiri, T. and Tanaka, M. 2007. Dissociation of natural actomyosin from kuruma prawn muscle induced by pyrophosphate. *Food Chem.* 102: 295-301.
- Benjakul, S., Visessanguan, W. and Chantarasuwan, C. 2004. Effect of porcine plasma protein and setting on gel properties of surimi produced from fish caught in Thailand. *LWT-Food Sci. Technol.* 37: 177-183.
- Benjakul, S., Visessanguan, W. and Kwalumtharn, Y. 2004. The effect of whitening agents on the gel-forming ability and whiteness of suwari. *Int. J. Food Sci. Technol.* 39: 773-781
- Benjakul S, Visessanguan W. and Leelapongwattana K. 2003. Purification and characterization of heat-stable alkaline proteinase from bigeye snapper (*Priacanthus macracanthus*) muscle. *Comp. Biochem. Physiol.* 134B: 579–591.
- Benjakul, S., Visessanguan, W. and Pecharat, S. 2004. Suwari gel properties as affected by transglutaminase activator and inhibitors. *Food Chem.* 85: 91-99.

- Benjakul, S., Visessanguan, W. and Srivilai, C. 2001. Porcine plasma proteins as gel enhancer in bigeye snapper (*Priacanthus tayenus*) surimi. J. Food Biochem. 25: 285-305.
- Benjakul, S., Visessanguan, W. and Tueksaban, J. 2003. Heat-activated proteolysis in lizardfish (*Saurida tumbil*) muscle. Food Res. Int. 36: 1021-1028.
- Benjakul, S., Visessanguan, W., Tueksaban, J. and Tanaka, M. 2004. Effect of some protein additives on proteolysis and gel-forming ability of lizardfish (*Saurida tumbil*). Food Hydrocolloids. 18: 395-401.
- Boye, and Lanier, T.C. 1988. Effect of heat stable alkaline proteinase of Atlantic menhaden on surimi gels. J. Food Sci. 53: 1340-1346.
- Bracho, G.E. and Haard, N.F. 1995. Identification of two matrix metalloproteinases in skeletal muscle of Pacific rockfish (*Sebastodes sp.*). J. Food Biochem. 19: 299-319.
- Bullens, C.W., Llanto, M.G., Lee, C.M. and Modliszewski, J.J. 1990. The function of carageenan based stabilizers to improve quality in fabricated seafood products. In Advances in fisheries technology and biotechnology for increased profitability (Voigt, M. and Botta, R. eds.). p. 313-324. Technomic Pub. Co., Inc., Lancaster, Pennsylvania.
- Burgarella, J.C., Lanier, T.C. and Hamann, D.D. 1985. Effects of added egg white or whey protein concentrate on thermal transitions in rigidity of croaker surimi. J. Food Sci. 50: 1588-1594, 1606.
- Buttkus, 1970. Accelerated denaturation of myosin in frozen solution. J. Food Sci. 35: 558-562.
- Carballo, J., Mota, N., Barreto, G. and Jimenez Colmenero, F. 1995. Binding properties and colour of bologna sausage made with varying fat levels, protein levels and cooking temperatures. Meat Sci. 41: 301-313.
- Carlson, T.H. 1996. Composition of plasma. In Principles of transfusion medicine. 2<sup>nd</sup> ed. (Rossi, E.C., Simon, T.L., Moss, G.S. and Gould, S.A., eds.). p. 383-391. Williams and Wilkins. Baltimore.
- Chang, H.S., Hultin, H.O. and Dagher, S.M. 2001. Effect of MgCl<sub>2</sub>/sodium pyrophosphate on chicken breast muscle myosin solubilization and gelation. J. Food Biochem. 25: 459-474.
- Chang-Lee, M.V., Pacheco-Aguilar, R., Crawford, D.L. and Lampila, L.E. 1990. Proteolytic activity of surimi from Pacific whiting (*Merluccius productus*) and heat-set gel texture. J. Food Sci. 54: 1116-1119, 1124.

- Chang, C.C. and Regenstein, J.M. 1997. Water uptake , protein solubility, and protein changes of cod mince stored on ice as affected by polyphosphate. *J. Food Sci.* 62: 305-309.
- Chantarasuwan, C. 2001. Role of endogenous transglutaminase in setting of surimi from some tropical fish. M. Sc. Thesis, Prince of Songkla University.
- Chen, J.S., Lee, C.M., and Crapo, C. 1993. Linear programming and response surface methodology to optimize surimi gel texture. *J. Food Sci.* 58: 535-538.
- Chan, J.K., Gill, T.A. and Paulson, A.T. 1993. Cross-lining of myosin heavy chains from cod, herring and silver hake during thermal setting. *J. Food Sci.* 57: 906-912.
- Chen, H.H. 2000. Effect of non-muscle protein on the thermo gelation of horse mackerel surimi and the resultant cooking tolerance of kamaboko. *Fish. Sci.* 66: 783-788.
- Choi, Y.J., Cho, Y.J. and Lanier, T.C. 1999. Purification and characterization of proteinase from Atlantic menhaden muscle. *J. Food Sci.* 64: 772-775.
- Chu, G.H. and Sterling, C. 1970. Parameter of texture change in processed fish: myosin denaturation. *J. Text. Stud.* 2: 214-222.
- Chung, K.H. and Lee, C.M. 1990. Relationships between physicochemical properties of nonfish protein and textural properties of protein incorporated surimi gel. *J. Food Sci.* 55: 972-975, 988.
- Chung, K.H. and Lee, C.M. 1991. Water binding and ingredient dispersion pattern effects on surimi gel texture. *J. Food Sci* 56: 1263-1266.
- Christeller, J.T., Ferley, P.C., Ramsay, R.J., Sullivan, P.A. and Laing, W.A. 1998. Purification, characterization and cloning of an aspartic proteinase inhibitor from squash phloem exudates. *Eur. J. Biochem.* 254: 160-167.
- Colmenero, F.J., Barreto, G., Fernandez, P. and Carballo, J. 1996. Frozen storage of bologna sausages as a function of fat content and of levels of added starch and egg white. *Meat Sci.* 42: 325-332.
- Comissiong, E.A. and Hultin, H.O. 1978. Development of a model system using glycerinated muscle for the study of physical properties. *J. Food Biochem.* 2: 305-325.
- Cortes, P.H., Whitaker, J.R. and Garcia-Correno, F.L. 1997. Purification and characterization of chymotrypsin from *Penaeus vannamei* (*Crustacea: Decapoda*). *J. Food Biochem.* .21: 497-514.

- Damodaran, S. 1989. Refolding of thermally unfolded soy protein during the cooling regime of the gelation process: effect on gelation. *J. Agric. Food Chem.* 36: 262-269.
- Damodaran, S. 1996. Amino acids, peptides, and proteins. In *Food chemistry*. (Fennema, O.R. ed.) p. 321-431. Marcel Dekker. New York.
- Damodaran, S. and Kinsella, J.E. 1982. Effects of ions on protein conformation and functionality. In: *Food Protein Deterioration: Mechanisms and Functionality* (Cherry, J.P. ed.). p. 327-357. American Chemical Society. Washington, D.C
- da Ponte, D. J. B., Herst, J. M., Roozen, J. P. and Pilnik, W. 1985. Effects of different types of carrageenans and carboxymethyl celluloses on the stability of frozen stored minced fillets of cod. *J. Food Technol.* 20: 587-598.
- Doke, S.N. and Ninjoor, H.J. 1987. Characteristics of an alkaline proteinase and exopeptidase from shrimp (*Penaeus indicus*) muscle. *J. Food. Sci.* 52: 1203-1208.
- Doke, S.N., Ninjoor, V. and Nadkarni, G.B. 1980. Characterization of cathepsins D from the skeletal muscle of freshwater fish (*Tilapia mossambica*). *Agric. Biol. Chem.* 44:1521-1528.
- Duerr, J.D. and Dyer, W.J. 1952. Proteins in fish muscle. IV. Denaturation by salt. *J. Fish. Res. Bd. Can.* 8: 352-331.
- Dziezak, J.D. 1990. Phosphate improve many foods. *Food Technol.* 44(4): 80-92.
- Effvin, M., Levine, R..J. and Dewey, M.M. 1976. Paramyosin in invertebrate muscles. I. Identification and localization. *J. Cell Biol.* 71: 261-272.
- Ellinger, R.H. 1972. Nomenclature, classification and structure of phosphates used in food. In *Phosphates as Food Ingredients*. P.3. CRC Press. Boca Raton. Fla.
- Ellinger, R.H. 1975. Phosphates in food processing. In *Handbook of food additive* (Furia, T.E., ed.). p. 645-698. Cleveland CRC Pres. California. USA.
- Ellinger, R.H. 1997. Phosphate in food processing. In *Handbook of food additive*. (Furia, T.E., ed.). p. 645-698. Cleveland CRC Press. California. USA.
- Fennema, O. 1985. *Food Chemistry*. Marcel Dekker. New York. 1067 p.
- Ferry, J.D. 1948. Advances in protein chemistry. (Anson M.L. and Edsall, J.T., eds.). Academic Press. New York.

- Fishman, W. 1960. Plasma enzymes. In *The Plasma Proteins*. Vol. II. (Putnum, F., ed.). p. 59-103. Academic Press. New York.
- Foegeding, E.A., Dayton, W.R. and Allen, C.E. 1986. Interactions of myosin-albumin and myosin-fibrinogen to form protein gels. *J. Food Sci.* 51: 109-112.
- Foegeding, E.A., Lanier, T.C. and Hultin, H.O. 1996. Characteristics of edible muscle tissue. In *Food chemistry*. 3<sup>th</sup> (Fenema, O.R., ed.). p. 875-942. Marcel Dekker. New York.
- Foegeding, E.A. and Ramseym S.R. 1987. Rheological and water-holding properties of gelled meat batters containing iota carrageenan, kappa carrageenan or xanthan gum. *J. Food Sci.* 52: 549-553.
- Folk, J.E. 1970. Transglutaminase. *Method Enzymol.* 17: 889-531.
- Folk, J.E. 1980. Transglutaminase. *Ann. Rev. Biochem.* 17: 517-531.
- Folk, J.E. and Chang, S.I. 1985. Transglutaminase. *Methods Enzymol.* 123: 358-375.
- Folk, J.E. and Chung, S.I. 1973. Molecular and catalytic properties of transglutaminase. *Adv. Enzymol.* 38: 109-191.
- Folk, J.E. and Cole, P.W. 1996. Transglutaminase: Mechanistic features of the active site as determined by kinetic and inhibitor studies. *Biochem Biophys.* 122: 244-264.
- Folk, J.E. and Filayson, J.S. 1977. The  $\epsilon$  - ( $\gamma$  - glutamyl) lysine cross-link and the catalytic role of transglutaminase. *Adv. Protein Chem.* 31: 1-133.
- Fukuda, N., Fujiura, M., Kimura, M., Nozawa, H. and Seki, N. 2006. Thermally induced gelation of paramyosin from scallop adductor muscle. *Fish. Sci.* 72: 1261-1268
- Gao, J. C., Pigott, G. M. and Reine, B. 1999. Gel forming additive effects on properties of thermally induced minced fish gel. *J. Food Sci.* 64: 414-417.
- Garcia-Carreno, F.L. 1996. Proteinase inhibitors. *Trend Food Sci. Technol.* 7: 197-204.
- Garcia-Carreno, F.L and Hernandez-Cortes, P. 2000. Uses of proteinase inhibitors in seafood products. In *Seafood enzymes: Utilization and Influence on Postharvest Seafood Quality*. (Haard, N.F. and Simpson, B.K., eds.). p. 531-547. Marcel Dekker. New York.
- Gerber, U., Jucknischke, U., Putzein, S., and Fuchsbauer, H.L. 1994. A rapid and simple method of purification of transglutaminase from *Streptovercillium mabaraense*. *J. Biochem.* 299: 825 - 829.

- Giddings, G.G. and Hill, L.H. 1978. Relationship of freezing preservation parameters to texture-related structure damage to thermally processed crustacean muscle. *J. Food Proc. Pres.* 2: 249-264.
- Gill, T.A., Chen, J.K. Phonchareon, K.F. and Paulson, A.T. 1992. Effect of salt concentration and temperature heat-induced aggregation and gelation of fish myosin. *Food Res. Int.* 25: 333-341.
- Goll, D. E., Otsuka, Y., Nagainis, P. A., Shannon, J. D., Sathe, S. K., and Muguruma, M. 1983. Role of muscle proteinases in maintenance of muscle integrity. *J. Food Biochem.* 7: 137-177.
- Gomez-Guilien, M.C. and Batista, I. 1997. Seasonal changes and preliminary characterization of cathepsin D-like activity in sardine (*Sardina pilchardus*) muscle. *Int. J. Food Sci. Technol.* 32: 255-260.
- Gomez-Guillen, C.M., Montero, P., Solas, M.T. and Perez-Mateos, M. 2005. Effect of chitosan and microbial transglutaminase on the gel forming ability of horse mackerel (*Trachurus spp.*) muscle under high pressure. *Food Res. Int.* 38: 103-110.
- Gomez-Guillen, M. C. and Montero, P. 1996. Addition of hydrocolloids and non - muscle protein to sardine (*Sardina pilchardus*) mince gels: effect of salt concentration. *Food Chem.* 56: 421-427.
- Gomez-Guillen, M.C. Solas, M.T. Borderias, J. and Montero, P. 1996. Effect of heating temperature and NaCl concentration on ultrastructure of gel made from giant squid (*Dosidicus gigas*) with addition of starch, *l*-carrageenan and egg white. *Z. Lebensm Unter- Forsch.* 202: 221-227.
- Grabowska, J. and Sikorski, Z.E. 1976. The gel-formation capacity of fish myofibrillar proteins. *Lebensm. Wiss. U. Technol.* 9: 33-37.
- Grantham, G. J. 1981. Minced fish technology: A review. FAO Fisheries technical paper no. 216. Melton Mowbray, Leics. UK.
- Greenberg, C.S., Birckichler, P.J. and Rice, R.H. 1991. Transglutaminase: multifunctional cross-linking enzymes that stabilize tissue. *FASEB.* 5: 3071-3077.

- Haard, N.F. and Simpson, B.K. 1994. Proteases from aquatic organisms and their uses in the seafood industry. In *Fisheries Processing: Biotechnology Applications*. Chapman & Hall Publishing, London.
- Haard, N.F. 1995. Protein hydrolysis in seafoods. In *Seafoods: chemistry, processing technology and quality* (Shahidi, F. and Botta, J.R. eds.). p. 10-33. Chapman & Hall, New York.
- Hale, M.B. and Waters, M.E. 1981. Frozen storage stability of whole and head-less freshwater prawns (*Machrobrachium rosenbergii*). *Marine Fish. Rev.* 42: 18-21.
- Hamada, M. 1992. Mechanism, behavior and cross linkages of heat induced myosin gel. *Nippon Suisan Gakkaishi*. 58: 89-93.
- Hameed, K.S. and Haard, F.N. 1985. Isolation and characterization of cathepsin C from Atlantic short finned squid (*Illex illecebrosus*). *Comp. Biochem. Physiol.* 82B: 241-216.
- Hamm, R. 1975. The rheology of minced meat. *J. Text. Stud.* 6: 281-296.
- Hamm, R. 1979. Delocalization of mitochondrial enzymes during freezing and thawing of skeletal muscle. In *Proteins at Low Temperatures*. (Fennema, O.R. ed.). p.191. Advances in Chemistry Series. American Chemical Society. Washington, DC.
- Hammann, D.D., Amato, P.M., Wu, M.C. and Feogeding, E.A. 1990. Inhibition of modori (gel weakening) in surimi by plasma hydrolysate and egg white. *J. Food Sci.* 55: 665-669.
- Hand, L.W., Terrel, R.N. and Smith, G.C. 1982. Effect of chloride salts and physical chemical and sensory properties of frankfurters. *J. Food Sci.* 47: 1802-1817.
- Hasimoto, A. and Arai, K. 1978. The effect of pH and temperature on the stability of myofibrillar ATPase from some fish species. *Nippon Suisan Gakkaishi*. 44: 1389-1393.
- Haung, Y.P., Seguro, K., Motoki, M., and Tawada, K. 1992. Cross-linking of contractile proteins from skeletal muscle by treatment with microbial transglutaminase. *J. Biochem.* 112: 229-234.
- Hayat, M.A. 1981. Fixation for electron microscopy. In *Electron microscopy in Biotechnology* (Harris, J.R., ed.). p. 1-14. Oxford University Press. New York.
- Hemung, B. and Yongsawatdigul, J. 2005.  $\text{Ca}^{2+}$  affects physicochemical and conformational changes of threadfin bream myosin and actin in a setting model. *J. Food Sci.* 70: 455-460.

- Ho, M.L., Leu, S.Z., Hsieh, J.F. and Jiang, S.T. 2000. Technical approach to simplify the purification method and characterization of microbial transglutaminase produced from *Streptoverticillium ladakanum*. *J. Food Sci.* 65: 76-80.
- Holtzer, A., Wang, T.Y. and Noelken, M.E. 1960. The effect of various monovalent anions on myosin B solutions. The identification of actin as a product of ATP actin. *Biochem. Biophys. Acta.* 42: 453-461.
- Hsieh, J.R. Tsai, G.J. and Jiang, S.T. 2002. Microbial transglutaminase and recombinant cystatin effects on improving the quality of mackerel surimi. *J. Food Sci.* 67: 3120-3125.
- Hsu, S.Y. and Chung, H.Y. 2001. Effects of K-carrageenan, salt, phosphates and fat on qualities of low fat emulsified meatballs. *J. Food Eng.* 47:115-121.
- Hurtado, J.L., Montero, P., Borderias, J. and An, H. 2002. Properties of proteolytic enzymes from muscle of octopus (*Octopus vulgaris*) and effects of high hydrostatic pressure. *J. Food Sci.* 67: 2555-2564.
- Huidobro, A. and Tejuda, M. 1994. Emulsification capacity of fish mince from several species during frozen storage. *J. Food Sci.* 54: 842-826.
- Ikura, K., Kometani, T., Yoshikawa, M., Sasaki, R. and Chiba, H. 1980. Cross-linking of casein components by transglutaminase. *Agric. Biol. Chem.* 44: 1567-1573.
- Imeson, A. 1992. Alginates. In Thickening and gelling agent for food (Imeson, A. ed.). p. 1-24. Blackie Academic & Professional, Bishopbriggs, Glasgow G64 2NZ, UK.
- Ishida, M., Niizelei, S. and Nagayama, F. 1994. Thermostable proteinase in salted anchovy muscle. *J. Food Sci.* 59: 781-785.
- Ishikawa, S. 1978. Fish jelly product (kamaboko) and frozen minced meat (frozen surimi) made of sardine-II. Influence of the temperature during the manufacturing process on the jelly strength of kamaboko. *Bull. Tokai Reg. Fish Res. Lab.* 94: 37-44.
- Ishoroshi, M., Samejima, K., Arei, Y. And Yasui, T. 1980. Effect of blocking the myosin – actin interaction in heat-induced gelation of myosin in the presence of actin. *Agric. Biol. Chem.* 44: 2185- 2194.
- Jaczynski, J. and Park, J.W. 2002. Temperature prediction during thermal processing of surimi seafood. *J. Food Sci.* 67: 3053-3057.

- Jiang, S.T. 2000. Enzymes and their effects on seafood texture. In Seafood enzyme: utilization and influence on postharvest seafood quality (Haard, N.F. and Simpson, B.K., eds.) p. 411-450. New York. Marcel Dekker.
- Jiang, S.T., Hsieh, J.E., Ho, M.L. and Chung, Y.C. 2000. Gel properties of golden threadfin-bream and pollack surimi. *J. Food Sci.* 65: 694-698.
- Jiang, S.T., Hsieh, J.E., Ho., M.L. and Chung, Y.C. 2000. Combination effect of microbial transglutaminase, reducing agent and proteinase inhibitor on the quality of hair tail surimi. *J. Food Sci.* 65: 241-245.
- Jiang, S.T. and Lee, J.J. 1992. Purification and characterization of pig plasma factor XIIIa. *J. Agric. Food. Chem.* 40: 1101-1107.
- Jiang, S.T., Lee, J.J. and Chen, H.C. 1996. Proteolysis of actomyosin by cathepsins B, L, L-like and X from mackerel (*Scomber australasicus*). *J. Agric. Food Chem.* 44: 769-773.
- Jiang, S.T., Lee, B.L., Tsao, C.Y. and Lee, J.J. 1997. Mackerel cathepsins B and L effects on thermal degradation of surimi. *J. Food Sci.* 62: 310-315.
- Jiang, S.T. Moody, M.W. and Chen, H.C. 1991. Purification and characterization of proteases from digestive tract of grass shrimp (*Penaeus monodon*). *J. Food Sci.* 56: 322-326.
- Jiang, S., Nei, F., Chen, H.C. and Wang, J. 1992. Comparative study on the cathepsin D from bended shrimp (*Penaeus japonicus*) and grass shrimp (*Penaeus monodon*). *J. Agric. Food Chem.* 40: 961-966.
- Jittinandana, S. 2001. Ante-and Post-Mortem Factor Affect Muscle Protein Functionality from Fish. Ph. D. Thesis. College of Agriculture, Forestry, and Consumer Sciences. West Virginia University.
- Joseph, D., Lanier, T.C. and Hamann, D.D. 1994. Temperature and pH affect transglutaminase-catalyzed setting of crude fish actimyosin. *J. Food Sci.* 59: 1018-1023, 1036.
- Julavittayanukul, O. 2006. Effect of Phosphate Compound on Setting and Gel Forming Ability of Surimi from Bigeye Snapper and Threadfin Bream. M. Sc. Thesis. Prince of Songkla University.
- Julavittayanukul, O., Benjakul, S. and Visessangsn, W. 2006. Effect of phosphate compounds on gel-forming ability of surimi form bigeye snapper (*Priacanthus tayenus*). *Food Hydrocolloids.* 20: 1153-1163.

- Kanaji, T., Ozaki, H., T., Kawajiri, H., Ide, H., Motoki, M. and Shimonoshi, Y. 1993. Primary structure of microbial transglutaminase from *Streptoverticillium sp.* strain s-8112. *J. Biol. Chem.* 268: 11565-11572.
- Kamath, G.G., Lanier, T.C. Foegeding, E.A. and Hamann, D.D. 1992. Nondisulfide covalent cross-linking of myosin heavy chain in “setting” of Alaska pollack and Atlantic croaker surimi. *J. Food Biochem.* 16: 151-172.
- Kang, I.S. and Lanier, T.C. 1999. Bovine plasma protein functions in surimi gelation compared with cysteine protease inhibitors. *J. Food Sci.* 64: 842-846.
- Kennedy, H., Nagasawa, S. and Iwanaga, S. 1981. HMW and LMW kininogens. *Methods Enzymol.* 80: 172-198.
- Kim, H.R. and Eliasson, A. 1993. Changes in rheological properties of hydroxypropyl potato starch paste during freeze-thaw treatments II. Effect of molar substitution and cross-linking. *J. Text. Stud.* 24: 199-213.
- Kim, B.Y., Hamann, D.D., Lanier, T.C. and Wu, M.C. 1986. Effect of freeze-thaw abuse on the viscosity and gel-forming properties of surimi from two species. *J. Food Sci.* 52: 951-956, 1004.
- Kim, J.M. and Lee, C.M. 1987. Effect of starch on the textural properties of surimi gel. *J. Food Sci.* 52: 722-725.
- Kimura, I., Sugimoto, M., Toyoda, K., Seki, N., and Fujita, T. 1991. A study on the cross-linking reaction of myosin in kamaboko “suwari” gels. *Nippon Suisan Gakkaishi.* 57: 1386-1396.
- Kishi, H., Nozawa, H. and Seki, N. 1991. Reactivity of muscle transglutaminase on carp myofibrils and myosin B. *Nippon Suisan Gakkaishi.* 57: 1230-1210.
- Knipe, C.L. Olson, D.G. and Rust, R.E. 1985. Effects of magnesium chloride combined with tetrasodium pyrophosphate on meat emulsion characteristics. *J. Food Sci.* 50: 1014-1016.
- Kilodziejska, I. and Sikorski, Z.E. 1996. Neutral and alkaline muscle proteases of marine fish and invertebrates a review. *J. Food Biochem.* 20: 349-369.
- Kumazawa, Y., Numazawa, T., Seguro, K. and Motoki, M. 1995. Suppression of surimi gel setting by transglutaminase inhibitors. *J. Food Sci.* 60: 715-717.

- Kumazawa, Y., Nakanishi, K., Yasueda, H. and Motoki, M. 1996. Purification and characterization of transglutaminase from walleye pollack liver. *Fish. Sci.* 62: 959-964.
- Kumazawa, Y., Sano, K., Seguro, K., Yasueda, H., Nio, N. and Motoki, M. 1997. Purification and characterization of transglutaminase from Japanese oyster (*Crassostrea gigas*). *J. Agric. Food Chem.* 45: 604-610.
- Kumazawa, Y., Seguro, K., Takamura, M. and Motoki, M. 1993b. Formation of  $\epsilon$ -( $\gamma$ -glutamyl) lysine cross-link in cured horse mackerel meat induced by drying. *J. Food Sci.* 58: 1062-1067.
- Kurth, L. and Rogers, P.J. 1984. Transglutaminase catalyzed cross-linking of myosin to soya protein, casein and gluten. *J. Food. Sci.* 49: 573-576.
- Konno, K. 1992. Suppression of thermal denaturation of myosin subfragment-1 of Alaska pollack (*Theragra chalcogramma*) by sorbitol and accelerated inactivation by pyrophosphate. *J. Food Sci.* 57: 261-164.
- Konno, K., and Fukazawa, C. 1993. Autolysis of squid mantle muscle protein as affected by storage conditions and inhibitors. *J. Food Sci.* 58: 1198-1202.
- Kolodziejska, I. and Sikorski, Z.E. 1996. Neutral and alkaline muscle proteases of marine fish and invertebrates. *J. Food Biochem.* 20: 349-369.
- Kristinsson, H.G. and Hultin, H.O. 2003. Role of pH and ionic strength on water relationships in washed minced chicken-breast muscle gels. *J. Agric. Food Chem.* 25: 5103-5110.
- Kubota, S., Yoshiko, T. Matsui, T., Morioka, K. and Itoh, Y. 2006. The effects of salt concentration on the internal macro-structure and texture of walleye pollack surimi gel. *Int. J. Food Sci. Technol.* 41: 459-463.
- Lanier TC. 1986. Functional properties of surimi. *Food Technol.* 40(3): 107-114.
- Lanier, T.C. 2000. Gelation chemistry. In *Surimi and surimi sea food* (Park, J.W., ed.). p. 237-265. Marcel Dekker. New York.
- Lavine, R.J., Elfvin, M., Dewey, M.M., and Walcott, B. 1976. Paramyosin in invertebrate muscles. II. Content in relation to structure and function. *J. Cell Biol.* 71: 273-279.
- Leammlie, U.K. 1970. Cleavage of structure proteins during the assembly of the head of bacteriophage. *Nature* 277: 680-685.
- Lee, C.M. 1986. Surimi process technology. *Food Technol.* 40(3): 107-114, 124.

- Lee, C.M. 1997. Functional additives: proteins and gums *In* Surimi and surimi seafood, (Park, J.W. ed.). p. 138-162. Oregon State University, Astoria, OR.
- Lee, C.M. and Chung, K.H. 1990. The role of hydrodynamic properties of biopolymers in texture strengthening/modification and freeze-thaw stabilizing of surimi gel. *In* Advances in fisheries technology and biotechnology for increased profitability (Vogigt, M. and Botta, R. eds.). p. 347-412. Technomic Pub. Co., Inc., Lancaster, Pennsylvania.
- Lee, N.G. and Park, J.W. 1998. Calcium compounds to improve gel functionality of Pacific whiting and Alaska pollack surimi. *J. Food Sci.* 63: 969-974.
- Lee, J.J., Tzeng, S.S. and Jiang, S.T. 2000. Purification and characterization of low molecular weight kininogen from pig plasma. *J. Food Sci.* 65: 81-86.
- Lee, C.M., Wu, M.C. and Okada, M. 1992. Ingredient and formulation technology for surimi-based products. *In* Surimi Technology. (Lanier, T.C. and Lee, C.M. eds.). p. 273-302. Marcel Dekker, New York.
- Lewis, D.F., Groves, K.H.M. and Holgate, J.H. 1986. Action of polyphosphates in meat products. *Food Microstructure*. 5: 53-62.
- Lindsey, R.C. 1996. Food Additive. *In* Food Chemistry (Fennema, O.R. ed.). p. 767-824. Marcel Dekker, New York.
- Llanto, M.G. Bullens, C.W. Modliszewski, J. Bushway, A.D. 1990. Effect of carrageenan on gelling potential of surimi prepared from Atlantic pollack. *In* Advances in Fisheries, Technology and Biotechnology for increased Profitability; No. 34 Atlantic Fisheries Technological Conference and Seafood Biotechnology Workshop. p 305-311.
- Lorand, L. 1983. Post-translational pathways for generating  $\epsilon$ -( $\gamma$ -glutamyl)lysine cross-links. *In* Chemistry and Biology of  $\alpha_2$  - macroglobulin. (Feinman, R.D. ed.). p. 10-27. Academy of Science, New York.
- Lou, X., Wang, C., Xiong, Y.L., Wang, B. and Mims, S.D. 2000. Gelation characteristics of paddlefish (*Polyodon spathula*) surimi under different heating conditions. *J. Food Sci.* 65: 394-398.
- Lowry, O.H., Rosebrough, N.J., Farr, L.A. and Randall, R.J. 1951. Protein measurement with the Folin phenol reagent. *J. Biol. Chem.* 193: 256-275.

- Lugo-Sanchez, M.E., Pacheco-Aguilar, R. and Ypiz-Plascencia, G. 1996. Partial characterization of the proteinase activity in the sarcoplasmic fluid of Monterey sardine (*Sardinops sagax caerulea*) muscle. *J. Aquat. Food Prod. Technol.* 5(1): 51–66.
- Mackie, I.M. 1994. Fish Protein. In *New and developing sources of food proteins* (Hubson, B.J.G., ed.). p. 95-137. Chapman & Hall. New York.
- Makinodan, Y., Toyohara, H. and Niwa, E. 1985. Implication of muscle alkaline proteinase in the texture degradation of fish meat gel. *J. Food Sci.* 50:1351-1355.
- McCormic, R.J. 1994. Structure and properties of tissue. In *Muscle foods meat poultry and seafood technology* (Kinsman, D.M., Kotula, A.W. and Breidenstein, B.C. eds.). p. 25-62. Chapman & Hall. New York.
- Min, B.J. and Lee, S.K. 2004. Surimi quality from mechanically deboned chicken meat as affected by washing cycle, salt concentration, meat temperature and rate. *J. Anim Sci.* 17(1): 131-134.
- Montejano, J.G., Hamann, D.D., Ball, H.R. and Lanier, T.C. 1984. Thermally induced gelation of native and modified egg white - Rheological changes during processing: final strengths and microstructure. *J. Food Sci.* 49: 1249-1257.
- Morrissey, M.T., Wu, J.W. and An, H. 1993. Proteinase inhibitor effect on tortion measurements and autolysis of Pacific whiting surimi. *J. Food Sci.* 58: 1050-1054.
- Morrissey, P. A., Mulvihill, D. M., and O'Neill, E. M. 1987. Functional properties of muscle proteins. In *Developments in food proteins* (Hudson, B. J. F. ed.). p. 195-225). Elsevier Science Pub., Co. New York.
- Motoki, M. and Seguro, K. 1998. Transglutaminase and its used for food processing. *Trends Food Sci. Technol.* 9: 204-210.
- Matsukawa M, Arai K. 1991. Dissociation and denaturation of walleye pollack myosin B induced by sodium pyrophosphate and MgCl<sub>2</sub>. *Nippon Suisan Gakkaishi.* 57: 1783–1788.
- Mutsumoto, J.J. 1980. Denaturation of fish muscles protein during frozen storage . In *Protein at low temperatures.* (Fenema, O., ed.) p. 206. ASC. Adv. Chem Series, Washington, DC. USA.

- Mykles, D.L. and Skinner, D.M. 1986. Four  $\text{Ca}^{2+}$ - dependent proteinase activities isolated from crustacean muscle differ in size, net charge, and sensitivity to  $\text{Ca}^{2+}$  and inhibitors. *J. Biol. Chem.* 261: 9865-9871.
- Nakahara, C., Nozawa, H. and Seki, N. 1999. A comparison of cross-linking of fish myofibrillar proteins by endogenous and microbial transglutaminase. *Fish. Sci.* 65: 138-144.
- Namakura, T., Seki, N. Kimura, I., Toyada, K. Fujita, T., Takama, K. And Arai, K. 1985. Cross-linking reaction of myosin in the fish paste during setting (suwari). *Bull. Jap. Soc. Sci. Fish.* 51: 1559-1565.
- Nakamura, R. and Doi, E. 2000. Egg processing. In *Food Protein Processing and Application* (Nakai, S. and Modler, H.W. eds.). p. 171-207. Wiley-VHC. New York.
- Nagashima, Y., Ebina, H., Nagai, T., Tanaka, M. and Taguchi T. 1992. Proteolysis affects thermal gelation of squid mantle muscle. *J. Food Sci.* 57: 916-917.
- Nauss, K.M., Kitagawa S. and Gergely, J. 1969. Pyrophosphate binding to and adenosine triphosphatase activity of myosin and its proteolytic fragments. Implications for the substructure of myosin. *J. Biol Chem.* 244: 755-765
- Nissen, J.A. 1993. Proteinase. In *Enzyme on food processing*. (Nagodawithana, T. and Reed, G., eds.). p. 159-203. Academic Press, Inc. New York.
- Niwa, E. 1992. Chemistry of surimi gelation. In *Surimi Technology*. (Laneir, T.C. and Lee, C.M., eds.) p. 389-428. Marcel Dekker. New York.
- Niwa, E., Koshiba, K., Matsuzaki, M., Nakayama, T. and Hamada, I. 1980. Species-specificities of myosin heavy chain in setting and returning. *Nippon Suisan Gakkaishi*. 46: 1497-1500.
- Niwa, E., Wang, T.T., Kanoh, S., and Nakayama, T. 1988. Contribution of gelling substance to muscular protein network structure within kamaboko. *Nippon Suisan Gakkaiishi*. 94: 989- 992.
- Ng, C.S. 1978. Measurement of free and expressible drips. In *Laboratory Manual on Analytical Methods and Procedure for Fish and Fish products* (Hasegawa, H., ed.). p. 1-2. Southeast Asian Fisheries Development Center. Singapore.
- Noguchi, S.F. 1979. Science of frozen surimi-I. *Suisan Neriseihin Gijutsu Kenkyu Kaishi*. 5: 356-373.

- Nogushi, K., Ishikawa, K., Yokoyama, K.I., Ohtsuka, T., Noi, N. and Suzuki, E.I. 2001. Crystal structure of red sea bream transglutaminase. *J. Biol. Chem.* 276: 12055-12059.
- Nonaka, M., Matsura, Y., Nakano, K. and Motoki, M. 1997. Improvement of the pH-solubility profile of sodium casinate by using  $\text{Ca}^{2+}$ - independent microbial transglutaminase with gelatin. *Food Hydrocolloids.* 11: 347-349.
- Nowsad A. A, Kanoh, S., and Niwa, E. 2000. Thermal gelation properties of spent hen mince and surimi. *Poult. Sci.* 79:117-125
- Nowsad, A., Katho, E., Konoh, S. and Niwa, E. 1994. Setting of surimi paste in which transglutaminase is inactivated by  $\text{O}-\text{chloromer-curibenzoate}$ . *Fish. Sci.* 60: 189-191.
- Nozawa, H. Mamegoshi, S. and Seki, N. 1999. Effect of neutral salts on activity and stability of transglutaminase from scallop adductor muscle. *Comp. Biochem. Physiol.* 124B: 181-186.
- Nozawa, H., Cho, S.Y. and Seki, N. 2001. Purification and characterization of transglutaminase from squid gill. *Fish. Sci.* 67: 912-919.
- Ochiai, Y. and Chow, C.J. 2000. Myosin ATPase. In Seafood enzymes: Utilization and Influence on Postharvest Seafood Quality. (Haard, N.F. and Simpson, B.K., eds.). p. 69-90. Marcel Dekker. New York.
- Offer, G. and Knight, P. 1988. The structural basis of water-holding in meat. In Developments in meat science 4. (Lawrie, R. ed.). p. 63-243. Elsevier. London.
- Oakenfull, D., Pearce, J. and Burley, R.W. 1997. Protein gelation. In Food Proteins and Their Applications (Damodaran, S. and Paraf, A. eds.). p. 111-142. Marcel Dekker. New York.
- Okada, S., Nur-E-Borhan, S.A. and Yamaguchi, K. 1998. Carotenoid composition in the exoskeleton of commercial black tiger prawns. *Fish. Sci.* 60: 213-215.
- Otlewski, J., Krowarsch, D. and Apostoluk, W. 1999. Protein inhibitors of serine proteinase. *Acta. Biochem. Pol.* 46: 531-565.
- Pal, J. Singhla, R.S. and Kulkarni, P.R. 2002. Physicochemical properties of hydroxypropyl derivative from corn and amaranth starch. *Carb. Polym.* 48: 49-53.
- Park, J.W. 1994. Functional protein additives in surimi gels. *J. Food Sci.* 59: 525-527.
- Park, J.W. 2000. Ingredient technology and formation development. In Surimi and surimi seafood. (Park, J.W. ed.). p. 329-342. Marcel Dekker. New York. USA.

- Park, S., Cho, S.Y., Yoshioka, T., Kimura, M., Nozawa, H., and Seki, N. 2003. Influence of endogenous proteases and transglutaminase on thermal gelation of squid salted muscle paste. *J. Food Sci.* 68: 2473-2478.
- Park, S.H., Cho, S.Y., Kimura, M., Nozawa, H. and Seki N. 2005. Effects of microbial transglutaminase and starch on the thermal gelation of salted squid muscle paste. *Fish. Sci.* 71: 896-903.
- Park, J.W. and Laneir, T.C. 1989. Scanning calorimetric behavior of tilapia myosin and actin due to processing of muscle and protein denaturation. *J. Food Sci.* 54: 49-51.
- Pearsons, A.M. and Young, R.B. 1989. Muscle and meat biochemistry. Academic Press, Inc. San Diego, CA.
- Peters, T. 1975. Serum albumin. In *The plasma Protein*. Vol.2. (Putnum, F.W., ed.). p. 133-172. Academic. Press. New York.
- Parsons, N. and Knight, P. 1990. Origin of variable extraction of myosin from myofibrils treated with salt and pyrophosphate. *J. Sci. Food Agric.* 51: 71-90.
- Peterson, B.C., Parrish, F.C., and Stromer, M.H. 1988. Effects of salt and pyrophosphate on the physical and chemical properties of beef muscle. *J. Food Sci.* 53: 1258-1265.
- Pomeranz, Y. 1991. Functional Properties of Food Components (2<sup>nd</sup> ed.). Academic Press, Inc. New York.
- Porter, R., Kourey, B., and Kudo, G. 1993. Inhibition of protease activity in muscle extracts and surimi from Pacific whiting (*Merluccius productus*) and arrowtooth flounder (*Atheresthes stomias*). *Mar. Fish. Chem.* 42: 2421-2427.
- Putnum, F.W. 1975. Alpha, beta, gamma, omega-the structure of the plasma proteins In *The plasma proteins*. Vol I. (Putnum, F.W., ed.). p. 58-125. Academic Press. New York.
- Poulanne, E.J. Terrell, R.N. 1983. Effect of rigor state, level of salt and sodium tripolyphosphate on physical, chemical and sensory properties of frankfurter type sausages. *J. Food Sci.* 48: 1036-1038.
- Raeker, M. and Johnson, L.A. 1995. Thermal and functional properties of bovine blood plasma and egg white proteins. *J. Food Sci.* 60: 685-690, 706.

- Ramanujam, M.V. and Hangeman, J.H. 1990. Intracellular transglutaminase (EC 2.3.2.13) in a prokaryote: evidence from vegetative and sporulating cells of *Bacillus subtilis*. FASEB. J. 4: 2321-2328.
- Ramirez, J.A. and Angel, D.A. 2006. Production of low-salt restructured fish products from Mexican flounder (*Cyclopsetta chittendeni*) using microbial transglutaminase or whey protein concentrate as binders. Eur. Food Res. Technol. 223: 341-345.
- Ramirez, J. A., Martin-Polo, M. O. and Bandman, E. 2000. Fish myosin aggregation as affected by freezing and initial physical state. J. Food Sci. 65: 556-560.
- Ramirez, J.A., Rodriguez-Sosa, R., Morales, O. G. and Vaiquez, M. 2003. Preparation of surimi gels from striped mullet (*Mugil cephalus*) using an optimal level of calcium chloride. Food Chem. 70: 443-449.
- Ramirez, J.A., Martin-Polo, M.O., Bandman, E. 2000. Fish myosin aggregation as affected by freezing and initial physical state. J. Food Sci. 65: 556–560.
- Rawdkuen, S., Benjakul, S., Visessanguan, W. and Lanier, T.C. 2004. Chicken plasma protein: proteinase inhibitory activity and its effect on surimi gel properties. Food Res. Int. 37:156-165.
- Rawdkuen, S. Benjakul, S. Vissesanguan, W. and Lanier, T.C. 2005. Combination effects of chicken plasma protein and setting phenomenon on gel properties and cross-linking of bigeye snapper muscle proteins. LWT- Food Sci. Technol. 38: 353-362.
- Rawdkuen, S. and Benjakul, S. 2008. Whey protein concentrate: autolysis inhibition and effects on the gel properties of surimi prepared from tropical fish. Food Chem. 106: 1077-1084
- Rees, D.A. 1972. Mechanisms of gelation in polysaccharide systems. In Gelation and gelling agents, B.F.M.I.R.A. Symposium Proceeding No. 13. British Food Manufacturers Industries Research Association, London Symposium proceedings. p. 7-12.
- Regenstein, J.M., Jauregui, C.A. and Baker, R. 1984. The effect of pH, polyphosphates and different salts on water retention properties of ground trout muscle. J. Food Biochem. 8: 123-131.
- Reppon, K.D. and Babbitt, J.K. 1993. Proteinase inhibitors affect physical properties of arrowtooth flounder and walleye pollack surimi. J. Food Sci. 58: 96-98.

- Ritonja, A., Krizaj, I., Mesko, P., Kopitar, M., Lucovnik, P., Strukelj, B., Pungercar, J., Buttle, D.J., Barrett, A.J. and Turk, V. 1990. The amino acid sequence of a novel inhibitor of cathepsin D from potato. *FEBS Lett.* 267: 13-15.
- Robin, J.P., Mercier, C., Charbonniere, R., and Guilbot, A. 1974. Linterized starched, gel filtration and enzymatic studies of insoluble residues from prolonged acid treatment of potato starch. *Cereal Chem.* 51: 389-406.
- Robinson, H.W. and Hodgen, C.G. 1940. The biuret reaction in the determination of serum protein. I.A. study of the condition necessary for the production of the stable color which bears a quantitative relationship to the protein concentration. *J. Biol. Chem.* 135: 707-725.
- Roussel, H. and Cheftel, J.C. 1990. Mechanism of gelation of sardine protein: influence of thermal processing and various additives on the texture and protein solubility and kamaboko gel. *Int. J. Food Technol.* 25: 260-280.
- Rawlings, N.D. and Barrett, A.J. 1990. Evolution of proteins of the cystatin superfamily. *J. Mol. Biol.* 30: 60-71.
- Sakamoto, H., Kumazawa, Y. and Motoki, M. 1994. Strength of protein gels prepared with microbial transglutaminase as related to reaction conditions. *J. Food Sci.* 59: 866-871.
- Sakamoto, S., Kumazawa, Y. Kawajiri, H. and Motoki, M. 1995.  $\epsilon$  - ( $\gamma$ -glutamyl) lysine crosslink distribution in foods as determined by improved method. *J. Food Sci.* 60: 1412-1416.
- Sakamoto, H., Kumazawa, Y., Toiguchi, S., Seguro, K., Soeda, T. and Motoki, M. 1995. Gel strength enhancement by addition of microbial transglutaminase during onshore surimi manufacture. *J. Food Sci.* 60: 300-304.
- Salvesen, G. and Nagase, H. 1989. Inhibition of proteolytic enzyme. In *Proteolytic enzymes a practical approach.* (Beynon, R. and Bond, J., eds.). p. 83-104. IRL Press. Oxford.
- Samejima, K., Egelstrand, B. and Fretheim, K. 1985. Heat gelation properties and protein extractability of beef myofibrils. *J. Food Sci.* 50: 1540-1543.
- Samejime, K. Ishioroshi, M, and Yasui, T. 1981. Relative roles of the head and tail portions of the molecules in heat-induced gelation of myosin. *J. Food Sci.* 46: 1421-1418.

- Sand, R.E. 1985. Nomenclature and structure of carbohydrate hydrocolloid. In *Food Hydrocolloid Volumm I* (Glickman, M. ed.). p. 19-46. CRC Press. Inc. Florida.
- Sano, T., Noguchi, S.F. Tsuchiya, T. and Matsumoto, J.J. 1989. Paramyosin-myosin-actin interaction in gel formation of invertebrate muscle. *J. Food Sci.* 45: 796-799, 842.
- Sano, T., Ohno, T., Otsuka-Fuchino, H., Matsumoto, J. and Tsuchiya, T. 1994. Carp natural actomyosin: thermal denaturation mechanism. *J. Food Sci.* 59: 1002-1008.
- Sarkar, N.K. 1950. The effect of ions and ATP on myosin and actomyosin. *Enzymologia.* 14: 237-245.
- Sato, S. and Tsuchiya, T. 1992. Microstructure of surimi and surimi-based products. In *Surimi Technology* (Lanier, T. C. and Lee, C. M.. eds.). p. 501-518. Marcel Dekker. New York.
- Savarin, B. 1969. Starch. In *Gum technology in the food industry* (Glicksman, M. ed.) p. 274-333. Academic Press Inc. New York.
- Seguro, K. Kumazawa, Y. Ohtauka, T. Toguchi, S. and Motoki, M. 1995. Microbial transglutaminase and  $\epsilon$  - ( $\gamma$ -glutamyl) lysine cross-link effects on elastic properties of kamaboko gels. *J. Food Sci.* 60: 305-311.
- Seki, N., Nozawa, H. and Ni, S. 1998. Effect of transglutaminase on the gelation of heat-denatured surimi. *Fish. Sci.* 64: 959-963.
- Seki, N., Uno, H., Lee, N., Kimura, I., Toyoda, K., Fujita, T. and Arai, K. 1990. Transglutaminase activity in Alaska pollack muscle and surimi and its reaction with myosin B. *Nippon Suisan Gakkaishi.* 56: 126-128.
- Seman, D.L. Olson, D.C. and Mandigo, B.W. 1980. Effect of reduction and partial replacement of sodium on bologna characteristics and acceptability. *J. Food Sci.* 45: 1116-1121.
- Seymour, T.A., Peters, M.Y., Morrissey, M.T. and An, H. 1997. Surimi gel enhancement by bovine plasma proteins. *J. Agric. Food Chem.* 45: 2919-2923.
- Sherekar SV, Gore MS, Ninjoor V. 1988. Purification and characterization of cathepsin B from the skeletal muscle of fresh water fish (*Tilapia mossambica*). *J. Food Sci.* 53:1018-1023.
- Shenouda, S.Y.K. 1980. Theories of protein denaturation during frozen storage of fish flesh. *Adv. Food Res.* 26: 275-311.
- Shie, J.S. and Park, J.W. 1999. Physical characteristics of surimi seafood as affected by thermal processing conditions. *J. Food Sci.* 64: 287-290.

- Shimizu, Y. 1985. Biochemical and functional properties of material fish. In Proceedings of the international symposium on engineered seafood including surimi. (Seattle, W.A., Martin, R.E. and Collete, R.L. eds.). p. 148-167. National Fish. Institute. Washington, DC.
- Sikorski, Z.E. Kolakowska, A. and Burt, J.R. 1990. Postharvest biochemical and microbial Changes. In Seafood: resource, nutritional, composition and preservation. (Sikorski, A.E., ed.). p. 55-75. CRC Press, Inc, Boca Raton.
- Sikorski, Z., Olley, J., and Kostuch, S. 1976. Protein changes in frozen fish. Crit. Rev. Food Sci. Nutr. 8: 97-129.
- Sikorshi, Z.E. and Pan, B.S. 1994. The involvement of proteins and nonprotein nitrogen in postmortem changes in seafood. In Seafood proteins (Sikorski, Z.E., Pan, B.S. and Shahidi, F. eds.). p. 40-57. Chapman & Hall. New York.
- Sikorski, Z.E. and Ruiter, A. 1994. Changes in proteins and nonprotein nitrogen in cured, fermented and dried seafoods. In Seafood Proteins (Sikorski, Z.E., Pan, B.S. and Shahidi, F. eds). p 113-126. Chapman& Hall. New York.
- Simpson, K.L. 1982. Carotenoid pigments in seafood. In Chemistry and Biochemistry of marine food products (Martin, R.E., Flick, G.L. and Ward, D.R., eds.). p. 115-148. AVI Publishing. Westport.
- Sarraga, C., Gil, M., Arnau, J., Monfort, J.M. and Cusso, R. 1989. Effect of curing salt and phosphate on the activity of porcine muscle proteases. Meat Sci. 25: 241-249.
- Stefansson, G. and Hultin, H.O. 1994. On the solubility of cod muscle protein in water. J. Agric. Food Chem. 42: 2656–2664.
- Steel, R.G.D. and Torrie, J.H. 1980. Principles and Procedures of Statistics; A Biometrical Approach. Second ed. McGraw-Hill. New York.
- Sultanbawa, Y. and Li-Chan, E.Y.C. 2001. Structural changes in natural actomyosin and surmi from cod (*Ophiodon elongatus*) during frozen storage in the absence or presence of cryoprotectants. J. Agric. Food. Chem. 49: 4716-4725.
- Suzuki, T. 1981. Fish and Kill Protein: Processing Technology. Applied Science Publishers. London.

- Sych, J., Lacroix, C., Adambounou, L.T. and Castaigne, F. 1991. The effect of low or non-sweet additives on the stability of protein functional properties of frozen cod surimi. Int. J. Food Sci. Technol. 26: 185-197.
- Tanaka, H., Nonaka, M. and Motoki, M. 1990. Polymerization and gelation of carp myosin by microbial transglutaminase. Nippon Suisan Gakkaishi. 36: 1341-1347.
- Teillez-Luis, S.J., Uresti, R.M., Ramirez, J. A. and Vaizquez, M. 2002. Low-salt restructured fish products using microbial transglutaminase as binding agent. J. Sci. Food Agric. 82: 953-959.
- Thammatinna, A. 2007. Effects of microbial transglutaminase on gelling property and protein cross-linking of different marine fish and shrimps. M. Sc. Thesis. Prince of Songkla University.
- Thammatinna, A., Benjakul, S., Visessanguan, W. and Tanaka, M. 2007. Gelling properties of Pacific white shrimp (*Penaeus vannamei*) meat as influence by setting condition and microbial transglutaminase. LWT- Food Sci. Technol. 40:1489-1497.
- Thawornchinsombut, S. and Park, J.W. 2005. Role of ionic strength in biochemical properties of ionic strength in biochemical properties of soluble fish proteins isolated from cryoprotected Pacific whiting mince. J. Food Biochem. 29: 132-51.
- Thawornchinsombut, S. and Park, J.W. 2007. Effect of NaCl on gelation characteristics of acid- and alkaline- treated Pacific whiting fish protein isolates. J. Food Biochem. 31: 427-455.
- Thorarinsdottir K.A., Arason, S., Geirsdottir, M., Bogason, S.G. and Kristbergsson, K. 2002. Changes in myofibrillar proteins during processing of salted cod (*Gadus morhua*) as determined by electrophoresis and differential scanning calorimetry. Food Chem. 77: 377-385.
- Toldra, F., Aristoy, M. C., Part, C., Cervero, C., Rico, E., Motilva, M. J. and Flores, J. 1992. Muscle and adipose tissue aminopeptidase activities in raw and dry-cured ham. J. Food Sci. 57: 816-818.
- Torigai, M., and Konno, K. 1996. Pyrophosphate-accelerated actin denaturation mechanism in myofibril. Fish Sci. 62: 307-311.

- Toyoda, K. Kimura, I. Fugita, T, Nuguchi, S. and Lee, C. 1992. The surimi manufacturing process, In Surimi Technology (Lanier, T.C. and Lee, C.M. eds.). p 79-112. Marcel Dekker. New York.
- Trimble, 1989. Modified starches in foods. J. Cons. Stud. Home Econ. 7: 247-260.
- Trius, A., Sebranek, J.G., Rust, R.E. and Carr, J.M. 1994. Low-fat bologna and beaker sausage: effect of carrageenans and chloride salt. J. Food Sci. 59: 941-945.
- Trout, G.R. and Schmidt, G.R. 1986. Effect of phosphates on the functional properties of restructured beef rolls: the role of pH, ionic strength, and phosphate type. J. Food Sci. 51: 1416-1423.
- Tsai, G. J., Lin, S.M., and Jiang., S.T. 1996. Transglutaminase from *Streptoverticillium ladakanum* and application to minced fish product. J. Food Sci. 61: 1234-1240.
- Tsukamasa, Y. and Shimizu, Y. 1990. Setting properties of sardine and Pacific mackerel meat. Nippon Suisan Gakkaishi. 56: 1105-1112.
- Tsukamasa, Y., Miyake, Y. Ando, M. and Makinodan, Y. 2002. Total activity of transglutaminase at various temperatures in several fish meats. Fish. Sci. 68: 929-933.
- Uresti, R. M., Teillez-Luis, S. J., Ramirez, J. A. and Vaizquez, M. 2004. Use of dairy proteins and microbial transglutaminase to obtain low-salt fish products from filleting waste from silver carp (*Hypophthalmichthys molitrix*). Food Chem. 86: 257-262.
- Uresti, R.M., Velazguez., G. Vazquez, M., Ramirez, J., and Torres, A.J. 2006. Effect of combining microbial transglutaminase and high pressure treatment on the mechanical properties of heat – induce gels prepared from Arrowtooth founder (*Atheresthes stomias*). Food Chem. 94: 202-209.
- Valle, L.J., Escribano, C., Perez, J.J. and Garriga, P. 2002. Calcium-induced decrease of the thermal stability and chaperone activity of  $\alpha$ -crystalline. Biochem. Biophys. Acta. 1601: 100–109.
- VanWazer, J.R. 1971. Chemistry of the phosphate and condense phosphates. In Symposium: phosphates in food processing. (Denma, J.M. and Malnyehyn, P., eds.) p.1. The AVI Pub. Co. Inc., Westport.

- Vega-Villsante, F., Nolasco, H. and Civera, R. 1995. The digestive enzymes of the Pacific brown shrimp *Penaeus californiensis* - II. Properties of protease activity in the whole digestive tract. *Comp. Biochem. Physiol.* 112(B): 123-129.
- Visessanguan, W. Benjakul, W. An, H. 2000. Porcine plasma proteins as a surimi protease inhibitor : effects on actomyosin gelation. *J. Food. Sci.* 65: 607-611.
- Vojdani F. 1996. Solubility. In *Methods of testing protein functionality* (Hall, G.M. ed.). p 11-60. Blackie Academic and Professional. London.
- Wang, J.H., Ma, W.C., Su, J.C., Chen, C.H. and Jiang, S.T. 1993. Comparison of the properties of m-calpain from tilapia and grass shrimp muscles. *J. Agric. Food Chem.* 41: 1379-1384.
- Wang, S.F. and Smith, D.M. 1992. Functional properties and microstructure of chicken breast salt soluble protein gels as influenced by pH and temperature. *Food Struct.* 11: 273-385.
- Wasson, D.H. Babbitt, J.K. and French, J.S. 1992. Characterization of a heat stable protease from arrowtooth flounder: (*Atheresthes stomis*). *J. Aquat. Food Prod. Technol.* 1(3/4): 167-82.
- Washizu, K., Ando, K., Koikeda, S., Hirose, S., Matsuura, A. and Takagi, H. 1994. Molecular cloning of the gene for microbial transglutaminase from *Streptoverticillium* and its expression in *Streptomyces lividans*. *Biotechnol. Biochem.* 58: 82-87.
- Weeds, A.G. and Pope, B. 1977. Studies on the chymotryptic digestion of myosin. *J. Mol. Biol.* 111: 129-157.
- Weerasinghe, V.C., Morrissey, M.T., Chung, Y.C., and An, H. 1996. Whey protein concentrate as a proteinase inhibitor in Pacific whiting surimi. *J. Food Sci.* 61: 367-371.
- Weinberg, Z.G., Regenstein, J.M. and Baker, R.C. 1984. Effects of different salts on water retention and heat initiated binding properties of comminuted cod muscle. *J. Food Biochem.* 8: 215-227.
- Whitaker, J.R. 1994. *Principles of Enzymology for the Food Sciences*, 2<sup>nd</sup> Ed. Marcel Dekker, Inc. New York.
- White, A., Handler, P. and Smith, E. 1973. *Principles of Biochemistry*. 5<sup>th</sup> ED. McGraw Hill Book Company. New York.
- Worratao, A and Youngsawatdigul, J. 2005. Purification and characterization of transglutaminase from tropical tilapia (*Oreochromis niloticus*). *Food Chem.* 93: 651-658.

- Wu, J.Q., Hamann, D.D. and Foegeding, E.A. 1991. Myosin gelation kinetic study based on rheological measurements. *J. Agric. Food Chem.* 39: 229-236.
- Wu, M.C., Hamann, D.D. and Lanier, T.C. 1985. Thermal transitions of admixed starch/fish protein systems during heating. *J. Food Sci.* 50: 20-25.
- Wu, Y. and Seib, P.A. 1990. Acetylated and hydroxypropylated distarch phosphates from waxy barley: paste properties and freeze thaw stability. *Cereal Chem.* 67: 202-208.
- Xiong, Y.L. 1997. Structure-function relationships of muscle protein. In *Antioxidants in muscle food* (Decker, E.A., Faustman, C. and Lopez-Bote, C.J., eds). p. 85-111. John Wiley and Son, Inc. New York.
- Xiong, Y.L. 2005. Role of myofibrillar proteins in water-binding in brine-enhanced meats. *Food Res. Int.* 38: 281-287.
- Xiong, Y.L. and Blanchard, S.P. 1994. Myofibrillar protein gelation: Viscoelastic changes related to heating procedures. *J. Food Sci.* 59: 734-738.
- Xiong, Y.L. and Brekke, C.J. 1991. Gelation properties of chicken myofibrils treated with calcium and magnesium chlorides. *J. Muscle Food.* 2: 21-36.
- Yamamoto, Y., Okubo, T., Hatayama, S., Naito, M. and Ebisu, T. 1991. Frozen surimi product and process for preparing. US patent. 5, 028, 444.
- Yamamoto, T., Takahashi, M., Kato, S. and Konno, K. 2002. Denaturation mode of carp myofibrils when affected by temperature and salt concentration. *Fish. Sci.* 68: 627-633.
- Tamashita, M. and Konagaya, S. 1990. Purification and characterization of cathepsin L from the white muscle of chum salmon, *Oncorhynchus keta*. *Comp. Biochem. Physiol.* 96B: 247-737.
- Yamazawa, M. 1990. Effect of high temperature heating on physical properties of kamaboko gel. *Nippon Suisan Gakkaishi.* 56: 487-503.
- Yang, T.S. and Froning, G.W. 1992. Selected washing processes affect thermal gelation protein and microstructure of mechanically deboned chicken meat. *J. Food Sci.* 57: 325-329.
- Yang, H. and Park, J. 1998. Effects of starch properties and thermal processing conditions on surimi-starch gels. *LWT-Food Sci. Technol.* 31: 344-353.
- Yoshiko, T., Konno, K. and Seki, K. 2002. Stabilization of squid myosin subfragment-1 and myofibrils by ATP-related compounds. *Fish. Sci.* 68: 222-226.

- Yasueda, H., Kumazawa, Y. and Motoki, M. 1994. Purification and characterization of tissue-type transglutaminase from red sea bream (*Pagrus major*). Biosci. Biotechnol. Biochem. 58: 2041-2045.
- Yasui, T., Ishiroshi, M. and Samejima, K. 1980. Heat induced gelation of myosin in the presence of actin. J. Food Biochem. 4: 61-78.
- Yeh, AN-I. and Yeh, S.L. 1993. Some characteristics of hydroxypropylated and cross-linked rice starch. Cereal Chem. 70: 596-601.
- Ylonen, A., Rinne, A., Herttuanen, J., Bogwald, J., Jarvinen, M. and Kalkkinen, N. 1999. Atlantic salmon (*Salmo salar L.*) skin contains a novel kininogen and another cysteine proteinase inhibitor. Eur. J. Biochem. 266: 1066-1072.
- Ylonen, A., Helin, J., Bogwald, J., Jaakola, A., Rinne, A. and Kalkkinen, N. 2002. Purification and characterization of novel kininogens from spotted wolffish and Atlantic cod. Eur. J. Biochem. 269: 2639-2646.
- Yokoyama, K., Ohtsuka, T., Kuraishi, C., Ono, K., Kita, Y., Arakawa, T. and Ejima, D. 2003. Gelation of food protein induced by recombinant microbial transglutaminase. J. Food Sci. 68: 49-51.
- Yongsawatdigul, J. and Park, J. 1996. Linear heating rate affects gelation of Alaska pollock and Pacific whiting surimi. J. Food Sci. 61:149-153.
- Yongsawatdigul, J. Worratao, A. and Park, J.W. 2002. Effect of endogenous transglutaminase on threadfin bream surimi gelation. J. Food Sci. 67: 3258-3263.
- Yongsawatdigul, J. and Piyadhamviboon, P. 2004. Inhibition of autolytic activity of lizardfish surimi by proteinase inhibitors. Food Chem. 87: 447-453.
- Yongsawatdigul, J. Piyadhamviboon, P. and Singchan, K. 2006. Gel-forming ability of small scale and carp (*Cirrhiana microlepis*) unwashed and wash mince as related to endogenous proteinase and transglutaminase activities. Eur. Food Res. Technol. 223: 769-774.
- Yoshida, W., Kunimi, O., Fujiura, M., Kimura, M., Nozawa, H. and Seki, N. 2003. Thermal gelation of salted paste from scallop striated adductor muscle. Fish. Sci. 69: 1017-1025.
- Ziegler, G.R. and Aton, J.C. 1984. Meahanism of gel forming by proteins of muscle tissue. Food Technol. 38(5): 77-82.

Ziegler, G.R. and Foegeding, E.A. 1990. The gelation of proteins. *Adv. Food. Res.* 34: 203-286.