

## REFERENCES

- Anker, M., Berntsen, J., Hermansson, A. M. and Stading, M. 2002. Improved water vapor barrier of whey protein films by addition of an acetylated monoglyceride. *Innov. Food Sci. Emerg. Technol.* 3: 81–92.
- AOAC. 1999. Official method of analysis, 14<sup>th</sup> ed. Association of official chemists. Washington, D. C.
- Arvanitoyannis, I., and Biliaderis, C. G. 1999. Physical properties of polyol-plasticized edible blends made of methyl cellulose and soluble starch. *Carbohydr. Polym.* 38: 47–58.
- Arvanitoyannis, I. S., Nakayama, A. and Aiba S. S. 1998a. Chitosan and gelatin based edible films: state diagrams, mechanical and permeation properties. *Carbohydr. Polym.* 37: 371–382.
- Arvanitoyannis, I. S., Nakayama, A. and Aiba S. S. 1998b. Edible films made from hydroxypropyl starch and gelatin and plasticized by polyols and water. *Carbohydr. Polym.* 36: 105–119.
- Arvanitoyannis, I. S., Psomiadou, E., Nakayama, A., Aiba, S. and Yamamoto, N. 1997. Edible films made from gelatin, soluble starch and polyols, Part 3. *Food Chem.* 60: 593–604.
- Asghar, A. and Henrickson, R. L. 1982. Chemical, biochemical, functional and nutritional characteristics of collagen in food systems. In *Advances in food research.* (Chichester, C. O., Mrata, E. M. and Schweigert, B. S. eds.). Vol. 28, p. 237–273. Academic Press. London.
- Asghar, A., Gray, J. I., Buckley, D. J., Pearson, A. M. and Booren, A. M. 1988. Perspectives on warmed-over flavor. *Food Technol.* 42(6): 102–108.
- ASTM. 1989. Standard test methods for water vapor transmission of materials. Standard designation E96-E80. In *Annual Book of ASTM Standards.* American Society for Testing and Materials. Philadelphia.
- Ayrancı, E. and Tunc, S. 2001. The effect of fatty acid content on water vapour and carbon dioxide transmissions of cellulose-based edible films. *Food Chem.* 72: 231–236.
- Bailey, A., Paul, R.G., and Knott, L. 1998. Maturation and ageing of collagen. Mechanism. *Aging Develop.* 106: 1–56.

- Banker, G. S. 1966. Film coating theory and practice. *J. Pharm. Sci.* 55: 81–89.
- Barreto, P. L. M., Pires, A. T. N. and Soldi, V. 2003. Thermal degradation of edible films based on milk proteins and gelatin in inert atmosphere. *Polym. Degrad. Stab.* 79: 147–152.
- Benjakul, S., Chantarasuwan, C. and Visessanguan, W. 2003. Effect of medium temperature setting on gelling characteristics of surimi from some tropical fish. *Food Chem.* 82: 567–574.
- Bergman, I. and Loxley, R. 1963. Two improved and simplified methods for the spectrophotometric determination of hydroxyproline. *Anal. Chem.* 35: 1961–1965.
- Bigi, A., Bracci, B., Cojazzi, G., Panzamolta, S. and Roveri, N. 1998. Drawn gelatin films with improved mechanical properties. *Biomaterials.* 19: 2335–2340.
- Bigi, A., Cojazzi, G., Panzavolta, S., Roveri, N. and Rubini, K. 2002. Stabilization of gelatin films by crosslinking with genipin. *Biomaterials.* 23: 4827–4832.
- Bigi, A., Cojazzi, G., Panzavolta, S., Rubini, K. and Roveri, N. 2001. Mechanical and thermal properties of gelatin films at different degrees of glutaraldehyde crosslinking. *Biomaterials.* 22: 763–768.
- Boselli, E., Cabini, M. F., Rodriguez-Estrada, M. T., Toschi, T. G., Faniel, M. and Lercker, G. 2005. Photoxidation of cholesterol and lipid of turkey meat during storage under chemical retail conditions. *Food Chem.* 91: 705–713.
- Brault, D., Aprano, G. D. and Lacroix, M. 1997. Formation of free-standing sterilized edible films from irradiated caseinates. *J. Agric. Food Chem.* 45: 2964–2969.
- Brody, A. L., Strupinsky, E. R. and Kline, L.R. 2001. *In Active Packaging for Food Applications.* Technomic Publishing. Lancaster. Pennsylvania.
- BSI (British Standards Institution). 1975. Methods for sampling and testing gelatin (physical and chemical methods). BSI. London.
- Buege, J. A., and Aust, S.D. (1978). Microsomal lipid peroxidation. *Methods enzymol.* 52: 302–310.
- Burghagen M. 1999. Meat. *In Food Chemistry.* (Belitz, H. D. and Grosch, W. eds.). 2<sup>nd</sup> ed. p. 527–580. Springer-Verlag. Berlin, Germany.
- Burjandze, T. V. 1979. Hydroxyproline content and location in relation to collagen thermal stability. *Biopolym.* 18: 931–936.

- Cha, D. S., Choi, J. H. Chinnan, M.S. and Park, H.J. 2002. Antimicrobial films based on Na-alginate and K-carageenan. *Lebensm.-Wiss. U.-Technol.* 35: 715–719.
- Cho, S. M., Kwak, K. S., Park, D. C., Gu, Y. S., Ji, C. I., Jang, D. H., Lee, Y. B. and Kim, S. B. 2004. Processing optimization and functional properties of gelatin from shark (*Isurus oxyrinchus*) cartilage. *Food Hydrocolloid.* 18: 573–579.
- Choi, W. S. and Han, J. H. 2002. Film-forming mechanism and heat denaturation effects on the physical and chemical properties of pea-protein-isolate edible films. *J. Food Sci.* 67: 1399–1406.
- Ciarlo, A. S., Paredi, M. E. and Fraga, A. N. 1997. Isolation of soluble collagen from hake skin (*Merluccius hubbsi*). *J. Aqua. Food Prod. Technol.* 6(1): 65–77.
- Cohen-Solal, L., Louis, M. L, Allian, J. C. and Meunier, F. 1981. Absence of maturation of collagen crosslinks in fish skin. *FEBS Lett.* 123: 282–284.
- Cuq, B., Aymard, C., Cuq, J. L. and Guilbert, S. 1995. Edible packaging films based on fish myofibrillar proteins: formulation and functional properties. *J. Food Sci.* 60: 1369–1374.
- Cuq, B., Gontard, N. and Guilbert, S. 1997a. Thermal properties of fish myofibrillar protein-based films as affected by moisture content. *Polymer.* 38: 2399–2405.
- Cuq, B., Gontard, N. and Guilbert, S. 1998. Proteins as agricultural polymers for packaging production. *Cereal Chem.* 75: 1–9.
- Cuq, B., Gontard, N., Cuq, J. L. and Guilbert S. 1997b. Selected functional properties of fish myofibrillar protein-based films as affected by hydrophilic plasticizers. *J. Agric. Food Chem.* 45: 622–626.
- Damodaran, S. 1996. Amino acids, peptides, and proteins. In *Food Chemistry.* (Fennema, O. R. ed.). p. 321–429. Marcel Dekker. New York.
- Decker, E. A. and Xu, Z. 1998. Minimizing rancidity in muscle foods. *Food Technol.* 52(10): 54–59.
- Department of export promoter. 2001. Export. Ministry of commercial, Thailand. (<http://www.exim.go.th>).
- Digenis, G. A., Gold, T. B. and Shah, V. P. 1994. Cross-linking of gelatin capsules and its relevance to their *in vitro*–*in vivo* performance. *J. Pharm. Sci.* 83: 915–921.
- Donhowe, I. G. and Fennema, O. 1993. The effect of plasitcizers on crystallinity, permeability, and mechanical properties of methlcellulose films. *J. Food Proc. Preserv.* 17: 247–257.

- Donhowe, I. G. and Fenema, O. 1994. In Edible coatings and films to improve food quality (Kroachta, J. M., Baldwin, E. A. and Nisperos-Carriedo M. eds.). p. 1–25. Technomic Publishing. Lancaster. Pennsylvania.
- Eastoe, J. E. 1957. The amino acid composition of fish collagen and gelatin. Biochem. J. 65: 363–368.
- Eastoe, J.E. and Eastoe, B. 1952. A method for the determination of total nitrogen in proteins. In The British Gelatin and Glue Research Association Research Report, Series B 5. p. 1–17.
- Eckhoff, K. M., Aidoo, I., Hemre, G. I. and Lie, O. 1998. Collagen content in farmed Atlantic salmon (*Salmo solar*, L.) and subsequent changes in solubility during storage on ice. Food Chem. 62: 197–200.
- Eskin, N. A. M. 1990. Biochemical changes in raw foods: meat and fish. In Biochemistry of Food. 2<sup>nd</sup> ed. P. 3–67. Academic Press. California.
- Fairley, P., Kroachta, J. M. and German, J. B. 1997. Interfacial interactions in edible emulsion films from whey protein isolate. Food Hydrocolloid. 11: 245–252.
- Fang, Y., Tung, M. A., Britt, I. J., Yada, S. and Dalgleish, D. G. 2002. Tensile and barrier properties of edible films made from whey proteins. J. Food Sci. 67: 188–193.
- Fernandez-Diaz, M. D., Montero, P. and Gomez-Guillen, M. C. 2001. Gel properties of collagens from skins of cod (*Gadus morhua*) and hake (*Merluccius merluccius*) and their modification by the coenhancers magnesium sulphate, glycerol and transglutaminase. Food Chem. 74: 161–167.
- Fernandez-Diaz, M. D., Montero, P. and Gomez-Guillen, M. C. 2003. Effect of freezing fish skins on molecular and rheological properties of extracted gelatin. Food Hydrocolloid. 17: 281–286.
- Foegeding, E. A., Lanier, T. C. and Hultin, H. O. 1996. Characteristics of edible muscle tissue. In Food Chemistry. 3<sup>rd</sup> ed. (Fennema, O.R., ed.). p. 879–942. Marcel Dekker. New York.
- Folk, J. E. 1970. Transglutaminase. Methods Enzymol. 17: 889–894.
- Folk, J. E. 1983. Mechanism and basis for specificity of transglutaminase-catalyzed-ε(γ-glutamyl)lysine bond formation. Adv. Enzymol. 54: 1–57.

- Gallo, J. A. Q., Debeaufort, F., Callegarin, F. and Voilley, A. 2000. Lipid hydrophobicity, physical state and distribution effects on the properties of emulsion-based edible films. *J. Membr. Sci.* 180: 37–46.
- Gilsenan, P. M. and Ross-Murphy, S. B. 2000. Rheological characterisation of gelatins from mammalian and marine sources. *Food Hydrocolloid.* 14: 191–196.
- Gomez-Guillen, M. C., Sarabia, A. I., Solas, M. T. and Montero, P. 2001. Effect of microbial transglutaminase on the functional properties of megrim (*Lepidorhombus boscii*) skin gelatin. *J. Sci. Food Agric.* 81: 665–673.
- Gomez-Guillen, M. C., Turnay, J., Fernandez-Diaz, M. D., Ulmo, N., Lizarbe, M. A. and Montero, P. 2002. Structural and physical properties of gelatin extracted from different marine species: a comparative study. *Food Hydrocolloid.* 16: 25–34.
- Gontard, N., Guilbert, S. and Cuq, J. L. 1992. Edible wheat gluten films: Influence of the main process variables on film properties using response surface methodology. *J. Food Sci.* 57: 190–195.
- Gontard, N., Guilbert, S., Cuq, J. L. 1993. Water and glycerol as plasticizer affect mechanical and water vapor barrier properties of an edible wheat gluten film. *J. Food Sci.* 58: 206–211.
- Gontard, N., Marchesseau, S., Cuq, J. L. and Guilbert, S. 1995. Water vapor permeability of edible bilayer films of wheat gluten and lipids. *Int. J. Food Sci. Technol.* 30: 49–56.
- Grossman, S. and Bergman, M. 1992. Process for the production of gelatin from fish skins. US Patent 5,093,474.
- Gudmundsson, M. 2002. Rheological properties of fish gelatins. 2002. *J. Food Sci.* 67: 2172–2176.
- Gueguen, J., Viroben, G., Noireaux, P. and Subirade, M. 1998. Influence of plasticizers on the properties of films from pea proteins. *Ind. Crops Prod.* 7: 149–157.
- Guilbert, S., Gontard, N. and Gorris, L. G. M. 1996. Prolongation of the shelf-life of perishable food products using biodegradable films and coatings. *Lebensm.-Wiss. U.-Technol.* 29: 10–17.
- Gustavson, K. H. 1955. The function of hydroxyproline in collagens. *Nature.* 175: 70–74.

- Gustavson, K. H. 1956. The chemistry and reactivity of collagen. Academic Press. New York.
- Hagenmaier, R. D. and Shaw, P. E. 1990. Moisture permeability of edible films made with fatty acid and (Hydroxypropyl)-methyl cellulose. *J. Agric. Food Chem.* 38: 1799–1803.
- Hamaguchi, P. Y., Shiku, Y. and Tanaka, M. 2003. Property improvement of fish water soluble protein films by dialdehyde starch (DAS) and/or sodium dodecyl sulfate (SDS) treatments. *J. Pack. Sci. Technol.* 12: 271–282.
- Han, J. H. and Floros, J. D. 1997. Casting antimicrobial packaging films and measuring their physical properties and antimicrobial activity. *J. Plastic Film Sheet.* 13: 287–298.
- Hassan, F. and Mathew, S. 1996. Distribution of collagen in the muscle tissue of commercially important tropical fishes. *J. Food Sci. Technol.* 33: 121–123.
- Hasty, K. A., Jeffrey, J. J., Hibbs, M. S. and Welgus, H. G. 1987. The collagen substrate specificity of human neutrophil collagenase. *J. Biol. Chem.* 262: 10048–10052.
- Helcke, T. 2000. Gelatin, the food technologist's friend or foe? *Int. Food Ingred.* 1: 6–8.
- Herbage, D., Bouillet, J. and Bernengo, J.-C. 1977. Biochemical and physiological characterization of pepsin-solubilized type-II collagen from bovine articular cartilage. *Biochem. J.* 161: 303–312.
- Hickman, D., Sims, T. J., Miles, C. A., Bailey, A. J., Mari, M. and Koopmans, M. 2000. Isinglass/collagen: denaturation and functionality. *J. Biotechnol.* 79: 245–257.
- Ikoma, T., Kobayashi, H., Tanaka, J., Walash, D. and Mann, S. 2003. Physical properties of type I collagen extracted from fish scales of *Pagrus major* and *Oreochromis niloticus*. *Int. J. Biol. Macromol.* 32: 199–204.
- Irissin-Mangata, J., Bauduin, G., Boutevin, B. and Gontard, N. 2001. New plasticizers for wheat gluten films. *Eur. Polym. J.* 37: 1533–1541.
- IUPAC. 1979. In Standard methods for the analysis of oils, fat and derivatives. 6<sup>th</sup> ed. Part 1. Pergamon Press: Paris.
- Iwamoto, S., Kumagai, H., Hayashi, Y. and Miyawaki, O. 1999. Conductance and relaxations of gelatin films in glassy and rubbery states. *Inter. J. Biol. Macromol.* 26: 345–351.
- Iwata, K., Ishizaki, S., Handa, A. and Tanaka, M. 2000. Preparation and characterization of edible films from fish water-soluble proteins. *Fisheries Sci.* 66: 372–378.

- Jamilah, B. and Harvinder, K. G. 2002. Properties of gelatins from skins of fish black tilapia (*Oreochromis mossambicus*) and red tilapia (*Oreochromis nilotica*). Food Chem. 77: 81–84.
- Jardine, D., Antolovich, M., Prenzler, P. D. and Robards, K. 2002. Liquid chromatography-mass spectrometry (LC-MS) investigation of the thiobarbituric acid reactive substances (TBARS) reaction. J. Agric. Food Chem. 50: 1720–1724.
- Johnston-Banks, F. A. 1990. Gelatin. In Food gels. (Harris, P. ed.). p. 233–289. Elsevier Applied Science. London.
- Jones, N. R. 1997. Uses of gelatin in edible products. In The science and technology of Gelatin. (Ward, A. G. and Courts, A. eds.). p. 366–394. : Academic Press. London.
- Jongjareonrak, A., Benjakul, S., Visessanguan, W. and Tanaka, M. 2005a. Isolation and characterization of collagen from bigeye snapper (*Priacanthus marcracanthus*) skin. J. Sci. Food and Agric. 85: 1203–1210.
- Jongjareonrak, A., Benjakul, S., Visessanguan, W., Nagai, T. and Tanaka, M. 2005b. Isolation and characterisation of acid and pepsin-solubilised collagen from brownstripe red snapper (*Lutjanus vitta*) skin. Food Chem. 93: 475–484.
- Jongjareonrak, A., Benjakul, S., Visessanguan, W., Prodpran, T. and Tanaka, M. 2006. Characterization of edible films from skin gelatin of brownstripe red snapper and bigeye snapper. Food Hydrocolloid. 20: 492–501.
- Karnnet, S., Potiyaraj, P. and Pimpan, V. 2005. Preparation and properties of biodegradable stearic acid-modified gelatin films. Polym. Degrad. Stab. 90: 106–110.
- Kester, J. J. and Fennema, O. 1986. Edible films and coating: a review. Food Technol. 40: 47–59.
- Kester, J. J. and Fennema, O. 1989a. An edible film of lipids and cellulose ethers: barrier properties of moisture vapour transmission and structural evaluation. J. Food Sci. 54: 1383–1389.
- Kester, J. J. and Fennema, O. 1989b. Tempering influence on oxygen and water vapor transmission through a stearyl alcohol film. J. Am. Oil Chem. Soc. 66: 1154–1157.

- Kimura, S. 1972. Studies on marine invertebrate collagen type V. The neutral sugar composition and glucosylated hydroxylysine content of several collagens. Bull. Jap. Soc. Sci. Fish. 38: 1153.
- Kimura, S. 1983. Vertebrate skin type I collagen: comparison of bony fishes with lamprey and calf. Comp. Biochem. Physiol. 74B: 525–528.
- Kimura, S. 1992. Wide distribution of the skin type I collagen  $\alpha 3$  chain in bony fish. Comp. Biochem. Physiol. 102B: 255–260.
- Kimura, S. and Ohno, Y. 1987. Fish type I collagen: tissue-specific existence of two molecular forms,  $\alpha 1\alpha 2\alpha 3$ , in Alaska pollack. Comp. Biochem. Physiol. 88B: 409–413.
- Kimura, S. and Tanaka, H. 1986. Partial characterization of muscle collagens from prawns and lobster. J. Food Sci. 51: 330–339.
- Kimura, S., Ohno, Y., Miyauchi, Y. and Uchida, N. 1987. Fish skin type I collagen: wide distribution of an  $\alpha 3$  subunit in teleosts. Comp. Biochem. Physiol. 88B: 27–34.
- Kittiphatthanabawon, P., Benjakul, S., Visessanguan, W., Nagai, T. and Tanaka, M. 2005. Characterisation of acid-soluble collagen from skin and bone of bigeye snapper (*Priacanthus tayenus*). Food Chem. 89: 363–372.
- Kolodziejska, I., Kaczorowski, K., Piotrowsia, B. and Sadowska, M. 2004. Modification of properties of gelatin from skins of Baltic cod (*Gadus morhua*) with transglutaminase. Food Chem. 86: 203–209.
- Komsa-Penkova, R., Koynova, R., Kostov, G. and Tenchov, B. 1999. Discrete reduction of type I collagen thermal stability upon oxidation. Biophys. Chem. 83: 185–195.
- Kroachta, J. M. 1992. Control of mass transfer in foods with edible coating and films. In Advances in food engineering. (Singh, R. P. and Wirakartakusumah, M. A. eds.). p. 517–518. CRC Press. Florida.
- Kroachta, J. M. 1997. Edible protein films and coating. In Food Proteins and Their Applications. (Damadaran, S. and Paraf, A. eds.). p. 529–549. Marcel Dekker. New York.
- Labuza, T. B. and Breene, W. M. 1989. Application of ‘Active packaging’ for improvement of shelf-life and nutritional quality of fresh and extended shelf-life foods. J. Food Proc. Preserv. 13: 1–69.

- Laemmli, U. K. 1970. Cleavage of structural proteins during the assembly of head of bacteriophage T4. *Nature*. 227: 680–685.
- Lai, H. M., Padua, G. W. and Wei, L. S. 1997. Properties and microstructures of zein sheets plasticized with palmitic and stearic acid. *Cereal Chem.* 74: 83–90.
- Ledward, D. A. 1986. Gelation of gelatin. In *Functional properties of food macromolecules* (Mitchell, J. R. and Ledward, D. A. eds.). p. 233–289. Elsevier Applied Science Publishers. London.
- Leuenberger, B. H. 1991. Investigations of viscosity and gelation properties of different mammalian and fish gelatin. *Food Hydrocolloid*. 5: 353–361.
- Leung, H. K. 1986. Water activity and other colligative properties of foods. In *Physical and Chemical Properties of Food*. (Okos, M. R. ed.). p. 138–185. American Society of Agricultural Engineers. Michigan.
- Li, H., Liu, B. L., Gao, L. Z. and Chen, H. L. 2004. Studies on bullfrog skin collagen. *Food Chem.* 84: 65–69.
- Lim, L. T., Mine, Y. and Tung, M. A. 1999. Barrier and tensile properties of transglutaminase cross-linked gelatin films as affected by relative humidity, temperature, and glycerol content. *J. Food Sci.* 64: 616–622.
- Lin, W., Yan, L., Mu, C., Li, W. and Zhang, M. 2002. Effect of pH on gelatin self-association investigated by laser light scattering and atomic force microscopy. *Polym. Int.* 51: 233–238.
- Love, R. M., Yamaguchi, K. Creach, Y. and Lavety, J. 1976. The connective tissue and collagen of cod during starvation. *Comp. Biochem. Physiol.* 55B: 487–492.
- Lowry, O. H., Rosebrough, N. J., Farr, A. L. and Randall, R. J. 1951. Protein measurement with Folin phenol reagent. *J. Biol. Chem.* 193: 256–275.
- McHugh, T. H. 2000. Protein-lipid interactions in edible films and coatings. *Nahrung*. 44: 148–151.
- McHugh, T. H. and Krochta, J. M. 1994. Water vapor permeability properties of edible whey protein-lipid emulsion films. *J. Am. Oil Chem. Soc.* 71: 307–312.
- McHugh, T. H., Avena-Bustillos, R. and Krochta, J. M. 1993. Hydrophilic edible films: modified procedure for water vapor permeability and explanation of thickness effects. *J. Food Sci.* 58: 899–903.
- Miller, K. S. and Krochta, J. M. 1997. Oxygen and aroma barrier properties of edible films: a review. *Trends Food Sci. Technol.* 8: 228–237.

- Miltz, J., Hoojjat, P., Han, J., Giacin, J. R., Harte, B. R. and Gray, I. J. 1988. Loss of antioxidants from high density polyethylene—its effect on oatmeal cereal oxidation. In *Food and Packaging Interactions*. ACS symposium. 365: 83–93.
- Mizuta, S., Yamasa, Y., Miyagi, T. and Yoshinaka, R. 1999. Histological changes in collagen related to textural development of prawn meat during heat processing. *J. Food Sci.* 64: 991–995.
- Mizuta, S., Yoshinaka, R., Sato, M. and Sakaguchi, M. 1994. Characterization of collagen in muscle of several crustacean species. *Comp. Biochem. Physiol.* 107B: 365–370.
- Mizuta, S., Yoshinaka, R., Sato, M. and Sakaguchi, M. 1996. Thermal stability of two heterotimetic molecular forms of the quantitatively major collagen from the kuruma prawn muscle. *Fisheries Sci.* 62: 577–581.
- Montero, P., Alvarez, C., Marti, M. A. and Borderias, A. J. 1995. Plaice skin collagen extraction and functional properties. *J. Food Sci.* 60: 1–3.
- Montero, P., Borderias, J., Turnay, J. and Leyzarbe, M. A. 1990. Characterization of hake (*Merluccius merluccius* L.) and trout (*Salmo irideus* Gibb) collagen. *J. Agric. Food Chem.* 38: 604–609.
- Montero, P. and Gomez-Guillen, M. C. 2000. Extracting conditions for mergrim (*Lepidorhombus boscii*) skin collagen affect functional properties of the resulting gelatin. *J. Food Sci.* 65: 434–438.
- Montero, P., Gomez-Guillen, M. C. and Borderias, A. J. 1999. Functional characterisation of muscle and skin collagenous material from hake (*Merluccius merluccius* L.). *Food Chem.* 65: 55–59.
- Montero, P., Jimenez-Colmenero, F. and Borderias, J. 1991. Effect of pH and the presence of NaCl on some hydration properties of collagenous material from trout (*Salmo irideus* Gibb) muscle and skin. *J. Sci. Food Agric.* 54: 137–146.
- Morrissey, M. T., Park, J. W. and Huang, L. 2000. Surimi processing waste: its control and utilization. In *Surimi and Surimi Seafood*. (Park, J. W., ed.). p. 127–166. Marcel Dekker. New York.
- Muyonga, J. H., Cole, C. G. B. and Duodu, K. G. 2004a. Characterization of acid soluble collagen from skins of young and adult Nile perch (*Lates niloticus*). *Food Chem.* 85: 81–89.

- Muyonga, J. H., Cole, C. G. B. and Duodu, K. G. 2004b. Extraction and physico chemical characterisation of Nile perch (*Lates niloticus*) skin and bone gelatin. *Food Hydrocolloid.* 18: 581–592.
- Nagai, T. and Suzuki, N. 2000a. Isolation of collagen from fish waste material – skin, bone and fins. *Food Chem.* 68: 277–281.
- Nagai, T. and Suzuki, N. 2000b. Partial characterization of collagen from purple sea urchin (*Anthocidaris crassispina*) test. *Inter. J. Food Sci. Technol.* 35: 497–501.
- Nagai, T. and Suzuki, N. 2000c. Preparation and characterization of several fish bone collagens. *J. Food Biochem.* 24: 427–436.
- Nagai, T., Araki, Y. and Suzuki, N. 2002. Collagen of the skin of ocellate puffer fish (*Takifugu rubripes*). *Food Chem.* 78: 173–177.
- Nagai, T., Ogawa, T., Nakamura, T., Ito, T., Nakagawa, H., Fujiki, K. and Yano, T. 1999. Collagen of edible jellyfish exumbrella. *J. Sci. Food Agric.* 79: 855–858.
- Nagai, T., Yamashita, E., Taniguchi, K., Kanamori, N. and Suzuki, N. 2001. Isolation and characterisation of collagen from the outer skin waste material of cuttlefish (*Sepia lycidas*). *Food Chem.* 72: 425–429.
- Nawar, W. W. 1996. Lipids. In *Food Chemistry*. (Fennema, O. R. ed.). p. 225–319. Marcel Dekker. New York.
- Nomura, Y., Sakai, H., Ishi, Y. and Shirai, D. 1996. Preparation and some properties of type I collagen from fish scales. *Biosci. Biotech. Biochem.* 60: 2092–2094.
- Nomura, Y., Yamamoto, M. and Shirai, K. 1995. Renaturation of  $\alpha_1$  chains from shark skin collagen type I. *J. Food Sci.* 60: 1233–1236.
- Norland, R. E. 1990. Fish gelatin. In *Advances in Fisheries Technology and Biotechnology for Increased Profitability*. (Voight, M. N. and Botta, J. K. eds.). p. 325–333. Technomic Publishing. Lancaster. Pennsylvania.
- Normand, V., Muller, S., Ravey, J. C., and Parker, A. 2000. Gelation kinetics of gelatin: A master curve and network modeling. *Macromolecules.* 33: 1063–1071.
- Ogawa, M., Moody, M. W., Portier, R. J., Bell, J., Schexnayder, M. A. and Losso, J. N. 2003. Biochemical properties of black drum and sheepshead seabream skin collagen. *J. Agric. Food Chem.* 51: 8088–8092.
- Omura, Y., Urano, N. and Kimura, S. 1996. Occurrence of fibrillar collagen with structure of  $(\alpha_1)_2 \alpha_2$  in the test of sea urchin *Asthenosoma ijimai*. *Comp. Biochem. Physiol.* 115B: 63–68.

- Orliac, O., Rouilly, A., Silvestre, F. and Rigal, L. 2003. Effect of various plasticizers on the mechanical properties, water resistance and aging of thermo-moulded films made from sunflower proteins. *Ind. Crops. Prod.* 18: 91–100.
- Ou, S., Kwok, K. C. and Kang, Y. 2004. Changes in *in vitro* digestibility and available lysine of soy protein isolate after formation of film. *J. Food Eng.* 64: 301–305.
- Paschoalick, T. M., Garcia, F. T., Sobral, P. J. A., and Habitante, A. M. Q. B. 2003. Characterization of some functional properties of edible films based on muscle proteins of Nile tilapia. *Food Hydrocolloid.* 17: 419–427.
- Patil, R. D., Dalev, P. G., Mark, J. E., Vassileva, E. and Fakirov, S. 2000. Biodegradation of chemically modified gelatin films in lake and river waters. *J. Applied Polym. Sci.* 76: 29–37.
- Pickering, M. V., and Newton, P. 1990. Amino acid hydrolysis: old problems, new solutions. *LC/GC*: 8: 778–781.
- Piez, K. A. and Gross, J. 1960. The amino acid composition of some fish collagens: the relation between composition and structure. *J. Biol. Chem.* 235: 995–999.
- Ramachandran, G. N. 1988. Stereochemistry of collagen. *J. Pept. Prot. Res.* 31: 1–16.
- Rayas, L. M., Hernandez, R. J. and Ng, P. K. W. 1997. Development and characterization of biodegradable/edible wheat protein films. *J. Food Sci.* 62: 160–162, 189.
- Regenstein, J. M. and Regenstein, C. E. 1991. *Introduction to Fish Technology.* Van Nostrand Reinhold. New York.
- Rhim, J. W., Gennadios, A. Fu, D. Weller, C. L., and Hanna, M. A. 1999a. Properties of ultraviolet irradiated protein films. *Lebensm.–Wiss. u.–Technol.* 32: 129–133.
- Rhim, J. W., Wu, Y., Weller, C. L. and Schnepf, M. 1999b. Physical characteristics of emulsified soy protein–fatty acid composite films. *Sci. Aliments.* 19: 57–71.
- Rigby, B. J. 1968. Amino-acid composition and thermal stability of skin collagen of the Antarctic ice-fish. *Nature.* 219: 166–167.
- Rochdi, A., Foucat, L. and Renou, J. P. 2000. NMR and DSC studies during thermal denaturation of collagen. *Food Chem.* 69: 295–299.
- Rooney, M. L. and Yam, K. L. 2004. Novel food packaging. In *Technology of Reduced Additive Foods* (Smith, J. ed.). p. 61–83. Blackwell Publishing. Iowa.
- Sadowska, M., Kolodziejska, I. and Niecikowska, C. 2003. Isolation of collagen from the skin of Baltic cod (*Gadus morhua*). *Food Chem.* 81: 257–262.

- Saito, M., Kunisaki, N., Urano, N. and Kimura, S. 2002. Collagen as the major edible component of sea cucumber (*Stichopus japonicus*). *J. Food Sci.* 67: 1319–1322.
- Sarabia, A. I., Gomez-Guillen, M. C. and Montero, P. 2000. The effect of added salts on the viscoelastic properties of fish skin gelatin. *Food Chem.* 70: 71–76.
- Sato, K., Ebihara, T., Adachi, E., Kawashima, S., Hattori, S. and Irie, S. 2000. Possible involvement if aminotelopeptide in self-assembly and thermal stability of collagen I as revealed by its removal with protease. *J. Biol. Chem.* 275: 25870–25875.
- Sato, K., Yoshinaka, R., Itoh, Y. and Sato, M. 1989. Molecular species of collagen in the intramuscular connective tissue of fish. *Comp. Biochem. Physiol.* 92B: 87–91.
- Shahidi, F. 1994. Seafood proteins and preparation of protein concentrates. In *Seafood Chemistry, Processing Technology and Quality*. (Shahidi, F. and Botta, J. R. eds.) p. 3–9. Chapman & Hall. London.
- Sharma, G. K., Madhura, C. V. and Arya, S. S. 1990. Interaction of plastic films with foods. II. Effect of polyethylene films on the stability of vegetable oils. *J. Food Sci. Technol.* 27: 328–331.
- Sherwin, C. P., Smith, D. E. and Fulcher, R. G. 1998. Effect of fatty acid type on dispersed phase particle size distributions in emulsion edible films. *J. Agric. Food Chem.* 46: 4534–4538.
- Shiku, Y., Hamaguchi, P. Y., and Tanaka, M. 2003. Effect of pH on the preparation of edible films based on fish myofibrillar proteins. *Fisheries Sci.* 69: 1026–1032.
- Shiku, Y., Hamaguchi, P. Y., Benjakul, S., Visessanguan, W. and Tanaka, M. 2004. Effect of surimi quality on properties of edible films based on Alaska pollack. *Food Chem.* 86: 493–499.
- Sikorski, Z. E., Kolakowska, A. and Pan, B. S. 1990. The nutritive composition of the major groups of marine food organisms. In *Seafood: Resources, Nutritional Composition, and Preservation*. (Sikorski, Z. E. ed.). p. 29–54. CRC Press. Florida.
- Sikorski, Z. E., Scott, D. N. and Buisson, D. H. 1984. The role of collagen in the quality and processing of fish. *Crit. Rev. Food Sci. Nutr.* 20: 301–343.
- Singh, N. and Ragini, P. S. 2004. Free radical scavenging activity of an aqueous extract of potato peel. *Food Chem.* 85: 611–616.

- Sionkowska, A. 2000. Modification of collagen films by ultraviolet irradiation. *Polym. Degrad. Stab.* 68: 147-151.
- Sivakumar, P., Suguna, L. and Chandrakasan, G. 2000. Molecular species of collagen in the intramuscular connective tissues of the marine crab, *Scylla serrata*. *Comp. Biochem. Physiol.* 125B: 555-562.
- Sobral, P. J. A. and Habitante, A. M. Q. B. 2001a. Phase transition of pigskin gelatin. *Food Hydrocolloid.* 15: 377-382.
- Sobral, P. J. A., Menegalli, F. C. and Guilbert, S. 1999. Phase transitions of bovine hide gelatin plasticized by water. In *Biopolymer Science, Food and Non Food Applications.* (Colonna, P. and Guilbert, S. eds.). p.111-123. Editions INRA. Paris.
- Sobral, P. J. A., Menegalli, F. C., Hubinger, M. D. and Roques, M. A. 2001b. Mechanical,water vapor barrier and thermal properties of gelatin based edible films. *Food Hydrocolloid.* 15: 423-432.
- Sothornvit, R. and Krochta, J. M. 2001. Plasticizer effect on mechanical properties of  $\beta$ -Lactoflobulin films. *J. Food Eng.* 50: 149-155.
- Soultani, S., Ognier, S., Engasser, J. M. and Ghoul, M. 2003. Comparative study of some surface active properties of fructose esters and commercial sucrose esters. *Colloids Surf. A: Physicochem. Eng. Asp.* 227: 35-44.
- Souza, S. M. A., Sobral, P. J. A. and Menegalli, F. C. 1999. Glass transition of a meat myofibrillar protein based edible film. In *Biopolymer Science, Food and Non Food Applications.* (Colonna, P. and Guilbert, S. eds.). p. 183-188. Les Colloques. Paris.
- Stainsby, G. 1987. Gelatin gels. In *Advanced in Meat Research.* Vol. IV. (Pearson, A. M., Dutson, T. R. and Bailey, A. J. eds.). p. 209-222. Nostrand Reinhold. New York.
- Steel, R. G. D. and Torrie, J. 1980. *Principles and procedures of statistics, A Biometrical Approach.* McGraw-Hill. New York.
- Tabata, Y. and Ikada, Y. 1998. Protein release from gelatin matrices. *Adv. Drug Del. Rev.* 31: 287-301.
- Tanaka, M., Ishizaki, S., Suzuki, T. and Takai, R. 2001a. Water vapor permeability of edible films prepared from fish water soluble proteins as affected by lipid type. *J. Tokyo Univ. Fisheries.* 87: 31-37.

- Tanaka, M., Iwata, K., Sanguandekul, R., Handa, A. and Ishizaki, S. 2001b. Influence of plasticizers on the properties of edible films prepared from fish water-soluble proteins. *Fisheries Sci.* 67: 346–351.
- Tavernier, B. H. 1989. Molecular mass distribution of gelatin and physical properties. *Photographic Gelatin Proceedings.* 1: 217–228.
- Torres, J. A. 1994. Edible films and coatings from proteins. In *Protein functionality in food systems.* (Hettiarachchy, N. S. and Ziegler, G. R. eds.). p. 467–507. Marcel Dekker. New York.
- Torres, J. A. 1997. Edible films and coatings from proteins. In *Food Proteins and their applications* (Damodaran, S. and Paraf, A. eds.) p. 467–507. Marcel Dekker. New York.
- Van Aardt, M., Duncan, S. E., O'Keefe, S., Marcy, J. E., Long, T. E. and Nielsen, S. 2001. Controlled release of antioxidants from polymeric films to control lipid oxidation in milk. *Int. Animal Agric. Food Sci. Conference,* 24–28 July, Indianapolis.
- Vemeiren, L., Devlieghere, F., Beest, M. V., Kruijf, N. D. and Debevere, J. 1999. Developments in the active packaging of foods. *Trends Food Sci. Technol.* 10: 77–86.
- Vercaigne-Marko, D., Kosciarz, E., Nedjar-Arroume, N. and Guillochon, D. 2000. Improvement of *Staphylococcus aureus*-V8-protease hydrosis of bovine haemoglobin by its adsorption on to a solid phase in the presence of SDS: Peptide mapping and obtention of two haemopoietic peptides. *Biotechnol. Appl. Biochem.* 31: 127–134.
- Vojdani, F. 1996. Solubility. In *Methods of Testing Protein Functionality.* (Hall, G. M. ed.). p. 11–60. St Edmundsbury. Great Britain.
- Wessling, C., Nielsen, T. and Leufven, A. 2000. The influence of  $\alpha$ -tocopherol concentration on the stability of linoleic acid and the properties of low-density polyethylene. *Pack. Technol. Sci.* 13: 19–28.
- Wong, D. W. S. 1989. Mecahsnism and Theory in Food Chemistry. P. 97–104. Van Nostrand Reinhold. New York.
- Yamaguchi, K., Lavety, J. and Love, R. M. 1976. The connective tissues of fish. VIII Comparative studies on hake, cod and catfish collagens. *J. Food Technol.* 11: 389–393.

- Yamauchi, K., Takeuchi, N., Kurimoto, A. and Tanabe, T. 2001. Films of collagen crosslinked by S-S bonds: preparation and characterization. *Biomaterials.* 22: 855–863.
- Yoshinaka, R., Mizuta, S., Suzuki, T. and Sato, M. 1991. The immunological study on the effect of pepsin digestion on genetically distinct types of collagen in muscle of kuruma prawn *Peneaus japonicus*. *Comp. Biochem. Physiol.* 98B: 59–65.
- Yoshimura, K., Terashima, M., Hozan, D., Ebato, T., Nomura, Y., Ishii, Y. and Shirai, K. 2000. Physical properties of shark gelatin compared with pig gelatin. *J. Agric. Food Chem.* 48: 2023–2027.
- Yoshinaka, R. and Mizuta, S. 1999. Collagen types in aquatic molluscs and crustaceans. In *Extracellular Fish and Shellfish*. p. 31–44. Tokyo, Japan.