

CONTENTS

	Page
Contents.....	ix
List of Tables.....	xv
Figures.....	xvi

Chapter 1. Introduction and Literature Review

Introduction.....	1
Literature review.....	2
Meat pigments.....	2
Physical and chemical properties of myoglobin.....	3
The chemistry of myoglobin color.....	5
Properties of myoglobin in food system.....	6
Fish myoglobin.....	8
Characteristics of fish myoglobin.....	9
Autoxidation of myoglobin.....	9
Interaction between lipid oxidation products and myoglobin.....	10
Effect of myoglobin on lipid oxidation.....	11
Iron (II) myoglobin-induced lipid oxidation.....	11
Iron (III) myoglobin-induced lipid oxidation.....	13
Iron (IV) myoglobin-induced lipid oxidation.....	14
Role of perferrylmyoglobin in lipid oxidation.....	15
Role of ferrylmyoglobin in lipid oxidation.....	15
Characteristics of dark muscle fish.....	16
Lipids in dark muscle fish.....	17
Lipolysis and lipids oxidation in fish muscle.....	18
Some factors responsible for lipid oxidation in fish muscle.....	20

Oxygen.....	20
Ferrous iron.....	21

CONTENTS (Continued)

	Page
Temperature.....	21
NaCl.....	22
pH.....	22
Compositions and functionalities of muscle from dark-fleshed fish....	22
Surimi from dark muscle fish.....	25
Some washing processes used in dark surimi production.....	27
Alkali solution washing.....	27
Ozonized water washing.....	28
Air-flotation washing.....	28
Objectives of study.....	29

Chapter 2. Characteristics and gel properties of muscles from sardine (*Sardinella gibbosa*) and mackerel (*Rastrelliger kanagurta*) caught in Thailand

Abstract.....	30
Introduction.....	31
Materials and Methods.....	32
Results and Discussion.....	36
Chemical compositions and myoglobin in sardine and mackerel muscles.....	36
Nitrogenous compositions in sardine and mackerel muscles.....	38
Effect of washing conditions on myoglobin removal and color of mince.....	39
Effect of washing conditions on gel forming abilities of sardine and mackerel mince.....	42
Conclusion.....	46

Chapter 3. Physicochemical properties, gel-forming ability and myoglobin content of sardine (*Sardinella gibbosa*) and mackerel (*Rastrelliger kanagurta*) surimi produced by conventional method and alkaline solubilization process

Abstract.....	47
Introduction.....	47
Materials and Methods.....	48

CONTENTS (Continued)

	Page
Results and Discussion.....	53
Ca ²⁺ -ATPase activity, surface hydrophobicity and protein pattern of CWPS and ASPS.....	53
Myoglobin content of CWPS and ASPS.....	55
Gel forming abilities of CWPS and ASPS.....	56
Conclusion.....	59
Chapter 4. Changes of pigments and color in sardine (<i>Sardinella gibbosa</i>) and mackerel (<i>Rastrelliger kanagurta</i>) muscle during iced storage	
Abstract.....	60
Introduction.....	60
Materials and Methods.....	62
Results and Discussion.....	65
Changes in pH.....	65
Total extractable pigment.....	67
Changes in heme iron content.....	69
Changes in non-heme iron content.....	70
Formation of metmyoglobin.....	71
Changes in absorption spectra and redness index.....	73
Effect of iced storage on myoglobin extractability and color of washed mince.	75
Conclusion.....	79

Chapter 5. Changes of lipids in sardine (*Sardinella gibbosa*) muscle during iced storage

Abstract.....	80
Introduction.....	80
Materials and Methods.....	82
Results and Discussion.....	86
Changes in PV.....	86
Changes in CD.....	87
Changes in TBARS.....	88

CONTENTS (Continued)

	Page
Changes in FFA.....	89
Changes in lipid compositions.....	90
Changes in fatty acid profile.....	92
Changes in FTIR spectra.....	94
Conclusion.....	96

Chapter 6. Characterization of myoglobin from sardine (*Sardinella gibbosa*) dark muscle

Abstract.....	97
Introduction.....	97
Materials and Methods.....	99
Results and Discussion.....	103
Purification of myoglobin from sardine dark muscle.....	103
Differential scanning calorimetry (DSC) of different myoglobin derivatives..	106
Absorption spectra of different myoglobin derivatives.....	108
Effect of pH on myoglobin stability.....	109
Effect of temperature on myoglobin stability.....	113
Conclusion.....	115

Chapter 7. Effect of ionic strength and temperature on interaction between fish myoglobin and myofibrillar proteins	
Abstract.....	116
Introduction.....	116
Materials and Methods.....	118
Results and Discussion.....	122
Effect of ionic strength on the interaction between myoglobin and NAM.....	122
Effect of temperature on the interaction between myoglobin and NAM.....	128
Conclusion.....	132

CONTENTS (Continued)

	Page
Chapter 8. Effect of incubation time on interaction between fish myoglobin and myofibrillar proteins	
Abstract.....	133
Introduction.....	133
Materials and Methods.....	135
Results and Discussion.....	139
Purification of myoglobin from tuna muscle.....	139
Effect of incubation time on bound myoglobin content of fish myoglobin-NAM model systems.....	141
Effect of incubation time on metmyoglobin formation of fish myoglobin and myoglobin-NAM model system.....	142
Effect of incubation time on whiteness of NAM and washed NAM-myoglobin model system.....	143
Effect of incubation time on Ca^{2+} -ATPase activity in NAM and washed NAM-myoglobin model system.....	144

Effect of incubation time on SDS-PAGE patterns.....	145
Conclusion.....	147

Chapter 9. Interaction between fish myoglobin and myofibrillar proteins mediated by freezing process and aldehydes

Abstract.....	148
Introduction.....	149
Materials and Methods.....	150
Results and Discussion.....	155
Interaction between tuna myoglobin and NAM extracted from fresh and frozen bluefish.....	155
Effect of aldehydes on interaction between tuna myoglobin and bluefish NAM.....	161
Conclusion.....	166

CONTENTS (Continued)

	Page
Chapter 10. Interaction between fish myoglobin and myosin <i>in vitro</i>	
Abstract.....	167
Introduction.....	167
Materials and Methods.....	168
Results and Discussion.....	173
Effect of myoglobin-myosin interaction on bound myoglobin content.....	173
Effect of myoglobin-myosin interaction on metmyoglobin formation.....	174
Effect of myoglobin-myosin interaction on tryptophan fluorescence intensity..	175
Effect of myoglobin-myosin interaction on Ca ²⁺ -ATPase activity.....	176
Effect of myoglobin-myosin interaction on reactive sulfhydryl (SH) content..	178
Effect of myoglobin-myosin interaction on absorption spectra.....	179
Conclusion.....	180

Chapter 11. Summary and future works	
Summary.....	181
Future works.....	182
Recommendation.....	182
 References.....	183
 Vitae.....	203

LIST OF TABLES

Table	Page
1. Proximate compositions of sardine and mackerel muscles.....	37
2. Nitrogenous constituents in sardine and mackerel muscles.....	38
3. Whiteness and expressible drip of sardine and mackerel surimi gels prepared with different washing media and heating conditions.....	45
4. Myoglobin content of sardine and mackerel surimi produced by conventional washing process and alkaline solubilizing process.....	55
5. Whiteness and expressible moisture of sardine and mackerel surimi produced by conventionally washed process and alkaline solubilizing process...	56
6. Metmyoglobin formation (%) in sardine and mackerel muscles during iced storage.....	72

7. Changes in absorption maxima (nm) in the soret region of myoglobin extracted from sardine and mackerel muscles during iced storage.....	74
8. Changes in lipid compositions of sardine muscle during iced storage.....	91
9. Changes in fatty acid profile of sardine muscle during iced storage.....	93
10. Changes in absorbance at 1, 741 and 1,711 cm ⁻¹ of crude oil extracted from sardine muscle during iced storage.....	94

LIST OF FIGURES

Figure	Page
1. Chemical structure of myoglobin.....	4
2. Tertiary structure of myoglobin.....	5
3. Interrelationship between pigments of raw meat.....	7

4. Absorption spectra of oxymyoglobin, deoxymyoglobin and metmyoglobin.....	8
5. Generation of HMM, LMM, rod, S1 and S2 proteolytic fragments of myosin....	24
6. %Myoglobin removed and redness index of washed mince from sardine (A) and mackerel (B) prepared with different washing conditions.....	40
7. Breaking force and deformation of gels from sardine (A) and mackerel (B) mince and mince washed with different washing media and heating conditions..	43
8. Ca ²⁺ -ATPase activity of NAM extracted from sardine and mackerel surimi produced by conventionally washed process and alkaline solubilizing process...	54
9. Surface hydrophobicity of NAM extracted from sardine and mackerel surimi produced by conventionally washed process and alkaline solubilizing process...	54
10. Breaking force (A) and deformation (B) of gels of sardine and mackerel surimi produced by conventionally washed process and alkaline solubilizing process.....	58
11. Changes in pH of sardine and mackerel muscles during iced storage.....	66
12. Changes in total extractable pigment of sardine (A) and mackerel (B) muscles during iced storage.....	68
13. Changes in heme iron content (A) and non-heme iron content (B) of sardine and mackerel muscle during iced storage.....	70
14. Changes in redness index of sardine and mackerel muscle during iced storage..	75
15. Changes in myoglobin extractability of sardine and mackerel mince during iced storage. The samples were extracted with NaCl solution (A) and distilled water (B).....	76
16. Changes in redness index of sardine mince and mackerel mince washed with NaCl solution (A) and distilled water (B) during iced storage.....	78
17. Changes in peroxide values of sardine muscle during iced storage.....	86
18. Changes in conjugated dienes of sardine muscle during iced storage.....	88
19. Changes in TBARS values of sardine muscle during iced storage.....	89

LIST OF FIGURES (Continued)

Figure	Page
---------------	-------------

20. Changes in free fatty acid contents of sardine muscle during iced storage.....	90
21. Changes in FTIR spectra of crude oil extracted from sardine muscle during iced storage.....	95
22. Elution profile of sardine myoglobin on the Sephadex G-75 (A) and Hitrap DEAE FF ion-exchange chromatography (B).....	104
23. SDS-PAGE pattern of partially purified myoglobin from sardine dark muscle..	105
24. Differential scanning calorimetry thermograms of different sardine myoglobin derivatives.....	106
25. The absorption spectra of different sardine myoglobin derivatives in the visible region (450-750 nm) (A) and soret region (350-450) (B).....	109
26. Effect of pH on the metmyoglobin formation (A) and tryptophan fluorescence intensity (B) of sardine myoglobin.....	111
27. Effect of pH on the absorption spectra of sardine myoglobin.....	112
28. Effect of temperature on the metmyoglobin formation (A) and tryptophan fluorescence intensity (B) of sardine myoglobin.....	114
29. The effect of KCl concentration on bound myoglobin content (%) in a fish myoglobin-NAM model system.....	123
30. The effect of KCl concentrations on metmyoglobin formation (A_{630}/A_{525}) in myoglobin and myoglobin-NAM mixture.....	124
31. The effect of KCl concentrations on whiteness of NAM alone and myoglobin-NAM mixture.....	124
32. The effect of KCl concentrations on Ca^{2+} -ATPase activity of NAM and myoglobin-NAM mixture.....	125
33. SDS-PAGE patterns of myoglobin, NAM alone, and myoglobin-NAM mixture at different KCl concentrations under non-reducing and reducing conditions.....	127
34. The effect of temperature on bound myoglobin content (%) in a fish myoglobin-NAM model system.....	128
35. The effect of temperature on metmyoglobin formation (A_{630}/A_{525}) in myoglobin and myoglobin-NAM mixture.....	129

LIST OF FIGURES (Continued)

Figure	Page
36. The effect of temperature on whiteness of NAM alone and myoglobin-NAM mixture.....	129
37. The effect of temperature on Ca^{2+} -ATPase activity of NAM alone and myoglobin-NAM mixture.....	130
38. SDS-PAGE patterns of myoglobin, NAM, and myoglobin-NAM mixture at different temperatures under non-reducing and reducing conditions.....	131
39. Elution profile of tuna myoglobin on the Sephadryl S-200HR.....	139
40. SDS-PAGE pattern of partially purified myoglobin from tuna longissimus muscle.....	140
41. Bound myoglobin content (%) in fish myoglobin-NAM model system during incubation at 4°C	141
42. Metmyoglobin formation (A_{630}/A_{525}) in myoglobin and myoglobin-NAM mixture during incubation at 4°C	142
43. Whiteness values for washed NAM, and washed myoglobin-NAM mixtures during incubation at 4°C	143
44. Ca^{2+} -ATPase activity of washed NAM and washed myoglobin-NAM mixtures during incubation at 4°C	145
45. SDS-PAGE patterns of myoglobin, washed NAM, and washed myoglobin-NAM mixture during incubation at 4°C under non-reducing and reducing conditions.	146
46. Bound myoglobin content (%) in the mixture of tuna myoglobin-NAM from fresh and frozen bluefish incubated at 4°C for 24 h.....	155
47. Metmyoglobin formation (A_{630}/A_{525}) of tuna myoglobin and the mixture of tuna myoglobin-NAM from fresh and frozen bluefish incubated at 4°C for 24 h.....	156
48. Whiteness values for washed bluefish NAM (□) and washed tuna myoglobin-NAM from fresh and frozen bluefish (□) incubated at 4°C for 24 h.....	157
49. Ca^{2+} -ATPase activity of bluefish NAM (□) and tuna myoglobin-NAM	

from fresh and frozen bluefish (□) incubated at 4°C for 24 h..... 158

LIST OF FIGURES (Continued)

Figure	Page
50. SDS-PAGE patterns of tuna myoglobin, washed bluefish NAM, and washed tuna myoglobin-NAM from fresh and frozen bluefish incubated at 4°C for 24 h under non-reducing (A) and reducing conditions (B).....	160
51. The effect of aldehydes on bound myoglobin content (%) in tuna myoglobin-bluefish NAM mixture incubated at 4°C for 24 h.....	161
52. The effect of aldehydes on metmyoglobin formation (A_{630}/A_{525}) of tuna myoglobin and tuna myoglobin-bluefish NAM mixture incubated at 4°C for 24 h.....	162
53. The effect of aldehydes on whiteness values for washed bluefish NAM (□) and washed tuna myoglobin-bluefish NAM mixtures (□) incubated at 4°C for 24 h.....	163
54. The effect of aldehydes on Ca^{2+} -ATPase activity of bluefish NAM (□) and tuna myoglobin-bluefish NAM mixture (□) incubated at 4°C for 24 h.....	164
55. SDS-PAGE patterns of tuna myoglobin, washed bluefish NAM, and washed tuna myoglobin-bluefish NAM mixture incubated at 4°C for 24 h as affected by aldehydes during under non-reducing (A) and reducing conditions (B)...	165
56. Bound myoglobin content (%) in fish myoglobin-myosin mixtures during incubation at 4°C.....	173
57. Metmyoglobin formation (A_{630}/A_{525}) in the myoglobin and myoglobin-myosin mixtures during incubation at 4°C.....	174
58. Tryptophan fluorescence intensity of the myoglobin and myoglobin-myosin mixtures during incubation at 4°C.....	175
59. Ca^{2+} -ATPase activity of washed myosin and washed myoglobin-myosin mixtures during incubation at 4°C.....	177

60. Reactive sulphydryl content of washed myosin and washed myoglobin-myosin mixtures during incubation at 4 ^o C.....	178
--	-----

LIST OF FIGURES (Continued)

Figure	Page
61. Absorption spectra of myosin and myoglobin-myosin mixtures during incubation at 4 ^o C. (A), tuna myosin; (B), sardine myosin; inserted figure, typical absorption spectra of tuna myoglobin in soret region (350-450 nm).....	179