

REFERENCES

- Ababouch, L. H., Souibri, L., Rhaliby, O., Ohuahdi, O., Battal, M. and Busta, F. F. 1996. Quality changes in sardines (*Sardina pilchardus*) stored in ice and at ambient temperature. *Food Micro.* 13: 123-132.
- Al-Shaibani, K. A., Price, R. J. and Brown, W. D. 1977. Purification of metmyoglobin reductase from bluefin tuna. *J. Food Sci.* 42: 1013-1015.
- Alderton, A. L., Faustman, C., Liebler D. C. and Hill, D. W. 2003. Induction of redox instability of bovine myoglobin by adduction with 4-hydroxy-2-nonenal. *Biochem.* 42: 4398-4405.
- Alvarez, C., Couso, I. and Tejada, M. 1999. Thermal gel degradation (*modori*) in sardine surimi gels. *J. Food Sci.* 64: 633-637.
- Alvarez, C. and Tejada, M. 1997. Influence of texture of suwari gels on kamaboko gels made from sardine (*Sardina pilchardus*). *J. Sci. Food Agric.* 75: 472-480.
- An, H., Peters, M. Y. and Seymour, T. A. 1996. Roles of endogenous enzymes in surimi gelation. *Trends Food Sci. Technol.* 7: 321-326.
- Andersen, H. J. and Skibsted, L. H. 1991. Oxidative stability of frozen pork patties. Effect of light and added salt. *J. Food Sci.* 56: 1182-1184.
- Andreou, A. I., Doval, M. M., Romero, A. M. and Judis, M. A. 2003. Influence of heating time and oxygen availability on lipid oxidation in meat emulsions. *Eur. J. Lipid Sci. Technol.* 105: 207-213.
- Anton, M., Gatellier, P. and Renerre, M. 1993. Relationships between myoglobin and microsomal lipid oxidation, influence of muscle type and time post-mortem. Proc. 39th International Congress of Meat Science and Technology, Calgary, Canada. S8: P01.
- Antonini, E. and Brunori, M. 1971. *Hemoglobin and Myoglobin in Their Reactions with Ligands*. American Elsevier Publishing Co., Inc. New York.
- A.O.A.C. 1999. *Official Methods of Analysis*. 14th ed. Association of Official Analytical Chemists. Washington, D. C.
- A.O.A.C. 2000. *Official Methods of Analysis*. 16th ed. Association of Official Analytical Chemists. Washington, D. C.

- Apgar, M. E. and Hultin, H. O. 1982. Lipid peroxidation in fish muscle microsomes in the frozen state. *Cryobio.* 19: 154-162.
- Ashie, I. N. A. and Simpson, B. K. 1996. Application of high hydrostatic pressure to control enzyme related fresh seafood texture deterioration. *Food Res. Int.* 29: 569-575.
- Aubourg, S. P., Lehmann, I. and Gallardo, J. M. 2002. Effect of previous chilled storage on rancidity development in frozen horse mackerel (*Trachurus trachurus*). *J. Sci. Food Agric.* 82: 1764-1771.
- Baron, C. P. and Andersen, H. J. 2002. Myoglobin-induced lipid oxidation. A review. *J. Agric. Food Chem.* 50: 3887-3897.
- Baron, C. P., Skebsted, L. H. and Andersen, H. J. 1997. Prooxidative activity of myoglobin species in linoleic acid emulsions. *J. Agric. Food Chem.* 45: 1704-1710.
- Baron, C. P., Skebsted, L. H. and Andersen, H. J. 1998. Peroxidation of linoleate at physiological pH: hemichrome formation by substrate binding protects against metmyoglobin activation by hydrogen peroxides. *Free Rad. Biol. Med.* 28: 549-558.
- Baron, C. P., Skebsted, L. H. and Andersen, H. J. 2002. Concentration effect in myoglobin-catalyzed peroxidation of linoleate. *J. Agric. Food Chem.* 50: 883-888.
- Berrick, D., Hughson, F. M. and Baldwin, R. L. 1994. Molecular mechanisms of acid denaturation. The role of histidine residues in the partial unfolding of apomyoglobin. *J. Mol. Biol.* 237: 588-601.
- Benjakul, S. and Bauer, F. 2001. Biochemical and physicochemical changes in catfish (*Silurus glanis* Linne) muscle as influenced by different freeze-thaw cycles. *Food Chem.* 72: 207-217.
- Benjakul, S., Chantarasuwan, C. and Visessanguan, W. 2003. Effect of medium temperature setting on gelling characteristics of surimi from some tropical fish. *Food Chem.* 82: 567-574.
- Benjakul, S. and Visessanguan, W. 2003. Transglutaminase-mediated setting in bigeye snapper surimi. *Food Res. Int.* 36: 253-266.
- Benjakul, S., Visessanguan, W., Ishizaki, S. and Tanaka, M. 2001. Differences in gelation characteristics of natural actomyosin from two species of bigeye snapper, *Priacanthus tayenus* and *Priacanthus macracanthus*. *J. Food Sci.* 66: 1311-1318.

- Benjakul, S., Visessanguan, W. and Leelapongwattana, K. 2002. Characteristics of muscle from two species of bigeye snapper, *Priacanthus tayenus* and *Priacanthus macracanthus*. J. Food Biochem. 26: 307-326.
- Benjakul, S., Visessanguan, W. and Turksuban, J. 2003. Changes in physico-chemical properties and gel-forming ability of lizardfish (*Saurida tumbil*) during post-mortem storage in ice. Food Chem. 80: 535-544.
- Benjakul, S., Seymour T. S., Morrissey, M. T. and An, H. 1997. Physicochemical changes in Pacific whiting muscle proteins during iced storage. J. Food Sci. 62: 729-733.
- Bligh, E. G. and Dyer, W. J. 1959. A rapid method of total lipid extraction and purification. Can. J. Biochem. Phys. 37: 911-917.
- Bolgar, M. S. and Gaskell, S. J. 1996. Determination of the sites of 4-hydroxy-2-nonenal adduction to protein by electrospray tandem mass spectrometry. Anal. Chem. 68: 2325-2330.
- Boye, J. I., Ma, C-Y. and Harwalker, V. R. 1997. Thermal denaturation and coagulation of proteins. In Food Proteins and Their Applications. (Damodaran, S. and Paraf, A., eds.). p. 25-56. Marcel Dekker, Inc. New York.
- Brown, W. D. 1961. The concentration of myoglobin and hemoglobin in tuna flesh. J. Food Sci. 27: 26-28.
- Brown, W. D. and Mebine, L. B. 1969. Autoxidation of oxymyoglobins. J. Biol. Chem. 244: 6696-6701.
- Buege, J. A. and Aust, S. D. 1978. Microsomal lipid peroxidation. Method Enzymol. 52: 302-304.
- Buttkus, H. 1967. The reaction of myosin with malonaldehyde. J. Food Sci. 32: 432-434.
- Cashon, R. E., Vayda, M. E. and Sidell, B. D. 1997. Kinetic characterization of myoglobins from vertebrates with vastly different body temperatures. Comp. Biochem. Physiol. 117B: 613-620.
- Chaijan, M., Benjakul, S., Visessanguan, W. and Faustman, C. 2004. Characteristics and gel properties of muscles from sardine (*Sardinella gibbosa*) and mackerel (*Rastrelliger kanagurta*) caught in Thailand. Food Res. Int. 37: 1021-1030.

- Chaijan, M., Benjakul, S., Visessanguan, W. and Faustman, C. 2005a. Changes of pigments and color in sardine (*Sardinella gibbosa*) and mackerel (*Rastrelliger kanagurta*) muscle during iced storage. Food Chem. 93: 607-617.
- Chaijan, M., Benjakul, S., Visessanguan, W. and Faustman, C. 2005b. Characterization of myoglobin from sardine (*Sardinella gibbosa*) dark muscle. Food Chem. In press.
- Chaijan, M., Benjakul, S., Visessanguan, W. and Faustman, C. 2006. Changes of lipids in sardine (*Sardinella gibbosa*) muscle during iced storage. Food Chem. 99: 83-91.
- Chaijan, M., Benjakul, S., Visessanguan, W., Lee, S. and Faustman, C. 2006. Effect of ionic strength and temperature on interaction between fish myoglobin and myofibrillar proteins. J. Food Sci. In review.
- Chan, W. K. M., Faustman, C., Yin, M. and Decker, E. A. 1997. Lipid oxidation induced by oxymyoglobin and metmyoglobin with involvement of H₂O₂ and superoxide anion. Meat Sci. 46: 181-190.
- Chanthai, S., Neida, H., Ogawa, M., Tamiya, T. and Tsuchiya, T. 1996. Studies on thermal denaturation of fish myoglobins using differential scanning calorimetry, circular dichroism, and tryptophan fluorescence. Fish. Sci. 62: 927-932.
- Chanthai, S., Neida, H., Ogawa, M., Tamiya, T. and Tsuchiya, T. 1998. Effect of heating on autoxidation rate of fish holo-and reconstituted myoglobins. Fish. Sci. 64: 574-577.
- Chen, H. H. 2002. Decoloration and gel-forming ability of horse mackerel mince by air-flotation washing. J. Food Sci. 67: 2970-2975.
- Chen, H. H. 2003. Effect of cold storage on the stability of chub and horse mackerel myoglobins. J. Food Sci. 68: 1416-1419.
- Chen, H. H., Chiu, E. M. and Huang, J. R. 1997. Color and gel-forming properties of horse mackerel (*Trachurus japonicus*) as related to washing conditions. J. Food Sci. 62: 985-991.
- Chen, W. L. and Chow, C. J. 2001. Studies on the physicochemical properties of milkfish myoglobin. J. Food Biochem. 25: 157-174.
- Chen, W. L., Chow, C. J. and Ochiai, Y. 1998. Effects of acid and alkali reagents on the color and gel-forming ability of milkfish kamaboko. Fish. Sci. 64: 160-163.

- Chen, Q., Esterbauer, H. and Jurgens, G. 1992. Studies on epitopes on low-density lipoprotein modified by 4-hydroxynonenal. Biochemical characterization and determination. *Biochem. J.* 288: 249-254.
- Chen, L-C., Lin, S-B. and Chen, H-H. 2004. Thermal stability and denaturation rate of myoglobin from various species of fish. *Fish. Sci.* 70: 293-298.
- Cho, S., Endo, Y., Fujimoto, K. and Kaneda, T. 1989. Oxidative deterioration of lipids in salted and dried sardines during storage at 5°C. *Nippon Suisan Gakkaishi.* 55: 541-544.
- Chow, C. J., Ochiai, Y. and Hashimoto, K. 1985. Effects of freezing and thawing on the autoxidation of bluefin tuna myoglobin. *Bull. Jap. Soc. Sci. Fish.* 51: 2073-2078.
- Clayton, A. H. A. and Sawyer, W. H. 1999. The structure and orientation of class-A amphipathic peptides on a phospholipids bilayer surface. *Eur. Biophys. J.* 28: 133-141.
- Connell, J. 1960. Studies on the protein of fish skeletal muscle. VII. Denaturation and aggregation of cod myosin. *Biochem. J.* 75: 530-535.
- Copeland, R. A. 1994. Protein folding and stability. In *Methods for Protein Analysis; A Practical Guide to Laboratory Protocols.* (Copeland, R. A. ed.). p. 199-216. Chapman & Hall. New York.
- Davies, M. 1990. Detection of myoglobin-derived radicals on reaction of metmyoglobin with hydrogen peroxide and other peroxide compounds. *Free Rad. Res. Com.* 10: 361-370.
- Davies, M. 1991. Identification of a globin free radical in equine myoglobin treated with peroxides. *Biochim. Biophys. Acta.* 1077: 86-90.
- Decker, E. A., Chan, W. K. M., Livisay, S. A., Butterfield, D. A. and Faustman, C. 1995. Interaction between carnosine and the different redox states of myoglobin. *J. Food Sci.* 60: 1201-1203.
- Decker, E. A. and Hultin, H. O. 1990a. Factors influencing catalysis of lipid oxidation by the soluble fraction of mackerel muscle. *J. Food Sci.* 55: 947-950.
- Decker, E. A. and Hultin, H. O. 1990b. Nonenzymic catalysts of lipid oxidation in mackerel ordinary muscle. *J. Food Sci.* 55: 951-953.
- Dulavik, B., Sorensen, N. K. R., Barstad, H., Horyli, O. and Olsen, R. L. 1998. Oxidative stability of frozen light and dark muscles of saithe (*Pollachius virens* L.). *J. Food Lipid.* 5: 233-245.

- Dunn, C. J., Rohlfs, R. J., Fee, J. A. and Saltman, P. 1999. Oxidation of deoxy myoglobin by $[\text{Fe}(\text{CN})_6]^{3-}$. *J. Inorg. Biochem.* 75: 241-244.
- Eder, R. 1996. Pigments. *In Handbook of Food Analysis Vol 1.* (Nollet, L. M. L. ed.). p. 996-1005. Marcel Dekker, Inc. New York.
- Egawa, T., Shimada, H. and Ishimura, Y. 2000. Formation of compound I in the reaction of native myoglobin with hydrogen peroxide. *J. Biol. Chem.* 275: 34858-34866.
- Elbe, J. H. and Schwartz, S. J. 1996. Colorants. *In Food Chemistry.* (Fennema, O. R., ed.). p. 651-722. Marcel Dekker, Inc. New York.
- Ellman, G. L. 1959. Tissue sulfhydryl groups. *Arch. Biochem. Biophys.* 82: 70-77.
- El Marrakchi, A., Bennour, M., Bouchriti, N., Hamama, A. and Tagafatit, H. 1990. Sensory, chemical and microbiological assessments of Moroccan sardines (*Sardina pilchardus*) stored in ice. *J. Food Protec.* 53: 600-605.
- Emilia, E. and Santos-Yap, M. 1995. Fish and seafood. *In Freezing Effects on Food Quality.* (Jeremiah, L. E., ed.). p. 109-133. Marcel Dekker, Inc. New York.
- Esterbauer, H., Schaur, R. J. and Zollner, H. 1991. Chemistry and biochemistry of 4-hydroxynonenal, malonaldehyde and related aldehydes. *Free Rad. Biol. Med.* 11: 81-128.
- Esterbauer, H. and Cheeseman, K. H. 1990. Determination of aldehyde lipid oxidation products: malonaldehyde and 4-hydroxynonenal. *Method Enzymol.* 186: 407-421.
- Everse, J. and Hsia, N. 1997. The toxicities of native and modified hemoglobins. *Free Rad. Biol. Med.* 22: 1075-1099.
- Faustman, C., Chan, W. K. M., Lynch, M. P. and Joo, S. T. 1996. Strategies for increasing oxidative stability of fresh meat color. *In Reciprocal Meat Conference Proceedings.* p. 73-79. Brigham Young Univ. Utah.
- Faustman, C., Chan, W. K. M., Schaefer, D. M. and Havens, A. 1998. A beef quality update: the role of vitamin E. *J. Anim. Sci.* 76: 1019-1025.
- Faustman, C., Johnson, J. L., Cassens, R. G. and Doyle, M. P. 1990. Color reversion in beef: Influence of psychrotrophic bacteria. *Fleischwirtsch.* 70: 676-679.
- Faustman, C., Liebler, D. C., McClure, T. D. and Sun, Q. 1999. α,β -unsaturated aldehydes accelerate oxymyoglobin oxidation. *J. Agric. Food Chem.* 47: 3140-3144.

- Faustman, C. and Phillips, A. L. 2001. Measurement of discoloration in fresh meat. In Current Protocols in Food Analytical Chemistry. (Wrolstad, R. E., ed). p. F3.3.1-F3.3.13. Wiley & Sons, Inc. New York.
- Faustman, C. and Wang, K. 2000. Potential mechanisms by which vitamin E improves oxidative stability of myoglobin. In Antioxidants in Muscle Foods. (Decker, E. A., Faustman, C. and Lopez-Bote, C. J., eds.). p.135-152. John Wiley & Sons, Inc. New York.
- Faustman, C., Yin, M. C. and Nadeau, D. B. 1992. Color stability, lipid stability, and nutrient composition of red and white veal. *J. Food Sci.* 57: 302-304.
- Fisher, J. and Deng, J. C. 1977. Catalysis of lipid oxidation: a study of mullet (*Mugil cephalus*) dark flesh and emulsion model system. *J. Food Sci.* 42: 610-614.
- Fiske, C. H. and Subbarow, Y. 1925. The colorimetric determination of phosphorus. *J. Biol. Chem.* 66:375-400.
- Fleming, B. K., Froning, G. W. and Yang, T. S. 1991. Heme pigment levels in chicken broilers chilled in ice slush and air. *Poultry Sci.* 70: 2197-2200.
- Foegeding, E. A., Lanier, T. C. and Hultin, H. O. 1996. Characteristics of edible muscle tissues. In Food Chemistry. (Fennema, O. R., ed.). p. 880-942. Marcel Dekker, Inc. New York.
- Fosmire, G. J. and Brown, W. D. 1976. Yellowfin tuna (*Thunnus albacares*) myoglobin: characterization and comparative stability. *Comp. Biochem. Physiol.* 55B: 293-299.
- Frankel, E. N. and Huang, S. 1996. Evaluation of antioxidant activity of rosemary extracts, carnosol and carnosic acid in bulk vegetable oils and fish oil and their emulsions. *J. Agric. Food Chem.* 72: 201-208.
- Fromherz, P. and Masters, B. 1974. Interfacial pH at electrically charged lipid monolayers investigated by the lipoid pH-indicator method. *Biochim. Biophys. Acta.* 356:270-275.
- Giddings, G. G. 1974. Reduction of ferrimyoglobin in meat. *CRC Crit. Rev. Food Technol.* 143-173.
- Giddings, G. G. 1977. The basis of color in muscle food. *CRC Crit. Rev. Food Sci. Nutr.* 9: 81-114.
- Gomez-Basauri, J. V. and Regenstein, J. F. 1992. Vacuum packaging, ascorbic acid and frozen storage effect on heme and nonheme iron content of mackerel. *J. Food Sci.* 57: 1337-1339.

- Gorelik, S and Kanner, J. 2001. Oxymyoglobin oxidation and membrane lipid peroxidation initiated by iron redox cycle: prevention of oxidation by enzymic and nonenzymic antioxidants. *J. Agric. Food Chem.* 49: 5945-5950.
- Gotoh, T. and Shikama, K. 1976. Generation of the superoxide radical during autoxidation of oxymyoglobin. *J. Biochem.* 80: 397-399.
- Govindarajan, S. 1973. Fresh meat color. *CRC Crit. Rev. Food Technol.* 35: 117-140.
- Gray, J. I., Gomaa, E. A. and Buckley, D. J. 1996. Oxidative quality and shelf life of meats. *Meat Sci.* 43: 111-123.
- Greene, B. and Price, L. G. 1975. Oxidation-induced color and flavor changes in meat. *J. Agric. Food Chem.* 23: 164-167.
- Guillen, M. D. and Cabo, N. 1997. Infrared spectroscopy in the study of edible oils and fats. *J. Sci. Food Agric.* 75: 1-11.
- Gunstone, F. D. and Norris, F. A. 1983. Oxidation. *In Lipid in Foods: Chemistry, Biochemistry and Technology.* (Gunstone, F. D. and Norris, F. A., eds.). p. 58-65). Pergamon Press. New York.
- Haard, N. F. 1992. Biochemistry and chemistry of color and color change in seafoods. *In Advance in Seafood Biochemistry.* (Flick, G. J. and Martin, R. E., eds.). p. 312-319. Technomic Publishing Co., Inc. USA.
- Haard, N. F., Simpson, B. K. and Pan, B. S. 1994. Sarcoplasmic proteins and other nitrogenous compounds. *In Seafood Proteins.* (Sikorski, Z. E., Pan, B. S. and Shahidi, F., eds). p.13-39. Chapman & Hall. New York.
- Haberland, M. E., Fong, D. and Cheng, L. 1988. Malonaldehyde-altered protein occurs in atheroma of Watanabe heritable hyperlipidemic rabbits. *Science.* 241: 215-218.
- Han, D., Mcmillin, K. W. and Godber, J. S. 1994. Hemoglobin, myoglobin, and total pigments in beef and chicken muscles: chromatographic determination. *J. Food Sci.* 59: 1279-1282.
- Hanan, T. and Shaklai, N. 1995. Peroxidative interaction of myoglobin and myosin. *Eur. J. Biochem.* 233: 930-936.
- Hansen, L. J. and Sereika, H. E. 1969. Factors affecting color stability of prepackaged frozen fresh beef in display cases. *Illuminat. Eng.* 64: 620-624.

- Harris, P. and Tall, J. 1994a. Substrate specificity of mackerel flesh lipopolygenase. *J. Food Sci.* 59: 504-506,516.
- Harris, P. and Tall, J. 1994b. Rancidity in fish. In *Rancidity in Foods*. (Allen, J. C. and Hamilton, R. J., eds.). p. 257-272. Chapman & Hall. London.
- Hashimoto, K., Watabe, S., Kono, M. and Shiro, K. 1979. Muscle protein composition of sardine and mackerel. *Bull. Jap. Soc. Sci. Fish.* 45: 1435-1441.
- Hayashi, T., Takimura, T., Aoyama, Y. and Hitomi, Y. 1998. Structure and reactivity of reconstituted myoglobins: interaction between protein and polar side chain of chemically modified hemin. *Inorg. Chim. Acta.* 275: 159-167.
- Hazell, T. 1982. Iron and zinc compounds in the muscle meats of beef, lamb, pork and chicken. *J. Sci. Food Agric.* 33: 1049-1056.
- Hennigar, C. J., Buck, E. M., Hultin, H. O., Peleg, M. and Vareltzis, K. 1988. Effect of washing and sodium chloride on mechanical properties of fish muscle gels. *J. Food Sci.* 53: 963-964.
- Hill, A. R., Irvine, D. M. and Bullock, D. H. 1982. Precipitation and recovery of whey proteins: a review. *Can. Inst. Food Sci. Technol. J.* 15: 155-160
- Hinz, H. J., Steif, C., Vogl, T., Meyer, R., Renner, M. and Ledermuller, R. 1993. Fundamentals of protein stability. *Pure App. Chem.* 65: 947-952.
- Hogg, N., Rice-Evens, C., Darley-Usmar, V., Wilson, M. T., Paganga, G. and Bourne, L. 1994. The role of lipid hydroperoxides in the myoglobin-dependent oxidation of LDL. *Arch. Biochem. Biophys.* 314: 39-44.
- Hultin, H. O. 1992. Lipid oxidation in fish muscle. In *Advance in Seafood Biochemistry*. (Flick, G. J. and Martin, R. E., eds.). p. 99-122. Technomic Publishing Co., Inc. USA.
- Hultin, H. O. and Kelleher, S. D. 2000a. Surimi processing from dark muscle fish. In *Surimi and Surimi Seafood*. (Park, J. W., ed.). p. 59-77. Marcel Dekker. New York.
- Hultin, H. O. and Kelleher, S. D. 2000b. High efficiency alkaline protein extraction. U. S. Patent 6,136,959, Oct. 24, 2000.
- Ishioroshi, M., Samejima, K. and Yasui, T. 1983. Heat-induced gelation of myosin filaments at a low salt concentration. *Agric. Biol. Chem.* 47: 2809-16.

- Jiang, S. and Lee, T. 1985. Changes in free amino acids and protein denaturation of fish muscle during frozen storage. *J. Agric. Food Chem.* 33:839-844.
- Kanner, J., German, J. B. and Kinsella, J. E. 1987. Initiation of lipid peroxidation in biological systems. *CRC Crit. Rev. Food Sci. Nutr.* 25: 317-364.
- Kanner, J. and Harel, S. 1985. Initiation of membranal lipid peroxidation by activated metmyoglobin and methemoglobin. *Arch. Biochem. Biophys.* 237: 314-321.
- Kanner, J., Harel, S. and Jaffe, R. 1991. Lipid peroxidation of muscle food as affected by NaCl. *J. Agric. Food Chem.* 39: 1017-1021.
- Kanner, J. and Kinsella, J. E. 1983. Lipid deterioration initiated by phagocytic cells in muscle foods: β -caroene destruction by a myeloperoxidase-hydrogenperoxide-halide system. *J. Agric. Food Chem.* 31: 370-376.
- Kautiainen, A. 1992. Determination of hemoglobin adducts from aldehydes formed during lipid peroxidation *in vitro*. *Chem. Biol. Interact.* 83: 55-63.
- Kelleher, S. D., Hultin H. O. and Wilhelm, K. A. 1994. Stability of mackerel surimi prepared under lipid-stabilizing processing conditions. *J. Food Sci.* 59: 269-271.
- Kendrew, J. C., Dickerson, R. E., Strandberg, B. E., Hart, R. G., Davies, D. R., Phillips, D. C. and Shore, V. C. 1960. Structure of myoglobin. *Nature*. 185: 422-427.
- Kendrick, J. and Watts, B. M. 1969. Acceleration and inhibition of lipid oxidation by heme compounds. *Lipids*. 4: 454-458.
- Kim, J. M., Liu, C. H., Eun, J. B., Park, J. W., Oshimi, R., Hayashi, K., Ott, B., Aramaki, T., Sekine, M., Horikita, V., Fujimoto, K., Alkawa, T., Welch, L. and Long, R. 1996. Surimi from fillet frames of channel catfish. *J. Food Sci.* 61: 428-431, 438.
- Kim, Y. S., Park, J. W. and Choi, Y. J. 2003. New approaches for the effective recovery of fish proteins and their physicochemical characteristics. *Fish. Sci.* 69: 1231-1239
- Kisia, S. M. 1996. Structure of fish locomotory muscle. In *Fish Morphology Horizon of New Research*. (Munshi, J. S. D. and Dutta, H. M. eds.). p. 169-178. Science Publishers, Inc.
- Kitahara, Y., Matsuoka, A., Kobayashi, N. and Shikama, K. 1990. Autoxidation of myoglobin from bigeye tuna fish (*Thunnus obesus*). *Biochim. Biophys. Acta*. 1038: 23-28.
- Kolakowska, A. 2002. Lipid oxidation in food systems. In *Chemical and Functional Properties of Food Lipids*. (Sikorski, Z. E. and Kolakowska, A., eds.). p. 133-160. CRC Press.

- Kolakowska, A., Olley, J. and Dunstan, G. A. 2002. Fish lipids. In Chemical and Functional Properties of Food Lipids. (Sikorski, Z. E. and A. Kolakowska, eds.). p. 221-264. CRC Press.
- Kongkachuichai, R., Napatthalung, P. and Charoensiri, R. 2002. Heme and non-heme iron content of animal products commonly consumed in Thailand. *J. Food Comp. Anal.* 15: 389-398.
- Kruger-Ohlsen, M. and Skibsted, L. H. 1997. Kinetics and mechanism of reduction of ferrylmyoglobin by ascorbate and D-isoascorbate. *J. Agric. Food Chem.* 45: 668-676.
- Krzywicki, K. 1982. The determination of haem pigment in meat. *Meat Sci.* 7: 29-35.
- Kumazawa, Y., Numazawa, T., Seguro, K. and Motoki, M. 1995. Suppression of surimi gel setting by transglutaminase inhibitors. *J. Food Sci.* 60: 715-717.
- Laemmeli, U. K. 1970. Cleavage of structural proteins during the assembly of the head of bacteriophage. *Nature.* 227: 680-685.
- Lanier, T. C. 2000. Surimi gelation chemistry. In Surimi and Surimi Seafood. (Park, J. W. ed.). p. 237-265. Marcel Dekker. New York.
- Lawrie, R. A. 1992. Conversion of muscle into meat: biochemistry. In The Chemistry of Muscle-Based Foods. (Ledward, D. A., Johnston, D. E. and Knight, M. K., eds.). p. 43-61. Redwood Press Ltd. Cambridge.
- Lee, C. M. 1992. Factors affecting physical properties of fish protein gel. In Advances in Seafood Biochemistry. (Flick, G. J. and Martin, R. E., eds.). p. 43-67. Technomic Publishing Co., Inc.
- Lee, B. J., Hendricks, D. G. and Cornforth, D. P. 1999. A comparison of carnosine and ascorbic acid on color and lipid stability in a ground beef pattie model system. *Meat Sci.* 51: 245-253.
- Lee, S., Phillips, A. L., Liebler, D. C. and Faustman, C. 2003a. Porcine oxymyoglobin and lipid oxidation *in vitro*. *Meat Sci.* 63: 241-247.
- Lee, S., Joo, S. T., Alderton, A. L., Hill, D. W. and Faustman, C. 2003b. Oxymyoglobin and lipid oxidation in yellowfin tuna (*Thunnus albacares*) loins. *J. Food Sci.* 68: 1664-1668.

- Ledward, D. A. 1992a. Color of raw and cooked meat. In *The Chemistry of Muscle-Based Foods*. (Ledward, D. A., Johnston, D. E., and Knight, M. K. eds.). p. 127-142. Redwood Press Ltd. Cambridge.
- Ledward, D. A. 1992b. Haemoproteins in meat and meat products. In *Biochemistry of Food Proteins*. (Hudson, B. J. F., ed.). p. 197-234. Chapman & Hall. London.
- Li, S. J. and King, A. J. 1999. Structural changes of rabbit myosin subfragment 1 altered by malondehyde, a byproduct of lipid oxidation. *J. Agric. Food Chem.* 47: 3124-3129.
- Lin, T. M. and Park, J. W. 1996. Extraction of proteins from Pacific whiting mince at various washing conditions. *J. Food Sci.* 61: 432-438.
- Lin, T. M. and Park, J. W. 1998. Solubility of salmon myosin as affected by conformational changes at various ionic strengths and pH. *J. Food Sci.* 63: 215-218.
- Livingston, D. J. and Brown, W. D. 1981. The chemistry of myoglobin and its reactions. *Food Technol.* 244-252.
- Lo, J. R., Mochizuki, Y., Nagashima, Y., Tanaka, M., Iso, N. and Taguchi, T. 1991. Thermal transitions of myosins/subfragments from black marlin (*Makaira mazara*) ordinary and dark muscles. *J. Food Sci.* 56: 954-957.
- Love, J. D. 1983. The role of heme iron in the oxidation of lipids in red meats. *Food Technol.* 12: 117-120.
- Love, R. M., Munro, L.J., Lavety, J. and Smith, G. L. 1974. Some biochemical characteristics of cod (*Gadus morhua* L.) from the Faroe Bank compared with those from other fishing grounds. *Comp. Biochem. Physiol.* 47B: 159-161.
- Low, L. K. and Ng. 1978. Determination of peroxide value. In *Laboratory Manual on Analytical Methods and Procedures for Fish and Fish Products*. (Hasegawa, H., ed.). p. C7.1-C7.3. Marine Fisheries Research Department, Southeast Asian Fisheries Development Center. Singapore.
- Lowry, Q. H., Rosebrough, N. J., Farr, L. A. and Randall, R. J. 1951. Protein measurement with the Folin phenol reagent. *J. Biol. Chem.* 193: 256-275.
- Lowry, R. and Tinsley, I. 1976. Rapid colorimetric determination of free fatty acids. *J. Am. Oil Chem. Soc.* 53: 470-472.

- Lue, S. S., Jhaveri, S. N., Karakoltsidis, P. A. and Constantinides, S. M. 1981. Atlantic mackerel (*Scomber scombrus*): seasonal variation in proximate composition and distribution of chemical nutrients. *J. Food Sci.* 46: 1635-1638.
- Lynch, M. P. and Faustman, C. 2000. Effect of aldehyde lipid oxidation products on myoglobin. *J. Agric. Food Chem.* 48: 600-604.
- Lynch, M. P., Faustman, C., Silbart, L. K., Rood, D. and Furr, H. C. 2001. Detection of lipid-derived aldehydes and aldehyde:protein adducts *In Vitro* and in beef. *J. Food Sci.* 66: 1093-1099.
- Machlik, S. M. 1965. The effect of heat on bovine myoglobin derivatives in model systems and in beef semitendinosus muscles. PhD. Dissertation, Purdue University.
- Martone, C. B., Busconi, L., Folco, E. J., Trucco, R. E. and Sanchez, J. J. 1986. A simplified myosin preparation from marine fish species. *J. Food Sci.* 51: 1554-1555.
- McDonald, R. E. and Hultin, H. O. 1987. Some characteristics of the enzymic lipid peroxidation system in the microsomal fraction of flounder skeleton muscle. *J. Food Sci.* 52: 15-21, 27.
- Mikkelsen, A. and Skibsted, L. H. 1995. Acid-catalysed reduction of ferrylmyoglobin: product distribution and kinetics of autoxidation and reduction by NADH. *Z. Lebsensm.-Unters.-Forsch.* 200: 171-177.
- Millar, S. J., Moss, B. W. and Stevenson, M. H. 1996. Some observations on the absorption spectra of various myoglobin derivatives found in meat. *Meat Sci.* 42: 277-288.
- Misumi, Y., Terui, N. and Yamamoto, Y. 2002. Structural characterization of non-native states of sperm whale myoglobin in aqueous ethanol or 2,2,2-trifluoroethanol media. *Biochim. Biophys. Acta.* 1601: 75-84.
- Morczygemb, C., Guidry, J. and Wittung-Stafshede, P. 2000. Heme orientation affects holo-myoglobin folding and unfolding kinetics. *FEBS Letters.* 470: 203-206.
- Morey, K. S., Hansen, S. P. and Brown, W. D. 1973. Reaction of hydrogen peroxide with myoglobins. *J. Food Sci.* 38: 1104-1107.
- Morrissey, P. A., Sheehy, P. J. A., Galvin, K. and Kerry, J. P. 1998. Lipid stability in meat and meat products. *Meat Sci.* 49: 73-86.

- Multilangi, W. A. M., Panyam, D. and Kilara, A. 1996. Functional properties of hydrolysates from proteolysis of heat-denatured whey protein isolate. *J. Food Sci.* 61: 270-274
- Nakamura, Y. and Nishida, T. 1971. Effect of hemoglobin concentration on the oxidation of linoleic acid. *J. Lipids Res.* 12: 149-154.
- Nambudiry, D. D. 1980. Lipid oxidation in fatty fish: The effect of salt content in meat. *J. Food Sci. Technol.* 17: 176-178.
- Nawar, W. W. 1996. Lipids. In *Food Chemistry*. (Fennema, O. R. ed.). p. 225-319. Marcel Dekker, Inc. New York.
- Nayak, J., Nair, P. J. V., Ammu, K. and Mathew, S. 2003. Lipase activity in different tissues of four species of fish: rohu (*Labeo rohita* Hamilton), oil sardine (*Sardinella longiceps* Linnaeus), mullet (*Liza subviridis* Valenciennes) and Indian mackerel (*Rastrelliger kanagurta* Cuvier). *J. Sci. Food Agric.* 83: 1139-1142.
- Ng, C. S. 1978. Measurement of free and expressible drips. In *Manual on Analytical Methods and Procedure for Fish and Fish Products Laboratory*. (Hasegawa, H., ed.). p. 1-2. Southeast Asian Fisheries Development Center. Singapore.
- Niwa, E. 1992. Chemistry of surimi gelation. In *Surimi Technology*. (Lanier, T. C. and Lee, C. M., eds.). p. 389-427. Marcel Dekker. New York.
- Nunes, M. L., Batista, I. and Campos, R. M. 1992. Physical, chemical and sensory analysis of sardine (*Sardina pilchardus*) stored in ice. *J. Sci. Food Agric.* 59: 37-43.
- O'Grady, M. N., Monahan, F. J. and Brunton, N. P. 2001. Oxymyoglobin oxidation in bovine muscle-mechanistic studies. *J. Food Sci.* 66: 386-392.
- Ochiai, Y., Ochiai, L., Hashimoto, K. and Watabe, S. 2001. Quantitative estimation of dark muscle content in the mackerel meat paste and its products using antisera against myosin light chains. *J. Food Sci.* 66: 1301-1305.
- Ogawa, M., Ehara, T., Tamiya, T. and Tsuchiya, T. 1993. Thermal stability of fish myosin. *Comp. Biochem. Physiol.* 106B: 517-521.
- Ohshima, T., Wada, S. and Koizumi, C. 1988. Influences of heme pigment, non-heme iron, and nitrite on lipid oxidation in cooked mackerel meat. *Nippon Suisan Gakkaishi*. 54: 2165-2171.

- Osinchak, J. E., Hultin, H. O., Zajicek, O. T., Kelleher, S. D. and Huang, C. H. 1992. Effect of NaCl on catalysis of lipid oxidation by the soluble fraction of fish muscle. Free Rad. Bio. Med. 12: 35-41.
- Owusu-Ansah, Y. J. and Hultin, H. O. 1986. Chemical and physical changes in red hake fillets during frozen storage. J. Food Sci. 51: 1402-1406.
- Pacheco-Aguilar, R., Lugo-Sanchez, M. E. and Robles-Burgueno, M. R. 2000. Postmortem biochemical characteristic of Monterey sardine muscle stored at 0°C. J. Food Sci. 65: 40-47.
- Park, J. W. 1994. Functional protein additives in surimi gels. J. Food Sci. 59: 525-527.
- Pearson, A. M. and Young, R. B. 1989. Sarcoplasmic proteins. In Muscle and Meat Biochemistry. (Pearson, A. M. and Young, R. B., eds.). p. 329-333. Academic Press, Inc.
- Pegg, R. B. and Shahidi, F. 1997. Unraveling the chemical identity of meat pigments. CRC Crit. Rev. Food Sci. Nutr. 37: 561-589.
- Perez-Alonso, F., Arias, C. and Aubourg, S. P. 2003. Lipid deterioration during chilled storage of Atlantic pomfret (*Brama brama*). Eur. J. Lipid Sci. Technol. 105: 661-667.
- Perez-Mateos, M., Amato, P. M., Lanier, T. C. 2004. Gelling properties of Atlantic croaker surimi processed by acid or alkaline solubilization. J. Food Sci. 69: 328-333
- Phillips, A. L., Faustman, C., Lynch, M. P., Gonovi, K. E., Hoagland, T. A. and Zinn, S. A. 2001a. Effect of dietary α -tocopherol supplementation on color and lipid stability in pork. Meat Sci. 58: 389-393.
- Phillips, A. L., Lee, S., Silbart, L. K. and Faustman, C. 2001b. *In-vitro* oxidation of bovine oxymyoglobin as affected by 4-hydroxy-nonenal. The 54th Annual Reciprocal Meat Conference. American Meat Scinece Assn. p. 378. Chicago.
- Ponce-Alquicira, E. and Taylor, A. J. 2000. Extraction and ESI-CID-MS/MS analysis of myoglobins from different meat species. Food Chem. 69: 81-86.
- Postnikova, G. B., Tselikova, S. V., Kolaeva, S. G. and Solomonov, N. G. 1999. Myoglobin content in skeletal muscles of hibernating ground squirrels rises in autumn and winter. Comp. Biochem. Physiol. 124B: 35-37.
- Puett, D. 1973. The equilibration unfolding parameters of horse and sperm whale myoglobin. J. Biol. Chem. 248: 4623-4634.

- Rao, S. I., Wilks, A., Hamberg, M. and Ortiz de Montellano, P. R. 1994. The lipoxygenase activity of myoglobin. Oxidation of linoleic acid by the ferryl oxygen transfer than the protein radical. *J. Biol. Chem.* 269: 7210-7216.
- Reeder, B. J. and Wilson, M. T. 1998. Mechanism of reaction of myoglobin with the lipid hydroperoxide hydroperoxyoctadecadienoic acid. *Biochem. J.* 330: 1317-1323.
- Renerre, M. 2000. Oxidative processes and myoglobin. In *Antioxidants in Muscle Foods, Nutritional Strategies to Improve Quality*. (Decker, E., Faustman, C. and Lopez-Bote, C. J. eds.). p. 113-133. John Wiley & Sons, Inc. New York.
- Renerre, M., Anton, M. and Gatellier, P. 1992. Autoxidation of purified myoglobin from two bovine muscles. *Meat Sci.* 32: 331-342.
- Renerre, M. and Labas, R. 1987. Biochemical factors influencing metmyoglobin formation in beef muscles. *Meat Sci.* 19: 151-165.
- Richards, M. P. and Hultin, H. O. 2000. Effect of pH on lipid oxidation using trout hemolysate as a catalyst: A possible role for deoxyhemoglobin. *J. Agric. Food Chem.* 48: 3141-3147.
- Richards, M. P., Modra, A. M. and Li, R. 2002. Role of deoxyhemoglobin in lipid oxidation of washed cod muscle mediated by trout, poultry and beef hemoglobin. *Meat Sci.* 62: 157-163.
- Robinson, H. W. and Hodgen, C. G. 1940. The biuret reaction in the determination of serum protein I. A study of the condition necessary for the production of the stable color which bears a quantitative relationship to the protein concentration. *J. Biol. Chem.* 135: 707-725.
- Roura, S. J., Monteccia, C., Goldemberg, A. L., Trucco, R. E. and Crupkin, M. 1990. Biochemical and physicochemical properties of actomyosin from pre and post-spawned hake (*Merluccius hubbsi*) stored on ice. *J. Food Sci.* 55: 688-692.
- Saeed, S. and Howell, N. K. 2002. Effect of lipid oxidation and frozen storage on muscle proteins of Atlantic mackerel (*Scomber scombrus*). *J. Sci. Food Agric.* 82: 579-586.
- Sarma, J., Shikar, L. N. and Reddy, G. V. 1998. Comparative effects of frozen storage on biochemical changes in pink perch (*Nemipterus japonicus*) and oil sardine (*Sardinella longiceps*). *J. Food Sci. Technol.* 35: 255-258.

- Satterlee, L. D. and Zachariah, N. Y. 1972. Porcine and ovine myoglobin: isolation, purification, characterization and stability. *J. Food Sci.* 37: 909-912.
- Schricker, B. R., Miller, D. D. and Stouffer, J. R. 1982. Measurement and content of non-heme and total iron in muscle. *J. Food Sci.* 47: 740-473.
- Setiowaty, G., Che Man, Y. B., Jinap, S. and Moh, M. H. 2000. Quantitative determination of peroxide value in thermally oxidized palm olein by Fourier transform infrared spectroscopy. *Phytochem. Anal.* 11: 74-78.
- Shimizu, Y., Toyohara, H. and Lanier, T. C. 1992. Surimi production from fatty and dark-fleshed fish species. *In* Surimi Technology. (Lanier, T. C. and . Lee, C. M., eds.). p. 181-207. Marcel Dekker. New York.
- Sikorski, Z. E. 1994. The myofibrillar proteins in seafoods. *In* Seafood Proteins. (Sikorski, Z. E., Pan, B. S. and Shahidi, F., eds.). p. 40-57. Chapman & Hall. New York.
- Sikorski, Z. E. and Kolakowska, A. 1994. Changes in proteins in frozen stored fish. *In* Seafood Proteins. (Sikorski, Z. E., Pan, B. S. and Shahidi, F., eds.). p. 99-112. Chapman & Hall. New York.
- Sikorski, Z. E., Kolakowska, A. and Burt, J. R. (1990). Postharvest biochemical and microbial changes. *In* Seafood: Resources, Nutritional Composition, and Preservation. (Sikorski, Z. E., ed.). p. 55-72. CRC Press, Inc.
- Sikorski, Z. E., Kolakowska, A. and Pan, B. S. 1990. The nutritive composition of the major groups of marine food organisms. *In* Seafood: Resources, Nutritional Composition, and Preservation. (Sikorski, Z. E., ed.). p. 30-54. CRC Press, Inc.
- Simic, M. G. and Taylor, K. A. 1987. Free radical mechanisms of oxidation reactions. *In* Warmed-Over Flavor of Meat. (St. Angelo, A. J. and Bailey, M. E., eds.). p. 69-72. Academic Press.
- Skulachev, V. P. 1996. Role of uncoupled and non-coupled oxidations in maintenance of safety low levels of oxygen and its one-electron reductants. *Quart. Rev. Biophys.* 29: 169-202.
- Smith, B. C. 1998. The basics of infrared interpretation. *In* Infrared Spectral Interpretation: A Systematic Approach. (Smith, B. C., ed.). p. 1-29. CRC Press, Inc. New York.

- Sompongse, E., Itoh, Y. and Obataka, A. 1996. Effect of cryoprotectants and reducing reagent on the stability of actomyosin during ice storage. *Fish. Sci.* 62: 110-113.
- Spinelli, J. and Dassow, J. A. 1982. Fish proteins: their modification and potential uses in the food industry. In *Chemistry & Biochemistry of Marine Food Products*. (Martin, R. E., Flick, G. J. and Ward, D. R., eds.). p. 13-25. AVI publishing company.
- Steel, R. G. D. and Torrie, J. H. 1980. *Principle and Procedure of Statistics*. 2nd ed. MacGraw-Hill. New York.
- Suzuki, T. and Kisamori, T. 1984. Shark myoglobins. I. Isolation and characterization of myoglobins from the sharks, *Squalus japonicus* and *Proscyllium habereri*. *Comp. Biochem. Physiol.* 78B: 163-166.
- Swatland, H. J. 1989. A review of meat spectrophotometry (300 to 800 nm). *Can. Inst. Food Sci. Technol. J.* 22: 390-402.
- Szweda, L. I., Uchida, K., Tsai, L. and Stadtman, E. R. 1993. Inactivation of glucose-6-phosphate dehydrogenase by 4-hydroxy-2-nonenal. *J. Biol. Chem.* 268: 3342-3347.
- Tajima, G. and Shikama, K. 1987. Autoxidation of oxymyoglobin: an overall stoichiometry including subsequent side reaction. *J. Biol. Chem.* 262: 12603-12606.
- Tang, J., Faustman, C., Lee, S. and Hoagland, T. A. 2003. Effect of glutathione on oxymyoglobin oxidation. *J. Agric. Food Chem.* 51: 1691-1695.
- Thawornchinsombut, S. and Park, J. W. 2005. Role of ionic strength in biochemical properties of soluble fish proteins isolated from cryoprotected pacific whiting mince. *J. Food Biochem.* 29: 132-51.
- Tironi, V. A., Tomas, M. C. and Anon, M. C. 2002. Structural and functional changes in myofibrillar proteins of sea salmon (*Pseudoperca semifasciata*) by interaction with malonaldehyde (RI). *J. Food Sci.* 67: 930-935.
- Toyomizu, M., Hanaoka, K. and Yamaguchi, K. 1981. Effect of release of free fatty acids by enzymatic hydrolysis of phospholipids on lipid oxidation during storage of fish muscle at -5°C. *Bull. Jap. Soc. Sci. Fish.* 47: 605-610.
- Trout, G. R. 1990. The rate of metmyoglobin formation in beef, pork, and turkey meat as influenced by pH, sodium chloride and sodium tripolyphosphate. *Meat Sci.* 28: 203-210.

- Trout, G. R. and Gutzke, D. A. 1996. A simple, rapid preparative method for isolating and purifying oxymyoglobin. *Meat Sci.* 43: 1-13.
- Ueki, N. and Ochiai, Y. 2004. Primary structure and thermostability of bigeye tuna myoglobin in relation to those of other scombridae fish. *Fish. Sci.* 70: 875-884.
- Undeland, I. 2001. Lipid oxidation in fatty fish during processing and storage. In *Farmed Fish Quality*. (Kestin, S. C. and Warris, P. D., eds.). p. 261-275. Fishing News Books, Blackwell Science.
- Underland, I., Kelleher, S. D. and Hultin, H. O. 2002. Recovery of functional proteins from herring (*Clupea harengus*) light muscle by an acid or alkaline solubilization process. *J. Agric. Food Chem.* 50: 7371-7379.
- Van Dael, H., Haezebrouck, P., Pardon, E. and Joniau, M. 1997. Conformational stability of LYLA1, a synthetic chimera of human lysozyme and bovine α -lactalbumin. *Eur. Biophys. J.* 25: 171-179.
- Van de Voort, F. R., Ismail, A. A., Sedman, J., Dubois, J. and Nicodemo, T. 1994a. The determination of peroxide value by Fourier Transform infrared spectroscopy. *J. Am. Oil Chem. Soc.* 71: 921-926.
- Van de Voort, F. R., Ismail, A. A., Sedman, J. and Emo, G. 1994b. Monitoring the oxidation of edible oils by Transform infrared spectroscopy. *J. Am. Oil Chem. Soc.* 71: 243-253.
- Visessanguan, W., Ogawa, M., Nakai, S. and An, H. 2000. Physicochemical changes and mechanism of heat-induced gelation of arrowtooth flounder myosin. *J. Agric. Food Chem.* 48: 1016-1023.
- Vojdani, F. 1996. Solubility. In *Methods of Testing Protein Functionality*. (Hall, G. M., ed.). p. 11-60. Chapman & Hall. London.
- Watts, B. M., Kendrick, J., Zipser, M. W. and Hutchins, B. 1966. Enzymatic reducing pathways in meat. *J. Food Sci.* 31: 855-857.
- Watts, D. A., Rice, R. H. and Brown, W. D. 1980. The primary structure of myoglobin from yellowfin tuna (*Thunnus albacares*). *J. Biol. Chem.* 255: 10916-10924.
- Wu, J., Li, C. Y., Ho, M. L. and Jiang, S. T. 2000. Quality improvement of mackerel surimi with NADPH-sulfite reductase from *Escherichia coli*. *J. Food Sci.* 68: 1400-1403.

- Xiong, Y. L. 1997. Structure-function relationships of muscle proteins. *In* Food Proteins and Their Applications. (Damodaran, S. and Paraf, A., eds.). p. 341-392. Marcel Dekker, Inc. New York.
- Yamaguchi, K., Takeda, N., Ogawa, K. and Hashimoto, K. 1979. Properties of mackerel and sardine myoglobins. *Bull. Jap. Soc. Sci. Fish.* 45: 1335-1339.
- Yin, M. and Faustman, C. 1993. α -Tocopherol and ascorbate delay oxymyoglobin and phospholipid oxidation *in vitro*. *J. Food Sci.* 58: 1273-1276, 1281.
- Yin, M. and Faustman, C. 1994. The influence of microsomal and cytosolic components on the oxidation of myoglobin and lipid *in vitro*. *Food Chem.* 51: 159-164.
- Yongsawatdigul, J. and Park, J. W. 2004. Effect of alkaline and acid solubilization on gelation characteristics of rockfish muscle proteins. *J. Food Sci.* 69: 499-505
- Yoshida, Y., Kashiba, K. and Niki, E. 1994. Free radical-mediated oxidation of lipids induced by hemoglobin and aqueous dispersions. *Biochim. Biophys. Acta.* 1201: 165-172.
- Young, O. A. and West, J. 1996. Meat color. *In* Food Chemistry. (Fennema, O. R., ed.). p. 880-942. Marcel Dekker, Inc. New York.
- Zamora, R. and Hidalgo, F. J. 2001. Inhibition of proteolysis in oxidized lipid-damaged proteins. *J. Agric. Food Chem.* 49: 6006-6011.