

References

- Aeschbacher, R.A., Muller, J., Boller, T. and Wiemken, A. 1999. Purification of the trehalose GMTRE1 from soybean modules and cloning of its cDNA. GMTRE1 is expressed at a low level in multiple tissues. *Plant Physiol.* 119: 489-495.
- Akahane, T., Chihara, S., Yoshida, Y., Tsuchiya, T., Noguchi, S., Ookami, H. and Matsumoto, J.J. 1984. Roles of constituent proteins in gel properties of cooked meat gels. *Bull. Jap. Soc. Sci. Fish.* 50: 1029-1033.
- Amano, K., Yamada, K. and Bito, M. 1963. Detection and identification of formaldehyde in gadoid fish. *Bull. Jap. Soc. Sci. Fish.* 29: 695-701.
- Ang, J. and Hultin, H.O. 1989. Denaturation of cod myosin during freezing after modification with formaldehyde. *J. Food Sci.* 54: 814-818.
- Arai, K., Takashi, R. and Saito, T. 1970. Studies on muscular proteins of fish III. Inhibition by sorbitol and sucrose on the denaturation of carp actomyosin during frozen storage. *Bull. Jap. Soc. Sci. Fish.* 36: 232-240.
- Arakawa, T. and Timasheff, S.N., 1982. Stabilization of protein structure by sugars. *Biochem.* 21: 6536-6544.
- Auh, J.H., Lee, H.G., Kim, J.W., Kim, J.C., Yoon, H.S. and Park, K.H. 1999. Highly concentrated branched oligosaccharides as cryoprotectant for surimi. *J. Food Sci.* 64: 418-422.
- Back, J.F., Oakenful, D. and Smith, M.B. 1979. Increased thermal stability of proteins in the presence of sugars and polyols. *Biochem.* 18: 5191-5196.
- Ballone, P., Marchi, M., Branca, C. and Magazu, S. 2000. Structural and vibrational properties of trehalose : A density functional study. *J. Phys. Chem.* 104: 6313-6317.

- Bardos-Nagy, I., Galantai, R. and Fidy, J. 2001. Effect of trehalose in low concentration on the binding and transport of porphyrins in liposome-human serum albumin system. *J. Biochim. Biophys. Acta.* 1512: 125-134.
- Barroso, M., Careche, M. and Borderias, A.J. 1998. Quality control of frozen fish using rheological techniques. *Trends Food Sci. Technol.* 9:223-229.
- Benjakul, S. and Bauer, F. 2000. Physicochemical and enzymatic changes of cod muscle proteins subjected to different freeze-thaw cycles. *J. Sci. Food Agric.* 80: 1143-1150.
- Benjakul, S., Seymour, T.A., Morrissey, M.T. and An, H. 1997. Physicochemical changes in Pacific whiting muscle proteins during ice storage. *J. Food Sci.* 62: 729-733.
- Benjakul, S., Visessanguan, W. and Srivilai, C. 2001. Gel properties of bigeye snapper (*Priacanthus tayenus*) surimi as affected by setting and porcine plasma proteins. *J. Food Qual.* 24: 453-471.
- Benjakul, S., Visessanguan, W. and Tueksuban, J. 2003. Changes in physicochemical properties and gel-forming ability of lizardfish (*Saurida tumbil*) during post-mortem storage in ice. *Food Chem.* 80: 535-544.
- Benjakul, S., Visessanguan, W., Ishizaki, S. and Tanaka, M. 2001. Differences in gelation characteristics of natural actomyosin from two species of bigeye snapper, *Paracanthus tayenus* and *Priacanthus macracanthus*. *J. Food Sci.* 66: 1311-1318.
- Benjakul, S., Visessanguan, W., Riebroy, S., Ishizaki, S. and Tanaka, M. 2002. Gel-forming properties of surimi produced from bigeye snapper, *Priacanthus tayenus* and *P. macracanthus*, stored in ice. *J. Sci. Food Agric.* 82: 1442-1451.
- Benjakul, S., Visessanguan, W. and Srivilai, C. 2001. Porcine plasma protein as proteinase inhibitor in bigeye snapper (*Priacanthus tayenus*) muscle and surimi. *J. Sci. Food Agric.* 81: 1039-1046.

- Bhandal, I.S., Hauptman, R.M. and Widholm, J.M. 1985. Trehalose as cryoprotectant for the freeze preservation of carrot and tobacco cells. *Plant Physiol.* 78: 430-432.
- Branca, C., Magazu, S., Maisano, G. and Migliardo, P. 1999. α, α -Trehalose-water solutions. 3. Vibrational dynamics studies by inelastic light scattering. *J. Phys. Chem.* 103: 1347-1353.
- Buege, J.A. and Aust, S.D. 1978. Microsomal lipid peroxidation. *Method Enzymol.* 52: 302-304.
- Busk, Jr. G.C. 1984. Polymer-water interactions in gelation. *Food Technol.* 38(3): 59-64.
- Buttkus, H. 1970. Accelerated denaturation of myosin in frozen solution. *J. Food Sci.* 35: 558-562.
- Careche, M. and Li-Chen, E.C.Y. 1997. Structural changes in cod myosin after modification with formaldehyde or frozen storage. *J. Food Sci.* 62: 717-723.
- Careche, M., Mazo, M.L.D., Torrejon, P. and Tejada, M. 1998. Importance of frozen storage temperature in the type of aggregation of myofibrillar proteins in cod (*Gadus morhua*) fillets. *J. Agric. Food Chem.* 46:1539-1546.
- Carpenter, J.F. and Crowe, J.H. 1988. The mechanism of cryoprotection of proteins by solutes. *Cryobiol.* 25: 244-255.
- Carpenter, J.F., Crowe, L.M. and Crowe J.H.1987. Stabilization of phosphofructokinase with sugars during freeze-drying: Characterization of enhanced protection in the presence of divalent cations. *Biochim. Biophys. Acta.* 923: 109-120.
- Chang, C.C. and Regenstein, J.M. 1997. Textural changes and functional properties of cod mince proteins as affected by kidney tissue and cryoprotectants. *J. Food Sci.* 62: 299-304.

- Chang, C.C. and Regenstein, J.M. 1997. Water uptake, protein solubility, and protein changes of cod mince stored on ice as affected by polyphosphates. *J. Food Sci.* 62: 305-309.
- Chawla, S.P., Venugopal, V. and Nair, P.M. 1996. Gelation of proteins from washed muscle of threadfin bream (*Nemipterus japonicus*) under mild acidic conditions. *J. Food Sci.* 61: 362-366.
- Chen, C.S., Hwang, D.C. and Jiang, S.T. 1989. Effect of storage temperature on the formation of disulfides and denaturation of milk fish (*Chanos Chanos*) myosin. *J. Agric. Food Chem.* 37: 1228-1231.
- Chen, H.H., Chiu, E.M. and Huang, J.R. 1997. Color and gel-forming properties of horse mackerel (*Trachurus japonicus*) as related to washing conditions. *J. Food Sci.* 62: 985-991.
- Chen, J.K., Gill, T.A., Thompson, J.W. and Singer, D.S. 1995. Herring surimi during low temperature setting, physicochemical and properties. *J. Food Sci.* 60: 1248-1259.
- Cheng, C.S., Hamann, D.D., Webb, N.B. and Sidwell, V. 1979. Effects of species and storage time on minced fish gel texture. *J. Food Sci.* 44: 1087-1092.
- Chu, G.H. and Sterling, C. 1970. Parameters of texture change in processed fish: Myosin denaturation. *J. Texture Studies.* 2: 215-221.
- Colmenero, F. J. and Borderias, A.J. 1983. A study of the effects of frozen storage on certain functional properties of meat and fish protein. *J. Food Technol.* 18: 731-737.
- Connell, J.J. 1962. Changes in amount of myosin extractable from cod flesh during storage at -14° . *J. Sci. Food Agric.* 13: 607-617.
- Conrad, P.B. and de-Pablo, J.J. 1999. Computer simulation of the cryoprotectant disaccharide α, α - trehalose in aqueous solution. *J. Phys. Chem.* 130: 4049-4055.

- Copeland, R.A. 1994. Methods of protein analysis: a practical guide to laboratory protocols. New York: Chapman & Hall. pp. 228.
- Crawford, D.L., Law, D.K., Babbitt, J.K. and Mcill, L.A. 1979. Comparative stability and desirability of frozen Pacific hake fillet and minced flesh blocks. *J. Food Sci.* 44: 363-370.
- Crowe, J.H., Carpenter, J.F., Crowe, L.M. and Anchordoguy, T.J. 1990. Are freezing and dehydration similar stress vectors. A comparison of modes of interaction of stabilizing solutes with biomolecules. *Cryobiol.* 27: 219-227.
- Crowe, J.W., Cowe, L.M. and Chapman, D. 1984. Preservation of membranes in anhydrobiotic organisms: the role of trehalose. *Science.* 223: 701-703.
- Damodaran, S. 1996. Functional properties. In *Food proteins properties and characterization.* (Nakai, S. and Modler, H.W., eds.). p. 167-233. VCH Publishers. New York.
- Dias, J., Nunes, M.L. and Rogerio, M. 1994. Effect of frozen storage on the chemical and physical properties of black and silver scabbardfish. *J. Sci. Food Agric.* 66: 327-325.
- Ebashi, S., Kodama, A. and Ebashi, F. 1968. Troponin I, preparation and physiological function. *J. Biochem.* 64: 465-471.
- Ellman, G.L. 1959. Tissue sulfhydryl groups. *Arch. Biochem. Biophys.* 82:70-77.
- Engelsen, S.B. and Perez, S. 2000. Unique similarity of the asymmetric trehalose solid-state hydration and the diluted aqueous-solution hydration. *J. Phys. Chem.* 104: 9301-9311.
- Foegeding, E., Lanier, T.C. and Hultin, H.O. 1996. Characteristics of edible plant tissues. In *Food Chemistry.* (Fennema, O.R., ed.). p.943-1012. Marcel Dekker, Inc. New York.
- Gacula, M.C. 1993. Product optimization. In *design and analysis of sensory optimization.* (Gacula, M.C., ed). p. 153-169. Food and Nutrition Press, INC. Trumbull.

- Gallo, A., Buera, P. and Herrera, M.L. 2002. Crystallization kinetics of concentrated α,α -trehalose/salt solutions studied by low-resolution ^1H -Pulsed NMR. *J. Food Sci.* 67: 1331-1336.
- Gao, J.C., Piott, G.M. and Reine, B. 1999. Gel forming additive effects on properties of thermally induced minced fish gel. *J. Food Sci.* 64: 414-417.
- Glinas, P., Fiset, G., Le-Dsy, A. and Goulet, J. 1989. Effect of growth condition and trehalose content on cryotolerance. *Appl. Envi. Microbiol.* 55: 2453-2459.
- Goddijn, O.J.M., Verwoerd, T.C., Voogd, E., Krutwagen, T.W.H.H., de-Graf, P.T.H.M., Poels, J., Dun, K.V., Ponstein, A.S., Damm, B. and Pen, J. 1997. Inhibition of trehalose activity enhances trehalose accumulation in transgenic. *Plant Physiol.* 113: 181-190.
- Grabowska, J. and Sikorski, Z.E. 1976. The gel-forming capacity of fish myofibrillar proteins. *Lebensm. Wiss. U. Technol.* 9: 33-37.
- Hamada, I., Tsuji, K., Nakayama, T. and Niwa, E. 1977. Oxidative denaturation of actomyosin. *Bull. Jap. Soc. Sci. Fish.* 43: 1105-1112.
- Hamann, D.D. 1988. Rheology as a means of evaluation functionality in processed muscle food. *Food Technol.* 42(4): 66-82.
- Hashimoto, A., Kobayashi, A. and Arai, A. 1982. Thermostability of fish myofibrillar Ca-ATPase and adaptation to environmental temperature. *Bull. Jap. Soc. Sci. Fish.* 48: 671-684.
- Hashimoto, K., Watanabe, S., Kono, M. and Shiro, K. 1979. Muscle protein composition of sardine and mackerel. *Bull. Jap. Soc. Sci. Fish.* 45: 1435-1441.
- Hermansson, A.M. 1979. Aggregation and denaturation involved in gel formation. In *Functionality and protein structure.* (Pour, E.I.A. ed.). p. 82. Am. Chem. Soc. Washington DC.

- Herrera, J.J., Pastoriza, L., Sampedro, G. and Cabo, M.L. 1999. Effect of various cryostabilizers on the production and reactivity of formaldehyde in frozen-stored minced blue whiting muscle. *J. Agric. Food Chem.* 47: 2386-2397.
- Herrera, J.J.R., Pastoriza, L. and Sampedro, G. 2000. Inhibition of formaldehyde production in frozen-stored minced blue whiting (*Micromesistius poutassou*) muscle by cryostabilizers: an approach from the glassy state theory. *J. Agric. Food Chem.* 48: 5256:5262.
- Hincha, D.K. 1989. Low concentrations of trehalose protect isolated thylakoids against mechanical freeze-thaw damage. *Inter. J. Biochem. Biophys.* 987: 231-234.
- Horigome, A. and Yamashita, T. 1977. The sulfhydryl groups involved in the active site of myosin B adenosinetriphosphatase. III submolecular localization of SH_a thiol group. *J. Biochem.* 82: 1085-1092.
- Hsieh, Y.L. and Regenstein, J.M. 1989. Texture changes in frozen stored cod and ocean perch minces. *J. Food Sci.* 54: 824-826,834.
- Huidobro, A., Alvarez, C. and Tejada, M. 1998. Hake muscle altered by frozen storage as affected by added ingredients. *J. Food Sci.* 63: 638-643.
- Huidobro, A., Mohamed, G.F. and Tejada, M. 1998. Aggregation of myofibrillar proteins in hake, sardine, and mixed minces during frozen storage. *J. Agric. Food Chem.* 46: 601-2608.
- Iannilli, E. and Tettamanti, E. 2001. An Integrated quasi-elastic light-scattering, pulse-gradient-spin-echo study on the transport properties of α,α -trehalose, sucrose, and maltose deuterium oxide solutions. *J. Phys. Chem.* 105: 12143-12149.
- Inoue, C. and Isuikawa, M. 1997. Glass transition of tuna flesh at low temperature and effects of salt and moisture. *J. Food Sci.* 62: 496-499.

- Inoue, N., Takatori, K., Motoshige, T. and Shinano, H. 1992. Effect of storage temperature on the freeze denaturation of fish myosin B. *Nippon Suisan Gakkaishi*. 58: 2357-2360.
- Iwata, K. and Okada, M. 1971. Protein denaturation in stored frozen Alaska pollock muscle I. *Bull. Jap. Soc. Sci. Fish.* 37: 1191-1198.
- Jahncke, M., Baker, R.C. and Regenstein, J.M. 1992. Frozen storage of unwashed cod (*Gadus morhua*) frame mince with and without kidney tissue. *J. Food Sci.* 57: 575-580.
- Jiang, S.T. and Lee, T. C. 1985. Changes in free amino acids and protein denaturation of fish muscle during frozen storage. *J. Agric. Food Chem.* 33: 839-844.
- Jiang, S.T., Ho, M.L., Jiang, S.H., Lo, L. and Chen, H.C. 1998. Color and quality of mackerel surimi as affected by alkaline washing and ozonation. *J. Food Sci.* 63: 652-655.
- Jiang, S.T., Hsieh, J.F. and Chung, Y.C. 2000. Combination effect of microbial transglutaminase, reducing agent, and protease inhibitor on the quality of hairtail surimi. *J. Food Sci.* 65: 241-245.
- Jiang, S.T., Hwang, B.O. and Tsao, C.T. 1987. Protein deanturation and changes in nucleotides of fish muscle during frozen storage. *J. Agric. Food Chem.* 35: 22-27.
- Jiang, S.T., Hwang, B.S. and Tsao, C.Y. 1987. Effect of adenosine-nucleotides and their derivatives on the deaturation of myofibrillar proteins *in vitro* during frozen storage at -20°C . *J. Food Sci.* 52: 117—123.
- Jiang, S.T., Hwang, D.C. and Chen, C.S. 1988. Effect of storage temperatures on the formation of disulfides and denaturation of milkfish actomyosin (*Chanos chanos*). *J. Food Sci.* 53: 1333–1335.

- Jiang, S.T., Hwang, D.C. and Chen, C.S. 1988. Denaturation and change in SH group of actomyosin from milkfish (*Chanos chanos*) during storage at -20°C . J. Agric. Food Chem. 36: 433-437.
- Jiang, S.T., Hwang, D.C. and Chen, C.S. 1988. Effect of storage temperatures on the formation of disulfides and denaturation of milkfish actomyosin (*Chanos chanos*). J. Food Sci. 53: 1333-1336.
- Jiang, S.T., Lan, C.C. and Tsao, C.Y. 1986. New approach to improve the quality of minced fish products from freeze-thawed cod and mackerel. J. Food Sci. 51: 310-312, 315
- Jiang, S.T., Lanier, T.C. and Green, D.P. 1988. Cryoprotective effects of sugar, polyols, and / or phosphates on Alaska pollack surimi. J. Food Sci. 53: 1-3.
- Jiang, S.T., Lee, B.L., Tsao, C.Y. and Lee, J.J. 1997. Mackerel cathepsins B and L effects on thermal degradation of surimi. J. Food Sci. 62: 310-315.
- Kaivchenia, M. and Fennema, O. 1988. Effect of cryoprotectants on frozen whitefish fillets. J. Food Sci. 53: 999-1003.
- Kim, J.M., Liu, C.H., Eun, J.B., Park, J.W., Oshimi, R., Hayashi, K., Ott, B., Aramaki, T., Sekine, M., Horikita, Y., Fujimoto, K., Aikawa, T., Welch, L. and Long, R. 1996. Surimi from fillet frames of channel catfish. J. Food Sci. 61: 428-413.
- Konno, K., Yamanodera, K-I. and Kiuchi, H. 1997. Solubilization of fish muscle myosin by sorbitol. J. Food Sci. 62: 980-984.
- Krivchenia, M. and Fennema, O. 1988. Effect of cryoprotectants on frozen burbot fillets and a comparison with whitefish fillets. J. Food Sci. 53: 1004-1008.
- Krivchenia, M. and Fennema, O. 1988. Effect of cryoprotectants on frozen whitefish fillets. J. Food Sci. 53: 999-1003.
- Krueger, D.J. and Fennema, O.R. 1989. Effect of chemical additives on toughening of fillets of frozen Alaska pollack (*Theragra chalcogramma*). J. Food Sci. 54: 1101-1106.

- Kulp, K., Lorenz, K. and Stone, M. 1991. Functionality of carbohydrate ingredients in bakery products. *Food Technol.* 45(3): 136-142.
- Laemmli, U.K. 1970. Cleavage of structural proteins during assembly of head of bacteriophage T4. *Nature.* 227: 680-685.
- Lambruschini, C., Relini, A., Ridi, A., Cordone, L. and Gliozzi, A. 2000. Trehalose interacts with phospholipid polar heads in langmuir monolayers. 16: 5467-5470.
- Lanier, L.C. 1986. Functional properties of surimi. *Food Technol.* 40 (4):107-114.
- Lanier, T.C. 2000. Gelation chemistry. In *Surimi and surimi sea food.* (Park, J.W. ed.), p. 237-265. Marcel Dekker, New York.
- Lawrence, R., Consolacion, F. and Jelen, P. 1986. Formation of structured protein foods by freeze texturization. *Food Technol.* 40 (4): 77-82.
- LeBlanc, E.L. and LeBlanc, R.J. 1992. Determination of hydrophobicity and reactive groups in proteins of cod (*Gadus morhua*) muscle during frozen storage. *Food Chem.* 43: 3-11.
- Lee, C.M. 1984. Surimi process technology. *Food Technol.* 38 (3):69-80.
- Lee, C.M. 1986. Surimi manufacturing and fabrication of surimi-based product. *Food Technol.* 40 (4): 115-124.
- Lee, C.M., Seki, N., Kato, N., Nakagawa, N., Terui, S. and Arai, S. 1990. Gel forming ability and cross-linking ability of myosin heavy chain in meat paste from threadfin bream. *Nippon Suisan Gakkaishi.* 56: 329.
- Lee, H.G. and Hamann, D.D. 1997. Covalent cross-linking effect on thermorheological profiles of fish protein gels. *J. Food Sci.* 62: 25-28.
- Lee, J.C. and Timasheff, S.N. 1981. The stabilization of proteins by sucrose. *J. Biol. Chem.* 256: 7193-7201.
- Lee, N. and Park, J.w. 1998. Calcium compounds to improve gel functionality of Pacific whiting and alaska pollock surimi. *J. Food Sci.* 63: 969-974.

- Lian, P.Z., Lee, C.M. and Hufnagel, L. 2000. Physicochemical properties of frozen red hake (*Urophycis chuss*) Mince as affected by cryoprotective ingredients. *J. Food Sci.* 65: 1117-1123.
- Liceaga-Gesualdo, A.M. and Li-Chen, E.C.Y. 1999. Functional properties of fish protein hydrolysate from herring (*Clupea harengus*). *J. Food Sci.* 64: 1000-1004.
- Li-Chen, E., Kwan, L. and Nakai, S. 1986. Physicochemical and functional properties of salt extractable proteins from chicken breast muscle deboned after different post-mortem holding times. *Can Inst. Food Sci. Tech. J* 19: 241-248.
- Li-Chen, E., Nakai, S., and Wood, D.F. 1985. Relationship between functional (fat-binding, emulsifying) and physicochemical properties of muscle proteins. Effect of heating, freezing, pH and species. *J. Food Sci.* 50: 1034-1040.
- Lim, H.K. and Haard, N.F. 1984. Protein insolubilization in frozen Greenland halibut (*Reinhardtius hippoglossoides*). *J. Food Biochem.* 8: 163-187.
- Lin, T.M. and park, J.W. 1996. Extraction of proteins from Pacific whiting mince at various washing conditions. *J. Food Sci.* 61: 432-438.
- Luzardo, M., del, C., Amalfa, F., Nunez, A.M., Diaz, S., Biondi de Lopez, A.C. and Disalvo, E.A. 2000. Effect of trehalose and sucrose on the hydration and dipole potential of lipid bilayers. *Biophys. J.* 78: 2452-2458.
- MacDonald, A.G. and Lanier, T. 1991. Carbohydrates as cryoprotectants for meats and surimi. *Food Technol.* 45 (4): 150-159.
- MacDonald, G.A. and Lanier, T.C. 1997. Cryoprotectants for improving frozen-food quality. In *Quality in frozen food*. (Erickson, M.C., Hung, Y.C., eds.). p. 195-232 Chapman & Hall New York.
- MacDonald, G., Lanier, T.C. and Gliesbrecht, G.F. 1996. Interaction of sucrose and zinc for cryoprotection of surimi. *J. Agric. Food Chem.* 44: 113-118.

- Mackie, M.I. 1994. Fish protein. In *New and developing sources of food proteins*. (Hubson, B.J.G. ed.). p.95-137. Chapman & Hall. New York.
- Matsumoto, J.J. 1979. Denaturation of fish muscle proteins during frozen storage. In *Protein at low temperatures*. (Fennema, O. ed.). p. 206. ACS. Adv. In chem. Series, Washington, DC.
- Matsumoto, J.J. 1980. Chemical deterioration of muscle proteins during frozen storage. In Whitaker, J.K. and Fujimaki, J.R. (eds.), *Chemical deterioration of protein*, pp. 95. Washington D.C.: ACS Symp. Series 123, ACS.
- Matsumoto, J.J. and Nougchi, S.F. 1992. Cryostabilization of protein in surimi. In *Surimi Technology*. (Lanier, T.C. and Lee, C.M. eds.). p. 357-388. Marcel Dekker. New York.
- Matusuda, Y. 1979. Influence of sucrose on the protein denaturation of lyophilized carp myofibrils during storage. *Bull. Jap. Soc. Sci. Fish.* 45: 581-595.
- McCormick, R.T. 1994. Structure and properties of tissues. In *Muscle food*. (Kinsman, D.M., Kotula, A.W., Breidenstein, B.C., eds). p. 25-62. Chapman & Hall. New York.
- McGarvey, O.S. and Craigd, Q.M. 2001. Comparative properties of sucrose and trehalose in relation to protein stabilisation. *British Pharmaceutical Conference. Abstract Book*:139.
- Mendes, D., Bernardes, L., Araujo, E., Panek, P.S. and Paxchoalin, A.D. 1999. Preservation of frozen yeast cells by trehalose. *Biotechnol. Bioeng.* 65: 572-578.
- Miller, D.P., de-Pablo, J.J. and Corti, H.R. 1999. Viscosity and glass transition temperature of aqueous mixtures of trehalose with borax and sodium chloride. *J. Phys. Chem.* 103: 10243-10249.
- Miroliaei, M. and Gorgan, M.N. 2001. Sugars protect native and yeast alcohol dehydrogenase against irreversible thermoinactivation. *Enzyme Microbiol. Technol.* 29: 554-559.

- Montero, P., Marti De Castro, M.A., Solas, M.T. and Gomez-Guillen, M.C. 1997. Textural and microstructural changes in frozen stored sardine mince gels. *J. Food Sci.* 64: 838-842.
- Morawetz, H. 1972. Conformational transitions in macromolecules. *Adv. Prot. Chem.* 26: 243-248.
- Morrissey, M.T., Wu, J. W., Lin, D. and An, H. 1993. Protease inhibitor effects on torsion measurements and autolysis of Pacific whiting surimi. *J. Food Sci.* 58: 1050-1054.
- Muller, J., Wiemken, A. and Aeschbacher, R. 1999. Trehalose metabolism in sugar sensing and plant development. *Plant Sci.* 147:37-47.
- Murray, B.S. and Liang, H. J. 1999. Enhancement of the foaming properties of properties of protein dried in the presence of trehalose. *J. Agric. Food Chem.* 47: 4984-4991.
- Neta, T., Takada, K., and Hirasawa, M. 2000. Low-cariogenicity of trehalose as a substrate. *J. Dentistry.* 28: 571-576.
- Noguchi, S. and Matsumoto J.J. 1971. Studies on the control of the denaturation of the fish muscle proteins during frozen storage-II. Preventive effect of amino acids and related compounds. *Bull. Jap. Soc. Sci. Fish.* 37: 1115-1122.
- Noguchi, S. and Matsumoto, J.J. 1970. Studies on the control of the denaturation of the fish muscle proteins during the frozen storage-I. Preventive effect of Na-glutamate. *Bull. Jap. Soc. Sci. Fish.* 36: 1078-1087.
- Noguchi, S., Oosawa, K. and Matsumoto, J.J. 1976. Studies on the control of denaturation of fish muscle proteins during frozen storage-VI preventive effect of carbohydrates. *Bull. Jap. Soc. Fish.* 42: 77-82.
- Nowsad, A.A., Huang, W.F., Kanoh, S. and Niwat, E. 2000. Washing and cryoprotectant effects on frozen storage of spent hen surimi. *Poultry Sci.* 79: 913-920.

- Ochiai, Y. and Chow, C.J. 2000. Myosin ATPase. In *Seafood enzymes*. (Haard, N.F. and Simpson, B.K., eds.). p.69-90. Marcel Dekker, Inc. Yew York.
- Oguni, M., Kubo, T. and Matsumoto, J.J. 1975. Studies on the denaturation of fish muscle proteins-I physico-chemical and electron microscopical studies of freeze-denatured carp actomyosin. *Bull. Jap. Soc. Sci. Fish.* 41: 1113-1123.
- Oliver, C.N., Ahn, B.W., Moerman, J.E., Golstein, S. and Stadman, E.R. 1987. Aged – related changes in oxidized protein. *J. Biol. Chem.* 262: 5488-5491.
- Ooizumi, T., Hashimoto, K., Ogura, J. and Arai, K. 1981. Quantitative aspect of protective effect of sugar and sugar alcohol against denaturation of fish myofibrils. *Bull. Jap. Soc. Sci. Fish.* 47: 901-912.
- Park, J.W. 1994. Cryoprotection of muscle proteins by carbohydrates and polyalcohols. *J. Aqua. Food Product Technol.* 3; 23-41.
- Park, J.W. and Lanier, T.C. 1987. Combined effects of phosphates and sugar or polyol on protein stabilization of fish myofibrils. *J. Food Sci.* 52: 1509-1513.
- Park, J.W., Lanier, T.C. and Green, D.P. 1988. Cryoprotective effects of sugar, polyols, and /or phosphates on Alaska pollack surimi. *J. Food Sci.* 53:1-3.
- Park, J.W., Lanier, T.C. and Pikington, D.H. 1993. Cryostabilization of functional properties of pre-rigor and post-rigor beef by dextrose polymer and/or phosphate. *J. Food Sci.* 58: 467-472.
- Park, J.W., Lanier, T.C., Keeton, J.T. and Hamann, D.D. 1987. Use of cryoprotectants to stabilize functional properties of prerigor salted beef during frozen storage. *J. Food Sci.* 52: 537-542.
- Parkin, K.L. and Hultin, H.O. 1982. Some factors influencing the production of dimethylamine and formaldehyde in minced and intake red hake muscle. *J. Food Process. Preserv.* 6: 73-97.
- Parkington, J.M., Xiong, Y.L., Blanchard, S.P. and Xiong, S. 2000. Functionality changes in oxidative-antioxidative washes beef-heart surimi during frozen storage. *J. Food Sci.* 65: 796-800.

- Pomeranz, Y. 1985. Functional properties of Food components. Academic Press, Inc., Orlando, Fl.
- Pomeranz, Y. 1991. Proteins:General. In Functional properties of food components. (Pomeranz, Y., ed.). p. 147-189. Academic Press, Inc., San diego.
- Ragnarsson, K. and Regenstein, M. 1989. Changes in elecrophoretic patterns of gadoid and non-gadoid fish muscle during frozen storage. J. Food Sci. 54: 819-823.
- Ramirez, J.A., Martin-Polo, J.O. and Bandman E. 2000. Fish myosin aggregation as affected by freezing and initial physical state. J. Food Sci. 65: 556-559.
- Reddy, G.V.S. and Srikar, L.N. 1991. Preprocessing ice storage effects on functional properties of fish mince protein. J. Food Sci. 56: 965-968.
- Refsgaard, H.H.F., Brockhoff, P.B., and Jensen, B. 1998. Sensory and chemical changes in farmed Atlantic salmon (*Salmosalar*) during frozen storage. J. Agric. Food Chem. 46: 3473-3479.
- Regenstein, J.E., Jauregui, C.A. and Baker, R.C. 1983. The effect of pH, polyphosphates and different salts on water retention properties of ground trout muscle. J. Food Biochem. 8: 123-131.
- Reppond, K.D. and Babbitt, J.K. 1997. Gel properties of surimi from various fish species as affected by moisture content. J. Food Sci. 62:33-36.
- Reynolds, J., Park, J.M. and Choi, Y.J. 2002. Physicochemical properties of Pacific whiting surimi as affected by various freezing and storage conditions. J. Food Sci. 67: 2072-2078.
- Saeki, H., Iseya, Z., Sugiura, S. and Seki, N. 1995. Gel forming characteristics of frozen surimi from chum salmon in the presence of protease inhibitors. J. Food Sci. 60: 917-928.
- Samijima, K., Ishioroshi, M. and Yasui, T. 1981. Relative roles of the head and tail portions of the molecules in the heat-induced gelation of myosin. J. Food Sci. 46: 1412-1414.

- Samson, A.D. and Regenstein, J.M. 1986. Textural changes in frozen cod frame minces stored at various temperatures. *J. Food Biochem.* 10: 259-265.
- Sano, T., Noguchi, S.F., Matsumoto, J.J. and Tsuchiya, T. 1990. Effect of ionic strength on dynamic viscoelastic behavior of myosin during thermal gelation. *J. Food Sci.* 55: 51-54.
- Sastry, G.M. and Agmon, N. 1997. Trehalose prevents myoglobin collapse and preserves its internal mobility. *Biochem.* 36: 7097-7108.
- Scott, D.N., Porter, R.W., Kudo, G., Miller, R. and Koury, B. 1988. Effect of freezing and frozen storage of Alaska pollock on the chemical and gel-forming properties of surimi. *J. Food Sci.* 53: 353-358.
- Seki, N. and Narita, N. 1980. Changes in ATPase activities and other properties of carp myofibrillar proteins during iced storage. *Bull. Jap. Soc. Sci. Fish.* 46: 207-213.
- Seki, N., Ikeda, M. and Narita, N. 1979. Changes in ATPase activities of carp myofibril during ice-storage. *Bull. Jpn. Soc. Sci. Fish.* 45: 791-798.
- Shie, J.S. and Park, J.W. 1999. Physical characteristics of surimi seafood as affected by thermal processing conditions. *J. Food Sci.* 64: 287-290.
- Sikorski, Z., Kolakowska, A. and Burt, JR. 1990. Postharvest biochemical and microbial changes, in *Seafood: Resources, Nutritional Composition and Preservation*. (Sikorski, AE., ed.). p 55-75. CRC Press, Boca Raton, FL.
- Simpson, R., Kolbe, E., MacDonald, G., Lanier, T. and Morrissey, M. 1994. Surimi production from partially processed and frozen Pacific whiting (*Merluccius productus*). *J. Food Sci.* 59: 272-276.
- Smith, M.S. 1988. Meat proteins: functional properties in comminuted meat products. *Food Technol.* 21(3): 116-121.
- Sompongse, W., Itoh, Y. and Obatake, A. 1996. Effect of cryoprotectants and a reducing reagent on the stability of actomyosin during ice storage. *Fish. Sci.* 62: 73-79.

- Sompson, R., Kolbe, E., MacDonald, G., Lanier, T. and Morrissey, M. 1994. Surimi production from partially processed and frozen Pacific whiting (*Merluccius productus*). J. Food Sci. 59: 272-276.
- Srikar, L. N. and Reddy, G.V.S. 1991. Protein solubility and emulsifying capacity in frozen stored fish mince. J. Sci. Food Agric. 55: 447-453.
- Srinivasan, S., Xiong, Y.L., Blanchard, S.P. and Tidwell, J.H. 1997. Physicochemical changes in prawns (*Machrobrachium rosenbergii*) subjected to multiple freeze-thaw cycles. J. Food Sci. 62: 123-127.
- Sultanbawa, Y. and Li-Chan, E.C.Y. 1998. Cryoprotective effects of sugar and polyol blends in ling cod surimi during frozen storage. Food Res. Inter. 31: 87-98.
- Sultanbawa, Y. and Li-Chan, E.C.Y. 2001. Structural changes in natural actomyosin and surimi from ling cod (*Ophiodon elongatus*) during frozen storage in the absence or presence of cryoprotectants. J. Agric. Food Chem. 49: 4716-4725.
- Sussich, F. Urbani, R., Princivalle, F. and Cesaro, A. 1998. Polymorphic amorphous and crystalline forms of trehalose. J. Am. Chem. Soc. 120: 7893-7899.
- Suvanich, V., Jahncke, M.L. and Marshall, D.L. 2000. Changes in selected chemical quality characteristics of channel catfish frame during chill and frozen storage. J. Food Sci. 65: 24-29.
- Suzuki, T. 1981. Fish and shell protein: processing technology. London: Applied in the development of dimethylamine and formaldehyde in Alaska pollock muscle during frozen storage. Bull Hokk. Reg. Fish Res. Lab. 30: 90-97.
- Sych, J., Lacroix, C. and Carrier, M. 1991. Determination of optimal level of lactitol for surimi. J. Food Sci. 56:285-298.
- Sych, J., Lacroix, C., Adambounou, L.T. and Castaigne, F. 1990. Cryoprotective effects of lactitol, palatinit and polydextrose[®] on cod surimi proteins during frozen storage. J. Food Sci. 55: 356-359.

- Sych, J., Lacroix, C., Adambounou, L.T., and Castaigne, F. 1990. Cryoprotective effects of some materials on cod-surimi proteins during frozen storage. *J. Food Sci.* 55: 1222-1227.
- Takahashi, K., Inoue, N. and Shinano, H. Effect of storage temperature on freeze denaturation of carp myofibrils with KCl or NaCl. *Nippon Suisan Gakkaishi* 59: 519-527.
- Tanabe, M. and Saeki, H. 2001. Effect of maillard reaction with glucose and ribose on solubility at low ionic strength and filament-forming ability of fish myosin. *J. Agric. Food Chem.* 49: 3403-3407.
- Tejada, M., Carech, M., Torrejon, P., Del Mazo, M.L., Solas, M.T., Garcia, M.L. and Barba, C. 1996. Protein extracts and aggregates forming in minced cod (*Gadus morhua*) during frozen storage. *J. Agric. Food Chem.* 44: 3308-3314.
- Thannhauser, T.W., Konishi, Y. and Scheraga, H.A. 1987. Analysis for disulfide bonds in peptides and proteins. *Method. Enzymol.* 143: 115-119.
- Tomaniak, A., Tyszkiewicz, I. and Komosa, J. 1998. Cryoprotectants for frozen red meats. *Meat Sci.* 50: 365-371.
- Toyoda, K., Kimura, I., Fujita, I., Noguchi, S.F. and Lee, C.M. 1992. The surimi manufacturing process. In *Surimi Technology*. (Lanier, T.C. and Lee, C. M. eds). p. 79-112. Marcel Dekker. New York.
- Turner, S., Senaratna, T., Touchell, D., Bunn, E., Dixon, K. and Tan, B. 2001. Stereochemical arrangement of hydroxyl groups in sugar and polyalcohol molecules as an important factor in effective cryopreservation. *Plant Sci.* 160: 489-497.
- Wagner, J.R. and Anon, M.C. 1990. Influence of denaturation, hydrophobicity and sulfhydryl content on solubility and water absorbing capacity of soy protein isolates. *J. Food Sci.* 55: 765-770.

- Wang, B. and Xiong, Y.L. 1998. Functional stability of antioxidant-washed, cryoprotectant-treated beef heart surimi during frozen storage. *J. Food Sci.* 63: 293-298.
- Wang, B., Xiong, Y.L. and Srinivasan, S. 1997. Chemical stability of antioxidant-washed beef heart surimi during frozen storage. *J. Food Sci.* 62: 939-945.
- Wang, G.M. and Haymet, A.D.J. 1998. Trehalose and other sugar solutions at low temperature: modulated differential scanning calorimetry (MDSC). *J. Physic. Chem.* 102: 5341-5347.
- Watabe, S., Ushio, H., Iwamoto, M., Yamanaka, H. and Hashimoto, K. 1989. Temperature-dependency of rigor-mortis of fish muscle: myofibrillar Mg^{2+} -ATPase activity and Ca^{2+} uptake by sarcoplasmic reticulum. *J. Food Sci.* 54: 1107-1115.
- Wingler, A. 2002. The function of trehalose biosynthesis in plants. *Phytochem.* 60: 437-440.
- Woodward, S.A. and Cotterill, O.J. 1986. Texture and microstructure of heat-formed egg white gels. *J. Food. Sci.* 51: 333-340.
- Xiong, Y. and Brekke, C.J. 1989. Changes in protein solubility and gelation properties of chicken myofibrils during storage. *J. Food Sci.* 54: 1141-1146.
- Xiong, Y.L. 1996. Impacts of oxidation on muscle protein functionality. *Recip. Meat Conf. Proceed.* 49: 79-86.
- Xiong, Y.L. 1997. Structure-function relationships of muscle proteins. In *Food proteins and their applications.* (Damodaran, S. and Paraf, A. eds.). p. 341-392. Marcel Dekker, Inc. New York.
- Xiong, Y.L., Lou, X., Wang, C. Moody, W.G. and Harmon, R.J. 2000. Protein extraction from chicken myofibrils irrigated with various polyphosphate and NaCl solutions. *J. Food Sci.* 65: 96-100.

- Yamashita, K., Arai, K. and Nishita, K. 1978. Thermo-stabilites of synthetic actomyosins in various combinations of myosin and actin from scallop and rabbit muscles. *Bull. Jap. Soc. Sci. Fish.* 44: 485-489.
- Yongswawatdigul, J. and Park, J.W. 2002. Biochemical and conformation changes of actomyosin form threadfin bream stored in ice. *J. Food Sci.* 67:985-990.
- Yoon, K.S. and Lee, C.M. 1990. Cryoprotectant effects in surimi and surimi/mince-based extruded products. *J. Food Sci.* 55: 1210-1216.
- Yoon, W.B., Park, J.W. and Kim, B.Y. 1997. Surimi-starch interactions based on mixture design and regression models. *J. Food Sci.* 62: 555-560.
- Yoshida, M., Nakamura, N. and Horikoshi, K. 1998. Production of trehalose by dual enzyme system of immobilized maltose phosphorylase and trehalose phosphorylase. *Enzyme Microbial. Technol.* 22: 71-75.
- Yoshikawa, K., Inone, N., Kawai, Y. and Shinano, H. 1995. Subunit components in salt-soluble and insoluble fractions of carp myofibrils during frozen storage. *Fish Sci.* 61:813-816.
- Yoshikawa, K., Inoue, N., Kawai, Y. and Shinano, H. 1995. Changes of the solubility and ATPase activity of carp myofibrils during frozen storage at different temperatures. *Fish. Sci.* 61:804-812.
- Ziegler, G.R., and Foegeding, A. 1991. The gelation of proteins. In *Advances in food and nutrition research.* (Kubsekkarm, J. E. K. ed.). Vol. 34 p. 1243-1256. Academic Press. New York.