

## REFERENCES

- Amoumahmoud, R. M. and Savello, P. A. 1990. Crosslinking of whey proteins by transglutaminase. *J. Dairy Sci.* 73: 256-261.
- Anker, M., Berntsen, J., Hermansson, A-M. and Stading, M. 2002. Improved water vapor barrier of whey protein films by addition of an acetylated monoglyceride. *Innov. Food Sci. Emer. Technol.* 3: 81-92.
- AOAC. 1999. Official Method of Analysis. 14<sup>th</sup> ed. Association of Official Analytical Chemists, Washington, D.C., USA.
- Arvanitoyannis, I., Psomiadou, E., Nakayama, A., Aiba, S. and Yamamoto, N. 1997. Edible films made from gelatin, soluble starch and polyols, part 3. *Food Chem.* 60: 593-604.
- Ashie, I. N. A. and Lanier, T.C. 2000. Transglutaminase in seafood processing. In Seafood enzymes utilization and influence on postharvest seafood quality. (Haard, N. F. and Simpson, B. K., Eds). p. 147-166. Marcel Dekker. New York.
- Avena-Bustillos, R. J. and Krochta, J. M. 1993. Water vapor permeability of caseinate-based edible films as affected by pH, calcium crosslinking and lipid content. *J. Food Sci.* 58: 904-907.
- Avena-Bustillos, R. J., Krochta, J. M. and Saltveit, M. E. 1997. Water vapor resistance of red delicious apples and celery sticks coated with edible caseinate-acetylated monoglyceride films. *J. Food Sci.* 62: 351-354.

- Audic, J. L. and Chaufer, B. 2005. Influence of plasticizers and crosslinking on the properties of biodegradable films made from sodium caseinate. *J. Eur. Polym.* 41: 1934-1942.
- Babiker, E. E., Hiroyuki, A., Naotoshi, M. M., Iwata, H., Ogawa, T., Bando, N. and Kato, A. 1998. Effect of polysaccharide conjugation or transglutaminase treatment on the allergenicity and functional properties of soy protein. *J. Agric. Food Chem.* 46: 866-871.
- Babin, H. and Dickinson, E. 2001. Influence of transglutaminase treatment on the thermoreversible gelation of gelatin. *Food Hydrocol.* 15: 271-276.
- Banerjee, R. and Chen, H. 1995. Functional properties of edible films using whey protein concentrates. *J. Dairy Sci.* 78: 1673-1683.
- Barreto, P. L. M., Reoder, J., Crespo, J. S., Maciel, G. R., Terenzi, H., Pires, A. T. N. and Soldi, V. 2003. Effect of concentration, temperature and plasticizer content on rheological properties of sodium caseinate and sodium caseinate/ sorbitol solution and glass transition of their films. *Food Chem.* 82: 425-431.
- Basaran, T. K. and McClements, D. J. 1999. Nondestructive monitoring of sucrose diffusion in oil-in-water emulsions by ultrasonic velocity profiling. *J. Colloid Interface Sci.* 220: 429-435.
- BeBiller, J. N. and Whistler, R. L. 1996. Carbohydrate. In *Food chemistry* (Fennema, O.R., Ed). p. 529-49. Marcel Dekker. New York.

- Benjakul, S., Visessanguan, W., Riebroy, S., Ishizaki, S. and Tanaka, M. 2002. Gel-forming properties of bigeye snapper, *Priacanthus tayenus* and *P. macracanthus*, stored in ice. J. Sci. Food Agric. 82: 1442-1451.
- Benjakul, S., Chantarasuwan, C. and Visessanguan, W. 2003. Effect of medium temperature setting on gelling characteristics of surimi from some tropical fish. Food Chem. 82: 567-574.
- Benjakul, S., Visessanguan, W. and Leepongwattana, K. 2003a. Comparative study on proteolysis of two species of bigeye snapper, *Priacanthus macracanthus* and *Priacanthus tayenus*. J. Sci. Food Agric. 83: 871-879.
- Benjakul, S., Visessanguan, W. and Leepongwattana, K. 2003b. Purification and characterization of heat-stable alkaline proteinase from bigeye snapper (*Priacanthus macracanthus*) muscle. Comp. Biochem. Physiol. 134B: 579-91.
- Bertan, L. C., Tanada-Palmu, P. S., Siani, A. C. and Grosso, C. R. F. 2005. Effect of fatty acids and 'Brazilian elemi' on composite films based on gelatin. Food Hydrocol. 19: 73-82.
- Bigi, A., Cojazzi, G., Panzavolta, S., Rubimi, K. and Roveri, N. 1998. Drawn gelatin films with improved mechanical properties. Biomaterials. 19: 2335-2340.
- Bigi, A., Cojazzi, G., Panzavolta, S., Rubimi, K. and Roveri, N. 2001. Mechanical and thermal properties of gelatin films at different degrees of glutaraldehyde cross-linking. Biomaterials. 22: 763-768.

- Brandenburg, A. H., Weller, C. L. And Testin, R. F. 1993. Edible films and coatings from soy protein. *J. Food Sci.* 58: 1086-1089.
- Buege, J. A. and Aust, S. D. 1978. Microsomal lipid peroxidation. *Method Enzymol.* 52: 302-304.
- Chaplin, M. F. and Kennedy, J. F. 1994. Monosaccharides. P. 110. New York: Oxford University Press.
- Cheftel, J. C., Cuq, Jean-Louis. and Lorient, D. 1985. Amino acids, peptides, and proteins. In *Food chemistry*. (Fennema, O. R., Ed.). p. 245-369. Marcel Dekker. New York.
- Chick, J. and Ustunol, Z. 1998. Mechanical and barrier properties of lactic acid and rennet precipitated casein-based edible films. *J. Food Sci.* 63: 1024-1027.
- Chawla, S. P., Venugopal, V. and Nair, P. M. 1996. Gelation of proteins from washed muscle of threadfin bream (*Nemipterus japonicus*) under mild acidic conditions. *J. Food Sci.* 61: 362-371.
- Chevalier, F., Chobert, J. M., Dalgalarrondo, M., Choiset, Y. and Haertle, T. 2002. Maillard glycation of  $\beta$ -lactoglobulin induces conformation changes. *Nahrung.* 46: 58-63.
- Chinabhart, K., Benjakul, S. and Prodpran, T. 2005. Effect of pH on the properties of protein-based film from bigeye snapper (*Priacanthus tayenus*) surimi. *Biores. Technol.* (Submitted).
- Ciereszko, I., Zambrzycka, A. and Rychter, A. 1998. Sucrose hydrolysis in bean roots

- (*Phaseolus vulgaris* L.) under phosphate deficiency. Plant Sci. 133: 139-44.
- Coupland, J. N., Shaw, N. B., Monahan, F. J., O'Riordan, E. D. and O' Sullivan, M. 2000. Modeling the effect of glycerol on the moisture sorption behavior of whey protein edible films. J. Food Engr. 43: 25-30.
- Cuq, B., Aymad, C., Cuq, J. and Quilbert, S. 1995. Edible packaging films based on fish myofibrillar proteins: formulation and functional properties. J. Food Sci. 60: 1369-1373.
- Cuq, B., Gontard, N., Cuq, J. L. and Guilbert, S. 1996a. Functional properties of myofibrillar protein-based biopackaging as affected by film thickness. J. Food Sci. 61: 580-584.
- Cuq, B., Gontard, N., Cuq, J. L. and Guilbert, S. 1996b. Stability of myofibrillar protein-based biopackagings during storage. Lebensm-Wiss. U.-Technol. 29: 344-348.
- Cuq, B., Gontard, N., Cuq, J. L. and Guilbert, S. 1997. Selected functional properties of fish myofibrillar protein-based films as affected by hydrophilic plasticizers. J. Agric. Food Chem. 45: 622-626.
- Cuq, B., Gontard, N. and Guilbert, S. 1998. Protein as agricultural polymers for packaging production. Cereal Chem. 75: 1-9.
- Cuq, B., Gontard, N. and Guilbert, S. 1999. Effects of thermomoulding process conditions on the properties of agro-materials based on fish myofibrillar proteins. Lebensm-Wiss. U.-Technol. 32: 107-113.
- Cuq, B. 2002. Formation and Properties of Fish Myofibrillar protein films and

- coating. *In Protein-based films and coating* (Gennadios, A, Ed.). p. 224. CRC Press. New York.
- Damodaran, S. 1996. Amino acids, peptides and proteins *In Food chemistry* (3<sup>rd</sup> ed.). (Fennema, O. R., Ed.). p. 321-429. Marcel Dekker. New York.
- Debeaufort, F., Martin-Polo, M. and Voilley, A. 1993. Polarity homogeneity and structure affect water vapor permeability of model edible films. *J. Food Sci.* 58: 426-429.
- Debeaufort, F. and Voilley, A. 1995. Effect of surfactants and drying rate on barrier properties of emulsified edible films. *Int. J. Food Sci. Technol.* 30: 183-190.
- De Carvalho, R. A. and Grosso, C. R. F. 2004. Characterization of gelatin based films modified with transglutaminase, glyoxal and formaldehyde. *Food Hydrocol.* 18: 717-726.
- Faergemand, M., Murray, B. S., Dickmson, E. and Qvist, K. B. 1999. Cross-linking of adsorbed casein films with transglutaminase. *Int. Dairy J.* 9: 343-346.
- Fakirov, S., Sarac, Z., Anbar, T., Boz, B., Bahar, I., Evstatiev, M., Apostolov, A. A., Mark, J. E. and Kloczkowski, A. 1996. Mechanical properties and transition temperatures of cross-linked oriented gelatin. Part 1. Static and dynamic mechanical properties of cross-linked gelatin. *Colloid. Polym. Sci.* 274: 334-341.
- Fasold, D. L., Davis, E. A. and Gordon, J. 1995. Gaseous diffusion through whey protein edible films in reference to their glass transition temperature. Presented at the IFT Annual Meeting. Poster. p. 41.

- Galietta, G., Di Gioia, L., Guilbert, S. and Cuq, B. 1998. Mechanical and thermomechanical properties of films based on whey proteins as affected by plasticizer and crosslinking agents. *J. Dairy Sci.* 81: 3123-3130.
- Gallo, J. Q., Debeaufort, F., Callegarin, F. and Voilley, A. 2000. Lipid hydrophobicity, physical state and distribution effects on the properties of emulsion-based edible films. *J. Membr. Sci.* 180: 37-46.
- Gennadios, A. and Weller, C. L. 1990. Edible and coating from wheat and corn proteins. *Food Technol.* 44(10): 63-69.
- Gennadios, A. and Weller, C. L. 1992. Tensile strength increase of wheat gluten films. ASAE paper no. 92-6517. p. 10.
- Gennadios, A., Weller, C. L. and Testin, R. F. 1993. Modification of physical and barrier properties of edible wheat gluten-based films. *Cereal Chem.* 70: 426-429.
- Gennadios, A., Weller, C. L., Hanna, M. A. and Froning, G. W. 1996. Mechanical and barrier properties of egg albumen films. *J. Food Sci.* 61: 585-589.
- Gennadios, A., Handa, A., Froning, G. W., Weller, C. L. and Hanna, M. A. 1998. Physical properties of egg white-dialdehyde starch films. *J. Agric. Food Chem.* 46: 1297-1302.
- Geugen, J., Viroben G., Noireaux, P., Subirade, M. 1998. Influence of plasticizers and treatments on the properties of films from pea protein. *J. Industr. Crops Prod.* 7: 149-157.
- Ghorpade, V. M., Li, H., Gennadios, A. and Hanna, M. A. 1995. Chemically modified soy protein films. *Trans. ASAE.* 38: 1805-1808.

- Glicksman, M. 1982. Functional properties. *In* Food hydrocolloids. (Glicksman, M., Ed.). p. 47. CRC Press, Boca Raton, FL.
- Gontard, N., Guilbert, S. and Cuq, Jean-Louis. 1992. Edible wheat gluten films: Influence of the main process variable on film properties using response surface methodology. *J. Food Sci.* 57: 190-199.
- Gontard, N., Duchez, C., Cuq Jean-Louis. And Guilbert, S. 1994. Edible composite films of wheat gluten and lipids: water vapour permeability and other physical properties. *Int. J. Food Sci. Technol.* 29: 39-50.
- Guilbert, S. 1986. Technology and application of edible protective films. *In* Food packaging and preservation-theory and practice. (Mathlouthi, M., Ed.). P 371-394. Elsevier Applied Science Publishers.
- Haard, N. F., Simpson, B. K. and Pan, B. S. 1994. Sarcoplasmic proteins and other nitrogenous compounds. *In* Seafood protein. (Sikorski, Z. E., Pan, B. S. and Shahidi, F., Eds.). p.13-39. New York: Chapman & Hall.
- Han, J. H. and Floros, J. D. 1997. Casting antimicrobial packaging films and measuring their physical properties and antimicrobial activity. *J. Plastic Film Sheet.* 13: 287-298.
- Handa, A., Gennadios, A., Froning, G. W., Kuroda, N. and Hanna, M. A. 1999. Tensile, solubility and electrophoretic properties of egg white films as affected by surface sulphydryl groups. *J. Food Sci.* 64: 82-85.
- Herald, T. J., Gnanasambandam, R., Mcguire, B. H. and Hachmeister, K. A. 1995. Degradable wheat gluten film: preparation, properties and application. *J. Food Sci.* 60: 1147-1331.
- Hernandez-Munoz, P., Villalobos, R. and Chiralt, A. 2004. Effect of cross-linking

- using aldehydes on properties of glutenin-rich films. *Food Hydrocol.* 18: 403-411.
- Irissin-Mangata J., Bauduin G., Boutevin B. and Gontard N. 2001. New plasticizers of wheat gluten films. *J. Eur Polym.* 37: 1533-41.
- Iwata, K., Ishizaki, S., Handa, A. and Tanaka, M. 2000. Preparation and characterization of edible films from fish water-soluble proteins. *Fish. Sci.* 66: 372-378.
- Jangchud, A. and Chinan, M. S. 1999. Properties of peanut protein film: sorption isotherm and plasticizer effect. *Lebensm-Wiss. U.-Technol.* 32: 89-94.
- Johari, G. P., Hallbruker, a. and Mayer, E. 1987. The glass liquid transition of hyperquenched water. *Nature (Lond.)*. 330: 552.
- Juriaanse, A. C. and Heertje, I. 1988. Microstructure of shortenings, margarine and butter-A review. *Food Microstructure.* 7: 181-188.
- Kamper, J. J. and Fennema, O. R. 1984. Water vapor permeability of edible bilayer films. *J. Food Sci.* 49: 1478-1481.
- Kester, J. J. and Fennema, O. R. 1986. Edible film and coatings: A review. *Food Technol.* 40(12): 47-59.
- Kester, J. J. and Fennema, O. R. 1989. An edible film of lipids and cellulose ethers: barrier properties to moisture vapor transmission and structural evaluation. *J. Food Sci.* 49: 1478-1481.
- Kim, S. H., Carpenter, J. A., Lanier, T. C. and Wicker, L. 1993. Polymerization of beef actomyosin induced by transglutaminase. *J. Food Sci.* 58: 473-474, 491.
- Kim, S.J. and Ustunol, Z. 2001. Solubility and moisture sorption isotherms of whey-

- protein-based edible films as influenced by lipid and plasticizer incorporation. *J. Agric. Food Chem.* 49: 4388-4391.
- Krochta, J. M. 1997. Edible protein films and coatings. *In* Food proteins and their applications. (Damodaran, S. and Paraf, A., Eds.). p. 529-549. Marcel Dekker. New York.
- Krochta, J. M. and Mulder-Johnston, J. 1997. Edible and biodegradable polymer films: challenges and opportunities. *Food Technol.* 51(2): 61-74.
- Krochta, J. M. 2002. Protein as raw materials for films and coatings: Definitions, current status, and opportunities. *In* Protein-based films and coating (Gennadios, A., Ed.). p.1-39. CRC Press. New York.
- Laemmli, U. K. 1970. Cleavage of structural proteins during the assembly of the head of bacteriophage T4. *Nature*. 227: 680-685.
- Lai, H. M. and Padua, G. W. 1998. Water vapor properties of zein films plasticized with oleic acid. *Cereal Chem.* 75: 194-199.
- Lanier, T. C., Hart, K. and Martin, R. E. 1991. A manual of standard methods for measuring and specifying the properties of surimi. (Lanier, T. C., Hart, K. and Martin, R. E., Eds.). National Fisheries Institute, Washington, DC.
- Lieberman, E. R. and Gilbert, S. G. 1973. Gas permeation of collagen films as affected by cross-linkage, moisture, and plasticizer content. *J. Polym Sci.* 41: 33-43.

- Lim, L. T., Mine, Y. and Tung, M. A. 1998. Transglutaminase cross-linked egg white protein films: tensile properties and oxygen permeability. *J. Agric. Food Chem.* 46: 4022-4029
- Lim, L. T., Mine, Y. and Tung, M. A. 1999. Barrier and tensile properties of transglutaminase cross-linked galatin films as affected by relative humidity, temperature and glycerol content. *J. Food Sci.* 64: 616-622.
- Lim, L. T., Mine, Y., Britt, I. J. and Tung, M. A. 2002. Formation and properties of egg white films and coating. In *Protein-based films and coating* (Gennadios, A., Ed.). p. 236. CRC Press. New York.
- Liu, C. C., Tellez-Garay, A. M. and Castell-Perez, M. E. 2004. Physical and mechanical properties of peanut protein films. *Lebensm.Wiss. u.-Technol.* 37: 731-738.
- Lowry, O. H., Rosebrough, N. J., Fan, A. L. and Randall, R. J. 1951. Protein measurement with Folin phenol reagent. *J. Biol. Chem.* 193: 256-275.
- MacDonald, G. A., Lanier, T. C. and Carvajal, P .A. 2000. Stabilization of proteins in surimi. In *Surimi and surimi seafood*. (Park, J. W., Ed.) p. 91-125. Marcel Dekker. New York.
- Mahmoud, R. and Savello, P. A. 1993. Solubility and hydrolyzability of films produced by transglutaminase catalytic crosslinking of whey protein. *J. Dairy Sci.* 76: 29-35.
- Marquié, C., Aymard, C., Cuq, Jean-Louis. and Guilbert, S. 1995. Solubility and hydrolyzability of films produced by transglutaminase catalytic crosslinking of whey protein. *J. Dairy Sci.* 76: 29-35.
- Marquie, C. 2001. Chemical reactions in cottonseed protein cross-linking by

- formaldehyde, glutaraldehyde, and glyoxal for the formation of protein films with enhanced mechanical properties. *J. Agric. Food Chem.* 49: 4676-4681.
- Marquié, C and Guilbert, S. 2002. Formation and properties of cottonseed protein films and coating. *In Protein-based films and coating* (Gennadios, A., Ed.). p. 143-149. CRC Press. New York.
- Martin-Polo, M., Voilley, A., Blond, G., Colas, B., Mesnier, M. and Floquet, N. 1992. Hydrophobic films and their efficiency against moisture transfer.2. Influence of the physical state. *J. Agric. Food Chem.* 40: 413-418.
- Martins, S. I. F. S. and Van, B. 2005. A kinetic model for the glucose/ glycine Maillard reaction pathways. *Food Chem.* 90: 257-69.
- Matsumoto, J. J. and Nougchi, S. F. 1992. Cryostabilization of protein in surmi. *In Surimi Technology*. (Lanier, T. C. and Lee, C. M., Eds.). p. 357-388. Marcel Dekker. New York.
- McHugh, T. H., Avena-Bustillos, R. and Krochta, J. M. 1993. Hydrophilic edible films: modified procedure for water vapor permeability and explanation of thickness effects. *J Food Sci.* 58:899-903.
- Mchugh, T. H. and Krochta, J. M. 1994a. Water vapor permeability properties of edible whey protein-lipid emulsion films. *J. Am. Oil Chem. Soc.* 71: 307-312.
- Mchugh, T. H. and Krochta, J. M. 1994b. Dispersed phase particle size effects on water vapor permeability of whey protein bees wax edible emulsion films. *J. Food Process. Preserv.* 18: 173-188.

- Mchugh, T. H. and Krochta, J. M. 1994c. Milk protein based edible film and coatings. *Food Technol.* 48(1): 97-103.
- McHugh, T. H., Aujard, J. F. and Krochta, J. M. 1994. Plasticized whey protein edible films: water vapor permeability properties. *J. Food Sci.* 59: 416-423.
- Meier, L. 1990. Plasticizers in plastics additives (8<sup>th</sup>) (Gächter, R. and Müller, H., Eds). p. 327-420. Hanser Publishers. New York.
- Micard, V., Balamri, R., Morel, M. H. and Guilbert, S. 2000. Properties of chemically and physically treated wheat gluten films. *J. Agric. Food Chem.* 48: 2948-2953.
- Miller, K. S. and Krochta, J. M. 1997. Oxygen and aroma barrier properties of edible films: a review. *Trends Food Sci. Technol.* 8: 228-237.
- Morillon, V., Debeaufort, F., Blond, G., Capelle, M. and Voilley, A. 2002. Factors affecting the moisture permeability of lipid-based edible films: A review. *Crit. Rev. Food Sci. Nutr.* 42: 67-89.
- Morrissey, M. T., Wu, J. W., Lin, D. and An, H. 1993. Proteinase inhibitor effects on torsion measurements and autolysis of Pacific whiting surimi. *J. Food Sci.* 58: 1050-1054.
- Nielsen, P. M. 1995. Reactions and potential industrial applications of transglutaminase. Review of literature and patents. *Food Biotechnol.* 9: 119-156.
- Olabisi, O., Robeson, L. M. and Shaw, M. T. 1979. Polymer-polymer miscibility. Academic Press. New York.
- Orban, E., Quaglia, G. B., Casini, I., Caproni, I. and Moneta, E. 1992. Composition

- and functionality of sardine native protein. Lebensm-Wiss. U.-Technol. 25: 371-373.
- Orliac, O., Rouilly, A., Silvestre, F. and Rigal, L. 2002. Effects of additives on the mechanical properties, hydrophobicity and water uptake of thermo-moulded films produced from sunflower protein isolate. Polym. 43: 5417-5425.
- Osawa, R. and Walsh, T. P. 1993. Effects of acidic and alkaline treatments on tannic acid and its binding property to protein. J. Agric. Food Chem. 41: 704-707.
- Park, H. J., Bunn, J. M., Weller, C. L., Vergano, P. J. and Testin, R. F. 1994. Water vapor permeability and mechanical properties of grain protein-based films as affected by mixtures of polyethylene glycol and glycerin plasticizers. Trans. ASAE. 37: 1281-1285.
- Park, S. K. and Hettiarachchy, N. S. 2000. Unpublished data. University of Arkansas, Fayetteville, AR. USA. Cited by Gennadios, A. 2002. Protein-based films and coating. p. 123-137. CRC Press. New York.
- Park, J. W. and Morrissey, M. T. 2000. Manufacturing of surimi from light muscle fish. *In* Surimi and surimi seafood. (Park, J. W., Ed.). p. 23-58. Marcel Dekker. New York.
- Parris, N. and Coffin, D. R. 1997. Composition factors affecting the water vapor permeability and tensile properties of hydrophilic zein films. J. Agric. Food Chem. 45: 1596-1599.

- Parris, N., Dickey, L. C., Kurantz, M. J., Moten, R. O. and Craig, J. C. 1997. Water vapor permeability and solubility of zein/ starch hydrophilic films prepared from dry milled corn extract. *J. Food Engr.* 32: 199-207.
- Paschoalick, T. M., Garcia, F. T., Sobral, P. J. A. and Habitante, A. M. Q. B. 2003. Characterization of some functional properties of edible films based on muscle proteins of Nile tilapia. *Food Hydrocol.* 17: 419-427.
- Pérez-Gago, M. B. and Krochta, J. M. 1999. Water vapor permeability of whey protein emulsion films as affected by pH. *J. Food Sci.* 64: 695-698.
- Pérez-Gago, M. B., Nadaud, P. and Krochta, J. M. 1999. Water vapor permeability, solubility and tensile properties of heat-denatured versus native whey protein films. *J. Food Sci.* 64: 1034-1037.
- Péroval, C., Debeaufort, F., Despré, D. and Voilley, A. 2002. Edible arabinoxylan-based films. 1. Effects of lipids types on water vapor permeability, film structure, and other physical characteristics. *J. Agric. Food Chem.* 50: 3977-3983.
- Pommet, M., Redl, A., Morel, M-H. and Guilbert, S. 2003. Study of wheat gluten plasticization with fatty acids. *Polym.* 44: 115-122.
- Prodpran, T. and Benjakul, S. 2005. Effect of acid and alkaline solubilization on the properties of surimi based film. *Songklanakarin J. Sci. Technol.* (In press).

- Rayner, M., Ciolfi, V., Maves, B., Stedman, P. and Mittal, G. S. 2000. Development and application of soy-protein films to reduce fat intake in deep-fried foods. *J. Sci. Food Agric.* 80: 777-782.
- Rhim, J. W., Gennadios, A., Weller, C. L., Cezeirat, C. and Hanna, M. A. 1998. Soy protein isolate-dialdehyde starch films. *J. Industr. Crops Prod.* 8: 195-203.
- Rhim, J. W., Gennadios, A., Handa, A., Weller, C. L. and Hanna, M. A. 2000. Solubility, tensile and color properties of modified soy protein isolate films. *J. Agric. Food Chem.* 48: 4937-4941.
- Rhim, J. W., Gennadios, A., Handa, A., Weller, C. L. and Hanna, M. A. 2002. Sodium dodecyl sulfate treatment improves properties of cast films from soy protein isolate. *J. Industr. Crops Prod.* 15: 199-205.
- Robinson, H. W. and Hodgen, C. G. 1940. The biuret reaction in the determination of serum protein. I. A study of condition necessary for the production of the stable color which bears a quantitative relationship to the protein concentration. *J. Biol. Chem.* 135: 707-725.
- Roos, Y. H. 1995. Phase Transitions in Foods. P. 157. Academic Press. New York.
- Roy, S., Gennadios, A., Weller, C. L. and Testin, R. F. 2000. Water vapor transport parameters of a cast wheat gluten film. *J. Industr. Crops Prod.* 11: 43-50.
- Sapru, V. and Labuza, T. P. 1994. Dispersed phase concentration effects on water vapor permeability in composite methyl cellulose-steric acid edible films. *J. Food Process. Preserv.* 18: 359-368.
- Saunders, A. B. 1994. The effect of acidification on myofibrillar proteins. *Meat Sci.* 37: 271-80.

- Schou, M., Longares, A., Montesinos-Herrero, C., Monahan, F. J., O'Riordan, D. and O'Sullivan, M. 2005. Properties of edible sodium caseinate films and their application as food warpping. Lebensm-Wiss. U.-Technol. 38: 605-610.
- Shellhammer, T. H. and Krochta, J. M. 1997. Whey protein emulsion film performance as affected by lipid type and amount. J. Food Sci. 62: 390-394.
- Sherwin, P., Smith, D. E. and Fulcher, R. G. 1998. Effect of fatty acid type on dispersed phase particle size distributions in emulsion edible films. J. Agric. Food Chem. 46: 4534-4538.
- Shiku, Y., Hamaguchi, P. Y. and Tanaka, M. 2003. Effect of pH on the preparation of edible films based on fish myofibrillar proteins. Fish. Sci. 69: 1026-1032.
- Shiku, Y., Hamaguchi, P. Y., Benjakul, S., Visessanguan, W. and Tanaka, M. 2004. Effect of surimi quality on properties of edible films based on Alaska pollack. Food Chem. 86: 493-499.
- Siew, D. C. W., Heilmann, C., Easteal, A. J. and Cooney, R. P. 1999. Solution and film properties of sodium caseinate/glycerol and sodium caseinate/ polyethylene glycol edible coating system. J. Agric. Food Chem. 47: 3432-3440.
- Sikorski, Z. E., Kolakowska, A. and Pan, B. S. 1990. The nutritive composition of the

- major groups of marine food organisms. In: Seafood: resources, nutritional composition, and preservation. (Sikorski, Z.E., ed.) CRC Press, Inc., Florida, p. 29-54.
- Sikorski, Z. E. 2001. Chemical and Functional Properties of Food Proteins. Technomic, Inc U.S.A.
- Somanathan, N., Naresh, M. D., Arumugan, V., Ranga-nathan, T. S. and Sanjeevi, R. 1992. Mechanical properties of alkali treated casein films. Polm. 24: 603-611.
- Sorbal, P. J. A., Monterrey-Quinero, E. S. and Habitante, A. M. Q. B. 2002. Glass transition of Nile tilapia myofibrillar protein films plasticized by glycerin and water. J. Therm. Anal. Calori. 67: 499-504.
- Sobral, P. J. A., Santos, J. S. and Garcia, F. T. 2005. Effect of protein and plasticizer concentrations in film forming solutions on physical properties of edible films based on muscle proteins of a Thai tilapia. J. Food Engr. 70: 93-100.
- Steel, R. G. D. and Torrie, J. H. 1980. Principles and procedure of statistics; a biometrical approach (2<sup>nd</sup> Ed.). McGraw-Hill, New York.
- Stuchell, Y. M. and Krochta, J. M. 1995. Edible coatings on frozen king salmon effect of whey protein isolation and acetylated monoglyceride on moisture loss and lipid oxidation. J. Food Sci. 60: 28-31.
- Suzuki, T. 1981. Fish and Krill Protein: Processing Technology. Elsevier Applied Science Publishers. London.
- Tae, H. J. 1983. Bifunctional reagents. Methods Enzymol. 91: 580-609.

- Talja, R. A. and Roos, Y. H. 2001. Phase and state transition effects on dielectric, mechanical and thermal properties of polyols. *Thermochim. Acta.* 380: 109-121.
- Tanaka, M., Iwata, K., Sanguandeekul, R. Handa, A. and Ishizaki, S. 2001. Influence of plasticizers on the properties of edible films prepared from fish water-soluble proteins. *Fish. Sci.* 67: 346-351.
- Thies, C. 1995. Complex coacervation. In *How to make microcapsules, combined lecture and laboratory manual.* (Thies, C., Ed.). p. 1-43. Thies Technol.
- Tomasula, P. M., Parris, N., Yee, W. and Coffin, D. 1998. Properties of films made from CO<sub>2</sub>-precipitated casein. *J. Agric. Food Chem.* 46: 4470-4474.
- Trinick, J. 1991. Elastic filaments and giant proteins in muscle. *Cur. Opinon Cell Biol.* 3: 112-9.
- Viroben, G., Barbot, J., Moulongui, Z. and Guéguen, J. 2000. Preparation and characterization of films from pea protein. *J. Agric. Food Chem.* 48: 1064-1069.
- Vojdani, F. 1996. Solubility. In *Methods of testing protein functionality.* ( Hall, G. M.,Ed.). p. 11-60. Blackie Academic & Professional. New York.
- Wong, D. W. S. 1989. Mechanism and theory in food chemistry. Van p. 428. Nostrand Reinhold. New York.
- Xu, S., Chen, X. and Sun, D. W. 2001. Preservation of kiwi fruit coated with an edible film at ambient temperature. *J. Food Engr.* 50: 211-216.
- Yang, L. and Paulson, A. T. 2000. Effects of lipids on mechanical and moisture barrier properties of edible gellan film. *Food Res. Int.* 33: 571-578.

- Yildirim, M., Hettichchy, N. S. and Kalapathy, U. 1996. Properties of biopolymers from cross-linking whey protein isolate and soybean 11S globulin. *J. Food Sci.* 61: 1129-1131.
- Yildirim, M. and Hettichchy, N. S. 1997. Biopolymers produced by cross-linking soybean 11S globulin with whey proteins using transglutaminase. *J. Food Sci.* 62: 270-275.
- Yildirim, M. and Hettichchy, N. S. 1998. Properties of films produced by cross-linking whey proteins and 11S globulin using transglutaminase. *J. Food Sci.* 63: 248-252.