

## REFERENCES

- Amici, A., Levine, R.L., Tsai, L. and Stadtman, E.R. 1989. Conversion of amino acid residues in proteins and amino acid homopolymers to carbonyl derivatives by metal-catalyzed oxidation reaction. *J. Biol. Chem.* 264: 3341-3346.
- AOAC. 1999. Official Method of Analysis. 14<sup>th</sup> ed. Association of Official Analytical Chemists. Washington DC.
- Apgar, M.E. and Hultin, H.O. 1982. Lipid peroxidation in fish muscle microsomes in frozen stage. *Cryobiol.* 19: 154-162.
- Arnold, A.R., Bascetta, E. and Gunstone, F.D. 1991. Effect of NaCl on pro-oxidant activity of copper (II) in peroxidation of phospholipids liposomes. *J. Food Sci.* 56: 571-573, 578.
- Aubourg, S.P. 1999. Lipid damage detection during the frozen storage of an underutilized fish species. *Food Res. Int.* 32: 497-502.
- Aug, J.F. and Hultin, H.O. 1989. Denaturation of cod myosin freezing after modification with formaldehyde. *J. Food Sci.* 54: 824-818.
- Azuma, Y. and Konno, K. 1998. Freeze denaturation of carp myofibrils compare with thermal denaturation. *Fish. Sci.* 64: 287-290.
- Benedict, R.C., Strange, E.D. and Swift, C.E. 1975. Effect of lipid antioxidants on the stability of meat during storage. *J. Agric. Food Chem.* 23: 167-173.
- Benjakul, S. and Bauer, F. 2000. Physicochemical and enzymatic changes of cod muscle protein subjected to freeze thaw-cycles. *J. Sci. Food Agric.* 80: 1143-1150.
- Benjakul, S., Seymour, A.T., Morrissey, M.T. and An, H. 1997. Physicochemical changes in Pacific whiting muscle proteins during iced storage. *J. Food Sci.* 62: 729-733.
- Benjakul, S., Visessanguan, W., Thongkaew, C. and Tanaka, M. 2003. Comparative study on physicochemical changes of muscle proteins from some tropical fish during frozen storage. *Food Res. Int.* 6: 787-795.
- Bergman, I. and Loxley, R. 1963. Two improved and simplified methods of the spectrophotometric determination of hydroxyproline. *Anal. Chem.* 35: 1961-965.
- Bligh, E.G. and Dyer, W.J. 1959. Lipid extraction from fish muscle. *Can. J. Biochem. Physiol.* 37: 911-931.

- Borhan, M., Shewfelt, R.L. and Hultin, H.O. 1984. Sarcoplasmic reticulum from flounder muscle having improved lipid peroxidative activity. *Anal. Biochem.* 137: 58-65.
- Brannan, R.G. and Decker, E.A. 2001. Peroxynitrite-induced oxidation of lipids: implications for muscle foods. *J. Agric. Food Chem.* 49: 3074-3079.
- Buege, J.A. and Aust, S.D. 1978. Microsomal lipid peroxidation. *Method Enzymol.* 2: 32-34.
- Buettner, G.R. 1993. The pecking order of free radicals and antioxidants: Lipid peroxidation,  $\alpha$ -tocopherol and ascorbate. *Arch. Biochem. Biophys.* 300: 535-543.
- Bustamante, P., Grigioni, S., Boucher-Rodoni, R., Caurant, F. and Miramand, P. 2000. Bioaccumulation of 12 trace elements in the tissues of the Nautilus *Nautilus maeromphalus* from New Caledonia. *Mar. Pollut. Bull.* 40: 688-696.
- Buttkus, H. 1967. The reaction of myosin with malonaldehyde. *J. Food Sci.* 32: 432- 434.
- Buttkus, H. 1970. Accelerated denaturation of myosin in frozen solution. *J. Food Sci.* 35: 558-562.
- Chan, W.K.M. and Decker, E.A. 1994. Endogenous skeletal muscle antioxidants. *Crit. Rev. Food Sci. Nutr.* 34: 403-426.
- Chan, W.K.M., Faustman, C. and Decker, E.A. 1997. Oxymyoglobin as affected by oxidation products of phosphatidylcholine liposome. *J. Food Sci.* 64: 709-712.
- Chang, C.C. and Regenstein, J.M. 1997. Water uptake, protein solubility and protein changes of cod mince storage on ice as affected by phosphates. *J. Food Sci.* 62: 305-309.
- Chantrapornchai, W., Clydesdale, F.M. and McClement, D.J. 2001. Influence of flocculation on optical properties of emulsions. *J. Food Sci.* 66: 464-469.
- Cho, S.-Y., Joo, D.-J., Choi, H.-J., Nara, E. and Miyashita, K. 2001. Oxidative stability of lipids from squid tissues. *Fish. Sci.* 67: 738-743.
- Craig, S. and Overnell, J. 2003. Metal in squid, *Loligo forbesi*, adults, eggs and hatchlings. No evidence for role for Cu-or Zn metallothionein. *Comp. Biochem. Physiol.* 4C: 311-317.
- Culkin, F. and Moris, R.J. 1970. The fatty acid of some cephalopods. *Deep-Sea Res.* 7: 31-137.
- Daias, J., Nunes, M.L. and Mendes, R. 1994. Effect of frozen storage on the chemical and physical properties of black and silver scabbard fish. *J. Sci. Food Agric.* 66: 327-335.

- Dean, R.T., Fu, S., Stocker, R. and Davies, M.J. 1997. Biochemistry and pathology of radical-mediated protein oxidation. *Biochem. J.* 29: 807-811.
- Decker, E.A. 1998. Strategies for manipulating the prooxidative/antioxidative balance of foods to maximize oxidative stability. *Trends Food Sci. Technol.* 9: 241-248.
- Decker, E.A., Crum, A.D. and Calvert, J.T. 1992. Differences in the antioxidant mechanism of carnosine in the presence of copper and iron. *J. Agric. Food Chem.* 40: 756-759.
- Decker, E.A., Erickson, M.C. and Hultin, H.O. 1988. Enzymic lipid oxidative activities of sarcoplasmic reticulum in several species of northwest Atlantic fish. *Comp. Biochem. Physiol.* 91B: 7-9.
- Decker, E.A., Huang, C.-H., Osinchak, J.E. and Hultin, H.O. 1989. Iron and copper: role in enzymic lipid oxidation of fish sarcoplasmic reticulum at *in situ* concentrations. *J. Food Biochem.* 13: 179-186.
- Decker, E.A. and Hultin, H.O. 1990a. Factors influencing catalysis of lipid oxidation by the soluble fraction of mackerel muscle. *J. Food Sci.* 55: 947-950, 953.
- Decker, E.A. and Hultin, H.O. 1990b. Nonenzymatic catalysis of lipid oxidation in mackerel ordinary muscle. *J. Food Sci.* 55: 951-953.
- Decker, E.A. and Hultin, O.H. 1992. Lipid oxidation in muscle food via redox: iron. In *Lipid Oxidation in Food*. 1<sup>st</sup> ed. (Angelo, A.S., ed.). p. 33-54. American Chemical Society. Washington DC.
- Decker, E.A., Xiong, Y.L., Calvert, J.T., Crum, A.D. and Blanchard, S.P. 1993. Chemical, physical and functional properties of oxidized turkey white muscle myofibrillar proteins. *J. Agric. Food Chem.* 41: 186-189.
- Decker, E.A. and Xu, Z.M. 1998. Minimizing rancidity in muscle foods. *Food Technol.* 52 (10): 54-59.
- Decleir, W., Vlaemink, A., Geladi, P. and van Grieken, R. 1978. Determination of protein-bound copper and zinc in some organ of the cuttlefish *Sepia officinalis* L. *Comp. Biochem. Physiol.* 60B: 347-350.
- Department of Fisheries. 2006. Rainbow Cuttlefish (Online). Available <http://www.ku.ac.th/AgrInfo/thaifish/aquatic/aq271.html> (2006. June 1).

- Dillard, C.J. and Tappel, A.L. 1973. Fluorescent products from the reaction of peroxidizing PUFA with phosphatidyl ethanolamide and phenylalanine. *Lipid.* 8: 183-189.
- Dunford, H.B. 1987. Free radical in iron-containing system. *Free Rad. Biol. Med.* 3: 405-421.
- Dunstan, G., Sinclair, A.J., O' Dea, K. and Naughton, J.M. 1988. The lipid content and fatty acid composition of various marine species from Southern Australian coastal waters. *Comp. Biochem. Physiol.* 91B: 165-168.
- Ebashi, S., Kodama, A. and Ebashi, F. 1968. Troponin I. Preparation and physiological function. *J. Biochem.* 64: 465-477.
- Ellinger, R.H. 1975. Phosphates in food processing. In *Handbook of Food Additive.* 1<sup>st</sup> ed. (Furia, T.E. ed.). p. 671. CRS Press. Boca Raton.
- Ellman, G.L. 1959. Tissue sulfhydryl groups. *Arch. Biochem. Biophys.* 82: 70-77.
- El-Zeany, B.A., Janicedk, G. and Pokorny, J. 1975. Nonenzymatic browning XIII: effect of antioxidant on the discoloration of lipid-protein mixtures. *Lebensm–Unters Forsch.* 158: 93-98.
- Faraji, H. and Decker, E.A. 1991. Inhibition of phosphatidylcholine oxidation by porcine plasma. *J. Food Sci.* 56: 1038-1041.
- FAO. 2006. Fisheries global information system (Online). Available <http://www.fao.org/figis/servlet/species?fid=2714> (2006. June 1).
- FAO. 2003. Globefish commodity update: Cephalopod. Globefish. Rome.
- Fiske, C.H. and Subbarow, Y. 1925. The colourimetric determination of phosphorous. *J. Biol. Chem.* 66: 375-400.
- Foegeding, E.A., Lanier, T.C. and Hultin, H.O. 1996. Characteristics of edible muscle tissues. In *Food Chemistry.* 3<sup>rd</sup> ed. (Fenema, O.R. ed.). p. 879-942. Marcel Dekker. New York.
- Frankel, E.N. 1984. Chemistry of free radical and singlet oxidation of lipids. *Prog. Lipid Res.* 23: 197-221.
- Friedman, M. and Gumbmann, T. 1986. Nutritional improvement of legume through disulfide interchange. *Adv. Exp. Biol.* 199: 357-3590.
- Gardner, H.W. 1979. Lipid hydroperoxide reactivity with proteins and amino acid: a review. *J. Agric. Food Chem.* 27: 220-229.

- Gerpe, M.S., Morene, J.E.A., Moreno, V.J. and Pata, M.L. 2000. Cadmium, zinc and copper accumulation in the squid *Illex argentinus* from the Southwest Atlantic Ocean. Marine Biol. 136: 1039-1044.
- Gibson, R.A. 1983. Australian fish, an excellent source of both arachidonic acid and n-3 polyunsaturated fatty acid. Lipid. 18: 743-752.
- Gillies, M.T. 1975. Seafood preservation and struvite prevention. In Fish and Shellfish Processing. 1<sup>st</sup> ed. (Gillies, M.T. ed.). p. 3-40. Noyes data Corporation. New Jersey.
- Guichadant, M., Taibi-Tronch, P., Fay, L.B. and Lagarde, M. 1998. Covalent modification of aminophospholipids by 4-hydroxynonenal. Free Rad. Biol. Med. 25: 1049-1056.
- Guerra, A. 1992. Cephalopoda. In Mollusca. (Romos, M.A., ed.). p.48-62. Museo Nacional de Ciencias Naturales. CSIC.
- Haard, N.F. 1992. Biochemical reaction in fish muscle during frozen storage. In Sea Food Science and Technology. (Bligh, E.G., ed.). p. 176-209. Fishery News Books. Canada.
- Hamre, K., Lie, O. and Sandnes, K. 2003. Development of lipid oxidation on flesh color in frozen stored fillets of Norwegian spring-spawning herring (*Clupea Harengus L.*): effects of treatment with ascorbic acid. Food Chem. 82: 445-453.
- Hashimoto, K., Watabe, S., Kono, M. and Skiro, K. 1979. Muscle protein composition of sardine and mackerel. Bull. Jap. Soc. Sci. Fish. 45: 1435-1441.
- Herke, S.W. and Foltz, P.W. 2002. Phylogeography of two squid (*Loligo peali* and *L. plei*) in the Gulf of Mexico and Northwestern Atlantic Ocean. Marine Biol. 140: 103-115.
- Hidalgo, F.J., Nogales, F. and Zamora, R. 2004. Determination of pyrrolized phospholipid in oxidized phospholipids vesicles and lipoprotein. Anal. Biochem. 334: 155-163.
- Hidalgo, F.J., Nogales, F. and Zamora, R. 2005. Changes produced in antioxidative activity of phospholipids as a consequence of their oxidation. J. Agric. Food Chem. 53: 659-662.
- Hidalgo, F.J. and Zamora, R. 1993. Fluorescent pyrrole products from carbonyl-amine reaction. J. Biol. Chem. 268: 16190-16197.
- Hochstein, P. and Ernster, L. 1963. ADP-activated lipid peroxidation coupled to the NADPH oxidase system of microsomes. Biochem. Biophys. Res. Comm. 12: 338-341.

- Huang, C.H., Huang, M.C. and Hou, P.C. 1998. Effect of dietary lipids on fatty acid composition and lipid peroxidation in sarcoplasmic reticulum of hybrid tilapia, *Oreochromis niloticus* x *O. aureus*. Comp. Biochem. Physiol. 120B: 331-336.
- Huang, C.-H., Hultin, H.O. and Jafar, S.S. 1993. Some aspects of Fe<sup>2+</sup>-catalyzed oxidation of fish sarcoplasmic reticular lipid. J. Agric. Food Chem. 41: 1886-1892.
- Husain, S. R., Terao, J. and Matsushita, S. 1986. Comparison of phosphatidylcholine and phosphatidylethanolamine affecting the browning reaction of heated oil. In Amino-Carbonyl Reactions in Food and Biological Systems. (Fugimaki, M., Namiki, M. and Kato, H., eds.). p. 301-309. Elsevier, New York.
- Hurtado, J.L., Montero, P. and Borderial, J. 2001. Chilled storage of pressurized octopus (*Octopus vulgaris*) muscle. J. Food Sci. 66: 400-406.
- Ichihashi, H., Kohno, H., Kannan, K., Tsumura, A. and Yamasaki, S. 2001. Multielement analysis of purpleback flying squid using high resolution inductively coupled plasma-mass spectrometry (HR ICP-MS). Envi. Sci. Technol. 35: 3103-3108.
- Igochi, S.M.M., Tsuchiya, T. and Mustumoste, J.J. 1981. Studies on the freeze denaturation of squid actomyosin. Bull. Jap. Soc. Sci. Fish. 47: 1499-1506.
- Igoe, R.S. and Hui, Y.H. 2001. Dictionary of Food Ingredients. Aspen Publisher, Maryland.
- Iida, H., Nakamura, M. and Tokunaga, T. 1992. Non-protein nitrogenous compounds in muscle extract of oceanic cephalopods. Nippon Suisan Gakkaishi. 58: 2380-2390.
- Jadhav, S.J., Nimbalkar, S.S., Kulkarni, A.D. and Madhavi, D.L. 1996. In Lipid oxidation in biological and food systems. Food Antioxidants: technological, toxicological and health perspective. 1<sup>st</sup> ed. (Madhavi, D.L., Deshpande, S.S. and Salunkhe, D.K., eds.). p. 5-63. Marcel Dekker, Inc. New York.
- Jangaard, P.M., Ackman, R.G. 1965. Lipids and component fatty acids of the Newfoundland squid, *Illex illecebrosus*. J. Fish. Res. Can. 2: 131-137.
- Joseph, J., Varmar, P.R.G. and Venketaraman, R. 1997. Ice and frozen storage of squid (*Loligo sp.*). Fish Tech. 12: 13-20.
- Kanner, J. 1994. Oxidative process in meat and meat products: quality implication. Meat Sci. 36: 169-189.

- Kanner J., German, B. and Kinsella, J.E. 1987. Initiation of lipid peroxidation in biological systems. CRC Crit. Rev. Food Sci. Nutr. 25: 317-364.
- Kanner, J., Bartov, I., Salan, M.O. and Doll, L. 1990. Effect of dietary iron level *in situ* turkey muscle lipid peroxidation. J. Agric. Food Chem. 38: 601–604.
- Kantha, S.S., Watabe, S. and Hashimoto, K. 1990. Comparative biochemistry of paramyosin a review. J. Food Biochem. 14: 61-88.
- Khayat, A. and Schwall, D. 1983. Lipid oxidation in seafood. Food Technol. 37(7): 130-140.
- Kikugawa, K., Ido, Y. and Mikami, A. 1984. Studies on peroxidized lipids VI fluorescent products derived from the reaction of primary amines, malondialdehyde and monofunctional aldehydes. J. Am. Oil Chem. Soc. 61: 1574-1581.
- Kimoto, W.J. and Gaddis, A.M. 1971. Catalytic decomposition of autoxidized unsaturated fatty acids. J. Am. Oil. Chem. Soc. 48: 331- 339.
- Kolodziejska, I., Sikorski, Z.M. and Sadowaka, M. 1987. Texture of cooked mantle of squid *Illex argentinus* as influenced by specimen characteristics and treatments. J. Food Sci. 52: 932-935.
- Korczak, J., Hes, M., Garmza, A. and Jedruszek-Golinska, A. 2004. Influence of fat oxidation on the stability of lysine and protein digestibility in frozen meat product. EJPAU. Food Sci. Technol. 7: 1-13.
- Kozubek, A., Gubernator, J., Przeworska, E. and Stasiuk, M. 2000. Liposomal drug delivery, a novel approach: PLARosomes. Acta Biochim. Pol. 47(3): 639-649.
- Kreuzer, R. 1984. Cephalopods: handling, processing and production. FAO Fisheries Technical Paper 254.
- Kubo, K., Sekine, S. and Saito, M. 2005. Primary aminophospholipids in external layer of liposomes protect their component polyunsaturated fatty acid from 2, 5-azobis (2-amidinopropane)-dihydrochloride-mediated lipid peroxidation. J. Food Sci. 93: 750-758.
- Kugino, M., Kugino, K. and Wu, Z. 1993. Rheological properties of dried squid mantle change on softening. J. Food Sci. 58: 321-324.
- Laemmli, U.K. 1970. Cleavage of structural proteins during a assembly of head of bacteriophage T4. Nature. 227: 680-685.

- Lauridsen, C., Jensen, S.K., Skibsted, L.H. and Bretelsen, G. 2000. Influence of supranutritional vitamin E and copper on  $\alpha$ -tocopherol decomposition and susceptibility to lipid oxidation of porcine membranal fraction of *M. Psoas major* and *M. Longissimus dorsi*. Meat Sci. 54: 377-384.
- Lauritzsen, K., Martinsen, G. and Olsen, R.L. 1999. Copper induced lipid oxidation during salting of cod (*Gadus morhua*). J. Food Lipid. 6: 299-315.
- Layne, E. 1957. Spectrophotometric and turbidimetric methods for measuring proteins. Method Enzymol. 10: 447-455.
- LeBlance, R.J. and Gill, T.A. 1982. Comparative study of proteolysis in short-finned (*Illex illecebrosus*) and long-finned (*Loligo pealei*) squid. Comp. Biochem. Physiol. 13: 201-210.
- Li, S.J. and King, A. 1999. Structural changes of rabbit myosin subfrangment 1 altered by malonaldehyde, a byproduct of lipid oxidation. J. Agric. Food Chem. 47: 3124-3129.
- Lin, T.S. and Hultin, H.O. 1976. Enzymic lipid peroxidation in microsomes of chicken skeletal muscle. J. Food Sci. 41: 1488-1489.
- Lin, Y.R., Huang, S.L. and Huang, C.H. 2003. Characteristics of NADH-dependent lipid peroxidation in sarcoplasmic reticulum of white shrimp, *Litopenaeus vannamei*, and freshwater prawn, *Macrobrachium rosenbergii*. Comp. Biochem. Physiol. 135B: 683-687.
- Linberg, O. and Ernster, L. 1954. Chemistry and physiology of mitochondria and microsomes. Wien Springer-Verlag. Stockholm.
- Liu, G. and Xiong, Y.L. 2000. Electrophoretic pattern, thermal denaturation on *in vitro* digestibility of oxidized myosin. J. Agric. Food Chem. 48: 624-630.
- Liu, G., Xiong, Y.L. and Butterfield, D.A. 2000. Chemical, physical, and gel-forming properties of oxidized myofibrils, whey and soy protein isolates. J. Food Sci. 65: 811-818.
- Lowry, O.H., Roseborough, N.J., Farr, A.L. and Randell R.J. 1951. Protein measurement with the Folin phenol reagent. J. Biol. Chem. 193: 265-275.
- MacDonald, G.A. and Lanier, T.C. 1991. Carbohydrates as cryoprotectants for meats and surimi. Food Technol. 45(9): 150-159.

- Mackie, I.M. 1994. Fish Protein. In New and Developing Sources of Food Proteins. (Hudson, B.F.J., ed.). p. 95-143. Chapman & Hall. London.
- Martinaud, A., Mercier, Y., Marinova, P., Tassy, C., Gatellier, P. and Renerre, M. 1997. Comparison of oxidative process on myofibrillar protein from beef during maturation and by different model oxidation system. J. Agric. Food Chem. 45: 2481-2487.
- Matsumoto, J.J. 1980. Chemical deterioration of muscle proteins during frozen storage. In Chemical Deterioration of Muscle Protein. (Whitaker, J.R and Fujimaki, M., eds). American Chemical Society. Washington DC.
- Mayes, P.A. and Botham, K.M. 2003. Lipids of physiologic significance. In Harper's Illustrated Biochemistry. 26<sup>th</sup> ed. (Murray, R.K., Granner, D.K., Mayes, P.A. and Rodwell, V.W. eds.). p. 111-121. Lange Medical Books/McGraw-Hill, New York.
- McDonald, R.E. and Hultin, H.O. 1987. Some characteristics of the enzymic lipid peroxidation system in the microsomal fraction of flounder skeletal muscle. J. Food Sci. 52: 15-21, 27.
- McDonald, R.E., Kelleher, S.D. and Hultin, H.O. 1979. Membrane lipid oxidation in a microsomal fraction of red hake muscle. J. Food Biochem. 3: 125-134.
- Mei, L., McClements, D.J., Wu, J. and Decker, E.A. 1997. Iron-catalyzed lipid oxidation in emulsion as affected by surfactant, pH and NaCl. Food Chem. 61: 307-312.
- Meucci, E., Mordent, A. and Mortoroma, M. 1991. Metal-catalyzed oxidation of human serum albumin: conformational and functional change. J. Biol. Chem. 266: 4692-4696.
- Ministry of Commerce Thailand. 2006. The important export products of Thailand during 2001-2006 (Online). Available <http://www.moc.go.th/> (2006. June 1).
- Miramand, P. and Bentley, D. 1992. Concentration and distribution of heavy metal in tissues of two cephalopods, *Eledone cirrhosa* and *Sepia officinalis*, from the French coast of the English channel. Marine Biol. 114: 407-414.
- Mitsumoto, M., Cassens, R.G., Schaefer, D.M. and Scheller, K.K. 1991. Pigment stability improvement in beef steak by ascorbic acid application. J. Food Sci. 56: 857-858.
- Mizushima, Y., Takama, K. and Zama, K. 1977. Effect of copper, iron and hemin on lipid oxidation in fish flesh homogenate. Bull. Faculty Fish. Hokkaido U. 18(4): 207.

- Mizuta, M.S., Yoshinaka, R., Sato, M. and Sakaguchi, M. 1994. Isolation and partial characterization of two distinct types of collagen in the squid *Todarodes pacificus*. Fish. Sci. 64: 467-471.
- Mizuta, S., Tanak, T. and Yoshinaka, R. 2003. Comparison of collagen types of arm and mantle muscle of the common octopus (*Octopus vulgaris*). Food Chem. 81: 527-532.
- Momemsen, T.P., Ballantyne, J., MacDonald, D. Gosline, J. and Hochachka, P.W. 1981. Analogues of red and white muscle in squid mantle. Proc. Natl. Acad. Sci. USA. 78 (5): 3274-3278.
- Monahan, F.J., Crackel, R.L., Gray, J.J.,Bukley, D.J. and Morrissey, P.A. 1993. Catalysis of lipid oxidation in muscle model system by heme and inorganic iron. Meat Sci. 34: 95-116.
- Moral, A., Morales, J., Ruiz-Capillas, C. and Montero, P. 2002. Muscle protein solubility of some cephalopods (pota and octopus) during frozen storage. J. Sci. Food Agric. 83: 663-668.
- Moral, A., Tejada, M. and Borderias, A. J. 1983. Frozen storage behavior of squid (*Loligo vulgaris*). Int. J. Refrig. 6: 54-57.
- Morales, J., Montero, P. and Moral, A. 2000. Isolation and partial characterization of two types of muscle collagen in some cephalopods. J. Agric. Food Chem. 48: 2142-2148.
- Morawetz, H. 1972. Conformational transitions in macromolecules. Adv. Protein Chem. 26: 243-248.
- Morrissey, P.A, Sheehy, P.J.A. and Monahan, F.J. 1988. Lipid stability in meat and meat products. Meat Sci. 94: 73-86.
- Murakawa, Y., Benjakul, S. Visessanguan, W. and Tanaka, M. 2003. Inhibitory effect of oxidized lipid on the thermal gelation of Alaska Pollack (*Theragra chalcogramma*) surimi. Food Chem. 83: 455-463.
- Navarro, J.C. and Villanueva, R. 2000. Lipid and fatty acid composition of early stages of cephalopods: an approach to their lipid requirements. Aquaculture. 183: 161-177.
- Navarro, J.C. and Villanueva, R. 2003. The fatty acid composition of *Octopus vulgaris paralarae* prepared with live and inert food: deviation from their natural fatty acid profile. Aquaculture. 219: 613-631.
- Nawar, W.W. 1996. Lipid. In Food Chemistry. 3<sup>rd</sup> ed. (Fennema O.R., ed.). p. 210-243. Marcel Dekker. New York.

- Okada, T., Inoue, N. and Akiba, M. 1986. Electron microscopic observation and biochemical properties of carp myosin B during frozen storage. Bull. Jap. Soc. Sci. Fish. 52: 345-353.
- Okuzumi, M. and Fujii, T., 2000. Nutritional and Functional Properties of Squid and Cuttlefish. National Cooperative Association of Squid processors. Tokyo.
- Osinchak, J.E. Hultin, H.O., Zajicek, O.T., Kelleher, S.D. and Huang, C.H. 1992. Effect of NaCl on catalysis of lipid oxidation by the soluble fraction of fish muscle. Free Rad. Biol. Med. 12: 35-41.
- Otwell, W.S. and Hamann, D.B. 1979. Textural character of squid (*Loligo pealei*): instrumental and panel evaluations. J. Food Sci. 44: 1636-1643.
- Paredi, M.E. and Crupkin, M. 1997. Biochemical properties of actomyosin from frozen stored mantle of squid (*Illex argentinus*) at different sexual maturation stage. J. Agric. Food Chem. 45: 1629-1632.
- Paredi, M.E., Maltio, N.V. and Crupkin, M. 1990. Biochemical properties of actomyosin of cold storage striated adductor muscles of *Aulacomya ater ater* (Molina). J. Food Sci. 55: 1567-1570.
- Paredi, M.E., Tomas, M.C. and Krupkin, M. 1998. Thermal stability of myofibrillar proteins from smooth and striated muscle of scallop (*Chlamys tehuelchus*): a differential scanning calorimetric study. J. Agric. Food Chem. 46: 3971-3976.
- Paredi, M.E., Tomas, M.C., Krupkin, M. and Anon, M.C. 1996. Thermal denaturation of muscle proteins from male and female squid (*Illex argentinus*) at different sexual maturation stage. A Differential scanning calorimetric study. J. Agric. Food Chem. 44: 3812-3816.
- Passi, S., Cataudella, S., Marco, P.D., De-Simone, F. and Rastrelli, L. 2002. Fatty acid composition and antioxidant levels in muscle tissue of different Mediterranean marine species of fish and shellfish. J. Agric. Food Chem. 50: 7314-7322.
- Perkins, W.S. 1996. Advances made in bleaching practice. ATI. 1: 92-94.
- Player, T.J. and Hultin, H.O. 1977. The effect of lipid peroxidation on calcium-accumulating ability of the microsomal fraction isolated from chicken breast muscle. Biochem. J. 174: 17-22.
- Pokorny, J. Browning from lipid-protein interaction. 1981. Prog. Food Nutr. Sci. 5: 421- 428.

- Pokorny, J., El-Zeany, B. A. and Janicek, G. 1974. Browning reactions of oxidized fish lipid with protein. In Proceedings of the 4<sup>th</sup> International Congress of Food Science and Technology (vol. 1, pp. 217-223).
- Pokorny, J., Kolakowska, A. 2002. Lipid-protein and lipid-saccharide interactions. In Chemical and Functional Properties of Food Lipids. (Sikorski, Z. and Kolaukska, A., eds.). p. 345-362. CRC Press. Florida.
- Pulter, R.O., Ledward, D.A., Godber, S., Hall, G. and Rowlands, B. 1985. Heat stability of fish muscle proteins. J. Food Technol. 20: 203-217.
- Refsgaard, H.H.F., Brockhoff, P.M.B. and Jesen, B. 2000. Free polyunsaturated fatty acid cause taste deterioration of salmon during frozen storage. J. Agric. Food Chem. 48: 3280-3285.
- Rhee, K.S. 1988. Enzymatic and nonenzymatic catalysis of lipid oxidation in muscle foods. Food Technol. 42(6): 127-132.
- Rhee, K.S. 1999. Storage stability of meat products as affected by organic additives and functional ingredients. In Quality Attributes of Muscle Foods. 4<sup>th</sup> ed. (Xiong, Y.L., Ho, C.-T. and Shahidi, F., eds). p. 95-113. Kluwer Academic/Plenum Publishers. New York.
- Rhee, K.S., Dutson, T.R. and Smith, G.C. 1984. Enzymic lipid peroxidation in microsomal fractions from beef skeletal muscle. J. Food Sci. 49:675-679.
- Robinson, H.W. and Hodgen, C.G. 1940. The biuret reaction in the determination of serum protein I. A study of the condition necessary for the production of the stable colour which bears a quantitative relationship to the protein concentration. J. Biol. Chem. 135: 707-725.
- Rodger, G., Weddle, R.B., Craig, P. and Hastings, R. 1984. Effect of alkaline protease activity on some properties of comminuted squid. J. Food Sci. 49: 117-123.
- Roura, S.I. and Crupin, M. 1995. Biochemical and functional properties of myofibrils from pre- and post-spawned hake (*Merluccius hubbsi Marini*) stored on ice. J. Food Sci. 60: 269-272.
- Ruiz-Capillas, C., Moral, A., Morales, J. and Montero, P. 2002. The effect of frozen storage on the functional properties of the muscle of volador (*Illex ciondetii*). Food Chem. 78: 149-156.

- Saeed, S. and Howell, N. 2002. Effect of lipid oxidation and frozen storage on muscle proteins of Atlantic mackerel (*Scomber scombrus*). *J. Sci. Food Agric.* 82: 579–586.
- Sano, T., Noguchi, S.F., Tsuchiya, T. and Matsumoto, J.J. 1986. Contribution of paramyosin to marine meat gel characteristics. *J. Food Sci.* 51: 946-950.
- Sahoo, J. and Verma, S.P. 1999. Oxidative problems in meat and meat products and use of antioxidant. *J. Food Sci. Technol.* 36: 48–499.
- Santos, E.E.M. and Regenstein, J.M. 1990. Effect of vacuum packaging, glazing and erythorbic acid on the shelf-life of frozen white hake and mackerel. *J. Food Sci.* 55: 64-70.
- Sikorski, Z.E. 1994. The myofibrillar proteins in seafoods. In *Seafood Proteins*. (Sikorski, Z.E., Pan, B.S. and Shahidi, F., eds.). p. 40-57. Chapman & Hall. New York.
- Sikorski, Z.E. and Kolodziejska, I. 1986. The composition and properties of squid meat. *Food Chem.* 20: 213-224.
- Siorski, Z.E. and Pan, B.S. 1994. Preservation of seafood quality. In *Seafoods: Chemistry, Processin Technology and Quality*. 1<sup>st</sup> ed. (Shahidi, F. and Bottou, J.R., eds.). p. 168-189. Chapman & Hall. London.
- Sista, R.V., Erickson, M.C. and Shewfelt, R.L. 2000. Lipid oxidation in a chicken muscle model system: oxidative response of lipid classes to iron as ascorbate or metmyoglobin catalysis. *J. Agric. Food Chem.* 48: 1421–1426.
- Srinivasan, S. and Hultin, H.O. 1997. Chemical, physical and functional properties of cod proteins modified by a nonenzyme free-radical-generating system. *J. Agric. Food Chem.* 45: 310-320.
- Srinivasan, S. and Xiong, Y. L. 1996. Gelation of beef heart surimi as affected by antioxidants. *J. Food Sci.* 61: 707-711.
- Stanley, D.W. and Hultin, H.O. 1982. Quality factors in cooked north Atlantic squid. *Can Inst. Food Sci. Technol. J.* 15: 278–282.
- Steel, R.G.D. and Torrie, J.H. 1980. Principle and Procedures of statistic: a biometrical approach. 2<sup>nd</sup> ed. McGraw-Hill. New York.
- Soyer, A. and Hultin, H.O. 2000. Kinetics of oxidation of the lipids and proteins of cod sarcoplasmic reticulum. *J. Agric. Food Chem.* 48: 2127-2134.

- Southgate, P.C. and Lou, D.C. 1995. Improving the n-3 PUFA composition of *Arenenmia* using microcapsules containing marine oils. Aquaculture. 134: 91-99.
- Suyama, M. and Kobayashi, H. 1980. Free amino acids and quaternary ammonium bases in mantle muscles of squid. Bull. Jap. Soc. Sci. Fish. 46: 1261-1264.
- Takagi, T., Keheniwa, M., Itabashi, Y. and Ackman, R.G. 1986. Fatty acid in Echidemia: unusual cis-5-olefinic acids as distinctive lipid components in sea urchins. Lipid. 21: 558-565.
- Takama, K., Suzuki, T., Yoshida, K., Hirofumi, A. and Mitsui, T. 1999. Phosphatidyl choline levels and their fatty acid composition in teleost tissues and squid muscle. Comp. Biochem. Physiol. 124B: 109-116.
- Tejada, M., Careche, M., Torrejon, P., Del Mazo, M.L., Solas, M.T., Garcia, M.L. and Barba, C. 1996. Protein extracts and aggregates forming in minced cod (*Gadus morhua*) during frozen storage. J. Agric. Food Chem. 44: 3308-3314.
- Thannhauser, T.W., Konishi, Y. and Scheraga, H. A. 1987. Analysis for disulfide bonds in peptides and proteins. Method Enzymol. 143: 115-118.
- Thanonkaew, A., Benjakul, S., Visessanguan, W. and Decker, E.A. 2005. Lipid oxidation in microsomal fraction of squid muscle. J. Food Sci. 70: 478-482.
- Thanonkaew, A., Benjakul, S., Visessanguan, W. and Decker, E.A. 2006a. The effect of metal ions on lipid oxidation, colour and physicochemical properties of cuttlefish (*Sepia pharaonis*) subjected to multiple freeze-thaw cycles. Food Chem. 95: 591-599.
- Thanonkaew, A., Benjakul, S., Visessanguan, W. and Decker, E.A. 2006b. Development of yellow pigmentation in squid (*Loligo peali*) as a result of lipid oxidation. J. Agric. Food Chem. 54: 956-962.
- Thanonkaew, A., Benjakul, S. and Visessanguan, W. 2006c. Chemical composition and thermal property of cuttlefish (*Sepia pharaonis*) muscle. J. Food Comp. Anal. 19: 127-133.
- Thyholt, K. and Isaksson, T. 1997. Differentiation of frozen and unfrozen beef using near-infrared spectroscopy. J. Sci. Food Agric. 73: 525-532.
- Tunhun, D., Itoh, Y., Morioka, K., Kubota, S. and Obetake, A. 2002. Gel forming ability of fish meat oxidized during washing. Fish. Sci. 68: 662-671.

- Uchida, K. and Kawakishi, S. 1990. Reaction of a histidyl residue analogue with hydrogen peroxide in presence of copper (II) ion. *J. Agric. Food Chem.* 38: 660-664.
- Uchida, K., Kato, Y. and Kawakishi, S. 1992. Metal-catalyzed oxidative degradation of collagen. *J. Agric. Food Chem.* 40: 9-12.
- Ueng, Y. and Chow, C. 1998. Textural and histological changes of different squid mantle muscle during frozen storage. *J. Agric. Food Chem.* 46: 4728-4733.
- Viljanen, K., Kylli, P., Kivistö, R. and Heinonen, M. 2004. Inhibition of protein and lipid oxidation in liposomes by berry phenolics. *J. Agric. Food Chem.* 52: 7419-7424.
- Visessanguan, W., Benjakul, S. and Tanaka, M. 2003. Effect of microbial transglutaminase on rheology properties of oxidised and non-oxidised natural actomyosin from two species of bigeye snapper. *J. Sci. Food Agric.* 83: 105-112.
- Vojdani, F. 1996. Solubility. In *Method of Testing Protein Functionality*. (Hall, G. M., ed.) p. 11-60. Chapman & Hall. London.
- Voss, N.A., Vecchione, M., Toll, R.B. and Sweeny, M.J. 1998. Systematic and Biogeography of Cephalopods volume 1. Smithsonian Institution press. Washington DC.
- Wagner, J.R. and Anon, M.C. 1986. Effect of frozen storage on protein denaturation in bovine muscle. Myofibrillar ATPase activity and differential scanning calorimetric studies. *J. Food Technol.* 21: 9-14.
- Walling, C. 1975. Fenton's reagent revised. *Acc. Chem. Res.* 8: 125-131.
- Wang, B., Xiong, Y.L. and Srinivasan, S. 1997. Chemical stability of antioxidant-washed beef heart surimi during frozen storage. *J. Food Sci.* 62: 939-945.
- Wright, D.J., Leach, I.B. and Wilding, P. 1977. Differential scanning calorimetric studies of muscle and its constituent protein. *J. Sci. Food Agric.* 28: 557-564.
- Xiong, Y.L. 2000. Protein oxidation and implication for muscle food quality. In *Antioxidants in Muscle Food*. 1<sup>st</sup> ed. (Decker, E.A., Faustman, C. and Lopez-Bote, C.J., eds.). p. 85-111. John: Wiley & Sons, Inc. New York.
- Xiong, Y.L. and Decker, E.A. 1995. Alteration of muscle protein functionality by oxidative and antioxidative process. *J. Muscle Food.* 6: 139-160.

- Xiong, Y.L. 1999. Phosphate-mediated water uptake, swelling, and functional properties of the myofibril architecture. In *Quality Attributes of Muscle Foods*. 4<sup>th</sup> ed. (Xiong, Y.L., Ho, C.-T. and Shahidi, F., eds.). p. 319-334. Kluwer Academic/Plenum Publishers. New York.
- Yu, L., Scanlin, L., Wilson, J. and Schmidt, G. 2002. Rosemary extracts as inhibitors of lipid oxidation and color change in cooked turkey products during refrigerated storage. *J. Food Sci.* 67: 582-585.
- Yin, M.-C. and Faustman, C. 1993. Influence of temperature, pH, and phospholipids composition upon the stability of myoglobin and phospholipids: a liposome model. *J. Agric. Food Chem.* 41: 853-857.
- Zamora, R., Alaiz, M. and Hidalgo, F.J. 2000. Contribution of pyrrole formation and polymerization to the nonenzymatic browning produced by amino-carbonyl reaction. *J. Agric. Food Chem.* 48: 3152-3158.
- Zamora, R., Nogales, F. and Hidalgo, F.J. 2005. Phospholipid oxidation and nonenzymatic browning development in phosphatidylethanolamine/ribose/lysine model systems. *Eur. Food Res. Technol.* 220: 459-465.