

REFERENCES

- Adami, S., Bufalino, L., & Cervetti, R., et al (1997). Isopravone prevents radial bone loss in postmenopausal women with low bone mass over 2 years. Osteoporosis Int, 7, 119-125
- Albernethy, K. (1997). The menopause and HRT. London: Bailliere Tindall publishing.
- Anderson, J. J. B. (1992). The role of nutrition in the functioning of skeletal tissue. Nutrition Review, 50(12), 388-394
- Ardong, P. (1999). Health promotion behaviors of climacteric women. Thesis. Burapa University.
- Bachmann , G. A.(1999). Vasomotor flashes in menopausal women. American Journal Obstetric Gynecol, 180 (3), part 2, S312-S316.
- Ballinger, C. B. (1990). Psychiatric aspects of the menopause. British Journal of Psychiatry, 156, 773-787.
- Berg, J. A., Lipson J. G. (1999). Information sources, menopause beliefs, and health compliants of midlife Filipinas. Health Care Women International, 20, 81- 92.
- Bergkvist, I., Adami, H., Persson, I. Hoover, R., & Scharer, C. (1989). The risk of breast cancer after estrogen and estrogen and progesterin replacement. New England Journal of Medicine, 42, 832-838.
- Blue, C. L., & Levin P. F. (1998) in Maher, A. B., Salmond, S. W., & Pellino, T. A. (1998). Orthopaedic Nursing. London, W. B. Saunders Company.
- Brocklehurst, J. L.(1986). Aging of the human bladder. Geriatric, 27 (2), 154-

Bromberger, J. T., Matthews, K. A., Kuller, L. H., Wing, R. R., Meilahn, E. N., & Plantinga, T. (1997). Prospective study of the determinants of age at the menopause. American Journal of the Epidemiology, 145 (2), 124-133.

Brown, W.J., Mishra, G. D., & Dobson, A. (2002). Changes in physical symptoms during the menopause transition. Int J Behav M, 9 (1): 53-67

Brugge, K., Kripke, D., Ancoli-Israel, S., & Garfinkel, L. (1989) The association of menopausal status and sleep disorders. Sleep Research, 18, 208

Bungay, G. T., Vessey, M. P., McPherson, C. K. (1980). Study of symptoms in middle life with special reference to the menopause. British Medical Journal, 19, 181-183.

Cheewarongroj, B. (2000). Factors associated with menopausal symptoms. Thesis. Mahidol University.

Choi, M. W. (1995). The menopause transition: Change, loss and adaptation. Holist Nurs Pract, 9 (3), 53-62

Chompootaweep, S., Tankeyoon, M., Yamarat, K., & Poomsuwan, P. (1993). The menopausal age and climacteric complaints in Thai women in Bangkok. Maturiras, 17 (1), 63-71

Chongsuvivatwong, V., Mahahing, P. & Mosuwan, L. (1990). Transitional society, health status and international migration of Muslim villagers in the lower part of southern Thailand. Southern Asian Journal Tropical Medical Public Health, 21 (3), 442-446.

Chuprapawan, C. (2000). The health status of Thai people. Bangkok, Usa printing

Clark, A. J. (1995). Sleep disturbance in midlife women. Journal of Advanced Nursing, 22, 562-568.

Coleman, P. M. (1993). Depression during the female climacteric period.

Journal of Advanced Nursing, 18, 1540-1546.

Dangpium, S. (1998). Symptomatic changes during menopausal period and related factors in female staff of Chiangmai university. Research. Chiangmai University.

Dell, D. L.& Stewart, D. E. (2000). Menopause and mood. Postgraduated Medicine, 108 (3), 34-43.

Dennerstein, L., Dudley, E. C., Hopper, J. L., Guthrie, J. R., Burger, H. G. (2000). A prospective population based study of menopausal symptoms. Obstetrics and Gynaecology, 96 (3), 351-358.

Dooley, M. M. and Brincat, M. P. (1994). Understanding the common disorders in reproductive endocrinology. New York : John Wiley & Sons Publisher.

Duffy, M. E. (1997). Determinants of reported health promotion behaviors in employed Mexican American women. Health Care Women International, 18, 149-163.

Engel, N. S. (1987). Menopausal stage, current life change, attitude toward women's roles, and perceived health status. Nursing Research, 36 (6), 253-357.

Erlik, Y. et al (1981) Association of waking episodes with menopausal hot flushes. Journal of the American Association 245 (17), 1741-1744

Fishbein, E. G.(1992). Women at midlife : The transition to menopause. Nursing Clinics of North America, 27 (4), 951-957.

Fogel, C. I., Woods, N. F. (1994). Midlife women's health. Women's health care : Comprehensive handbook. Thousand Oaks Sage Publications. 79-100.

Freedman, R. R., Woodward, S. W. (1996). Core body temperature during menopausal hot flashes. American Society for Reproductive Medicine, 65 (6), 1141-1144.

Gath, D., Hes, S. & Rebar R.W. (1990). Depression and the menopause. British Medical Journal, 300, 1287.

Gennari, C., Crepaldi, G. et al. (1998). Effect of isopravone-a synthetic derivation of natural isopravones-on bone mass loss in the elderly years after menopause. Menopause, 5, 9-15

Ginsberg, E. S. (1994). Hot flashes- physiology hormonal therapy, and alternative therapies. Obstetric and Gynaecology of North America, 21 (2), 381-388.

Gold, E. B., Sternfeld, B., Kelsey, J. L., Brown, C., Mouton, C., Reame, N., Salamone, L., & Stellato, R. (2000). Relation of demographic and life style factors to symptoms in a multiracial Ethnic population of women 40- 55 years of age. American Journal of Epidemiology, 152 (5), 463-471.

Greenblatt, R. B.(1988). The menopause. Oxford; Blackwell Scientific Publications.

Greendale, G. A., Lee, N. P., Arrior E. R. (1999). The menopause. The lancet, 353 (13), 571-580.

Harper, D. C. (1990). Perimenopause and aging. In Lichtman, R. & Papera, S. (1990). Gynecology. United state, Appleton & Lange Publishing Division of Prentice Hall.

Hounthasarn, S. (1996). Factors affecting health promotion behavior among menopasal women in rural Nonthaburi province. Thesis. Mahidol University.

Hulka, B. (1987). Replacment estrogen and riskof gynaecological cancers and breast cancer. Cancer, 60, 1960-1964.

Humphrey, L. L., Chan, B. K. S., & Sox, H. C. (2002). Postmenopausal hormone replacement therapy and the primary prevention of cardiovascular disease. Annals of Internal Medicine, 137 (4), 273-283

Iemsawasdikul, W. (1998). Menopausal symptoms and factors determining health promoting behavior of professional nurses in menopausal period. Thesis. Mahidol

Im, E. O., & Meleis, A. L. (1999). A situationspecific theory of Korean immigrant women's menopause transition. Journal of Nursing Scholarship, 31(4), 333-338.

Imron, M. (2000). Women's status in Islam. Bangkok, Tangnam Publishing.

Imsudjai, W. (1997). Quality of life of menopausal women in northeastern region. Thesis. Mahidol University.

Ingkanuwat, P. (1980). Adult developmental psychiatry. Mahidol University, Siriraj Book Publising.

Jareanpanit, P. (1988). Problems in gynecology : Clinical decision making and case presentation. Bangkok, Mongkolsarn Publishing.

Jirawatkul, S., et al. (2000). Development of alternative health systems to promote the health of middle-aged women: A situational analysis in the north, northeast, and south. reported from public health research, promoting health, situation analysis in middle-ages women.

Jitmoud, S. (1996). Islam and Thai Muslim. (3rd ed) Bangkok, Almad Al-Terkaid Foundation Publising.

Kaufert, P., Gilbert, P., & Hassard, T. (1988). Researching the symptoms of menopause : an exercise in methodology. Maturitas, 10, 117-131

- Khan, Q. (1990). Status of women in Islam. India, Sterling Publishers Private Limited.
- Kirdsuwan, P. (1997). Factors associated with self-care during the climacteric period. Thesis. Mahidol University.
- Klein, P., Versi, E., & Herzog, A. (1999). Mood and the menopause. British Journal of Obstetrics and Gynaecology, 106, 1- 4.
- Klutke, J.J., & Bergman, A. (1995). Hormone influence on the urinary tract. Urologic Clinic of North America, 22 (3), 629-637.
- Kochanam, S. (1992). Age at menopause and associated factors among menopausal women in Suratthani province. Thesis. Mahidol University.
- Kongton, N. (2000). Factors associated health promoting behavior of the climacteric teacher at lower secondary school of the Bangkok metropolitan administration. Thesis. Mahidol University.
- Kuh, D.L., Wadsworth, M., & Hardy, R. (1997). Women health in midlife: The influence of the menopause, social factors and health in earlier life. British Journal of Obstetrics and Gynaecology, 104, 923-933.
- Lee, K. H. (1997). Korean urban women's experience of the menopause : new life. Health Care for Women International, 18, 139-148.
- Liao, K. L. M., Hunter, M. S. (1998). Preparation for menopause : prospective evaluation of a health education intervention for mid-aged women. Maturitas, 29, 215-224.
- Limchaiarunreang, et al. (2000). Traditional health care system and people health care system for promoting health of middle aged women in the sociocultural of southern Thailand. Public health research institute.

Limpapayom, K., & Punyakumlert, K. (1999). Menopause and simple management. Clinic, 175(15), 537-542

Lindsay, R., & Kelly, P. (1996) Osteoporosis in postmenopausal women cited in Clinical management of the menopause. New York, McGraw Hill Book Company.

Lobo, R. A. (1999). Treatment of the menopausal women. New York, Lippincott William & Wilkins Publishing.

London, S., & Chaihal, H. J. (1995). Menopause clinical concepts, USA, EMIS inc medical publisher

Ma'aitar, R. A., Haddad, L., & Umlauf, M. G. (1999), health promotion behaviors of Jordanian women, Health Care for Women International, 20, 533-546

MacKinlay, J. R., Mckinlay, S. M., & Brambilla, D. (1987). The relative contributions of endocrine change and social circumstances to depression in mid-aged women. Journal of Health & Social Science Behavior, 28, 345-363.

Mansfield, P. K., & Voda, A. M. (1997). Women centered information on menopause for health care providers : Findings from the midlife women's health survey. Health Care for Women International, 18, 55-72.

McElmurry, B. J. & Huddleson, D. S. (1991). Self care and menopause : Critical review of research. Health Care for Women International, 12 , 15-26.

Mitchell, M. K. (1997). Nutrition across the life span. London, W. B. Saunders Company.

Mongkoldee, W. (2000). Self care behaviors and opinions of menopausal women on hormone replacement therapy. Thesis. Graduate School Khon Kaen University.

Mosca, L., et al (2001). Hormone replacement therapy and cardiovascular disease: A statement for healthcare professionals from the American heart association. Circulation, 104, 499-503..

Nakkasam, R. (2001). Factors related to midlife women's menopausal symptoms. Thesis. Mahidol University.

Ngaongarm, N. (1997). Quality of life of menopausal women in northern region. Thesis. Mahidol University.

Obermeyer, C. M., Ghorayeb, F., & Reynolds, R. (1999). Symptoms reporting around the menopause in Beirut, Lebanon. Maturitas, 33 (1999), 249-258

Oldenhav, A., Jaszmann, L. J. B. & Everaerd, W. T. A. M. (1993). Impact of climacteric on well being. Am J Obstet Gynecol, 168 (3),773-780.

Panotopulos, G., Raison, J., Roiz, J. C., Guy, G. B. 7 Basdevant (1997). Weight gain at the time of menopause. Human Reproductive, 12 Suppl 1, 134-45.

Panthong (1997). A study of factors affecting health-promoting behaviors in menopausal women. Thesis. Mahidol University.

Pasquali ,E. A. (1999). The impact of the menopause on women's experience of self. Journal of Holistic Nursing, 17 (4), 346-365.

Pender, N. J.(1987). Health promotion in nursing practice. USA: Prentice-Hall Publishing.

Perz, J. M. (1997). Development of menopause symptom list : A factor analytic study of menopause associated symptoms. Women & health, 25 (1). 53-68.

Pettigrew, R, & fairley, D. H. (1997). Obesity and female reproductive function. British Medical Bulletin, 53 (2), 341-358.

Precharat, et al. (1996). The study of health behaviors of premenopausal and postmenopausal women in Saraburi, Nakornsawan, Nakornratchasima and Nakornsrithumarat provinces. Journal of Family Health Care, 24 (2), 17-36.

Punyahotra, S., & Dennerstein, L. (1996). Menopausal experiences of Thai women. Part 2 : The cultural context. Maturitas, 26, 9-14.

Punyahotra, S., Dennerstein, L., & Lerhert, P. (1996). Menopausal experiences of Thai women. Part 1 : Symptoms and their correlates. Maturitas, 26, 1-7.

Rabin, D. S., Cipparone N., Lin, E. S., & Moen, M. (1999). Why menopausal women do not want to take hormone replacement therapy. Menopause 1999 Spring, 6 (1) 61-7.

Rassool, G. H. (2000). The crescent and Islam : healing, nursing and the spiritual dimension. Some considerations towards an understanding of the Islamic perspectives on caring. Journal of Advance Nursing, 32 (6), 1476-1484.

Rattanakit, J. (1997). Quality of life of menopausal women in southern region. Thesis. Mahidol University.

Ravnikar, V. A. (1993). Diet, exercise, and lifestyle in preparation for menopause. Obstetrics and Gynecology Clinics of North America, 20 (2), 365-378.

Ribamrung, U. (1999). Nutrition for menopause. Taksin Medical Journal, 17 (2), 63-80.

Richards, M., Kuh, D., Hardy, R., & Wadsworth, M. (1999). Lifetime cognitive function and timing of the natural menopause. Neurology 53, 2 (2), 308-314.

Rippin, A. (1995). Muslim : Their religions, beliefs and practice. London, Routledge.

Roberts, R. E., Shema, S. J., Kaplan, G. A. & Strawbridge, W. J. (2000).

Sleep complaints and depression in an aging cohort : A prospective perspective. Am Journal Psychiatry, 157 (1), 81-88.

Rodin, A., & Chapman, M. in Dooley, M. M. & Brincat, M. P.(1994).

Reproductive endocrinology. NewYork, John Wiley & Sons publishing.

Rousseau , M. E. (1998). Women midlife health : Reframing menopause.

Journal of Nurse Midwifery, 43 (3), 208-222.

Rousseau, M. E, & McCool, W. F. (1997). The menopause experience of

African American women : Overview and suggestions for research. Health Care for Women International, 18, 223-250.

Rungrattrakul, J. (1999). The effect of health education program based on self

help group on self care behaviors of menopause women. Thesis. Graduate school, Khonkan university.

Samaun, W. (1998). Nursing knowledge about Islam. Chulalongkorn Journal

of Nursing, 10 (1-3), 30-34

Sanebut,T. (1997). Quality of life of menopausal women in eastern region.

Thesis. Mahidol University.

Sarrel , P. M. (1987). Sexuality in the middle year. Obstetric Gynecology

Clinic North America, 14, 49.

Sarrel , P. M. (1999). Psychosexual effects of menopause : Role of androgens.

American Journal Obstetrics and Gynaecol,180 (3), s319-s324.

Schaie, K. W., & Willis, S. L. (1986). Adult development & aging. Boston:

Little and Brown company.

Schiff, I. (1986). Menopause. in Kistner, R. W. (1986). Gynecology :

Principle and Practice.(4th ed). London. Yearbook Medical Publishers.

- Shangold, M. M. (1990). Exercise in the menopausal women. Obstetric & Gynecology, 75 (4), 53s-57s.
- Shaw, C. R. (1997). The perimenopausal hot flush: epidemiology, physiology, and treatment. The Nurse Practitioner, 22 (3), 55-66.
- Shaver, J. L., & Zenk, S. N. (2000). Sleep disturbance in menopause. J Womens Health Gen Based Med, 9 (2), 109-118
- Sherwin, B. A. (1996). Hormone, mood , and cognitive functioning in postmenopausal women. Obstetric Gynecology, 87, 20-26
- Sherwin, B. B., & Gelfand, M. M. (1989). A prospective one year study of estrogen and progestin in postmenopausal women: Effects on clinical symptoms and lipoprotein lipids. Obstetric Gynecology, 73, 759-766
- Smith, M. A., & Shimp, L. A. (2000). Women Health Care. USA : Mc Graw Hill company.
- Somkanae S. (1999). A study of the mental health status and coping devices of the middle age women in the communities of Khon Kaen municipality. Thesis. Graduate School Khon Kaen University.
- Songwattana, P., Areekul, P., Baltip, K., & Siriwanichchai, A. (2000). Health service systems for the middle-aged women, studied in the health service resource both government and municipality in Songkla province. Research. Faculty of Nursing, Prince of Songkla University.
- Speroff, L. Glass, R.H., Kase, N.G., (1999). Clinical gynecologic endocrinology and infertility. 6th ed. Baltimore: Lippincott Williams & Wilkins.
- Stadberg, E., Mattsson, L.A., & Milson, I. (2000). Factors associated with climacteric symptoms and the use of hormone replacement therapy. Acta Obstet Gynecol Scand, 79, 286-292.

Stone, A. B. & Pearlstein, T. B. (1994). Evaluation and treatment of changes in mood, sleep, and sexual functioning associated with menopause. Obstetrics and Gynaecology clinics of North America, 21(2), 391- 403.

Studd, J. W. W. & Whitehead, M. I. (1988). The menopause. Oxford : Blackwell Scientific Publications.

Sunttharasaj, T. (1996). Knowledge, attitudes and practices of menopausal women in Southern Thailand. Songkla Medical Journal, 14 (3, 101-107)

Taechakrichana, N., Chaikittisilpa, S., Chompootweep, S., Jaisamran, U., Limpapayom, K. & Panyakhamlerd, S. (1995). Menopausal complaints. Chula Med J, June; 39 (6), 451-468.

Thailand population projection year 1999-2016 (1999), College of population studies, Chulalongkorn university, online, available at (http://www.onec.go.th/html-99/onec_pub/book/year42/estimate_population<chapter2.pdf-), 12/10/2001

Thomson, J & Oswald, I.(1977). Effect of estrogen on the sleep, mood and anxiety of menopausal women. British medical journal, 2, 1317-1319.

Toth, M. J., Tchernof, A., Sites, C. K., & Poehlman, E. T. (2000). Menopause-related changes in body fat distribution. Ann N Y Acad Sci, May, 904, 502-506

Tunphaisal, S., Sutthijumroon, S., Chandeying, V., & Krisanapan, O. (1992). Symptomatology and hormonal levels among Thai women with natural menopause. J Med Assoc Thai, 697-703.

Ulis, A. (1996). Factors associated with lifesatisfaction during the female climacteric period Wisetchaichan district, Angthong province. Thesis. Mahidol University.

Upakarakul, L. (1995). Knowledge about menopause and self care experience of menopausal women in slum area Muang district Khon kaen province. Independent study. Cheingmai University.

Weed, S. S. (1999). Menopause and beyond the wise women way. Journal of Nurse Midwifery, 44 (3), 267-273.

Wiklund, I, Karlberg, J. & Mattson, L. A. (1993). Quality of life of postmenopausal women on a regimen of transdermal estradiol therapy : A double-blind placebo- controlled study. American Journal Obstetric Gynecology, 168 (1), 824-830.

Wilbur, J., Miller, A. & Montgomery, A. (1995). The influence of demographic characteristics, menopausal status, and symptoms on women's attitudes toward menopause. Women & Health, 23 (3), 19-39.

Wood, M. J., & Cox, J. L. (2000). HRT to prevent cardiovascular disease. Postgraduate Medicine, 108 (3), 59-283

Woods, N. F. & Mitchell, E. S. (1997). Observations from the Seattle midlife women's health study. Health Care for Women International, 18, 439-453.

Woods, N. F. & Mitchell, E. S.(1997). Pathways to depressed mood for midlife women : observations from the Seattle midlife women's health study, Health Care for Women International 20, 119-129.

Wren, B. G., & Nachtigall, L. E., (1996). Clinical management of the menopause. Sydney : Mcgraw-Hill Book Company.

Yamane, T. (1967). Statistic-An Introductory Analysis. (2nd ed.). Tokyo, John Weather Hill, Inc.

Young, S. F., Sheehan, M., Connor, V. O., Cragg, C. & Mar, C. D. (1999). Women knowledge about the physical and emotional changes associated with menopause. Women & Health, 29 (2), 37-51.

Yuchareongit, N. (1999). Adaptation of menopausal women in Pichai district Utaradit province. Thesis. Graduate school, Chiangmai university.

Zerbe, K. J. (1999). Insomnia. Women's mental health in primary care. Philadelphia, W. B. Saunder company.

Zurayk, H., Sholkamy, H., Younis, N., & Khattab, H. (997). Women's health problems in the Arab world : a holistic policy perspective. International Journal of Gynaecology & Obstetrics, 58, 13-21.