

บรรณานุกรม

- กนกนุช ชื่นเลิศสกุล. (2541). ประสบการณ์ชีวิตของสตรีไทยที่ป่วยเป็นมะเร็งเต้านม.
วิทยานิพนธ์ปริญญาพยาบาลศาสตรดุษฎีบัณฑิต มหาวิทยาลัยมหิดล, กรุงเทพมหานคร.
- กฤษดา ตงศิริ. (2531). ความสัมพันธ์ระหว่างความหวัง การรับรู้ภาวะสุขภาพกับความพึงพอใจในการดำเนินชีวิตของผู้ป่วยโรคมะเร็งบริเวณศีรษะและคอที่ได้รับรังสีรักษา.
วิทยานิพนธ์ปริญญาวิทยาศาสตรมหาบัณฑิต สาขาพยาบาลศาสตร์ มหาวิทยาลัยมหิดล,
กรุงเทพมหานคร.
- กฤษณา ศรีวรรณวัฒน์. (2533). ลักษณะทางจิตใจของสตรีมะเร็งเต้านม. วารสารโรคมะเร็ง, 16(2), 73-74.
- กลุ่มนโยบายสาธารณสุขด้านสังคมวัฒนธรรม สำนักนโยบายและแผนสาธารณสุข.
(2543). สุขภาพทางเลือก. นนทบุรี: บริษัท ฟาอภัย จำกัด.
- กิติ จินดาวิจักษณ์. (2538). การรักษามะเร็งเต้านมด้วยการผ่าตัด. วารสารโรคมะเร็ง, 21
(2), 74 – 79.
- ชนิดฐา หาญประสิทธิ์คำ. (2535). ผลของการส่งเสริมให้ผู้ป่วยมีส่วนร่วมในการดูแลตนเองต่ออาการไม่สุขสบาย ภาวะอารมณ์และความพร้อมในการดูแลตนเอง ในผู้ป่วยมะเร็งที่ได้รับเคมีบำบัด. วิทยานิพนธ์ปริญญาวิทยาศาสตรบัณฑิต สาขาพยาบาลศาสตร์, กรุงเทพมหานคร.
- ชนิดฐา นาคะ. (2534). ความวิตกกังวลและความต้องการข้อมูลในสตรีก่อนผ่าตัด.
วารสารพยาบาลสงขลานครินทร์, 11(3), 16-28.
- จอม สุวรรณโณ. (2542). บทบาทพยาบาลในการบำบัดแบบองค์รวม. วารสารพยาบาล,
48(1), 13-20.
- จารุวรรณ กฤตย์ประชา. (2538). ปฏิบัติการตอบสนองต่อโรคและการปรับตัวในสตรีมะเร็งเต้านม. วิทยานิพนธ์ปริญญาพยาบาลศาสตรมหาบัณฑิต สาขาวิชาการพยาบาลผู้ใหญ่
มหาวิทยาลัยมหิดล, กรุงเทพมหานคร.
- จารุพันธ์ สมบูรณ์. (2535). ความสัมพันธ์ระหว่างปัจจัยทางประชากร กิจกรรมในการดำเนินชีวิตประจำวัน กับความพึงพอใจในชีวิตผู้สูงอายุ. วิทยานิพนธ์ปริญญาวิทยาศาสตรมหาบัณฑิต สาขาการพยาบาลสาธารณสุข. มหาวิทยาลัยมหิดล, กรุงเทพมหานคร.
- จินตนา ไชยมงคล, สิริกัลยา บุญโพธิแก้ว, สุดารัตน์ ไพรัตน์ และอมรรัตน์ สังข์ทอง.
(2542). การนวดเพื่อคลายเครียด. วารสารพยาบาล, 48 (4), 253 – 254.

จุฬารักษ์ กวีวิรัชชัย. (2536). ความสัมพันธ์ระหว่างปัจจัยคัดสรร ความรู้สึกไม่แน่นอน
ในความเจ็บป่วย แรงสนับสนุนทางสังคม กับการปรับตัวของผู้ป่วยมะเร็งเต้านมที่ได้รับยาเคมี
บำบัด. วิทยานิพนธ์หลักสูตรปริญญาวิทยาศาสตรมหาบัณฑิต สาขาพยาบาลศาสตร์
มหาวิทยาลัยมหิดล กรุงเทพมหานคร.

จุฬาวรรณ สุระกุล.(2544).ประสบการณ์ของผู้ป่วยมะเร็งในการได้รับการบอก
ความจริงเกี่ยวกับความเจ็บป่วยจากทีมสุขภาพ. วิทยานิพนธ์พยาบาลศาสตรมหาบัณฑิต สาขา
วิชาการพยาบาลผู้ใหญ่ มหาวิทยาลัยสงขลานครินทร์, สงขลา

ชวนพิศ นรเดชานนท์. (2531). การฝึกการหายใจแบบสวนในผู้ป่วยมะเร็งที่ได้รับเคมี
บำบัดและมีอาการคลื่นไส้อาเจียน แบบคาดคะเนล่วงหน้า: การศึกษาเฉพาะกรณี. วารสาร
พยาบาล, 37 (1), 38 – 44.

ทะเบียนมะเร็ง. (2540). สถิติโรคมะเร็งประชากรของจังหวัดสงขลาทะเบียนมะเร็ง
จังหวัดสงขลา. หน่วยมะเร็ง โรงพยาบาลสงขลานครินทร์ มหาวิทยาลัยสงขลานครินทร์.

ทะเบียนมะเร็ง. (2541). สถิติโรคมะเร็งประชากรของจังหวัดสงขลาทะเบียนมะเร็ง
จังหวัดสงขลา. หน่วยมะเร็ง โรงพยาบาลสงขลานครินทร์ มหาวิทยาลัยสงขลานครินทร์.

ทะเบียนมะเร็ง. (2542). สถิติโรคมะเร็งประชากรของจังหวัดสงขลาทะเบียนมะเร็ง
จังหวัดสงขลา. หน่วยมะเร็ง โรงพยาบาลสงขลานครินทร์ มหาวิทยาลัยสงขลานครินทร์.

ทะเบียนมะเร็ง. (2543). สถิติโรคมะเร็งประชากรของจังหวัดสงขลาทะเบียนมะเร็ง
จังหวัดสงขลา. หน่วยมะเร็ง โรงพยาบาลสงขลานครินทร์ มหาวิทยาลัยสงขลานครินทร์.

ทัศนาศ บุญทอง. (2536). การพยาบาลแบบองค์รวมกับการดูแลสุขภาพตนเอง.
สารสภากาพยาบาล, 6 (6), 8-14.

ทัศนาศ บุญทอง. (2538). มโนคติของการพยาบาลแบบองค์รวม. วารสารพยาบาล 38, (1),
27 – 40.

ทิพวัลย์ โพธิแทน. (2543). การฝึกสติให้อยู่กับปัจจุบัน: ทางเลือกในการบำบัดทางการ
พยาบาลและส่งเสริมสุขภาพแบบองค์รวม. เอกสารการประชุมเชิงปฏิบัติการ การดูแลสตรีเรื้อรังแบบ
องค์รวม วันที่ 6-10 มีนาคม 2543. ขอนแก่น: คณะพยาบาลศาสตร์ มหาวิทยาลัยขอนแก่น.

ทิพาพันธ์ ศศิธรเวชกุล และชลดา เจริญลาภ. (2536). การนวดเพื่อลดความเจ็บปวด ใน
ผู้ป่วยมะเร็ง. วารสารพยาบาลศาสตร์จุฬาลงกรณ์, 36 (5/2), 38 – 44.

ธนิศ วัชรพุกก์. (2534). Breast ในชาย ดันติพิพัฒน์. (บรรณาธิการ), ตำราศัลยศาสตร์.
(หน้า 235-252). กรุงเทพมหานคร: จุฬาลงกรณ์มหาวิทยาลัย.

- ธนิต วัชรพุกก์. (2536). มะเร็งเต้านม. ใน ธนิต วัชรพุกก์, และชาญวิทย์ ตันต์พิพัฒน์. (บรรณาธิการ), ตำราศัลยศาสตร์ (ครั้งที่ 2, หน้า 238-254). กรุงเทพมหานคร: สหมิตร เมดิเพลส.
- นภยา กัลโยธินและคณะ. (2541). เดินเพื่อสุขภาพ. กรุงเทพมหานคร: บริษัทเวิลด์การพิมพ์.
- นิตยา คงชุม. (2539). บุคลิกที่เข้มแข็งทางสุขภาพ แรงสนับสนุนทางสังคม ปัจจัยคัดสรร และการปรับตัวของผู้ป่วยมะเร็งเต้านมที่ได้รับเคมีบำบัด. วิทยานิพนธ์ปริญญาโทมหาบัณฑิต สาขาการพยาบาลผู้ใหญ่ มหาวิทยาลัยมหิดล, กรุงเทพมหานคร.
- นุจรี วุฒิสุพงษ์. (2541). คุณภาพชีวิตของผู้ป่วยมะเร็งระบบสืบพันธุ์สตรีหลังได้รับเคมีบำบัด. วิทยานิพนธ์ปริญญาพยาบาลศาสตรมหาบัณฑิต มหาวิทยาลัยขอนแก่น, ขอนแก่น.
- บรรจบ ชุณหสวัตติกุล. (2541). สุขภาพสตรี นม – มิตรแท้หรือศัตรูสุขภาพ. ธรรมชาติบำบัดวิถีสุขภาพแนวใหม่ เล่ม 9, (ครั้งที่ 2). กรุงเทพมหานคร: บริษัท รวมพรรณ จำกัด.
- บรรจบ ชุณหสวัตติกุล. (2543). สุขภาพกับหลักธรรมชาติบำบัด. เอกสารประกอบการประชุมเรื่อง เวทีสุขภาพองค์รวมเพื่อความมั่นคงของสุขภาพะชุมชนวันที่ 2-5 เมษายน 2544. ม.ป.ป.
- บังอร อุดมฤทธิ์. (2536). ความสัมพันธ์ระหว่างการสนับสนุนจากคู่มรสกับพฤติกรรม การดูแลตนเองกับคุณภาพชีวิตในผู้ป่วยมะเร็งเต้านมที่ได้รับเคมีบำบัดภายหลังการผ่าตัดเต้านม. วิทยานิพนธ์วิทยาศาสตรมหาบัณฑิต สาขาการพยาบาลศาสตร์ มหาวิทยาลัยมหิดล, กรุงเทพมหานคร.
- บุญชม ศรีสะอาด. (2543). การวิจัยเบื้องต้น, (ครั้งที่ 6). กรุงเทพมหานคร: สุวีริยาสาส์น จำกัด.
- บุบผา ชอบใช้. (2536). ความต้องการด้านจิตวิญญาณของผู้สูงอายุที่ป่วยด้วยโรคมะเร็ง. วิทยานิพนธ์ปริญญาพยาบาลศาสตรมหาบัณฑิต มหาวิทยาลัยขอนแก่น, ขอนแก่น.
- บำเพ็ญจิต แสงชาติ. (2543). การบำบัดทางการพยาบาลในผู้ป่วยเรื้อรัง: แนวคิดและการประยุกต์ใช้ในระบบเอกสารการประชุมเชิงปฏิบัติการการดูแลผู้ป่วยเรื้อรังแบบองค์รวม. ภาควิชาพื้นฐานการพยาบาล คณะพยาบาลศาสตร์, มหาวิทยาลัยขอนแก่น.
- บำเพ็ญจิต แสงชาติ. (2543). การสร้างจินตนาการ. เอกสารการประชุมเชิงปฏิบัติการการดูแลผู้ป่วยเรื้อรังแบบองค์รวม วันที่ 6 – 10 มีนาคม 2543. ขอนแก่น: คณะพยาบาลศาสตร์ มหาวิทยาลัยขอนแก่น.
- ประทุม สร้อยวงศ์. (2538). แบบแผนการเกิดอาการคลื่นไส้และอาเจียนปัจจัยที่เกี่ยวข้องและการดูแลตนเองของผู้ป่วยมะเร็งเต้านมที่ได้รับเคมีบำบัด. วิทยานิพนธ์ปริญญาพยาบาลศาสตรมหาบัณฑิต. มหาวิทยาลัยมหิดล, กรุงเทพมหานคร.

ประเวศ วะสี. (2535). เพื่อสุขภาพสุขภาพองค์รวม (ตอนที่ 1). วารสารหมออนามัย, 2 (3), 34 -40.

ประเวศ วะสีและคณะ.(2536).องค์รวมแห่งสุขภาพ ทศนะใหม่เพื่อคุณภาพแห่งชีวิต และการบำบัดรักษา. กรุงเทพมหานคร:บริษัท เคล็ดไทย จำกัด.

ประเวศ วะสี. (2544).“สุขภาพะทางจิต สุขภาพะทางจิตวิญญาณ.” หมอชาวบ้าน 22, (261), 41-46.

ปรียา ลีพหกุล และวิชัย ต้นไพจิตร.(2538).ภาวะปัจจุบันของโรคเรื้อรังสัมพันธ์กับอาหารในประเทศไทย. โภชนศาสตร์คลินิก, 1(2), 65-75.

ปัทมาวดี กสิกรรม.(2544).สุขภาพทางเลือก. เอกสารประกอบการประชุมเรื่องเวทีสุขภาพองค์รวมเพื่อความมั่นคงของสุขภาพะชุมชน วันที่ 2-5 เมษายน 2544. นครศรีธรรมราช: สถาบันวิจัยระบบสาธารณสุขและคณะ.

ผ่องศรี ศรีมรกต. (2539). ความวิตกกังวลในสตรีมะเร็งที่ได้รับรังสีรักษา. วารสารโรคมะเร็ง, 22(3-4), 93-101.

พระธรรมปิฎก(ประยุตต์ ปยุตโต). (2538). ปฏิบัติธรรมให้ถูกทาง. (พิมพ์ครั้งที่ 30). กรุงเทพมหานคร : สหธรรมมิก.

พัชรี คมจักรพันธ์.(2544).ประสบการณ์การใช้บริการสุขภาพทางเลือกในผู้ป่วยโรคหลอดเลือดสมอง. วิทยานิพนธ์พยาบาลศาสตรมหาบัณฑิตสาขาวิชาการพยาบาลอนามัยชุมชน มหาวิทยาลัยสงขลานครินทร์,สงขลา.

พวงทอง ไกรพิบูลย์. (2522). อารมณ์ของผู้ป่วยมะเร็ง วารสารโรคมะเร็ง,4-5 (6), 167-172 .

พัสมนต์ คุ่มทวีพร และราตรี ธนสมบัติ.(2538). ผลของจังหวะชีวภาพต่อผลของการออกกำลังกายแบบแอโรบิค. วารสารพยาบาล, 44 (4), 1221 – 1228.

พิมพ์วัลย์ ปรีดาสวัสดิ์.(2530).แนวคิดเชิงทฤษฎีเกี่ยวกับพฤติกรรมการดูแลสุขภาพตนเองในพิมพ์วัลย์ ปรีดาสวัสดิ์ เพ็ญศรี กวีวงศ์ประเสริฐและอรัญญา ปุรณัน (บรรณาธิการ). การดูแลสุขภาพตนเอง:ทศนะทางสังคมวัฒนธรรม.กรุงเทพมหานคร:ศูนย์การศึกษานโยบายสาธารณสุข.

พิณฑุสร โชตนาการ.(2539).รูปแบบการพัฒนาศักยภาพในการดูแลตนเองในผู้ป่วยมะเร็งเต้านมที่ได้รับเคมีบำบัด. วิทยานิพนธ์มหาบัณฑิตสาขาการพยาบาลผู้ใหญ่ มหาวิทยาลัยมหิดล, กรุงเทพมหานคร.

พิมพา ธนกรวิทย์.(2531).ผลของการทำให้อุณหภูมิของหนังศีรษะลดลงต่อระดับการเกิดผมร่วงและระยะเวลาของการเกิดผมร่วงในผู้ป่วยที่ได้รับการรักษาด้วยเคมีบำบัด.วิทยานิพนธ์ปริญญาวิทยาศาสตรมหาบัณฑิต สาขาการพยาบาลศาสตร์ มหาวิทยาลัยมหิดล, กรุงเทพมหานคร.

เพชรน้อย สิงห์ช่างชัย ศิริพร ชัมภลิจิตและทัศนีย์ นะแสง.(2532).วิจัยทางการพยาบาล : หลักการและกระบวนการ.สงขลา:คณะพยาบาลศาสตร์ มหาวิทยาลัยสงขลานครินทร์.

พุทธทาสภิกขุ. (2535). การเก็บความโกรธใส่ยุ่งฉาง. (ครั้งที่ 5). นนทบุรี:บริษัท พี.เอ. ลีฟวิ่ง จำกัด.

พุทธทาส อินทปัญญญา. (ม.ป.ป.). ธรรมสำหรับคนเจ็บไข้. กรุงเทพมหานคร : ธรรมสภา.

เพ็ญจันทร์ ฉุ่มย่อง. (2537). ความสัมพันธ์ระหว่างความหวังกับคุณภาพชีวิตของผู้ป่วยมะเร็งที่ได้รับรังสีรักษา. วิทยานิพนธ์พยาบาลศาสตรมหาบัณฑิต สาขาการพยาบาลผู้ใหญ่ มหาวิทยาลัยสงขลานครินทร์, สงขลา.

เพ็ญศรี ระเบียบน, ยุพิน ดีสมศักดิ์ และวรรณิ์ สัตยวิวัฒน์. (2540). สารสภากการพยาบาล, 11 (1), 55 – 67.

ไพศาล วิสาโล. (2541). อิทธิพลของอาหารต่อสุขภาพและโรคภัยไข้เจ็บ, ในถวิล มั่นสน่อม (บรรณาธิการ). ชีวิตส่องใสที่ใครๆ ประารณา, (ครั้งที่ 12). (191 –224). กรุงเทพมหานคร:บริษัท เอส พี เอฟ พรินติ้ง กรุ๊ป จำกัด.

ภาคสุภพิชญ์ ศรีกสิพันธ์และมาลี วรลัคนากุล.(2535).ความสัมพันธ์ระหว่างปัจจัยเงื่อนไขพื้นฐานบางประการตามความสามารถในการดูแลตนเองกับคุณภาพชีวิตในผู้ป่วยโรคมะเร็งที่ได้รับเคมีบำบัด.วารสารพยาบาล, 44(1), 47-55.

มิชิโอะ คุชิ.(2541).วิธีรักษามะเร็งด้วยอาหารแม็คโครไบโอติกส์. (สุ่มันตา ปรัชญา ปารมิตา, ผู้แปล)กรุงเทพมหานคร: โรงพิมพ์มหาจุฬาลงกรณ์ราชวิทยาลัย.

ไมตรี สุทธิจิตต์.(2527).อาหารและมะเร็ง. เชียงใหม่: โรงพิมพ์พระสิงห์การพิมพ์.

ไมตรี สุทธิจิตต์. (2534). บทบาทของไขมัน โปรตีน และคาร์โบไฮเดรตต่อการเกิดมะเร็ง. ก้าวไปกับโภชนาการเพื่อสุขภาพ. กรุงเทพมหานคร: สำนักพิมพ์สื่ออักษร.

รัญจวน อินทรกำแหง.(2541).บริหารกาย – บริหารจิต.ในถวิล มั่นสน่อม (บรรณาธิการ). ชีวิตส่องใสที่ใครๆ ประารณา, (ครั้งที่ 12). (162 – 190). กรุงเทพมหานคร:บริษัท เอส พี เอฟ พรินติ้ง กรุ๊ป จำกัด.

รำไพ สุขสวัสดิ์ ณ อยุธยา.(2526). สถิติการวิจัย. (ครั้งที่1). ภาควิชาชีวสถิติ คณะสาธารณสุขศาสตร์. กรุงเทพมหานคร.

ลลิตา ธีระสิริ. (2540).ตำราอาหารต้านมะเร็ง.(ครั้งที่ 1).กรุงเทพมหานคร:บริษัท รวมวรรณ จำกัด.

ลลิตา ธีระสิริ.(2541). มะเร็งรักษาด้วยตนเอง ตามแนวธรรมชาติบำบัด .(ครั้งที่ 4) . กรุงเทพมหานคร:บริษัทรวมวรรณ จำกัด.

ลลิตา ธีระสิริ. (2542).มะเร็ง – รักษาด้วยตนเองตามแนวธรรมชาติบำบัด,(ครั้งที่ 5).ใน บรรจบ ชุณหสวัสดิกุล(บรรณาธิการ).กรุงเทพมหานคร: สำนักพิมพ์รวมวรรณ.

ลักษณะ อินทร์กลับ.(2540).อาหารต้านมะเร็ง. สารสภากาการพยาบาล, 11 (1), 26 – 36.

วรชัย รัตนธรร.(2538).Breast cancer:state of the art adjuvant chemotherapy for breast cancer. ตำราการรักษาโรคมะเร็ง.(ครั้งที่ 1)กรุงเทพฯ:บริษัท ไฮซิลติก.

วรวรรณ เหนือคลอง. (2534). ความสามารถในการดูแลตนเองกับคุณภาพชีวิตของผู้ป่วยมะเร็งปากมดลูก ขณะได้รับรังสีรักษาและภายหลังได้รับรังสีวิทยา.วิทยานิพนธ์ปริญญา วิทยาศาสตร์มหาบัณฑิต สาขาการพยาบาลศาสตร์ มหาวิทยาลัยมหิดล, กรุงเทพมหานคร.

วิไลลักษณ์ จันทรวง.(2534).ความสัมพันธ์ระหว่างการรับรู้เกี่ยวกับโรคการสนับสนุน จากคู่มือการปรับตัวของผู้ป่วยมะเร็งเต้านม.วิทยานิพนธ์พยาบาลศาสตรมหาบัณฑิต สาขาการพยาบาลผู้ใหญ่ มหาวิทยาลัยมหิดล, กรุงเทพมหานคร.

ศิริกร โพธิ์ศรี. (2540).ประสบการณ์การดูแลตนเองเมื่อเป็นโรคมะเร็ง: กรณีศึกษา ขอนแก่นเวชสาร, 20(1), 55-62.

สถาพร ลีลำนันทกิจ.(2539).Palliative Care.เอกสารโรคมะเร็ง, 22(1-2), 51-58.

สมจิต ปทุมานนท์, สุนีย์ ละกำป็น, พิบูล กมลเพชรและอันธิชา ลองคำ (2541). รายงานการวิจัยเรื่องประสิทธิผลรูปแบบการพยาบาลแบบองค์รวมต่อการดูแลตนเองและคุณภาพชีวิต ของผู้ติดเชื้อ เอชไอวี/สตรีเอดส์. ม.ป.ท.

สมจิต หนูเจริญกุล สุรีย์พร มาลา และพวงทอง ไกรพิบูลย์.(2535).ความต้องการมี ส่วนร่วมในการดูแลตนเอง ความวิตกกังวลและความสามารถในการควบคุมสุขภาพในผู้ป่วย มะเร็งที่กำลังได้รับรังสีรักษา.วารสารพยาบาล,41(4),288-299.

สมจิต หนูเจริญกุล. (2536). การพยาบาลผู้ป่วยโรคมะเร็ง. ใน พรศรี คิดชอบ และคณะ. มะเร็งวิทยา. (หน้า 241-267). กรุงเทพมหานคร:โรงพิมพ์จุฬาลงกรณ์มหาวิทยาลัย.

สมจิต หนูเจริญกุล. (2538). การดูแลคนแบบองค์รวม: ข้อเสนอแนะทางวิทยาศาสตร์. รามาศิบัติเวชสาร, 1(1), 2-4.

สมจิต หนูเจริญกุล บุญจันทร์ วงศ์สุนพรัตน์ และทิพาพา วงศ์หงษ์กุล.(2534).ปัจจัยที่มีอิทธิพลต่อความรู้สึกไม่แน่นอนในความเจ็บป่วยในผู้ป่วยมะเร็งที่รับรังสีรักษา. วารสารพยาบาล, 40 (1), 11-26.

สมปอง รักษาสุข. (2538). การใช้รังสีรักษาในมะเร็งเต้านม. โรคของเต้านม. (ครั้งที่ 1). กรุงเทพมหานคร:ยูนิตีพับลิเคชั่น.

สมพร ชินโนรส และวันเพ็ญ ปานยิ้ม.(2544).การนวดจุดฝ่าเท้ากับการบรรเทาความปวด. รามาศิบัติพยาบาลสาร,7(3),220 – 227.

สมพร ชินโนรส, พรจันทร์ สัยละมัย และสถาพร ลีลำนันทกิจ(2541).ประสพการณ์ความปวดและการจัดการกับความปวดของผู้ป่วยโรคมะเร็งที่เป็นผู้ป่วยในของสถาบันมะเร็งแห่งชาติ. วารสารพยาบาล,47(4),285-297.

สมพร เตรียมชัยศรี.(2542).ผลของการปฏิบัติสมาธิในผู้ป่วยมะเร็ง. วารสารพยาบาล, 48 (3),137.

สมพร เตรียมชัยศรี.(2543).บทความ ประเด็นและแนวโน้มการดูแลสุขภาพเชิงองค์รวม. วารสารพยาบาล,48 (2),71-80.

สาทิส อินทรกำแหง.(2541).ชีวิตกับโภชนาการ. ในถวิล มั่นสนั่นอม(บรรณาธิการ). ชีวิตมองใสที่ใครๆ ปรารถนา (255 – 259). กรุงเทพมหานคร: บริษัทเอส พี เอฟ พรินติ้ง กรุ๊ป จำกัด.

สาโรช รัตนากร.(2537).มะเร็ง ความเครียด และสุนทรียภาพ, (ครั้งที่1).กรุงเทพมหานคร: ยูโรปา เพรส จำกัด.

สำนักงานปฏิรูประบบสุขภาพ. (2544).10 คำถามเรื่องการปฏิรูประบบสุขภาพแห่งชาติ. เอกสารเพื่อสุขภาพคนไทย สปรส(ครั้งที่ 1).สถาบันวิจัยระบบสาธารณสุข, ประเทศไทย.

สิริลักษณ์ จันทร์มะ.(2541).การพัฒนารูปแบบการส่งเสริมการดูแลตนเองของผู้ป่วยมะเร็งเต้านมที่ได้รับการผ่าตัด.วิทยานิพนธ์พยาบาลศาสตรมหาบัณฑิต สาขาการพยาบาลผู้ใหญ่ มหาวิทยาลัยสงขลานครินทร์, สงขลา.

สุภาณี กาญจนจारी.(2536).รูปแบบการช่วยเหลือผู้ป่วยมะเร็งระบบโลหิตในการเผชิญกับโรค.วิทยานิพนธ์พยาบาลมหาบัณฑิต พยาบาลศาสตร์ มหาวิทยาลัยมหิดล, กรุงเทพมหานคร.

สุภาณี อ่อนชื่นจิตร. (2544).ในสุภาณี อ่อนชื่นจิตร, อภิรัตน์ อัมพัฒน์. (บรรณาธิการ). เวชปฏิบัติ ครอบครัว แนวคิดและการปฏิบัติ (หน้า 1-14). ม.ป.ท.

สมิตรา ทองประเสริฐ.(2536).การรักษาโรคมะเร็งด้วยยาเคมีบำบัด. เชียงใหม่: ห้างหุ้นส่วนจำกัดธนบรรณการพิมพ์.

สุวคนธ์ แก้วอ่อน และคณะ.(2538).ศึกษาอัตราและปัจจัยการสูญหายของผู้ป่วยมะเร็งระหว่างรับเคมีบำบัดในโรงพยาบาลขอนแก่น. ขอนแก่นเวชสาร,20(1),13-20.

แสงอรุณ สุขเกษม.(2533).ผลของการใช้การพยาบาลระบบสนับสนุนให้ความรู้ต่อคุณภาพชีวิตในผู้ป่วยมะเร็งปากมดลูกที่ได้รับรังสีรักษา.วิทยานิพนธ์พยาบาลศาสตรมหาบัณฑิต สาขาการพยาบาล มหาวิทยาลัยมหิดล, กรุงเทพมหานคร.

หัชชา ศรีปลั่ง และคณะ.(2537).ก่อนในเต้านม:รายงานการตรวจชิ้นเนื้อ พ.ศ.2535 - 2536. สงขลานครินทร์เวชสาร,12(1),19-24.

อดุลย์ รัตนมันเกษม.(2540).สูตรอาหารต้านมะเร็ง, (ครั้งที่ 2).กรุงเทพมหานคร :บริษัท นานมีบุ๊คส์ จำกัด.

อมรา พานิช.(2539).Pain mechanism and neuromechanical mediator.เอกสารประกอบการสอนวิชาวิทยาศาสตร์สุขภาพ.กรุงเทพมหานคร:คณะแพทยศาสตร์ โรงพยาบาลรามาธิบดี มหาวิทยาลัยมหิดล.

อรพรรณ ทองแดง. (2539). มุมมองด้านจิตใจในภาวะปวดเรื้อรัง.ในสุรศักดิ์ นิลพานวงค์ (บรรณาธิการ).The Common Chronic Pain Problems and Management. (หน้า 110 -132). กรุงเทพมหานคร: เรือนแก้วการพิมพ์.

อดิศักดิ์ ศรีพรหม. (2542).มะเร็งเต้านม.ข่าวสมาคมโรคมะเร็งแห่งประเทศไทย ในพระบรมราชูปถัมภ์,12(2),7-13.

อัศนี วันชัย.(2539).ความทุกข์ทรมานและปัจจัยที่มีอิทธิพลต่อความทุกข์ทรมานในสตรีหลังผ่าตัดเต้านม.วิทยานิพนธ์พยาบาลศาสตรมหาบัณฑิต สาขาวิชาการพยาบาล อายุรศาสตร์และศัลยศาสตร์ มหาวิทยาลัยเชียงใหม่, เชียงใหม่.

อารี น้อยบ้านด่าน. (2541). การรับรู้ภาวะสุขภาพและพฤติกรรมการเผชิญปัญหาของผู้ป่วยมะเร็งหลอดอาหาร. วิทยานิพนธ์พยาบาลศาสตรมหาบัณฑิต สาขาวิชาการพยาบาลผู้ใหญ่ มหาวิทยาลัยสงขลานครินทร์.

อุบล จ้วงพานิช.(2543).ประสบการณ์การใช้กลุ่มช่วยเหลือตนเองในผู้ป่วยมะเร็ง. ในเอกสารการประชุมเชิงปฏิบัติการการดูแลผู้ป่วยเรื้อรังแบบองค์รวม.วันที่ 6- 10 มีนาคม 2543.ขอนแก่น : คณะพยาบาลศาสตร์, มหาวิทยาลัยขอนแก่น. ม.ป.ป.

Ali, N.S., & Khalil, H.Z. (1989). Effects of psycho educational intervention on anxiety among egyptian bladder cancer patients. Cancer Nursing, 12(4), 236-242.

Ali, N.S., & Khalil, H.Z. (1991). Identification stressors, level of stress coping strategies and coping effectiveness among egyptian mastectomy patients. Cancer Nursing, 14(5), 232-239.

Anderson, J. (1988). Facing up to mastectomy. Nursing Times, 84(3), 36-39.

Astin, J.A. (1997). Stress reduction through mindfulness mediation. Effects on psychological symptomatology, sense of control, and spiritual experiences. Psychotherapy & Psychosomatic, 66(2), 97 – 106.

Atiken & Minton. (1983). Complications associated with mastectomy. Surgical Clinical of North America, 63(1), 1331–1351.

Barbara, F. Share. (1997). Communicating breast cancer on – line: Support and empowerment on the internet. Women & Health, 26(1), 65-83.

Bauman, P.J. (1995). Correlations among marital intimacy, object relation, mental representations of god and spiritual well-being (CD-Rom). Abstracts from: pro quest file: dissertation abstracts item :9507136.

Beare, G.P., & Myers. (1994). Principles and practice of adult health nursing. (2nd ed.). St. Louis: Mosby .

Benson, H. (1983). The relation response and norepinephrine. Negative Psychiatry, 1(1), 15-18 .

Berry & Catanzaro. (1992). Person with cancer and their return to the workplace, Cancer Nursing, 15(1), 40-46.

Brallier, L.W. (1978). The nurse as holistic health practitioner: Expanding the role again. Nursing Clinics of North America, 13(4):643-656.

Brillhart, B. (1988). Family support for the disabled. Rehabilitation Nursing, 13(6), 316 – 319.

Butche, C.S. (1996). Psychological and sociodemographic barriers to health care access of rural woman diagnosis with breast carcinoma. (CD-ROM). Abstracts from: pro quest file : dissertation abstracts items: AAC 1376278.

Carnevalik, D.L. ,&Reiner, A. C.(1990).The cancer experience: nursing diagnosis and management. Philadelphia: J.B. Lippincott Company.

Carson, V.B.(1989).Spiritual development across the life span. In spiritual dimentions of nursing practice (pp. 24-51). Philadephia : W.B. Saunders.

Carpenter, J.K.,& Brockopp, D.Y.(1994).Evaluation of self-esteem of women with cancer. Receiving chemotherapy. Oncology Nursing Forum, 21(1), 751-757.

Carroll, D., & Seers, K.(1998).Relaxation for the relief of chronic pain: a systemic review. Journal Advance Nursing, 27, 476-487.

Carter, B.J.(1993).Long-term survivors of breast cancer: A qualitative descriptive study. Cancer Nursing,16(5), 354-361.

Champion, V.L.(1987).The relationship of breast self examination to Health belief model variables. Research in Nursing and Health,1(10),375 – 382.

Clark, C.I., & McGee, F.R.(1992).Oncology Nursing Society : Core Curriculum for Oncology Nursing. (2nd ed.). Philadelphia : W.B. Sunder Company.

Clark, C.I.(1993).Psychosocial support of the patient in qroenwald, F.L.et al. Cancer Nursing Principle and Practice (3 rd) ed. (pp. 449 – 467). Bosston Jonex and Bartett publicer.

Clark, S.(1993).Psychosocial responses of the patient.In Groenwald, S.L. et al, Cancer Nursing Principle and Practice. (3rd ed.). Boston: Jones and Bartlett Publishers.

Cohen, S., & Wills, T.A. (1985). Stress social support and the buffer hypothesis. Psychological Bulletin, 98,310-357.

Coward,D.D.(1991).Self-transcendence and emotional well-being in women with advanced breast cancer. Oncology Nursing Forum,18(5), 858-863.

Dewit, C.S.(1992).Keane's Essentials of Medical-Surgical Nursing.(3rd ed.). Philadelphia: W.B. Saunders.

Dodd, M.J., Dibble , S.L. &Thomas , M.L. (1993). Predictures of concerns and coping strategies of cancer chemotherapy outpatient. Applied Health and Nursing Research,6(1) , 2 - 7

Dossey, M.B., (1995). Holistic Nursing : A Handbook for Practice. (2nd ed.).

The United States of America : Aspur Publication, Inc.

Fallowfield, J.L. (1991). Psychosocial Problems Associated with the Diagnosis and Treatment of Breast Cancer. In K.I. Brand & E.M. Copeland, (Eds.), The Breast, (pp. 108-1092). Philadelphia: W.B. Saunders Company.

Ferrans, C.E. (1994). Quality of life through the eyes of survivors of breast cancer. Oncology Nursing Forum, 21(10), 1645-1651.

Fieldler, N., Vivona – Vaughan. E., & Gochfeld, M. (1989). Evaluation of work site relaxation training program using ambulatory blood pressure monitoring. Journal Med, 3 (7), 595 – 602.

Fieler , V.K, (1995).Patients' use of prevention behaviors in managing side effects related to chemotherapy. Oncology Nursing Forum ,22(4),713 – 716.

Ford. L.A. (1994).The role of context certainty and value in the communication of social support : an analysis of breast cancer patients' support massages. (CD-ROM). Abstracts from : pre quest file : dissertation abstracts item : AAC 9403689.

Fulton, J.P. (1991). A study guide by the health belief model of the predictors of breast cancer screening of women ages 40 and older. Public Health -Rep, 106(4), 410-420.

Gale, S., Charette, J. (1995). Oncology Nursing Care Plans. Texas : Skidmore-Roth Publishing Inc.

Gibson. L. M.(2000).Inner resources (sence of coherence, hope, and spiritual perspective) as predictors of psychological well-being in African American breast cancer survivors. (CD-ROM). Abstracts from : pre quest file : dissertation abstracts item : AAD 9969493.

Goldberb, R.J.(1982).Anxiety reduction by self regulation: theory, practice, and evaluation. Ann Intern Med, 96 (4), 483 – 487.

Gordon, N.G., (1992).Socioeconomic factors and race in breast cancer recurrence and survival. American Journal Epidemiol, 135(6), 609-618.

- Gray .E.R & Doan.D.B &Church. K.(1991).Empowerment Issues in cancer. Health Values,15(4), 22-28.
- Graham, E.D., (1990). Sunlight and breast cancer incidence in the USSR. Int.J.Epidemiol, 19 (4), 820-824.
- Groenwald, S.L., (1993). Cancer Nursing Principles and Practice. (3rd ed.). Philadelphia: Jones and Bartlett Publisher Inc.
- Hinnman,R.M.(2001).Factors influence work disability for women who have undergone mastectomy. Woman & Health, 34(2), 45-61.
- Hodgson, H. (2000). Does reflexology impact on cancer patients' quality of life ? Nursing-Standard 14(31), 33-38.
- Holland, J.C. & Mastrovito, E. "Psychologic Adaptaion to Breast Cancer." Cancer. 46 (August Supplement 1980): 1045-1052.
- Hubbard, S.M.(1995).Nursing research the basis for practice. Oncology Nursing Forum, 22(3), 505-514.
- Ivey, B. M.(1994).Social support and the woman with breast cancer : issue of measurement. (CD-ROM). Abstracts from : pre quest file : dissertation abstracts item : AAC 1356705.
- Jean, M.L.(1997).Alternative health care options in Canada. The Canadian Nurse L' In firmiere canadience, 95 (10), 26 – 30.
- Johnson, J.L. (1993)."An exploration of Pender's health promotion model using LISREL." Nursing Research, 42(5/6), 132-138.
- Johnson, R.J.(1994).Caring for the women who's had a mastectomy. American Journal Nursing, 25-31.
- Knobf, M.T.(1990).Systems and rehabilitation needs of patients with early stage breast cancer during primary therapy. Cancer, 66, 1392-1401.
- Lempert, B.L.(1986).Women's health from a women's decision to undergo mammography. Obstetrical Gynecology, 70(5), 744-748.

Levy, S.M., Herberman, R.B., Lippman, M., & Angelo, T. (1987). Correlation of stress factors with sustained depression of natural killer cell activity and predicted prognosis in patients with breast cancer. Journal of Clinical Oncology, 5, 348 – 353.

Lev, E.L. (1992). Patients's strategies for adapting to cancer treatment. Western Journal of Nursing Research, 14 (5), 595-617.

Levy, S.M., Herberman, R. B., Lee, J.K., Lippman, M.E., & Angelo, T. (1989). Breast conservation versus mastectomy: Distress sequelae as a function of choice. Journal of Clinical Oncology, 7(3), 367-375.

Levy, S.M., Herberman, R.B., Ivaluish, A.M., Schlien, B., & Lippman, M.E. & Angelo, T. (1987). Prognostic risk assessment in primary breast cancer by behavioral and immunological parameters. Health Psychology, 4 (1), 99 – 113.

Levy, S. M., (1990). Perceived social support and tumor estrogen / progesterone receptor status as predictors of natural killer cell activity in breast cancer patients. Psychosomatic Medicine, 52 (1), 73 – 85.

Loveys, J.B., & Katherine, L. (1991). Breast cancer: demands of illness. Oncology Nursing Forum, 18(1), 75-80.

Magarey, C. (1983). Holistic cancer therapy. Journal of Psychosomatic Research, 27,(1), 181-184.

Mundy., et al. (2002). Posttraumatic stress disorder in breast cancer patients following autologous bone marrow transplantation or conventional cancer treatments. Behav – Res – Ther, 38 (10), 1015 – 1027.

Marina, B., Tina, K., & Christine, W. (2000). Information needs of women with non-invasive breast cancer. Journal of Clinical Nursing, 9,(2), 713-722.

Marks – Maran, D. & Pope, M.B. (1985). Breast Cancer Nursing and Counseling. London: Blackwell scientific publications.

Massion, A.O. (1995). Meditation, melatonin, and breast/prostate cancer: hypothesis and preliminary data. Medical hypothesis, 44, 39-46.

McCoy, C.B. (1994). Breast cancer screening of the medically undeserved: results and implications. Cancer Pract, 2(4), 267-274.

McGee, R. F. (1993). Overview : psychosocial aspects of cancer. In Groenwald, S.L. et al. Cancer Nursing Principle and Practice. (3rd ed.). (pp.437-448). Boston : Jones and Bartlett Publishers.

Mishel, M.H.(1988). Uncertainty in illness. Image :Journal of Nursing Scholarship, 20, 225-232.

Mishel, M.H., (1991). Uncertainty in illness theory: a replication of the mediating effects of mastery and coping. Nursing Research, 40(4), 236-240.

Montbriand.J.M. (1995) Alternative therapies as control behaviours used by cancer patients. Journal of advanced Nursing, 22, 646-654.

Mundy. (2000). Posttraumatic stress disorder in breast cancer patients following autologous bone marrow transplantation or conventional cancer treatments. Behav-Res-Ther, 38.(10), 1015-1027.

Nagia, S. A., & Hoda, Z.K. (1991). Identification of stressors, level of stress, coping strategies, and coping effectiveness among egyption mastectomy patients. Cancer Nursing, 14, (5), 232-239.

Nail., (1991). Use and perceived efficacy of self-care activities in patients receiving chemotherapy. Oncology Nursing Forum, 18, 883-887.

Nerenz, D.R. (1982). Factor contributing to emotional distress during cancer chemotherapy. Cancer, 50, 1020-1027.

Nixon. G. (1996). Psychoneuroimmunology : implication for breast cancer treatment and psychology. (CD-ROM). Abstracts from: pre quest file: disseration abstracts item: AAC 9628718.

Northouse, L.L.(1989).The impact of breast cancer on patients and husbands.Cancer Nursing, 12 (5), 276 – 284.

Otto, S.E. (1994). Oncology Nursing. (2nd ed.) . St.Loious: Mosby.

Paula, L.K.(1999).Body image, decision making, and breast cancer treatment. Cancer Nursing, 22 (6), 421 – 427.

Penny, F. P.(1993).Deciding on breast cancer treatment: A description of decision behavior. Nursing Research Jan-Feb, 42(1), 22-27.

Perry, G.R.(1990).Loneliness and coping among tertiary level adult cancer patients in the home. Cancer Nursing, 13(5), 293-302.

Peteet, J.R., Abrams, H.E., Ross, D.M., & Stearns, N.M. (1991). Presenting a diagnosis of cancer : Patients' views. The Journal of Family Practice, 32 (6), 577-581

Polit, D.F.(1991).Nursing Research Principles and Methods.(4th). Philadelphia: J.B: Lippincott company

Polit, D.F.(1996).Data analysis & statistic for nursing research. New York: Saratoga Srimgs.

Ponte , R.P.(1992).Distress in cancer patients and primary nurse' empathy skills. Cancer Nursing15(4) ,283 – 292.

Primomo, J., Yates, B.C.,&Woods, N.F.(1990).Social support for woman duringchronic illness. Research in Nursing & Health,13(6), 153-161.

Rafferty, J.P. (1985). The psychosocial adjustment problems of the cancer patient. In Higby, D.J.(ed). The Cancer Patient and Support Care. (pp.169-182.). Boston : Martinus Nijhoff Publishers.

Reed. (1986). Reliqiousness among terminally III and health. Adults. Research in Nursing & Health, 86(9) 35-41

Reed. (1987). Spirituality and well - being in terminally III hospitalized adults. Research in Nursing & Health, 87(10) 335-334

Ryder, R.W. (1989). Perinatal transmission of HIV type I to infants of seropositive in Zaire. New England Journal of Medicine , 320(25), 1637-1642.

Sanger, K.C.,& Reznikoff, M.(1981).A comparison of the psychological effects of breast – saving procedures with the modified radical mastectomy. American Cancer Society, 9 (15), 2341 – 2346.

Sardell, A.N., & Tricrweiler, S.J.(1993).Discolosing the cancer diagnosis: Procedures that influence patient hopefulness. Cancer ,72(10), 3355 -3365.

Schag, A.C., (1993). Characteristics of women at risk for psychosocial distress in the year after breast cancer. Journal of Clinical Oncology , 11 (4), 783 -793.

- Schain, W.S., Angelo, M.T., Dunn, E.M., Lichter, S.A. & Pierce, J. L.(1994). Mastectomy versus conservative surgery and radiation therapy. Cancer, 73 (4), 1221 – 1228.
- Schover, RL. (1995)Partial Mastectomy and breast Reconstruction. Cancer, 75 (1) , 54-63.
- Schwartz, A.L., Mori, M. , Gao, R., Nail M.L, & King, M.E.(2001).Exercise reduces daily fatigue in women with breast cancer receiving chemotherapy. Medical Science Sports Exercise, 33 (5), 000 – 000.
- Sell, L. (1993). Communication the diagnosis of lung cancer. Respiratory Medicine, 87 , 61 – 63.
- Shapiro, E.H.(1988).Behaviral treatment of anticipatory nausea associated with cancer chemotherapy. Oncology Nursing Forum, 19(3), 920-923.
- Sharma, H.M., Alexander, C.N. (2000). Maharshi: research review. Part two: Maharishi ayurveda herbal food supplements and additional strategies. Complementary Medicine International,3,17-28.
- Skalla, A.K., & Lacasse, C. (1992). Patient education for fatigue. Oncology Nursing Forum, 19(1), 1537-1541.
- Sodestrom, K.E.,&Martinson, I.M.(1987).Patients spiritual coping strategies: A study of nurse and patient perspectives. Oncology-Nursing- Forum, 14, 2, 41-46.
- Sparber. (2000).Use of complementary medicine by adult patients participating in cancer clinical trials. Oncology Nursing Forum, 27(4), 623-630.
- Toniolo, P. (2001). Better diet may help prevent breast cancer study. In American Journal of Epidermiology,153 (1),1142 –1147.
- Turton , P.,& Cooke, H.(2000).Meeting the needs of people with cancer for support and self–management. Complementary therapies in Nursing & Midwifery,(3), 129 – 137.
- Vicker.A., Zollman.C. (1991).ABC of complementary medicine herbal medicine. BMI, 319 (10), 1050 -1052.
- Wang, C.A., & Brawell, L. (1992).Uncertainly and anxiety after mastectomy for breast cancer. Cancer Nursing,15(5),363-371.

Wang, X. (1999). Major concerns and needs of breast cancer patients. Cancer Nursing, 22 (2), 157 – 163.

William, W. (1989). Coping with cancer. Nursing Time, 85(28): 35-38.

Wyatt, G. (1993). Breast cancer survivors: An exploration of quality of life issues. Cancer Nursing, 16 (6), 440-448. New York: Raven Press.

Zoellick. P. J. (1995). Determining the need for occupation therapy intervention with breast cancer patient. (CD-ROM). Abstract from : pre quest file : dissertation abstracts item : AAC 1359320.