

## บรรณานุกรม

กระทรวงสาธารณสุข. (2547). เรื่องผู้ป่วยโรคต่างๆ ที่นิเมื่อ 31 มีนาคม 2548, จาก <http://203.157.19.191>

กรณิการ พงษ์สนิท, อารีวรรณ กลั่นกลืน, ชูศรี วงศ์เครือวัลย์และพรพรรณ ทรัพย์ไพบูลย์กิจ. (2538). การคุ้มครองของผู้สูงอายุที่มีความดันโลหิตสูงในโรงพยาบาลรามาธิราชนครเชียงใหม่. พยาบาลสาร, 22,12-19.

กสิทธิ์ ปานิช. (2547). ผลการคุ้มครองของผู้สูงอายุที่มีความดันโลหิตสูง. วิทยานิพนธ์สาธารณสุขศาสตร์มหาบัณฑิต สาขาวิชาการติดเชื้อและระบบациวิทยา บัณฑิตวิทยาลัย มหาวิทยาลัยมหิดล, กรุงเทพมหานคร.

การสำรวจประชากรผู้สูงอายุในประเทศไทย. (2545). เรื่องการสำรวจประชากรผู้สูงอายุ. ที่นิเมื่อ 6 เมษายน 2549, จาก [www.nso.go.th](http://www.nso.go.th)

เกษก่อง สีหะวงศ์. (2539). การศึกษาความสัมพันธ์ระหว่างปัจจัยส่วนบุคคล การรับรู้ภาวะสุขภาพและความรู้เกี่ยวกับการใช้ยา กับพฤติกรรมการใช้ยาของผู้สูงอายุแขวงรองเมือง เพชรบุรี วัน กรุงเทพมหานคร. วิทยานิพนธ์พยาบาลศาสตร์มหาบัณฑิต สาขาวิชาการบริหารการพยาบาล บัณฑิตวิทยาลัย จุฬาลงกรณ์มหาวิทยาลัย, กรุงเทพมหานคร.

เกณ์ วัฒนชัย. (2532). การคุ้มครองความดันโลหิตสูง. กรุงเทพมหานคร:  
มิตรสัมพันธ์กราฟิคอาร์ต.

คณะกรรมการแห่งชาติด้านยา. (2547). บัญชียาหลักแห่งชาติ พ.ศ. 2547 . กรุงเทพมหานคร:  
สำนักงานคณะกรรมการอาหารและยา.

โภษิต ศรีเพ็ญ. (2545). การวินิจฉัยเบ้าหวานและการแทรกซ้อน. ใน นิศารัตน์ โօกาสเกียรติกุล วัฒนา เลี้ยววัฒนา, ดาวารรณ ชนะชีวนาวิน, มงคล ศุภกรและ วนิดา วงศ์ศิริพ (บรรณาธิการ), พยาธิวิทยาคลินิก (หน้า 158-169). กรุงเทพมหานคร: โรงพยาบาลรื่นเริง.

จักรพันธ์ ชัยพรหมประสีที. (2542). ACE Inhibitors ในการรักษาความดันโลหิตสูง.

ในวิทยา ศรีคามา(บรรณาธิการ), อายุรศาสตร์แนวใหม่ Evidence based medicine (พิมพ์ครั้งที่ 2, หน้า 278-287). กรุงเทพมหานคร: โรงพยาบาลรื่นเริง.

จักรพันธ์ ชัยพรหมประสีที. (2546). โรคความดันโลหิตสูง. ใน วิทยา ศรีคามา (บรรณาธิการ), ตำราอายุรศาสตร์ 4 (พิมพ์ครั้งที่ 2, หน้า 162-187). กรุงเทพมหานคร: โรงพยาบาลรื่นเริง.

- จันทนา รัณฤทธิชัย. (2536). ภาวะความดันโลหิตสูง. ใน จรัสวรรณ เทียนประภาส และ พัชรี ตันศิริ(บรรณาธิการ), หลักการพยาบาลผู้สูงอายุ (พิมพ์ครั้งที่ 3, หน้า 348-358). กรุงเทพมหานคร: โรงพิมพ์รุ่งเรืองการพิมพ์.
- จันทนา รัณฤทธิชัย. (2545). ปัญหาการให้ผลวีนและการระบายอากาศ. ใน จันทนา รัณฤทธิชัย และวิไลวรรณ ทองเจริญ (บรรณาธิการ), หลักการพยาบาลผู้สูงอายุ (หน้า 118-119). กรุงเทพมหานคร: บริษัทบุญศิริการพิมพ์จำกัด.
- จันทร์เพ็ญ ชูประภารรณ. (2543). สถานะสุขภาพคนไทย. กรุงเทพมหานคร: อุณาการพิมพ์.
- ชูศรี วงศ์รัตน. (2544). เทคนิคการใช้สอดคล้องในการวินัย (พิมพ์ครั้งที่ 8). กรุงเทพมหานคร: เทพเนรมิตการพิมพ์.
- นิตยา ภาสุนันท์. (2529). ความสัมพันธ์ระหว่างค่าน้ำหนักและความรู้เกี่ยวกับการดูแลตนเอง กับความร่วมมือในการรักษาของผู้ป่วยโรคหัวใจขาดเลือด. วิทยานิพนธ์วิทยาศาสตร์ มหาบัณฑิต สาขาวิชาการพยาบาลศึกษา บัณฑิตวิทยาลัย มหาวิทยาลัยมหิดล, กรุงเทพมหานคร.
- นิสากร กรุงไกรเพชร. (2540). ภาวะทุพพลภาพในผู้สูงอายุที่อาศัยในเขตจังหวัดภาคกลางของประเทศไทย. วิทยานิพนธ์วิทยาศาสตร์มหาบัณฑิต สาขาวิชาเวชศาสตร์ชุมชน บัณฑิตวิทยาลัย จุฬาลงกรณ์มหาวิทยาลัย, กรุงเทพมหานคร.
- บรรลุ ศิริพานิช. (2542). ผู้สูงอายุไทย. กรุงเทพมหานคร: สำนักพิมพ์หม้อชาวบ้าน.
- ปราณี มหาศักดิ์พันธ์. (2538). ปัจจัยที่มีผลต่อการรับการรักษาอย่างต่อเนื่องของผู้สูงอายุ โรคความดันโลหิตสูง. การค้นคว้าแบบอิสระ สาขาวิชาสาธารณสุขศาสตร์มหาบัณฑิต บัณฑิตวิทยาลัย มหาวิทยาลัยเชียงใหม่, เชียงใหม่.
- ปราโมทย์ ชีรพงษ์. (2546). ความดันโลหิตสูง ค.ศ. 2005. วารสารเภสัชสาร, 2, 165-178.
- ปั่นนเรศ กาศอุดม, รีวิวรรณ เพ่ากัณหา, วารี กังใจ, คณิสร แก้วแดงและธัสมน นามวงศ์. (2548). สถานการณ์ ปัญหา ความต้องการและผลลัพธ์ของญาติผู้สูงอายุผู้สูงอายุป่วยเรื้อรัง ที่บ้าน. ที่นี่เมื่อ 1 พฤษภาคม 2549, จาก <http://homecare.buu.ac.th>
- พัชรินทร์ สืบสาหอ่อน. (2546). การบริโภคอาหารและการรับรู้ภาวะโรคของผู้ป่วยความดันโลหิตสูง. การค้นคว้าแบบอิสระ สาขาวิทยาศาสตร์มหาบัณฑิต บัณฑิตวิทยาลัย มหาวิทยาลัยเชียงใหม่, เชียงใหม่.
- พึงใจ งามอุ่นไชย. (2541). ความดันโลหิตสูง. ใน วิทยา ศรีคำมา (บรรณาธิการ), ตำราอายุรศาสตร์ 2 (พิมพ์ครั้งที่ 3, หน้า 133-145). กรุงเทพมหานคร: โรงพิมพ์แห่งจุฬาลงกรณ์มหาวิทยาลัย.

- ยี่ช่วง แซ่กึก. (2535). การเปรียบเทียบความรู้เรื่องโรคความดันโลหิตสูงและการปฏิบัติในระหว่างผู้ป่วยที่ควบคุมความดันโลหิตได้กับผู้ป่วยที่ควบคุมความดันโลหิตไม่ได้. วิทยานิพนธ์ครุศาสตร์บัณฑิต สาขาวิชาการพยาบาล บัณฑิตวิทยาลัย จุฬาลงกรณ์มหาวิทยาลัย, กรุงเทพมหานคร.
- รังสรรค์ วงศ์, ชนันตร์ธร ปทุมานนท์และ ไนพร ทวีศรี. (2542). ปัจจัยที่มีความสัมพันธ์กับภาวะความดันโลหิตสูงของผู้สูงอายุในชนบท. วารสารกรมการแพทย์, 24, 469-476.
- โรงพยาบาลรามคำแหง. (2547). ทะเบียนคลินิกโรคความดันโลหิตสูง-เบาหวาน พ.ศ. 2547 สงขลา: โรงพยาบาลรามคำแหง กระทรวงสาธารณสุข.
- ลินง โปธินาล. (2545). เอกสารคำสอนกระบวนการวิชา 56770: ทฤษฎีการพยาบาล. เชียงใหม่: คณะพยาบาลศาสตร์ มหาวิทยาลัยเชียงใหม่. อัสดำเนา.
- วราภรณ์ นารินรักษ์. (2540). ความสัมพันธ์ปัจจัยส่วนบุคคล ความชื้ออำนาจภายใน-ภายนอกคนด้านสุขภาพกับการดูแลตนเองของผู้สูงอายุ โรคความดันโลหิตสูง แขวงรองเมืองเขตปทุมวันกรุงเทพมหานคร. วิทยานิพนธ์พยาบาลศาสตร์บัณฑิต สาขาวิชาการพยาบาล บัณฑิตวิทยาลัย จุฬาลงกรณ์มหาวิทยาลัย, กรุงเทพมหานคร.
- วราภรณ์ ศิริสว่าง, ไนพร ทวีศรีและชนันตร์ธร ปทุมานนท์. (2543). รูปแบบการดำเนินชีวิตและความต้องการของผู้สูงอายุในชนบท. วารสารวิชาการสาธารณสุข, 1, 71- 79.
- วัฒนา พันธ์ทัด. (2545). การบริหารยาในผู้สูงอายุ. ใน จันทนารณฑิชัย และ วีไควรณ ทองเจริญ (บรรณาธิการ), หลักการพยาบาลผู้สูงอายุ (หน้า 201-209). กรุงเทพมหานคร:
- บริษัทบุญศิริการพิมพ์จำกัด.
- วีไควรณ ทองเจริญ. (2545). การเปลี่ยนแปลงทางจิตสังคมในวัยผู้สูงอายุ. ใน จันทนารณฑิชัยและวีไควรณ ทองเจริญ (บรรณาธิการ), หลักการพยาบาลผู้สูงอายุ (หน้า 69-82). กรุงเทพมหานคร: บริษัทบุญศิริการพิมพ์จำกัด.
- วีวรรณ อุชาบกิชาดิ และศิริพรรณ พัฒนาฤทธิ. (2546). Hypertension. ในธานี เมฆะสุวรรณดิษฐ์, ปรีชา มนทดานติกุล, จุฑามณี สุทธิสีสังข์ และสุรเกียรติ อาชานุภาพ (บรรณาธิการ), ตำราเภสัชบำบัด (หน้า 1-24). กรุงเทพมหานคร: บริษัทไฮโลสติกพับลิชชิ่งจำกัดและบริษัทเอลท์อหอริเต็สจำกัด.
- ศิริมาส บุญประสาร. (2544). การปฏิบัติตามแผนการดูแลสุขภาพของผู้ป่วย โรคความดันโลหิตสูง. วิทยานิพนธ์พยาบาลศาสตร์บัณฑิต สาขาวิชาการพยาบาลอาชญาศาสตร์ และศัลยศาสตร์ บัณฑิตวิทยาลัย มหาวิทยาลัยเชียงใหม่, เชียงใหม่

สมจิต หนูเจริญกุล และ พրทิพย์ มาลาธรรม. (2537). การพยาบาลโรคความดันโลหิตสูง.

ในสมจิต หนูเจริญกุล (บรรณาธิการ), การพยาบาลอายุรศาสตร์ เล่ม 2

(พิมพ์ครั้งที่ 11, หน้า 129-162). กรุงเทพมหานคร: ห้างหุ้นส่วนวี.เจ.พรินติ้ง.

สมใจ วินิจกุล และ ชื่นจิตรา โพธิศพท์สุข. (2541). ความสัมพันธ์ระหว่างการรับรู้ภาวะสุขภาพ แรงสนับสนุนจากสมาชิกในครอบครัวกับพฤติกรรมการใช้ยาในกลุ่มผู้ป่วยผู้สูงอายุ ที่คลินิกเบาหวาน วชิรพยาบาล. วารสารพยาบาลสาธารณสุข, 12, 32-40.

สมเกียรติ แสงวัฒนาโรจน์. (2544). ยาเม็ดลดความดันโลหิต. ใน วิทยา ศรีคำมา (บรรณาธิการ), คู่มือการใช้ยาทางอายุรกรรมและดัชนีค่าน้ำหน้าชื่อยา พ.ศ.2544 (หน้า 440-452).

กรุงเทพมหานคร: โรงพยาบาลแห่งจุฬาลงกรณ์มหาวิทยาลัย.

สมเกียรติ แสงวัฒนาโรจน์. (2546). แนวทางการรักษาความดันโลหิตสูง. ใน วิทยา ศรีคำมา และชานินทร์ อินทร์กำรชัย (บรรณาธิการ), Evidence - Based clinical practice guideline (หน้า 438-441). กรุงเทพมหานคร: โรงพยาบาลแห่งจุฬาลงกรณ์มหาวิทยาลัย.

สมสุข ถึงห์ปัญจน์ทิ. (2540). คุณภาพชีวิตของผู้สูงอายุที่มีความดันโลหิตสูงชนิดไม่ทราบสาเหตุ. วิทยานิพนธ์พยาบาลศาสตร์บัณฑิต สาขาวิชาการพยาบาลผู้ป่วยใหญ่ บัณฑิตวิทยาลัย มหาวิทยาลัยขอนแก่น, ขอนแก่น.

สมาคมโรคความดันโลหิตสูงแห่งประเทศไทย. (2549). แนวทางรักษาภาวะความดันโลหิตสูงในเวชปฏิบัติทั่วไป. ใน อภิรักษ์ ปาลวัฒน์วิไชย (บรรณาธิการ), แนวปฏิบัติบริการ สาธารณสุข Quick reference guide สำหรับการรักษาผู้ป่วยทั่วไป. กรุงเทพมหานคร: ม.ป.ท.

สิรินธร เซี่ยว โโซธ.(2545). ผลของการเสริมสร้างพลังอำนาจในผู้ป่วยจิตเภทต่อพฤติกรรมการใช้ยาตามแผนการรักษา. วิทยานิพนธ์พยาบาลศาสตร์บัณฑิต สาขาวิชาการพยาบาล สุขภาพจิตและจิตเวช บัณฑิตวิทยาลัย จุฬาลงกรณ์มหาวิทยาลัย, กรุงเทพมหานคร.

สุขัญญา วงศ์เพ็ง. (2542). ประสิทธิผลของโปรแกรมสุขศึกษาเพื่อส่งเสริมพฤติกรรมการป้องกันโรคความดันโลหิตสูงของผู้สูงอายุในชุมชนกรุงเทพมหานคร. วิทยานิพนธ์สาธารณสุข ศาสตร์บัณฑิต บัณฑิตวิทยาลัย มหาวิทยาลัยมหิดล, กรุงเทพมหานคร.

สุทธิชัย จิตะพันธ์กุล. (2544). การวิเคราะห์ผู้สูงอายุ. ใน สุทธิชัย จิตะพันธ์กุล (บรรณาธิการ), หลักเวชศาสตร์ผู้สูงอายุ (พิมพ์ครั้งที่ 3 หน้า 74-94). กรุงเทพมหานคร: โรงพยาบาลแห่งจุฬาลงกรณ์มหาวิทยาลัย.

- สุนันทา กระจ่างแคน และคณะ. (2540). ผลของการทำสมาชิกนิตионаปานสติแบบผ่อนคลาย  
ในการลดความเครียดและลดความดันโลหิตในผู้ป่วยโรคความดันโลหิตสูงชนิดไม่ทราบ  
สาเหตุ. *วารสารสาธารณสุข*, 11, 88-91.
- สายสมร วงศ์ใจหาญ. (2541). ยากลุ่มใหม่ในการรักษาโรคความดันโลหิตสูง. *วารสารแพทย์นวัต*,  
35, (1) 28-43.
- ไสวิกิต ธรรมอวี. (2545). ยา\_rักษาโรคความดันโลหิตสูง (Antihypertensive drugs). ในคณาจารย์  
ภาควิชาเภสัชวิทยา (บรรณाचิการ), *เภสัชวิทยา* (หน้า 1-27). กรุงเทพมหานคร: โรงพิมพ์  
เท็กซ์เอนดิเจอร์นัล.
- อรทัย ศรีสวัสดิ์, กำพล ศรีวัฒนาภูล และ กิตติมา ศรีวัฒนาภูล. (2545). การใช้ยาในผู้สูงอายุ ใน  
กำพล ศรีวัฒนาภูล(บรรณाचิการ), คู่มือการใช้ยาฉบับสมบูรณ์ (พิมพ์ครั้งที่ 4, หน้า 110-  
120). กรุงเทพมหานคร: บริษัทสถาบูคกรุงเทพ.
- อรสา พันธ์กักดี. (2542). กระบวนการคุ้มครองของผู้ป่วยโรคความดันโลหิตสูง. *วิทยานิพนธ์*  
พยาบาลศาสตรคุณภูมิบันฑิต บัณฑิตวิทยาลัย มหาวิทยาลัยมหิดล, กรุงเทพมหานคร.
- Azrin, N. H., & Teichner, G. (1998). Evaluation of an instructional program for  
Improving medication compliance for chronically mentally ill outpatients.  
[ONLINE]. *Behav Res ther*, 36, 849-861. Retrieved Febuary 16, 2005, from  
<http://www.ncbi.nlm.nih>
- Bramley, T. J., Gerbino, P. P., Frech - Tamas, F. (2006). Relationship of blood pressure control  
to adherence with antihypertensive monotherapy in 13 managed care organization.  
[ONLINE]. *Journal Manag Care Pharmr*, 3, 239-245. Retrieved Febuary 16, 2005,  
from <http://www.ncbi.nlm.nih>
- Barr, R. G., Somers, S. C., Speizer, F. E., & Camargo, C. A. (2002). Patient factors and  
medication guideline adherence among older women with asthma. *Archives of  
Internal Medicine*, 162, 1761-1768.
- Bennet, N. E. (1994). Hypertension in the elderly. *Lancet*, 13, 447-449.
- Benson, J., & Britten, N. (2002). Patients' decisions about whether or not to take  
antihypertensive drugs: Qualitative study. *British Medical Journal*, 19, 7369-7372.
- Berg, J. S., Discher, J., Wagner, D. J., Raia, J. J., & Palmer-shevelin, N. (1993). Medication  
compliance: a healthcare problem. *The Annals of Pharmacotherapy*, 27, s1-s22.

- Chobanian, A. V., Bakris, G. L., Black, H. R., Cushman, W. C., & Green, L. A. (2003). The Seventh report of the joint national committee on prevention, detection, evaluation and treatment of high blood pressure. *Journal of the American Medical Association*, 289, 2560-2572.
- Clark, L. T. (1991). Improve compliance and increasing control of hypertension: Needs of speacial hypertensive population. *American Heart Journal*, 121, 664-669.
- Dahlof, B., Lindholm, L. H., Hasson, L., Schersten, B., Ekbom, L., & Wester P-O. (1991). Morbidity and mortality in the Swedish trial in old patients with hypertension (Stop-Hypertension). *Lancet*, 58, 1281-1285.
- Flack, J. M., Novikov, S. V., & Ferrario, C. M. (1996). Benefits of adherence antihypertensive drug therapy. *European Heart Journal*, 17 (Suppl. A), 16-20.
- Goodyer, L. I. (2002). *Medicine in the elderly*. Great Britain: Pharmaceutical Press.
- Gurwitz, J. H., Glynn, R. J., Monane, M., Everitt, D. E., Gilden, D., Smith, N., et al. (1993). Treatment for glaucoma: Adherence by the elderly. *American Journal of Public Health*, 83, 711-716.
- Hills, G. A. (2002).Activity of daily living. In C.B. Lewis (Ed.), *Aging: The health-care challenge* (4th ed., pp 27-47).Philadelphia: F. A. Davis company.
- Hugie, P. E. (2003). Pharmacology and its significance for older adults. In M. A. Anderson, (Ed.), *Caring for older adults holistically* (3rd ed., pp 251-264). Philadelphia: F.A . Davis company.
- Inciardi, J. F., Mc Mahon, K., & Sauer, B. L. (2003). Factors associated with uncontrolled hypertension in an affluent elderly. *The Annals of Pharmacotherapy*, 37, 485-489.
- Janz, N. K., & Becker, M. H. (1984). The health belief model: A decade later. *Health Education Quarterly*, 11, 1 - 47.
- Johnson, M. J., William, M., & Marshall, E. S.(1999). Adherent and nonadherent medication taking in elderly hypertensive patients. *Clinical Nursing Research*, 8 , 318-335.
- Khalil, S. A., & Elzubier, A. G. (1997). Drug compliance among hypertensive patients in Tabuk Saudi Arabia [ONLINE]. *Journal of Hypertension*, 15, 561-565. Retrieved January 12, 2005, from <http://www.ncbi.nlm.nih>

- Kulkarni, S. P., Alexander, K. P., Lytle, B., Heiss, G., & Peterson, E. D. (2006). Long-term adherence with cardiovascular drug regimens. *American Heart Journal, 151*, 185-191.
- Kuzuya, M., et al. (2000). Factor influencing noncompliance with medication regimen in the elderly. [ONLINE]. *Nippon Ronen Igakkai Zasshi, 37*, 363-370. Retrieved July 7, 2006, from <http://www.ncbi.nlm.nih.gov>
- Kyngas, H., & Lahdenpera, T. (1999). Compliance of patients with hypertension and associated factors. *Journal of Advanced Nursing, 29*, 832-839.
- Li, W. W., Stewart, A. L., Stotts, N. & Froelicher, E. S. (2006). Cultural factors associated with antihypertensive medication adherence in Chinese immigrants [ONLINE]. *Journal of Cardiovascular Nursing, 21*, 354-362. Retrieved December 29, 2006, from <http://www.ncbi.nlm.nih.gov>
- Marmot, M. G., Elliott, P., Shipley, M. J., Dyer, A. R., Ueshima, H. U., Beevers, D. G., et al. (1994). Alcohol and blood pressure the intersalt study. *British Medical Journal, 308*, 1263-1267.
- Maski, K. H., Curb, J. D., Chiu, D., Petrovitch, H., & Rodriguez, B. L. (1997). Association of Body mass index with blood pressure in elderly japanese men. *Journal of Hypertension, 29*, 673 - 677.
- Messerli, F. H., Grossman, E., & Goldburt, U. (1998). Are B-blocker efficacious as first line therapy for hypertension in the elderly? *Journal of the American Association, 279*, 1903-1907.
- Miller, C. A. (2004). *Nursing for wellness in older adults theory and practice* (4th ed.,). Philadelphia: Lippincott.
- Monane, M., Bohn, R. L., Gurwitz, J. H., Glynn, R. J., Levin, R., & Avorn, J. (1996). Compliance with antihypertensive therapy among elderly medicaid enrollees: The roles of age gender, and race. *American Journal of Public Health, 86*, 1805-1808.
- Morrell, R. W., Park, D. C., Kidder, D. P., & Martin, M. (1997). Adherence to antihypertensive medication across the life span. *Gerontologist, 37*, 609-619.
- Mulrow, C., Lau, J., Cornell, J., & Brand, M. (2003). *Pharmacotherapy for hypertension in the elderly (Cochrane Review)* [ONLINE]. Retrieved January 18, 2003, from <http://www.cochrane.org>

- Phipps, W. J. (1999). *Medical - surgical nursing concepts and clinical practice* (16th ed.,). St Louis: Mosby, Inc.
- Polit, D. F., & Beck, C. T. (2004). *Nursing research: Principle and methods* (7th ed.,). Philadelphia: Lippincott.
- Psaty, B. M., Lumley, T., Furberg, C. D., Schellenbaum, G., Pahor, M., Alderman, M. H. et al. (2003). Health outcomes associated with various antihypertensive therapies used as first-line agents: A net work meta-analysis. *Journal of the American Medical Association*, 289, 2534-2544.
- Rosenstock, I. M., Strecher, V. J., & Becker, M. H. (1988). Social learning theory and the health belief model. *Health Education Quarterly*, 15, 175-183.
- Saounatsou, M., Patsi, O., Fasoi, G., Stylianou, M., Karga, A., Economou, O. et al. (2001). The Influence of the hypertensive patient's education in compliance with their medication[ONLINE]. *Public Health Nursing*, 18, 436-442. Retrieved December 5, 2004, from <http://www.ncbi.nlm.nih>
- Schaller, K. J. (1996). Tai Chi Chih: An exercise option for older adult. *Journal of Gerontological Nursing*, 22 (10), 12-17. Retrieved December 5, 2004, from <http://www.tai.chi.chih>.
- Scott, A. K. (1998). Hypertension. In R. Tallis, H. Fillit, & J. C. Brocklehurst (Ed.), *Brocklehurst Text book of geriatric medicine and gerontology* (5 th ed., pp. 321-335). Philadelphia: Lippincott.
- Shalansky, S. J., Levy, A. R., & Ignaszewski, A. P. (2004). Self - Reported morisky score identify nonadherence with cardiovascular medications. *The Annals of Pharmacotherapy*, 38, 1363-1368.
- Shaw, E., Anderson, J. G., Maloney, M., Jay, S. J., & Fagon, D. (1995). Factors associated with noncompliance of patients taking antihypertensive medications. *Hospital Pharmacy*, 30, 201-203, 206-207.
- SHEP Cooperative Research Group. (1991). Prevention of stroke by antihypertensive drug treatment in older persons with isolated systolic hypertension final results of the systolic hypertension in the elderly program . *Journal of the American Medical Association*, 265, 3255-3264.

- Sevensson, S., Kjellgren, K. I., Ahlner, J., & Saljo, R. (2000). Reason for adherence with Antihypertensive medication [ONLINE]. *International Journal of Cardiology*, 76(2-3), 157-163. Retrieved March 1, 2004, from <http://www.ncbi.nlm.nih.gov>
- Somreudee, K. (2005). *Factors related to cognitive status among the elderly in nathawee district, songkhla province*. Master Thesis in Nursing Science (International Program). Prince of Songkla University.
- Svetkey, L. P., Simons - Morton, D., Vollmer, W. M., Appel, L. J., Conlin, P. R., Ryan, D. H. et al. (1999). Effects of dietary patterns on blood pressure. *Archives of Internal Medicine*, 159, 285-293.
- Takiya, L. N., Peterson, A. M., & Finley, R. S. (2004). Meta - analysis of interventions for medication adherence to antihypertensives. *The Annals of Pharmacotherapy*, 38, 1617-1624.
- Van Wijk, B. L., Klugel, O. H., Heerdink E. R., & De Boer, A. (2004). The association between compliance with antihypertensive drug regimen [ONLINE]. *Hypertension*, 2, 1831-1837. Retrieved December 4, 2005, from <http://www.hyper.ahajournals.org>
- Van Wijk, B. L., Klugel, O. H., Heerdink E. R., & De Boer, A. (2006). Initial non-compliance with antihypertensive monotherapy is followed by complete discontinuation of antihypertensive therapy [ONLINE]. *Pharmacoepidemiology and Drug Safety*, 8, 587-593. Retrieved September 4, 2005, from <http://www.hyper.ahajournals.org>
- Vollmer, W. M., Sacks, F. M., Ard, J., Appel, L., Bray, G. A. Simons - Morton, D. G. et al. (2001). Effects of diet and sodium intake on blood pressure: Subgroup analysis of the DASH - Sodium trial. *Archives of Internal Medicine*, 135, 1019-1028.
- Waeber, B., Burnier, M., & Brunner, H. R. (2000). How to improve adherence with prescribed treatment in hypertensive patient?[ONLINE]. *Journal of Cardiovascular Pharmacology*, 35, 23-26. Retrieved May 5, 2004 , from <http://www.ncbi.nlm.nih>
- Weir, M. R., Maibach, E. W., Bakris, G. L., Black, H. R., Chawla, P., Messerli, F. H. et al. (2000). Implication of a health lifestyle and medication analysis for improving hypertension control. *Archives of Internal Medicine*, 160, 481-490.

- Whelton, P. K., Appel, L. J., Espeland, M. A., Applegate, W. B., Ettinger, W. H., Kostis, J. B. et al. (1998). Sodium reduction and weight loss in the treatment of hypertension in older persons. *Journal of the American Medical Association*, 279, 839-846.
- World Health Organization International Society of Hypertension. (1999). World Health Organization international society of hypertension guideline management of hypertension. *Journal of Hypertension*, 17, 151-183.
- Youssef , R. M., & Moubark, I. I. (2002). Patterns and determinants of treatment compliance among hypertensive patients [ ONLINE ]. *Eastern Mediterranean Health Journal*, 8579-592 . Retrieved Febuary, 19 2004 , from <http://www.ncbi.nlm.nih>