

## บรรณานุกรม

- กรมควบคุมโรค กระทรวงสาธารณสุข. 2546. คู่มือดูแลตนเองเบื้องต้นเรื่องเบาหวาน. พิมพ์ครั้งที่ 7. กรุงเทพมหานคร : บริษัทกราฟฟิคแมส จำกัด.
- จิตตินันท์ พงสุวรรณ. 2541. “ประสบการณ์ควบคุมระดับน้ำตาลในเลือดของผู้ป่วยเบาหวานชนิดไม่พึ่งอินซูลิน”. วิทยานิพนธ์พยาบาลศาสตรมหาบัณฑิต (การพยาบาลผู้ใหญ่) มหาวิทยาลัยสงขลานครินทร์
- ณรงค์ วนิชย์นิรมล และวิทยา ศรีมาดา. 2543. “กลไกการเกิดโรคแทรกซ้อนเรื้อรังในผู้ป่วยเบาหวาน”. ใน : การดูแลรักษาผู้ป่วยเบาหวาน. หน้า 99-104. วิทยา ศรีมาดา, บรรณาธิการ. กรุงเทพมหานคร : โรงพิมพ์ยูนิตีพับลิเคชั่น
- ธิตี สันับบุญ. 2543. “โรคแทรกซ้อนฉับพลันในผู้ป่วยเบาหวาน”. ใน : การดูแลรักษาผู้ป่วยเบาหวาน, หน้า 324-34. วิทยา ศรีมาดา, บรรณาธิการ. กรุงเทพมหานคร : โรงพิมพ์ยูนิตีพับลิเคชั่น
- ธิตี สันับบุญ. 2543. “ระบาดวิทยาของโรคเบาหวาน”. ใน : การดูแลรักษาผู้ป่วยเบาหวาน, หน้า 15-20. วิทยา ศรีมาดา, บรรณาธิการ. กรุงเทพมหานคร : โรงพิมพ์ยูนิตีพับลิเคชั่น
- ประศาสน์ ลักษณะพุกก์. 2543. “โรคแทรกซ้อนทางตาในผู้ป่วยเบาหวาน”. ใน : การดูแลรักษาผู้ป่วยเบาหวาน, หน้า 118-21. วิทยา ศรีมาดา, บรรณาธิการ. กรุงเทพมหานคร : โรงพิมพ์ยูนิตีพับลิเคชั่น
- วนิดา ภัณฑบดีกรณ. 2544. “โปรแกรมคอมพิวเตอร์สำหรับให้คำแนะนำผู้ป่วยโรคหอบหืด”. วิทยานิพนธ์มหาบัณฑิต (เภสัชศาสตร์) มหาวิทยาลัยมหิดล
- สมพงษ์ สุวรรณวลัยกร. 2543. “กลุ่มอาการเมตะบอลิก”. ใน : การดูแลรักษาผู้ป่วยเบาหวาน. หน้า 35-42. วิทยา ศรีมาดา, บรรณาธิการ. กรุงเทพมหานคร : โรงพิมพ์ยูนิตีพับลิเคชั่น

- Abbot, R.D., Donahue, R.P., Kennel, W.B., et al. 1988. "The impact of diabetes on survival following myocardial infraction in men vs. women: the Framingham Study". JAMA. 260, 3456.
- Anderson, R.J., Freedland, K.E., Clouse, R.E., et al. 2001. "The prevalence of co morbid depression in adult with diabetes: A meta-analysis". Diabetes Care. 24, 1069-78.
- Barret, C.E. and Khaw, K.T. 1996. "Diabetes mellitus: An independent risk factor for stroke?". Am J Epidemiol. 128, 116-23.
- Berg, J.S., Dischler, J., Wagner, D.J., et al. 1993. "Medication compliance: A healthcare problem". Ann Pharmacother. 27, S1-S24.
- Berrhger, R., Shirley. M.C., Cary, C.C., et al. 1999. "Outcome of a community pharmacy-based diabetes monitoring program". J Am Pharm Asse 39, 791-7.
- Benbow, J.S, Wallymahmed, E.M., Macfarlane, A.I. 1998. "Diabetic peripheral neuropathy and quality of life". Q J Med. 91, 733-7.
- Billiard, A., Rohmer, V., Roques, A.M., et al. 1991. "Telematic transmission of computerized blood glucose profiles for IDDM patients". Diabetes care. 14( 2 ), 130-4.
- Bond, A.C., Monson. R. 1984. "Sustained improvement in drug documentation, compliance, and disease control: A four – years analysis of an ambulatory care model". Arch Intern Med. 144, 1159-62.
- Bootman, L.J., Harrison. L.D. and Cox, E. 1997. "The health care cost of drug-related morbidity and mortality in nursing facilities". Arch Intern Med. 157, 2089-96.
- Burke, J.P., William, K., Gaskil, S.P., et al. 1999. "Rapid rise in the incidence of type 2 diabetes from 1987-1996". Arch Intern Med. 159, 1450-6.

- Cramer, J.A.. 1991. "Overview of methods to measure and enhance patient compliance". In : Patient Compliance in Medical Practice and Clinical Trials, p. 3-19. Cramer, J.A. and Spilker, B., eds. New York : Raven Press.
- Ciechanowski, P.S., Katon, W.J. and Russo, J.E. 2000. "Depression and diabetes: impact of depressive symptoms on adherence, function, and cost". Arch Intern Med. 160, 3278-85.
- Col, N.F., Jame, E., Kronholm, P. 1990. "The role of medication noncompliance and adverse drug reaction in hospitalizations of the elderly". Arch Intern Med. 150, 841-5.
- Delahanty, M.L. and Halford, N.B. 1993. "The role of diet behaviors in achieving improved glycemic control in intensively treated patient in the diabetes control and complication trial". Diabetes Care. 16 (11), 1453-8.
- Dexter, R.P. Bond, A.C., Schuna, A., et al. 2001. "A computerized reminder system to increase the use of preventive care for hospitalized patients". N Engl J Med. 345(13), 965-70.
- Erickson, S.R., Slaughter, R. and Halapy, H. 1997. "Pharmacists' ability to influence outcomes of hypertension therapy". Pharmacotherapy. 17, 140-7.
- Evan, S.R., Pestotnik, L.S., Classen, C.D., et al. 1999. "Evaluation of a computer – assisted antibiotic – dose monitor". Ann Pharmacother. 33, 1026-31.
- Filippi, A., Mazzaglia, G., Sabatini, A., et al. 2003. "Effect of automated electronic reminder in changing the antiplatelet drug-prescribing behavior among Italian general practitioners in diabetic patient". Diabetes Care. 26 (5), 1497-500.
- Gegick, C.G., Altheimer, M.D., Kissling, G.E. 2000. "Benefits of computerized outcome analysis in diabetes management". Endocr Pract. 6 ( 3 ), 253-9.
- Glanz, K., Shigaki, D., Farzanfar, R., et al. 2003. "Participant reaction to a computerized

- telephone system for nutrition and exercise counseling". Patient Educ Couns. 49 (2), 157-63.
- Glasgow, R.E. and Bull, S.S. 2001. "Making a difference with interactive technology : consideration in using and evaluating computerized aids for diabetes self-management education". Diabetes spectrum. 14, 99-106.
- Glasgow, R.E., Wagner, E.H., Kaplan, R.M., et al. 1992. "If diabetes is a public health problem, why not treat it as one? A population-based approach to chronic illness". Ann Behav Med. 21, 159-70.
- Group DPPR. 2002. "Reduction in the incidence of type 2 diabetes with lifestyle intervention or metformin". N Engl J Med. 346, 393-403.
- Haffner, S.M. 1998. "Management of dyslipidemia in adults with diabetes". Diabetes Care. 21, 160-78.
- Haffner, S.M., Lehto, S., Ronnema, T., et al. 1998. "Mortality from coronary heart disease in subject with type 2 diabetes and in nondiabetic subject with and without prior myocardial infraction". N Engl J Med. 339, 229-34.
- Hanlon, J.T., Weinberger, M.S., Schmader, K.E. et al. 1996. "A randomized controlled trial of a clinical pharmacist intervention to improve inappropriate prescribing in elderly outpatients with polypharmacy". Am J Med. 100, 428-37.
- Harris, M.I., Flegal, K.M., Cowie, C.C., et al. 1998. "Prevalence of diabetes impaired fasting glucose and impaired fasting glucose tolerance in US adults the Third National Health and Nutrition". Diabetes Care. 21, 518-24.
- Health Canada. Population and public health branch. Center for chronic disease and prevention control. 2002. Diabetes in Canada. Ottawa.

- Hepler, C.D., Strand, L.M. 1990. "Opportunities and responsibilities in pharmaceutical care". Am J Hosp Pharm. 47, 533-43.
- Hunt, L.D., Heaynes, B.R., Hanna, E.S., et al. 1998. "Effect of computer – based clinical decision support systems on physician performance and patient outcomes". JAMA. 250(15), 1339-46.
- Jaber, A.L., Halapy, H., Femet, M., et al. 1996. "Evaluation of a pharmaceutical care model on diabetes management". Ann Pharmacother. 30, 238-43.
- Jacobson, A.M. 1996. "The psychological care of patient with insulin-dependent diabetes mellitus". N Engl Med. 334, 1249-53.
- Janchawee, B., Wongpoowarak, W., Amnuaypanit, C., et al. 2003. "Development and trial of the drug interaction database system". Songklanakarin J Sci Technol. 25(4), 525-34.
- Johnson, A.J. and Bootman, L.J. 1997. "Drug-related morbidity and mortality: economic impact of pharmaceutical care". Am J Health Syst Pharm. 54, 554-8.
- Jones, H., Edwards, L., Vallis, M.T., et al. 2003. "Change in diabetes self-care behaviors make a difference in glycemic control: The Diabetes Stage of Change (DiSC) study". Diabetes Care. 26(3), 732-7.
- Kannel, W.B. and McGee, D.L. 1979. "Diabetes and cardiovascular disease: The Framingham Study". JAMA. 241, 2034-8.
- Kassam, R., Farris, K.B., Burbach, L., et al. 2001. "Pharmaceutical care research and education project: Pharmacist' s interventions". J Am Pharm Assoc. 41, 401-10.
- Kirkman, S.M., Weinberger, M., Landsman, B.P., et al. 1994. "A telephone-delivered intervention for patients with NIDDM". Diabetes Care. 17(8), 840-6.

- Keyserling, C.T., Samuel-Hodge, D.C., Ammerman, S.A., et al. 2002. "A randomized trial of an intervention to improve self-care behaviors of African-American women with type 2 diabetes: impact on physical activity". Diabetes Care. 25(9), 1576-83.
- Lacy, F.C., Armstrong, L.L., Goldman, P.M., et al. 2001. Drug Information Handbook. 9<sup>th</sup> ed. Ohio : Lexi-comp.
- Lafata, J.E., Baker, A.M., Divine, G.W., et al. 2002. "The use of computerized birthday greeting reminders in the management of diabetes". J Gen Intern Med. 14(7), 521-30.
- Liaw, S.T., Radford, A.J., Maddocks, I. 1998. "The impact of a computer generated held health record". Aust Fam Physician. 27(1), 539-43.
- Lobach, F.D. and Hammond, E.W. 1997. "Computerized decision support base on a clinical practice guideline improves compliance with care standard". Am J Med. 102, 89-98.
- Lobas, H.N., Lepinski, W.P., Abramowitz, W.P. 1992. "Effect of pharmaceutical care on medication cost and quality of patient care in an ambulatory – care clinic". Am J Hosp Pharm. 49, 1681-8.
- Loreto, D.C., Fanelli, C., Lucidi, P., et al. 2003. "Validation of a counseling strategy to promote the adoption and the maintenance of physical activity by type 2 diabetic subjects". Diabetes Care. 26(2), 404-8.
- Lovis, C., Chapko, M.K., Martin, D.P., et al. 2004. "Evaluation of a command-line parser-based order entry pathway for the department of Veterans Affairs electronic patient record". J Am Med Inform Assoc. 8(5), 486-98.
- Lustman, P.J., Anderson, R.J., Freedland, K.E., et al. 2000. "Depression and poor glycemic control: A meta-analysis review of the literature". Diabetes Care. 23, 934-42.

- Mccarty, D. and Zimmet, P. 1994. Diabetes 1994 to 2010: global estimates and projections. Melbourne: International Diabetes Institute
- McDonald, J.C. 1976. "Protocol-based computer reminder, the quality of care and the non-perfectability of man". N Engl J Med. 295, 1351-5.
- McDonald, J.C., Hui, L.S., Smith, M.D., et al. 1984. "Reminder to physicians from an introspective computer medical record". Ann of Intern Med. 100, 130-8.
- McEvoy, K.G. 2003. AHFS Drug Information. Bethesda : American Society of Health-System Pharmacist.
- Mckay, H.G., Feil, E.G., Glasgow, R.E., et al. 1998. "Feasibility and use of an internet support crvice for diabetes self management". Diabetes Educ. 24, 174-9.
- Monson. R., Bond, A.C., Schuan, A. 1981. "Role of the clinical pharmacist on improving drug therapy: clinical pharmacists in outpatient therapy". Arch Intern Med. 141, 1441-4.
- Naranjo, C., Busto, U. and Sellers, E.M. 1981. "A method for estimating the probability of adverse drug reaction". Clin Pharmacol Ther. 30(1981), 239-45.
- O' Neil, K.C., Poirer, I.T. 1998. "Impact of patient knowledge, patient-pharmacist relationship, and drug perception on adverse drug therapy outcome". Pharmacotherapy. 18(2), 333-340.
- Overhage, J.M., Perkins S., Tierney, W.M., et al. 2001 "Controlled trial of direct physician order entry: effect on physicians' time utilization in ambulatory primary care intervention medicine practices". J Am Med Inform Assoc. 8(4), 361-71.
- Prince, B.S., Goetz, C.M., Rihn, T.L., et al. 1992. "Drug – related emergency department visit and hospital admission". Am J Hosp Pharm. 49, 1696-700.

- Schneider, P.J., Gift, M.G., Lee, Y., et al. 1995. "Cost of medication-related problems at a university hospital". Am J Health-Syst Pharm. 52, 2415-8.
- Schwedes, U., Siebold, M. and Mertes, G. 2002. "Meal-related structured self-monitoring of blood glucose: effect on diabetes control in non-insulin-treated type 2 diabetic patients". Diabetes Care. 25(11), 1928-32.
- Scottish Intercollegiate Guideline Network. 2001. Management of diabetes : A national clinical guideline. Edinburgh : SIGN publication number 55.
- Shojania, K.G., Yokoe, D., Platt, R., et al. 1998. "Reducing vancomycin use utilizing a computer guideline: results of a randomized controlled trial". J Am Med Inform Assoc. 5(6), 554-62.
- Smith, M.K., McAdams, W.J., Frenia, L.M., et al. 1997. "Drug-related problems in emergency department patient". Am J Health Pharm. 54(1), 295-8.
- Stengel, D., Bauwins, K., Walter, M., et al. 2004. "Comparison of handheld computer-assisted and conventional paper chart documentation of medical records. A randomized controlled trial". J Bone Joint Surg Am. 86-A(3), 553-60.
- Strand, L.M., Morley, P.C., Cipollic, R.J., et al. 1990. "Drug related problem: Their structure and function". DICP Pharmacother. 24, 1093-7.
- Subramanian, U., Fihn, S.D., Weinberger, M., et al. 2004. "A controlled trial of including symptom data in computer-based care suggestion for managing patients with chronic heart failure". Am J Med. 116 (6), 375-84.
- Tafreshi, J.M., Melby, J.M., Kaback, R.K., et al. 1999. "Medication-related visit to emergency department: A prospective study". Ann Pharmacother. 33, 1252-7.



- Tan, A.S., Yong, L.S., Wan, S., et al. 1997. "Patient education in the management of diabetes mellitus". Singapore Med J. 38(4), 156-40[ abstract ]
- Tape, G.T, Campbell, R.J. 1993. "Computerized medical records and preventive health care: success depends on many factor". Am J Med. 94, 619-25.
- Tate, F.D., Jackvony, H.E. and Wing, R.R. 2003. "Effects of internet behavioral counseling on weight loss in adults at risk for type 2 diabetes: A randomized trial". JAMA. 289 (14), 1833-6.
- Terney, W.M., Miller, M.E., Overhage, J.M., et al. 1993. "Physician inpatient order writing on microcomputer worksations: effects on resource utilization". JAMA. 269(3), 379-83.
- The Diabetes Control and Complications Trial research Group. 1993. "The effect of intensive treatment of diabetes on the development and progression of long –term complications in insulin-dependent diabetes mellitus". N Engl J Med. 329, 977-86.
- Tsang, W.M., Mok, M., Kam, G. et al. 2001. "Improvement in diabetes control with a monitoring system base on a hand-held. touch-screen electronic diary". J Telemed Telecare. 7, 47-50.
- Tuomilehto, J., Lindstrom, J., Eriksson, J., et al. 2001. "Prevention of type 2 diabetes mellitus by change in lifestyle among subjects with impaired glucose tolerance". N Engl J Med. 344, 1343-50.
- UK Prospective Diabetes Study Group. 1998. "Intensive blood glucose control with sulfonylureas or insulin compared with conventional treatment and risk of complication in patient with type 2 diabetes (UKPDS 33)". Lancet. 352, 837-53.

- UK Prospective Diabetes Study Group. 1998. "Effect of intensive blood glucose control with metformin on complication in overweight patient with type 2 diabetes (UKPDS 34)". Lancet. 352, 854-65.
- UK Prospective Diabetes Study Group. 1998. "Tight blood pressure control and risk of macrovascular and microvascular complication in patient with type 2 diabetes (UKPDS 38)". BMJ. 317, 703-13.
- Wongpoowarak, W. and Wongpoowarak, P. 2002. "Unified algorithm for real-time detection of drug interactive and drug allergy". Comp Meth Prog Biomed. 68, 63-72.
- Zander, E., Herfürth, S., Bohl, B., et al. 2000. "Maculopathy in patients with diabetes mellitus type 1 and type 2 : associations with risk factor". Br J Ophthamol. 84, 871-6.