

## បរវត្ថុក្រោម

1. The glossary of prosthodontic terms. J Prosthet Dent 1999;81(1):39-110.
2. Kidd EA, Smith BG. Toothwear histories: a sensitive issue. Dent Update 1993;20 (4):174-8.
3. Asher C, Read MJ. Early enamel erosion in children associated with the excessive consumption of citric acid. Br Dent J 1987;162(10):384-7.
4. Milosevic A. Toothwear: aetiology and presentation. Dent Update 1998;25(1):6-11.
5. Bartlett DW, Evans DF, Smith BG. The relationship between gastro-oesophageal reflux disease and dental erosion. J Oral Rehabil 1996;23(5):289-97.
6. Johansson A, Omar R. Identification and management of tooth wear. Int J Prosthodont 1994;7(6):506-16.
7. Grippo JO. Abfractions: a new classification of hard tissue lesions of teeth. J Esthet Dent 1991;3(1):14-9.
8. Owens BM, Gallien GS. Noncarious dental abfraction lesions in an aging population. Compend Contin Educ Dent 1995;16(6):552-62.
9. Smith BG, Bartlett DW, Robb ND. The prevalence, etiology and management of tooth wear in the United Kingdom. J Prosthet Dent 1997;78(4):367-72.
10. Lambrechts P, Vanherle G, Vuylsteke M, Davidson CL. Quantitative evaluation of the wear resistance of posterior dental restorations: a new three-dimensional measuring technique. J Dent 1984;12(3):252-67.
11. Smith BG, Knight JK. An index for measuring the wear of teeth. Br Dent J 1984;156 (12):435-8.
12. Hattab FN, Yassin OM. Etiology and Diagnosis of Tooth Wear: A Literature Review and Presentation of Selected Cases. Int J Prosthodont 2000;13(2):101-7.

13. Bartlett D, Phillips K, Smith B. A difference in perspective--the North American and European interpretations of tooth wear. *Int J Prosthodont* 1999;12(5):401-8.
14. Rytomaa I, Meurman JH, Koskinen J, Laakso T, Gharazi L, Turunen R. In vitro erosion of bovine enamel caused by acidic drinks and other foodstuffs. *Scand J Dent Res* 1988;96(4):324-33.
15. Meurman JH, Horkonen M, Noveri H, Koskinen J, Torkko H, Rytomaa I, Jarvinen V, Turunen R. Experimental sports drinks with minimal dental erosion effect. *Scand J Dent Res* 1990;98(2):120-8.
16. Kaidonis JA, Richards LC, Townsend GC, Tansley GD. Wear of human enamel: a quantitative in vitro assessment. *J Dent Res* 1998;77(12):1983-90.
17. Mair LH. Understanding wear in dentistry. *Compend Contin Educ Dent* 1999;20(1):19-32.
18. Giunta JL. Dental erosion resulting from chewable vitamin C tablets. *J Am Dent Assoc* 1983;107(2):253-6.
19. Bartlett DW. The causes of dental erosion [editorial]. *Oral Dis* 1997;3(4):209-11.
20. Bohmer CJ, Klinkenberg-Knol EC, Niezen-de Boer MC, Meuwissen PR, Meuwissen SG. Dental erosions and gastro-oesophageal reflux disease in institutionalized intellectually disabled individuals. *Oral Dis* 1997;3(4):272-5.
21. Bartlett DW, Blunt L, Smith BG. Measurement of tooth wear in patients with palatal erosion. *Br Dent J* 1997;182(5):179-84.
22. Lambrechts P, Braem M, Vuylsteke-Wauters M, Vanherle G. Quantitative in vivo wear of human enamel. *J Dent Res* 1989;68(12):1752-4.
23. Lussi A, Joggi T, Schorer S. The influence of different factors on in vitro enamel erosion. *Caries Res* 1993;27(5):387-93.

24. Lussi A, Jaeggi T, Jaeggi-Schärer S. Prediction of the erosive potential of some beverages. *Caries Res* 1995;29(5):349-54.
25. West NX, Maxwell A, Hughes JA, Parker DM, Newcombe RG, Addy M. A method to measure clinical erosion: the effect of orange juice consumption on erosion of enamel. *J Dent* 1998;26(4):329-35.
26. Bartlett DW, Evans DF, Smith BG. Oral regurgitation after reflux provoking meals: a possible cause of dental erosion? *J Oral Rehabil* 1997;24(2):102-8.
27. Smith BG, Robb ND. Dental erosion in patients with chronic alcoholism. *J Dent* 1989;17(5):219-21.
28. Gilmour AG, Beckett HA. The voluntary reflux phenomenon. *Br Dent J* 1993;175(10):368-72.
29. Smith BG, Knight JK. A comparison of patterns of tooth wear with aetiological factors. *Br Dent J* 1984;157(1):16-9.
30. Petersen PE, Gormsen C. Oral conditions among German battery factory workers. *Community Dent Oral Epidemiol* 1991;19(2):104-6.
31. McNeill C. McNeill C, editor. *Science and Practice of Occlusion*. 1st ed. Illinois: Quintessence Publishing Co, Inc; 1997.
32. Rugh JD, Barghi N, Drago CJ. Experimental occlusal discrepancies and nocturnal bruxism. *J Prosthet Dent* 1984;51(4):548-53.
33. Seligman DA, Pullinger AG, Solberg WK. The prevalence of dental attrition and its association with factors of age, gender, occlusion, and TMJ symptomatology. *J Dent Res* 1988;67(10):1323-33.
34. Molnar S, McKee JK, Molnar IM, Przybeck TR. Tooth wear rates among contemporary Australian Aborigines. *J Dent Res* 1983;62(5):562-5.

35. Svinnseth PN, Gjerdet NR, Lie T. Abrasivity of toothpastes. An in vitro study of toothpastes marketed in Norway. *Acta Odontol Scand* 1987;45(3):195-202.
36. Lee WC, Eakle WS. Possible role of tensile stress in the etiology of cervical erosive lesions of teeth. *J Prosthet Dent* 1984;52(3):374-80.
37. Jarvinen VK, Rytomaa II, Heinonen OP. Risk factors in dental erosion. *J Dent Res* 1991;70(6):942-7.
38. Kelleher M, Bishop K. Tooth surface loss: an overview. *Br Dent J* 1999;186(2):61-6.
39. Smith BG, Robb ND. The prevalence of toothwear in 1007 dental patients. *J Oral Rehabil* 1996;23(4):232-9.
40. Robb ND, Cruwys E, Smith BG. Regurgitation erosion as a possible cause of tooth wear in ancient British populations. *Arch Oral Biol* 1991;36(8):595-602.
41. Jarvinen V, Rytomaa I, Meurman JH. Location of dental erosion in a referred population. *Caries Res* 1992;26(5):391-6.
42. Linkosalo E, Markkanen H. Dental erosions in relation to lactovegetarian diet. *Scand J Dent Res* 1985;93(5):436-41.
43. Milosevic A, Young PJ, Lennon MA. The prevalence of tooth wear in 14-year-old school children in Liverpool. *Community Dent Health* 1994;11(2):83-6.
44. Silness J, Berge M, Johannessen G. Longitudinal study of incisal tooth wear in children and adolescents. *Eur J Oral Sci* 1995;103(2 ( Pt 1)):90-4.
45. Lussi A, Schaffner M, Hotz P, Suter P. Dental erosion in a population of Swiss adults. *Community Dent Oral Epidemiol* 1991;19(5):286-90.
46. Johansson A, Haraldson T, Omar R, Kiliaridis S, Carlsson GE. An investigation of some factors associated with occlusal tooth wear in a selected high-wear sample. *Scand J Dent Res* 1993;101(6):407-15.

47. Donachie MA, Walls AW. Assessment of tooth wear in an ageing population. *J Dent* 1995;23(3):157-64.
48. Seligman DA, Pullinger AG. The degree to which dental attrition in modern society is a function of age and of canine contact. *J Orofac Pain* 1995;9(3):266-75.
49. Dahl BL, Carlsson GE, Ekefeldt A. Occlusal wear of teeth and restorative materials. A review of classification, etiology, mechanisms of wear, and some aspects of restorative procedures. *Acta Odontol Scand* 1993;51(5):299-311.
50. Ekefeldt A, Hugoson A, Bergendal T, Helkimo M. An individual tooth wear index and an analysis of factors correlated to incisal and occlusal wear in an adult Swedish population. *Acta Odontol Scand* 1990;48(5):343-9.
51. Pollmann L, Berger F, Pollmann B. Age and dental abrasion. *Gerodontics* 1987;3:94-6.
52. Seligman DA, Pullinger AG, Solberg WK. The prevalence of dental attrition and its association with factors of age, gender, occlusion, and TMJ symptomatology. *J Dent Res* 1988;67(10):1323-33.
53. Salonen L, Hellden L, Carlsson GE. Prevalence of signs and symptoms of dysfunction in the masticatory system: an epidemiologic study in an adult Swedish population. *J Craniomandib Disord* 1990;4(4):241-50.
54. Kiliaridis S, Tzakis MG, Carlsson GE. Effects of fatigue and chewing training on maximal bite force and endurance. *Am J Orthod Dentofacial Orthop* 1995;107(4):372-8.
55. Carlsson GE, Hugoson A, Persson G. Dental abrasion and alveolar bone loss in the white rat. II. Effect of selective ligation of the ducts of the major salivary glands. *Odontol Revy* 1966;17(1):44-9.

56. Abdullah A, Sherfudhin H, Omar R, Johansson A. Prevalence of occlusal tooth wear and its relationship to lateral and protrusive contact schemes in a young adult Indian population. *Acta Odontol Scand* 1994;52(4):191-7.
57. Johansson A, Fareed K, Omar R. Lateral and protrusive contact schemes and occlusal wear: a correlational study in a young adult Saudi population. *J Prosthet Dent* 1994;71(2):159-64.
58. Silness J, Johannessen G, Roynstrand T. Longitudinal relationship between incisal occlusion and incisal tooth wear. *Acta Odontol Scand* 1993;51(1):15-21.
59. Krogstad O, Dahl BL. Dento-facial morphology in patients with advanced attrition. *Eur J Orthod* 1985;7(1):57-62.
60. Carlsson GE, Johansson A, Lundqvist S. Occlusal wear. A follow-up study of 18 subjects with extensively worn dentitions. *Acta Odontol Scand* 1985;43(2):83-90.
61. Dahl BL. Pathological attrition and maximal bite force. *J Oral Rehabil* 1985;12:337-42.
62. Graf H. Bruxism. *Dent Clin N Amer* 1969;13:659-65.
63. Clark GT, Beemsterboer PL, Rugh JD. Nocturnal masseter muscle activity and the symptoms of masticatory dysfunction. *J Oral Rehabil* 1981;8(3):279-86.
64. Clarke NG, Townsend GC. Distribution of nocturnal bruxing patterns in man. *J Oral Rehabil* 1984;11(6):529-34.
65. Eccles JD. Dental erosion of nonindustrial origin. A clinical survey and classification. *J Prosthet Dent* 1979;42(6):649-53.
66. Jarvinen V, Meurman JH, Hyverinen H, Rytomaa I, Murtomaa H. Dental erosion and upper gastrointestinal disorders. *Oral Surg Oral Med Oral Pathol* 1988;65(3):298-303.

67. Hellstrom I. Oral complications in anorexia nervosa. *Scand J Dent Res* 1977;85(1):71-86.
68. Hurst PS, Lacey LH, Crisp AH. Teeth, vomiting and diet: a study of the dental characteristics of seventeen anorexia nervosa patients. *Postgrad Med J* 1977;53(620):298-305.
69. Eccles JD. Erosion affecting the palatal surfaces of upper anterior teeth in young people. A report of 19 cases. *Br Dent J* 1982;152(11):375-8.
70. Robb ND, Smith BG. Prevalence of pathological tooth wear in patients with chronic alcoholism. *Br Dent J* 1990;169(11):367-9.
71. Bruggen CH. Dental erosion in industry. *Br J Ind Med* 1968;25(4):249-66.
72. Skogedal O, Silness J, Tangerud T, Laegreid O, Gilhuus-Moe O. Pilot study on dental erosion in a Norwegian electrolytic zinc factory. *Community Dent Oral Epidemiol* 1977;5(5):248-51.
73. Enbom L, Magnusson T, Wall G. Occlusal wear in miners. *Swed Dent J* 1986;10(5):165-70.
74. Petersen PE, Henmar P. Oral conditions among workers in the Danish granite industry. *Scand J Work Environ Health* 1988;14(5):328-31.
75. Johansson A. A cross-cultural study of occlusal tooth wear. *Swed Dent J Suppl* 1992;86:1-59.
76. Fareed K, Johansson A, Omar R. Prevalence and severity of occlusal tooth wear in a young Saudi population. *Acta Odontol Scand* 1990;48(4):279-85.
77. Ekfeldt A. Incisal and occlusal tooth wear and wear of some prosthodontic materials. An epidemiological and clinical study. *Swed Dent J Suppl* 1989;65:1-62.

78. Gudmundsson K, Kristleifsson G, Theodors A, Holbrook WP. Tooth erosion, gastroesophageal reflux, and salivary buffer capacity. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod* 1995;79(2):185-9.
79. Milosevic A, Dawson LJ. Salivary factors in vomiting bulimics with and without pathological tooth wear. *Caries Res* 1996;30(5):361-6.
80. Milosevic A, Slade PD. The orodental status of anorexics and bulimics. *Br Dent J* 1989;167(2):66-70.
81. Johansson A, Fareed K, Omar R. Analysis of possible factors influencing the occurrence of occlusal tooth wear in a young Saudi population. *Acta Odontol Scand* 1991;49(3):139-45.
82. Eccles JD, Jenkins WG. Dental erosion and diet. *J Dent* 1974;2(4):153-9.
83. Milosevic A. Tooth wear: an aetiological and diagnostic problem. *Eur J Prosthodont Restor Dent* 1993;1(4):173-8.
84. Carlsson GE, Hugoson A, Persson G. Dental abrasion and alveolar bone loss in the white rat. IV. The importance of the consistency of the diet and its abrasive components. *Odontol Revy* 1967;18(3):263-8.
85. Linkosalo E, Markkanen H. Dental erosions in relation to lactovegetarian diet. *Scand J Dent Res* 1985;93(5):436-41.
86. Johansson A, Kiliaridis S, Haraldson T, Omar R, Carlsson GE. Covariation of some factors associated with occlusal tooth wear in a selected high-wear sample. *Scand J Dent Res* 1993;101(6):398-406.
87. Milosevic A, Young PJ, Lennon MA. The prevalence of tooth wear in 14-year-old school children in Liverpool. *Community Dent Health* 1994;11(2):83-6.
88. Dahl BL, Oilo G., B.Owall, A.F.Kayser, G.E.Carlsson, editors. *Prosthodontics Principle and Management Strategies*. 1 ed. Barcelona: Mosby-Wolfe; 1996; 14, Wear of Teeth and Restorative Materials. p. 187-200.

89. Rees JS, Burford K, Loyn T. The erosive potential of the alcoholic lemonade Hooch. *Eur J Prosthodont Restor Dent* 1998;6(4):161-4.
90. Sarrett DC, Coletti DP, Pelaso AR. The effects of alcoholic beverages on composite wear. *Dent mater* 2000;16:62-7.
91. Moss SJ. Dental erosion. *Int Dent J* 1998;48(6):529-39.
92. Belinda LG, Donald AC, Lawrence K, John C. Evaluation of dental erosion in patients with gastroesophageal reflux disease. *J Prosthet Dent* 2000;83:675-80.
93. Smith BG, Bartlett DW, Robb ND. The prevalence, etiology and management of tooth wear in the United Kingdom. *J Prosthet Dent* 1997;78(4):367-72.
94. Kelleher M, Bishop K. Tooth surface loss: an overview. *Br Dent J* 1999;186(2):61-6.
95. Khan F, Young WG, Shahabi S, Daley TJ. Dental cervical lesions associated with occlusal erosion and attrition. *Aust Dent J* 1999;44(3):176-86.