

เอกสารอ้างอิง

1. Vallittu PK, Lassila, VP, Lappalainen R. Evaluation of damage to removable dentures in two cities in Finland. *Acta Odontol Scand* 1993; 51: 363 - 369.
2. Darbar UR, Huggett R, Harrison A. Denture fracture-a survey. *Br Dent J* 1994; 176: 342 - 345.
3. O' Toole TJ, Furnish GM, von Fraunhofer JA. Linear distortion of acrylic resin. *J Prosthet Dent* 1985; 53: 53 - 55.
4. Salim S, Sadamori S, Hamada T. The dimensional accuracy of rectangular acrylic resin specimens cured by three denture base processing methods. *J Prosthet Dent* 1992; 67: 879 - 881.
5. Dixon DL, Breeding LC, Ekstrand KG. Linear dimensional variability of three denture base resins after processing and in water storage. *J Prosthet Dent* 1992; 68: 196 - 200.
6. Smith DC. The acrylic denture. Mechanical evaluation, midline fracture. *Br Dent J* 1961; 110: 257 - 267.
7. Beyli MS, von Fraunhofer JA. An analysis of causes of fracture of acrylic resin dentures. *J Prosthet Dent* 1981; 46: 238 - 241.
8. Oku J. Impact properties of acrylic denture base resin. 3. Impact properties of cross-linked polymers. *Dent Mater J* 1989; 8: 215 - 222.
9. Callister Jr. WD. Materials science and engineering an introduction. In Composites. 4th ed. NewYork: John Wiley & Sons, Inc; 1997.p. 510 - 548.
10. Brown D. Fibre-reinforced materials. *Dent Update* 2000; 27: 442 - 448.
11. Vallittu PK. A review of fiber-reinforced denture base resins. *J Prosthodont* 1996; 5: 270 - 276.
12. Jagger DC, Harrison A, Jandt KD. The reinforcement of dentures. *J Oral Rehabil* 1999; 26: 185 - 194.

13. Freilich MA, Meriers JC, Duncan JP, Goldberg AJ. Fiber-reinforced Composites in clinical dentistry. In Composition, Architecture, and Mechanical Properties of Fiber reinforced Composites. 1st ed. Illinois: Quintessence Publishing Co, Inc; 2000.p. 9 - 21.
14. Vallittu PK, Lassila VP, Lappalainen R. Acrylic resin - fiber composite - Part I: The effect of fiber concentration on fracture resistance. *J Prosthet Dent* 1994; 71: 607 - 612.
15. Vallittu PK. Acrylic resin - fiber composite - Part II: The effect of polymerization shrinkage of polymethyl methacrylate applied to fiber roving on transverse strength. *J Prosthet Dent* 1994; 71: 613 - 617.
16. Schreiber CK. Polymethylmethacrylate reinforced with carbon fibers. *Br Dent J* 1971; 130: 29 - 30.
17. Bowman AJ, Manley TR. The elimination of breakages in upper dentures by reinforcement with carbon fibre. *Br Dent J* 1984; 156: 87 - 89.
18. Yazdazie N, Mahood M. Carbon fiber acrylic resin composite: an investigation of transverse strength. *J Prosthet Dent* 1985; 53: 543 -547.
19. DeBoer J, Vermilyea SG, Brady RE. The effect of carbon fiber orientation on the fatigue resistance and bending properties of two denture resins. *J Prosthet Dent* 1984; 51: 119 - 121.
20. เล็ก สีคอง. วัสดุผสม. วัสดุวิศวกรรมและอุตสาหกรรม. พิมพ์ครั้งที่ 2 สงขลา: หน่วยวิจัยทัศนศึกษา คณะวิศวกรรมศาสตร์ มหาวิทยาลัยสงขลานครินทร์; 2543 หน้า 393 - 437.
21. John J, Gangadhar SA, Shah I. Flexural strength of heat-polymerized polymethyl methacrylate denture resin reinforced with glass, aramid, or nylon fibers. *J Prosthet Dent* 2001; 86: 424 - 427.
22. Rosen MR. From treating solution to filler surface and beyond: The life history of a silane coupling agent. *J Coat Tech* 1978; 50: 70 - 82.
23. Solnit GS. The effect of methyl methacrylate reinforcement with silane-treated and untreated glass fibers. *J Prosthet Dent* 1991; 66: 310 - 314.
24. Vallittu PK, Lassila VP. Reinforcement of acrylic resin denture base material with metal or fibre strengtheners. *J Oral Rehabil* 1992; 19: 225 - 230.

36. Mullarky RH. Aramid fiber reinforcement of acrylic appliance. *J Cli Orthodon* 1985; 19: 655 - 658.
37. Foo SH, Lindquist TL, Aquilino SA, Schneider RL, Williamson DL, Boyer DB. Effect of polyaramid fiber reinforcement on the strength of 3 denture base polymethyl methacrylate resins. *J Prosthodont* 2001; 10: 148 - 153.
38. Salem SAL. Some properties of reinforced denture base polymers. *J Dent Res* 1989; 68: 909.
39. Berrong JM, Weed RM, Young JM. Fracture resistance of Kevlar – reinforced poly (methyl methacrylate) resin: A preliminary study. *Int J Prosthodont* 1990; 3: 931 - 935.
40. Wolfaarat JF, Cleaton-Jones P, Fatti P. The influence of processing variables on dimensional changes of heat-cured poly(methyl methacrylate). *J Prosthet Dent* 1986; 55: 518 - 525.
41. Anusavice KJ. Phillips' s science of dental materials. In Denture base resins: technical considerations and processing techniques. 10th ed. Philadelphia: WB Saunders company; 1996.p. 237 - 271.
42. Wong DMS, Cheng LYY, Chow TW, Clark RKF. Effect of processing method on the dimensional accuracy and water sorption of acrylic resin dentures. *J Prosthet Dent* 1999; 81: 300 - 304.
43. Vallittu PK. Dimensional accuracy and stability of polymethyl methacrylate reinforced with metal wire or with continuous glass fiber. *J Prosthet Dent* 1996; 75: 617 - 621.
44. Cal NE, Hersek N, Sahin E. Water sorption and dimensional changes of denture base polymer reinforced with glass fibers in continuous unidirectional and woven form. *Int J Prosthodont* 2000; 13: 487 - 493.
45. Standard Test Methods for Impact resistance of plastics and electrical insulating materials – Designation: D 256 – 81. Annual Book of ASTM Standard, Part 35: p.100 – 121.
46. Bewick V, Cheek L, Ball J. Statistics review 10: further nonparametric methods. *Crit Care* 2004; 8: 196 - 199.
47. Harrison A, Huggett R, Zissis A. Measurements of dimensional accuracy using linear and scanning profile techniques. *Int J Prosthodont* 1992; 5: 68 - 72.

48. Woelfel JB, Paffenbarger GC. Dimensional changes occurring in artificial dentures. *Int Dent J* 1959; 9: 451 - 460.
49. Woelfel JB, Paffenbarger GC, Sweeney WT. Dimensional changes occurring in dentures during processing. *J Am Dent Assoc* 1960; 61: 413 - 430.
50. Barco MT, Moore BK, Swartz ML, Boone ME, Dykema RW, Phillips RW. The effect of relining on the accuracy and stability of maxillary complete dentures-an in vitro and in vivo study. *J Prosthet Dent* 1979; 42: 17 - 22.
51. Matweb.com [homepage on the Internet]. DuPont: Automation Creations, Inc. c1996-2004 [cited 2005 Sep 21]. Available from: <http://www.matweb.com/search/>.
52. Uzun G, Hersek N, Tincer T. Effect of five woven fiber reinforcements on the impact and transverse strength of a denture base resin. *J Prosthet Dent* 1999; 81: 616 - 620.
53. Zappini G, Kammann A, Wachter W. Comparison of fracture tests of denture base materials. *J Prosthet Dent* 2003; 90: 578 - 585.
54. Vallittu PK. Comparison of two different silane compounds used for improving adhesion between fibres and acrylic denture base material. *J Oral Rehabil* 1993; 20: 533 - 539.