

บรรณานุกรม

ข้อวัตถุน์ ขุวนูร์. 2534. การเผาซินเคอร์ของสารเพียโซอิเล็กตริกเซรามิกที่อุณหภูมิระหว่าง 800-1250 องศาเซลเซียส. วิทยานิพนธ์วิทยาศาสตร์มหาบัณฑิต (ฟิลิกส์), มหาวิทยาลัยเชียงใหม่.

Abotho L.R., Liu S., Komarneni S. and Li Q.H. 1999. Processing of $Pb(Zr_{0.52}Ti_{0.48})O_3$ (PZT) ceramics from microwave and conventional hydrothermal powders, Material Research Bulletin, Vol. 34 p. 1411-1419.

ASTM. 1977. Standard test for water absorption, bulk density, apparent porosity, and apparent specific gravity of fired whiteware products, Designation : C 373-72. p. 313-314.

Bedoya C., Muller Ch., Baudur J.-L., Madigou V., Anne M., and Roubin M. 2000. Sr-doped $PbZr_{1-x}Ti_xO_3$ ceramics : structure study and field-induced reorientation of ferroelectric domains, Materials Science and Engineering B. Vol.75. p. 43-52.

Boudys M. 1991. Relations between temperature coefficients of permittivity and elastic compliances in PZT ceramics near the morphotropic phase boundary, IEEE.Trans. Ultrason.,Ferroelec.,Freq.Contr. Vol. 38 p. 569 –571.

Cady W. G. 1964. Piezoelectricity. Vol.1(Dover Edition). 180 Varick Street New York : Dover Publication, Inc.

Foster F.S., Ryan L.K. and Turnbull D.H. 1919. Characterization of lead zirconate titanate ceramics for use in miniature high-frequency (20-80 MHz) transducers, IEEE.Trans. Ultrason.,Ferroelec.,Freq.Contr. Vol. 38 p. 446 –453

Garg A. and Agrawal D.C. 1999. Effect of content on mechanical and electromechanical properties of lead zirconate titanate ceramics, Materials Science and Engineering B56. Vol. 60. p. 46-50.

Hewlett Packard Application Note 339-13. 1987. Measuring the dielectric constant of solid materials.

IEEE Standard on Piezoelectricity. 1987. ANSI/IEEE standards 176 – 1987, The Institute of Electrical and Electronics Engineers. Inc, New York.

Ikeda T. 1990. Fundamental of piezoelectricity, New York : Oxford Science Publications. 263.

IRE Standards on piezoelectric crystal: Measurement of piezoelectric ceramics. 1961. Proc. IRE. 61 p. 1161-1169.

- Jaffe B., Cook W. R. Jr. and Jaffe H. 1971. Piezoelectric ceramics, London and New York : Academic Press.
- Jin B.M., Kim J. and Kim S.C. 1997. Effects of grain size on the electrical properties of $\text{PbZr}_{0.52}\text{Ti}_{0.48}\text{O}_3$ ceramics, Appl. Phys. A. Vol. 65 p. 53-56.
- Jones D.J., Prasad S.E. and Wallace J.B. 1996. Piezoelectric materials and their applications, Key Eng. Mater. Vol. 122-124 p. 71-144.
- Jordan T.L., Ounaises Z. and ICASE. 2001. Piezoelectric ceramics characterization, ICASE Report No. 2001-28.
- Katiya V.K. and Srivastava S.L. 1994. Dielectric and piezoelectric of lead zirconate titanate doped with chromium oxide, J. Appl. Phys. Vol.76 (1) p. 455-465.
- Kong L. B. and Ma J. 2001. PZT ceramics formed directly from oxides via reactive sintering, Material Letter. Vol. 51. p. 95-100.
- Kong L. B., Ma J., Zhu W. and Tan O. K. 2000. Preparation and characterization of $\text{Pb}(\text{Zr}_{0.52}\text{Ti}_{0.48})\text{O}_3$ ceramics from high-energy ball milled powder, Material Letter. Vol. 42. p. 232-239.
- _____. 2001. Preparation and characterization of lead zirconate titanate ceramics from high-energy ball milled powder, Material Letter. Vol. 49. p. 96-101.
- Kim S., Lee G.S., Shrout T.R. and Venkataramani. 1991. Fabrication of fine-grain piezoelectric ceramics using reactive calcination, J. Mater. Sci. Vol.74(4). p.1071-1075.
- Kwok K. W., Chan H. L. W. and Choy C. L. 2000. Evaluation of the material parameters of piezoelectric materials by Various Methods, IEEE.Trans. Ultrason.,Ferroelec.,Freq.Contr. Vol.44. p. 733-742.
- Kudo S., Tashiro S. and Igarashi H. 1995. Oxygen atmosphere firing of piezoelectric lead zirconate titanate ceramics substituted with lead antimonate niobate having submicron particle size, Jpn. J. Appl. Phys. Vol. 34(3B). p. 5303-5305.
- Lang S.B. and Das-Gupta. 2000. Pyroelectricity : Fundamentals and application, Ferroelectrics Review. Vol.2. p. 217-354.
- Lee S.E., Xue M., Wan D.M. and Wang J. 1999. Effects of mechanical activation on the sintering and dielectric properties of oxide-derived PZT, Acta mater. Vol. 9. p. 2633-2693.
- Lin C.H., Chin T.S., Pei S.C., Huang J.Y. and Li C.H. 1994. PZT ceramics from hydrothermally synthesized powders, Applications of Ferroelectrics ISAF '94. Proceedings of the Ninth IEEE International Symposium on. p. 115 –117

- Las W.C., Spagnol P.D., Zaghete M.A. and Cilense M. 2001. Electrical characterization of lead zirconate titanate prepared by organic solution route, Ceramics International. Vol. 27. p. 367-372.
- Mason W.P., Fellow., IRE. and Jaffe H. 1954.. Methods for measuring piezoelectric, elastic, and dielectric coefficients of crystals and ceramic, Proc. of the IRE. p. 921-932.
- Millar C.E., Andersen B., Ringgard E., Wolny W., Ricote J., and Pardo L. 1995. Fabrication of high density, fine-grained PZT ceramics using a post-sinter HIP treatment, Proceedings of the Ninth IEEE International Symposium. p. 118-121
- Moulson A.J. and Herbert J.M. 1993. Electroceramics. 1st.et.,Chapman & Hall, London.
- Nam H.-D.; Lee H.Y. 1992. Fabrication and piezoelectric properties of PZT ceramics prepared by partial oxalate method, Proceedings of the Eighth IEEE International Symposium. p. 524 –528.
- Newnham R.E. 1997. Molecular Mechanisms in Smart Materials, MRS Bull. Vol. 22(5) p. 20-34.
- Nye J. F. and F. R. S. 1987. Physical properties of crystals, New York : Oxford University Press.
- Popa M. and Calderon-Moreno J.M. 2001. Indented crack growth during poling of a high displacement PZT materail, Materails Science and Engineering A. 319-321. p. 697-701.
- Randeraat J.V. and Setterington R.E. 1974. Piezoelectric ceramics. 2nd. Ed., Mullard Limited, London.
- Roma Mohana Rao K., Prasada Rao A.V.and Komarneni S. 1996. Reaction PZT precursor powder by coprecipitation, Matterial Letter. Vol. p. 463-467.
- Setter N. 2002. Piezoelectric materials in divices. Switzerland : EPFL Swiss Federal Institute of Tecchnology.
- Sherrit S., Guathier N., Wiederick H. D. and Mukherjee B. K. 1991. Accurate evaluation of the real and imaginary material constants for a piezoelectric resonator in the radial mode, Ferroelectrics. Vol. 119 p. 17-32.
- Sherrit S., Guathier N. and Mukherjee B. K. 1992. Non-Iterative Evaluation of Real and Imaginary Material Constants of Piezoelectric Resonators, Ferroelectrics. Vol. 134 p. 111-119.

- Shidong Cai; Yulong Xu; Millar, C.E.; Pedersen, L.; Sorensen, O.T. 1995. Poling effects on lead zirconate titanate piezoelectric ceramics, Electronic Components and Technology Conference, p. 804 -806
- Shirane G. and Suzuki K. 1952. Crystal structure of $Pb(Zr_{0.52}Ti_{0.48})O_3$, J. Phys. Soc. Jpn. Vol. 7 p. 333-336.
- Smits J. G. 1976. Iterative method for accurate determination of the real and imaginary parts of the materials coefficients of piezoelectric ceramics, IEEE Trans., Vol. SU-23, p. 393-402.
- Tahahashi M. 1970. Space charge effect in lead zirconate titanate ceramics caused by the Jpn, J. Appl. Phys. Vol. 9(10) p. 1236-1246.
- _____. 1971. Electric resistivity of lead zirconate titanate ceramics caused by the Jpn, J. Appl. Phys. Vol. 10(5) p. 643-651.
- Uchino K. 2000. Ferroelectric devices, New York : Marcel Dekker, Inc.
- Wang X. X., Murakami K., Sugiyama O. and Kaneko S. 2001 Piezoelectric properties, densification behavior and microstructural evolution of low temperature sintered PZT ceramics with sintering aids, J. Europ Ceramic Soc. Vol. 21 p. 1367-1370.
- Weston T.B., Webster A.H. and McNamara V.M. 1969. Piezoelectric ceramics with iron oxide additives, J. Am. Ceram. Soc. Vol. 52(5) p. 253-257.
- Xue J. and Wang J. 1999. Lead zirconate titanate via reaction sintering of hydroxide precursors, J. Mater. Res. 14(4) p. 1503-1509.
- Zhang Q. M., Jang S. J. and Cross L. E. 1989. High-frequency strain response in ferroelectrics and its measurement using a modified Mach-Zehnder interferometer, J. Appl. Phys. Vol.65 (7) p. 2807-2813.