

## เอกสารอ้างอิง

คู่มือ เครื่องงาม. โพลีเทคนิคฟิล์มิกส์. กรุงเทพมหานคร:สำนักพิมพ์ซีเอ็ดยูเคชั่น,2535.

**Buchanan R.C.,1991.Ceramic Materials for Electronics, Second Edition,Mercl Dekker Inc.,New York.**

**Moulson,A.J.and Herbert,J.M.,1990.Electronceramics,Champman&Hall,London.**

**J.G.NA.,1997.Magnetic and electrical properties of metal/ferrite composite thin films, J.Mater.Sci.Lett. Vol.16 p.195-196.**

**G.Elwin,I.P.Parkin.,1997.Self-propating high-temperature synthesis of  $\text{SrFe}_{12}\text{O}_{19}$  reactions of strontium superoxide,iron metal and iron oxide powders. J.Mater.Sci.Lett. Vol.16 p.1237-1239.**

**T.Tsuchiya,H.Yamashiro.,1992.Preparation of spinel-type ferrite thin films by the dip-coating process and their magnetic properties. J.Mater.Sci. Vol.27 p.3645-3650.**

M.K.Feyek,F.M.SayedAhmed.,1992.Crytal,magnetic and electric behaviour of  $\text{CoMn}_x\text{Fe}_{2-x}\text{O}_4$  cubic ferrites. J.Mater.Sci. Vol.27 p.4813-4817.

R.C.Pullar,M.D.Taylor,A.K.Bhattacharya.,1997.Novel aqueos sol-gel preparation and characterization of barium M ferrite,  $\text{BaFe}_{12}\text{O}_{19}$  fibres. J.Mater.Sci.Vol.32 p.349-352.

R.C.Pullar,M.D.Taylor,A.K.Bhattacharya.,1997.Magnetic  $\text{Co}_2\text{Y}$  ferrite,  $\text{BaCo}_2\text{Fe}_{12}\text{O}_{22}$  fibres produced by a blow spun process. J.Mater.Sci. Vol.32 p.365-368.

M.L.Martinex Sarrion,M.Morales.,1995.Preparation and characterization of  $\text{Fe}_{2+\delta}\text{Mn}_{1-\delta}\text{Ni}_x\text{O}_4$ . J.Mater.Sci. Vol.30 p.2610-2615.

F.A.S.Soliman.,1993.Radiation effect on non-linear resistance. J.Mater.Sci.In Elect .Vol.4 p.293-300.

K.Rajanna,S.Srinivasulu,M.M.Nayak.,1993.Stability of Mn-SiO<sub>2</sub> cermet films for strain gauge application. J.Mater.Sci.Lett .Vol.12 p.37-39.

Ravinder,D.,1994.Electrical conductivity of Mn-Zn ferrites. J.Appl.Phys. Vol.75(10) p.6118-6120.

G.Gusmano.,1993.Humidity-sensitive electrical response of sintered  $\text{MgFe}_2\text{O}_4$ . J.Mater.Sci. Vol.28 p.6195-6198.

K.H.Rao.,1996. Unusual dielectric behaviour of Ni-Zn ferrites in the lower megahertz(1-10MHz) due to dimensional resonance. J.Mater.Sci.Lett . Vol.15 p.781-783.

M.H.Abdullah.,1997.Frequency dependence of the complex impedance and dielectric behaviour of some Mg-Zn ferrites. J.Mater.Sci. Vol.32 p.5817-5823.

T.J.Fiske,H.S.Gokturj,D.M.Kalyon.,1997.Percolation in magnetic composites.  
J.Mater.Sci. Vol.32 p.5551-5560.

Akimitsu Morisako and Mitsunori Matsumoto.,1996.Sputtered hexagonal Ba-ferrite films for high-density magnetic recording media. J.Appl.Phys.  
Vol.79(8) p.4881-4883.

Y.J.Chen nd M.H.Kryder.,1996. Effects of  $\text{Cr}_2\text{O}_3$  or  $\text{Y}_2\text{O}_3$  doping in barium ferrite thin-film medium for high-density recording. J.Appl.Phys.Vol.79(8) p.4878-4880.

Woo-Hwan Jung.,1997.Electrical conduction behaviour in the  $\text{Ca}_{0.5}\text{Zn}_{0.5}\text{Fe}_2\text{O}_4$  system. J.Mater.Sci.Lett .Vol.16 p.812-814.

G.Q.Gong,C.L.Canedy,and Gang Xiao.,1996.Colossal magnetoresistance in the antiferromagnetic  $\text{La}_{0.5}\text{Ca}_{0.5}\text{MnO}_3$  system.