ชื่อวิทยานิพนธ์ การศึกษาคุณสมบัติทางธรณีฟิสิกส์ของเกาะยอ จังหวัดสงขลา

ผู้เขียน นายชาญยุทธ ฟองสุวรรณ

สาขาวิชา ฟิสิกส์ ปีการศึกษา 2546

## บทคัดย่อ

ได้ทำการศึกษาโครงสร้างธรณีวิทยาของเกาะยอ จังหวัดสงขลา ด้วยวิธีธรณีฟิสิกส์ ผลการศึกษาพบว่าค่าผิดปกติความถ่วงสัมบูรณ์มีค่าอยู่ระหว่าง 236 และ 335 g.u. มีค่าเฉลี่ยที่ ประมาณ 290 g.u. โดยมีค่าสูงในบริเวณทางทิศตะวันตกเฉียงเหนือของตัวเกาะตรงบริเวณวัดเขาบ่อ และสถาบันทักษิณคดีศึกษา และมีค่าลดลงมาจนถึงบริเวณทางทิศตะวันออกเฉียงใต้ของตัวเกาะ บริเวณวัดแหลมพ้อและบริเวณวัดโคกเปี้ยว โดยได้ทำการออกแบบจำลองโครงสร้างธรณีวิทยา ในแนวดิ่งเป็นหินแปรค่าความหนาแน่นสูงแทรกดันขึ้นมาอยู่ในระดับตื้นตลอดแนวชายฝั่งด้านทิศ ตะวันตกเข้ามาจนถึงบริเวณตอนกลางของตัวเกาะ และคาดว่าจะมีแนวรอยเลื่อนพาดผ่านบริเวณ ตอนกลางของตัวเกาะยอ

การวัดค่าอำนาจแม่เหล็กตกค้างในหินเกาะยอทำให้ทราบว่าแร่แม่เหล็กที่มีอยู่ในหิน ส่วนใหญ่เป็นชนิดเหล็กออกไซด์ ที่มีฮีมาไทต์เป็นองค์ประกอบ โดยหินเกาะยอได้ถูกกระบวน การรีแมกนีไทเซชันโดยกระบวนการทางเคมีในช่วงเวลาปัจจุบัน และจากการวัดค่าสภาพด้านทาน ทางไฟฟ้าของดินและการวัดคลื่นไหวสะเทือนทำให้ทราบว่าดินชั้นบนของเกาะยอบริเวณตะกอน ควอเทอร์นารีเป็นดินตะกอนน้ำพามีความหนาประมาณ 3 ถึง 4 เมตร และดินชั้นล่างเป็นดิน ตะกอนอุ้มน้ำ

Thesis Title A Study of Geophysical properties of KoYo Changwat Songkhla

Author Mr. Chanyut Fongsuwan

Major Program Physics

Academic Year 2003

## **Abstract**

A study on the geological structure of Ko Yo (Yo Island), Songkhla, was carried out by using geophysical methods. The result shows that the absolute gravity anomaly of Ko Yo ranges from 236 g.u. to 335 g.u. with an average of 290 g.u. High absolute gravity anomaly was observed in areas of Khao Bo Temple and the Institute for Southern Thai Studies, and it gradually decreases toward the southern part of KoYo, around Laem Po Temple and Khok Pieo Temple. A geological structure of shallow high density metamorphic rocks along the western coast and middle parts of KoYo was modelled to explain high gravity anomaly. There is likely a fault line running through the areas of KoYo.

The measurement of the natural remanent magnetization in Ko Yo's rocks reveals that the magnetic minerals in most rocks are iron oxide with hematite. Ko Yo's rocks were remagnetized through a chemical process in recent time. The electrical resistance and shallow seismic refraction measurement showed that the topmost part (3m. - 4m.) of Quaternary sediment is alluvium soil and the subsoil is water bearing sediment.

**(4)**