

ภาคผนวก

ตารางผนวกที่ 1 ชนิดของปาล์มน้ำมัน และค่าเฉลี่ยของลักษณะต่างๆ ในประชากรชั่วที่ 2

NO.	Type	Weight/ fruit	Cross Section (mm.)			Bunch/palm/year		Weight/palm/year (kg)		Weight/bunch (kg)		SBW mean (kg)	NB mean (kg)	TBW mean (kg)	
			Meso	Shell	Kernel	Wide	year(1)	year(2)	year(1)	year(2)	year(1)				year(2)
1	T	12.0	36.5	11.9	51.6	2.7	10	9	117.4	141.0	11.7	15.7	13.7	9.5	129.2
2	P	7.4	73.5	0.0	26.5	2.0	10	8	97.0	110.0	9.7	13.8	11.7	9.0	103.5
3	T	8.0	43.0	11.0	46.0	2.3	7	11	54.9	170.0	7.8	15.5	11.6	9.0	112.5
4	D	9.7	41.7	15.0	43.4	2.4	3	9	47.6	190.0	15.9	21.1	18.5	6.0	118.8
5	P	7.8	82.8	0.0	17.2	2.0	0	3	0.0	26.0	0.0	8.7	8.7	1.5	13.0
6	P	4.5	61.9	0.0	38.1	1.9	4	14	41.9	199.0	10.5	14.2	12.3	9.0	120.5
7	T	11.2	32.5	9.9	56.5	2.6	8	9	114.5	148.0	14.3	16.4	15.4	8.5	131.3
8	T	4.3	48.8	7.8	43.4	1.8	3	10	31.5	153.0	10.5	15.3	12.9	6.5	92.3
11	T	8.0	37.5	11.1	51.4	2.3	8	8	71.5	111.0	8.9	13.9	11.4	8.0	91.3
13	T	16.9	35.8	8.7	55.6	2.6	0	6	0.0	124.0	0.0	20.7	10.3	3.0	62.0
15	T	7.8	42.4	14.0	43.6	2.3	3	7	42.2	154.0	14.1	22.0	18.0	5.0	98.1
17	T	10.5	22.9	18.6	58.5	2.3	4	9	51.5	193.0	12.9	21.4	17.2	6.5	122.3
19	P	8.5	95.6	0.0	4.4	2.2	0	4	0.0	60.6	0.0	15.2	15.2	2.0	30.3
21	T	11.0	25.7	35.8	38.5	2.6	6	14	52.4	181.0	8.7	12.9	10.8	10.0	116.7
22	T	14.6	48.1	15.2	36.7	2.7	2	8	34.0	205.0	17.0	25.6	21.3	5.0	119.5
23	T	8.4	34.3	11.8	54.0	2.3	5	15	44.0	223.0	8.8	14.9	11.8	10.0	133.5
24	D	11.4	38.5	25.1	36.4	2.8	2	11	25.3	205.0	12.7	18.6	15.6	6.5	115.2
25	P	7.0	84.6	0.0	15.4	2.3	0	2	0.0	29.4	0.0	14.7	14.7	1.0	14.7
26	T	6.1	46.9	9.7	43.4	1.9	2	9	30.0	196.0	15.0	21.8	18.4	5.5	113.0
27	D	15.3	28.5	21.6	49.9	2.9	9	15	125.1	239.0	13.9	15.9	14.9	12.0	182.1
29	P	11.8	71.1	0.0	28.9	2.6	0	11	0.0	142.0	0.0	12.9	12.9	5.5	71.0
33	T	11.8	48.9	17.7	33.5	2.1	4	6	43.1	88.5	10.8	14.8	12.8	5.0	65.8
34	P	8.8	69.1	0.0	30.9	2.2	0	7	0.0	133.0	0.0	19.0	19.0	3.5	66.5
35	P	9.2	83.3	0.0	16.7	2.4	1	4	5.2	61.4	5.2	15.4	10.3	2.5	33.3
36	T	6.3	24.7	13.2	62.1	2.1	1	1	13.3	25.0	13.3	25.0	19.2	1.0	19.2
37	T	6.5	39.6	10.7	49.7	2.1	8	5	49.3	92.4	6.2	18.5	12.3	6.5	70.9
39	P	5.6	72.0	0.0	28.0	1.7	0	2	0.0	46.4	0.0	23.2	23.2	1.0	23.2
40	T	7.5	41.4	15.3	43.2	1.9	0	5	0.0	125.0	0.0	25.0	12.5	2.5	62.5

ตารางผนวกที่ 1 (ต่อ)

NO.	Type	Weight/ fruit	Cross Section (mm.)			Bunch/palm/year		Weight/palm/year (kg)		Weight/bunch (kg)		SBW mean (kg)	NB mean (kg)	TBW mean (kg)	
			Meso	Shell	Kernel	Wide	year(1)	year(2)	year(1)	year(2)	year(1)				year(2)
41	D	15.2	43.9	27.7	29.1	2.9	1	4	10.5	95.0	10.5	23.8	17.1	2.5	52.8
42	D	13.3	30.5	23.5	46.0	2.7	0	5	0.0	61.1	0.0	12.2	12.2	2.5	30.6
43	D	6.5	34.7	15.7	49.6	2.1	10	13	46.0	121.0	4.6	9.3	7.0	11.5	83.5
44	T	10.3	35.6	11.2	53.2	2.7	13	9	66.0	112.0	5.1	12.4	8.8	11.0	89.0
45	P	6.6	100.0	0.0	0.0	2.1	2	14	17.3	221.0	8.7	15.8	12.2	8.0	119.2
47	T	14.5	38.9	11.3	49.8	2.8	3	10	39.8	205.0	13.3	20.5	16.9	6.5	122.4
48	T	7.7	34.0	14.8	51.3	2.3	4	9	22.4	97.9	5.6	10.9	8.2	6.5	60.2
49	D	10.9	35.3	25.4	39.3	2.5	3	6	45.0	108.0	15.0	18.0	16.5	4.5	76.5
50	T	15.2	46.6	14.9	38.5	2.6	4	15	34.3	222.0	8.6	14.8	11.7	9.5	128.2
51	T	10.2	38.0	12.2	49.8	2.5	4	10	41.0	160.0	10.3	16.0	13.1	7.0	100.5
52	T	7.5	36.0	10.2	53.8	2.3	3	15	11.1	133.0	3.7	8.9	6.3	9.0	72.1
53	T	8.2	44.1	13.0	42.9	2.4	4	14	26.0	137.0	6.5	9.8	8.1	9.0	81.5
54	D	16.6	28.7	20.1	51.2	2.9	3	5	30.5	92.7	10.2	18.5	14.4	4.0	61.6
55	P	6.2	70.7	0.0	29.3	2.2	0	2	0.0	15.0	0.0	7.5	7.5	1.0	7.5
56	T	7.9	46.0	11.1	42.8	2.5	5	8	26.0	118.0	5.2	14.8	10.0	6.5	72.0
57	P	5.9	58.2	0.0	41.8	2.0	3	16	19.4	207.0	6.5	12.9	9.7	9.5	113.2
58	T	8.7	35.9	11.9	52.3	2.5	3	3	22.5	29.0	7.5	9.7	8.6	3.0	25.8
59	T	13.3	40.9	11.1	48.1	2.8	0	5	0.0	105.0	0.0	21.0	10.5	2.5	52.5
60	P	7.1	70.0	0.0	30.0	2.2	1	1	12.3	4.2	12.3	4.2	8.3	1.0	8.3
61	D	10.9	30.4	29.8	39.8	2.6	1	10	12.0	119.0	12.0	11.9	12.0	5.5	65.5
62	T	11.7	45.1	7.9	49.9	2.6	3	13	37.0	251.0	12.3	19.3	15.8	8.0	144.0
63	T	8.7	50.3	12.9	36.8	2.3	1	14	5.0	170.0	5.0	12.1	8.6	7.5	87.5
64	D	14.1	42.5	20.5	37.0	2.7	4	6	33.0	98.2	8.3	16.4	12.3	5.0	65.6
65	P	6.8	79.4	0.0	20.6	2.1	0	2	0.0	24.0	0.0	12.0	12.0	1.0	12.0
66	T	10.8	45.6	8.5	46.0	2.5	3	12	26.2	210.0	8.7	17.5	13.1	7.5	118.1
68	P	5.4	78.4	0.0	21.6	2.0	1	4	6.0	59.4	6.0	14.9	10.4	2.5	32.7
69	T	11.0	33.4	8.1	58.5	2.5	0	10	0.0	153.0	0.0	15.3	7.7	5.0	76.5
71	T	9.8	45.4	13.2	41.5	2.4	4	2	34.4	28.1	8.6	14.1	11.3	3.0	31.3

ตารางหมวดที่ 1 (ต่อ)

NO.	Type	Weight/ fruit	Cross Section (mm.)			Bunch/palm/year		Weight/palm/year (kg)		Weight/bunch (kg)		SBW mean (kg)	NB mean (kg)	TBW mean (kg)	
			Meso	Shell	Kernel	Wide	year(1)	year(2)	year(1)	year(2)	year(1)				year(2)
72	P	4.6	67.5	0.0	2.5	1.8	8	13	71.1	164.0	8.9	12.6	10.8	10.5	117.6
73	P	4.6	85.9	0.0	14.3	1.9	0	2	0.0	28.0	0.0	14.0	14.0	1.0	14.0
74	T	13.5	43.1	14.6	42.3	2.8	5	11	49.4	148.0	9.9	13.5	11.7	8.0	98.7
75	T	8.1	38.3	11.1	50.7	2.2	3	10	33.5	200.0	11.2	20.0	15.6	6.5	116.8
76	T	29.8	50.5	12.7	36.8	3.4	1	6	9.9	113.0	9.9	18.8	14.4	3.5	61.5
77	D	7.7	37.9	13.8	48.3	2.3	4	16	24.8	166.0	6.2	10.4	8.3	10.0	95.4
78	P	4.6	78.9	0.0	21.1	1.8	1	13	6.5	155.0	6.5	11.9	9.2	7.0	80.8
80	D	11.4	20.7	20.6	58.7	2.6	1	5	8.5	73.7	8.5	14.7	11.6	3.0	41.1
81	T	17.8	56.6	14.5	28.9	2.5	1	6	6.0	87.3	6.0	14.6	10.3	3.5	46.7
82	P	9.1	100.0	0.0	0.0	2.1	2	12	33.3	137.0	16.7	11.4	14.0	7.0	85.2
84	T	9.0	45.7	9.3	45.1	2.5	8	11	46.5	175.0	5.8	15.9	10.9	9.5	110.8
85	T	6.3	35.7	11.1	53.3	2.0	14	15	60.7	154.0	4.3	10.3	7.3	14.5	107.4
86	T	12.5	46.2	7.6	45.7	2.8	2	4	14.0	77.9	7.0	19.5	13.2	3.0	46.0
88	T	12.4	46.5	11.3	42.2	2.8	4	9	43.6	144.0	10.9	16.0	13.5	6.5	93.8
89	T	6.1	41.2	11.4	47.6	2.1	2	8	25.5	134.0	12.8	16.8	14.8	5.0	79.8
92	P	3.7	69.8	0.0	30.3	1.8	2	3	15.6	39.4	7.8	13.1	10.5	2.5	27.5
93	P	7.0	77.4	0.0	22.6	1.9	0	1	0.0	19.0	0.0	19.0	19.0	0.5	9.5
94	T	8.7	37.0	9.1	54.0	2.4	3	6	28.1	92.4	9.4	15.4	12.4	4.5	60.3
96	T	9.6	52.8	9.1	38.1	2.5	4	12	74.5	215.0	18.6	17.9	18.3	8.0	144.8
97	T	10.7	43.7	11.3	45.0	2.4	4	12	33.6	172.0	8.4	14.3	11.4	8.0	102.8
98	T	14.1	45.9	12.3	41.8	2.8	2	8	17.8	142.0	8.9	17.8	13.3	5.0	79.9
99	T	4.9	30.6	15.6	53.8	1.8	8	3	64.8	62.7	8.1	20.9	14.5	5.5	63.8
100	T	19.3	36.3	12.7	50.9	3.2	3	6	27.4	120.0	9.1	20.0	14.6	4.5	73.7
101	D	8.6	34.7	29.5	85.8	2.3	4	3	35.9	53.5	9.0	17.8	13.4	3.5	44.7
102	P	6.8	90.6	0.0	9.4	1.9	2	6	17.4	89.0	8.7	14.8	11.8	4.0	53.2
103	T	7.5	39.0	8.3	52.7	2.2	4	6	38.1	145.0	9.5	24.2	16.8	5.0	91.6
104	P	4.2	97.9	0.0	2.1	1.6	0	4	0.0	43.4	0.0	10.9	10.9	2.0	21.7
105	T	10.9	32.6	15.6	51.9	2.4	2	15	11.0	186.0	5.5	12.4	9.0	8.5	98.5

ตารางผนวกที่ 1 (ต่อ)

NO.	Type	Weight/		Cross Section (mm.)			Bunch/palm/year		Weight/palm/year (kg)		Weight/bunch (kg)		SBW mean (kg)	NB mean (kg)	TBW mean (kg)	
		fruit		Meso	Shell	Kernel	Wide	year(1)	year(2)	year(1)	year(2)	year(1)				year(2)
106	T	7.8		37.0	13.1	49.8	2.4	2	6	16.5	83.7	8.3	14.0	11.1	4.0	50.1
107	D	14.9		18.2	23.3	58.5	2.7	5	7	54.6	138.0	10.9	19.7	15.3	6.0	96.3
109	T	9.8		44.9	11.2	44.0	2.5	7	10	58.6	140.0	8.4	14.0	11.2	8.5	99.3
110	P	7.8		70.0	0.0	30.0	2.1	2	17	11.8	192.0	5.9	11.3	8.6	9.5	101.9
111	P	9.0		70.2	0.0	29.8	2.4	4	12	44.1	152.0	11.0	12.7	11.8	8.0	98.1
112	T	5.2		37.1	7.4	55.4	1.9	4	13	33.5	184.0	8.4	14.2	11.3	8.5	108.8
113	D	7.3		31.9	23.5	44.6	2.3	13	11	98.3	119.0	7.6	10.8	9.2	12.0	108.7
114	T	13.5		55.2	14.1	30.8	2.3	3	9	27.0	196.0	9.0	21.8	15.4	6.0	111.5
116	T	12.8		22.5	11.4	43.6	2.8	3	11	15.4	148.0	5.1	13.5	9.3	7.0	81.7
117	T	14.0		48.4	10.2	41.5	2.6	0	8	0.0	125.0	0.0	15.6	7.8	4.0	62.5
118	T	9.4		40.7	8.2	51.1	2.2	0	4	0.0	143.0	0.0	35.8	17.9	2.0	71.5
120	P	4.9		83.4	0.0	16.6	1.9	2	14	15.4	160.0	7.7	11.4	9.6	8.0	87.7
121	T	7.7		37.8	9.7	52.5	2.4	0	12	0.0	105.0	0.0	8.8	4.4	6.0	52.5
122	P	6.7		69.1	0.0	30.9	2.2	1	10	6.5	93.4	6.5	9.3	7.9	5.5	50.0
123	T	6.5		34.2	8.2	57.6	2.2	7	12	36.0	115.0	5.1	9.6	7.4	9.5	75.5
124	T	8.9		48.0	10.1	42.0	2.3	10	9	60.7	106.0	6.1	11.8	8.9	9.5	83.4
126	T	8.5		32.8	14.0	53.2	2.5	1	12	4.4	219.0	4.4	18.3	11.3	6.5	111.7
127	T	10.4		40.7	12.1	47.3	2.5	2	8	9.0	145.0	4.5	18.1	11.3	5.0	77.0
128	T	16.1		32.9	10.9	56.2	3.1	1	15	9.5	192.0	9.5	12.8	11.2	8.0	100.8
129	P	7.9		66.6	0.0	33.4	2.3	0	10	0.0	98.2	0.0	9.8	9.8	5.0	49.1
130	D	18.3		37.8	33.5	28.7	2.7	3	5	28.6	91.4	9.5	18.3	13.9	4.0	60.0
131	D	7.2		27.9	29.4	42.7	2.0	3	4	27.7	77.0	9.2	19.3	14.2	3.5	52.4
132	T	9.9		39.5	13.7	46.8	2.4	4	9	31.1	133.0	7.8	14.8	11.3	6.5	82.1
133	P	5.2		68.3	0.0	31.7	2.1	5	10	42.9	183.0	8.6	18.3	13.4	7.5	113.0
134	D	11.4		29.3	28.4	42.3	2.5	4	7	34.5	98.1	8.6	14.0	11.3	5.5	66.3
135	T	16.1		39.4	16.8	43.8	2.8	3	4	48.0	91.9	16.0	23.0	19.5	3.5	70.0
136	T	15.6		32.5	9.5	58.0	2.9	0	3	0.0	64.4	0.0	21.5	10.7	1.5	32.2
137	T	8.4		35.3	7.5	57.2	2.3	7	9	58.7	122.0	8.4	13.6	11.0	8.0	90.4

ตารางผนวกที่ 1 (ต่อ)

NO.	Type	Weight/ fruit	Cross Section (mm.)				Bunch/palm/year		Weight/palm/year (kg)		Weight/bunch (kg)		SBW mean (kg)	NB mean (kg)	TBW mean (kg)
			Meso	Shell	Kernel	Wide	year(1)	year(2)	year(1)	year(2)	year(1)	year(2)			
138	P	8.7	91.7	0.0	8.3	2.3	0	11	0.0	109.0	0.0	9.9	5.0	54.5	
139	T	12.6	36.8	11.4	51.8	2.6	1	5	11.0	141.0	11.0	28.2	19.6	76.0	
141	T	15.0	42.5	15.1	42.3	2.5	0	1	0.0	15.0	0.0	15.0	7.5	7.5	
142	T	22.0	43.6	11.3	45.0	3.1	1	7	6.2	125.0	6.2	17.9	12.0	65.6	
143	T	9.6	46.6	11.6	41.8	2.5	4	9	37.3	167.0	9.3	18.6	13.9	102.2	
144	D	14.5	35.2	26.9	37.9	3.0	3	4	73.8	75.3	24.6	18.8	21.7	74.6	
146	T	12.2	45.7	11.9	42.4	2.6	3	3	17.9	28.8	6.0	9.6	7.8	23.4	
147	T	12.8	51.4	7.6	41.0	2.8	2	4	16.0	62.8	8.0	15.7	11.9	39.4	
148	T	8.9	39.3	11.5	49.2	2.5	6	9	23.4	86.8	3.9	9.6	6.8	55.1	
149	T	6.4	37.4	6.5	56.1	2.3	4	5	24.7	66.8	6.2	13.4	9.8	45.8	
150	T	9.1	50.1	10.4	39.5	2.5	7	10	36.5	138.0	5.2	13.8	9.5	87.3	
151	T	10.9	44.6	13.7	41.7	2.4	0	7	0.0	98.8	0.0	14.1	7.1	49.4	
152	T	6.7	40.8	10.5	48.6	6.7	4	10	39.9	148.0	10.0	14.8	12.4	94.0	
153	D	8.8	38.2	18.0	43.8	2.5	4	8	55.8	214.0	14.0	26.8	20.4	134.9	
155	T	7.2	36.8	9.9	53.3	2.2	4	4	31.5	48.2	7.9	12.1	10.0	39.9	
156	P	5.1	57.2	0.0	42.8	1.8	3	10	12.7	105.0	4.2	10.5	7.4	58.9	
157	T	10.1	59.0	8.5	32.5	2.5	1	2	8.0	37.8	8.0	18.9	13.5	1.5	22.9
158	T	6.2	45.3	9.5	45.2	2.0	4	3	27.5	39.8	6.9	13.3	10.1	3.5	33.7
159	P	4.9	100.0	0.0	0.0	1.8	0	2	0.0	15.5	0.0	7.8	7.8	1.0	7.8
160	D	12.2	31.4	29.3	39.3	2.2	1	9	9.5	111.0	9.5	12.3	10.9	5.0	60.3
163	T	10.8	43.0	9.9	47.1	2.6	4	9	32.1	141.0	8.0	15.7	11.8	6.5	86.6
165	P	5.7	84.0	0.0	16.0	2.0	3	12	31.0	214.0	10.3	17.8	14.1	7.5	122.5
166	D	12.2	24.6	23.0	52.4	2.7	0	9	0.0	142.0	0.0	15.8	15.8	4.5	71.0
167	P	6.7	93.9	0.0	6.1	1.9	1	2	11.6	29.6	11.6	14.8	13.2	1.5	20.6
168	P	5.5	70.9	0.0	29.1	1.9	1	2	8.5	20.0	8.5	10.0	9.3	1.5	14.3
170	T	11.4	51.7	8.6	39.7	2.5	2	7	25.5	145.0	12.8	20.7	16.7	4.5	85.3
171	D	15.1	26.5	28.6	44.9	2.4	5	10	77.5	250.0	15.5	25.0	20.3	7.5	163.8
172	P	6.8	69.3	0.0	30.7	2.1	6	12	44.8	116.0	7.5	9.7	8.6	9.0	80.4

ตารางผนวกที่ 1 (ต่อ)

NO.	Type	Weight/ fruit	Cross Section (mm.)			Bunch/palm/year		Weight/palm/year (kg)		Weight/bunch (kg)		SBW mean (kg)	NB mean (kg)	TBW mean (kg)	
			Meso	Shell	Kernel	Wide	year(1)	year(2)	year(1)	year(2)	year(1)				year(2)
173	T	14.0	37.9	9.5	52.6	3.0	6	12	60.7	181.0	10.1	15.1	12.6	9.0	120.9
174	D	21.0	30.8	25.0	44.2	3.3	5	11	47.1	198.0	9.4	18.0	13.7	8.0	122.6
176	T	18.8	44.2	8.3	47.4	3.2	5	12	58.0	245.0	11.6	20.4	16.0	8.5	151.5
177	T	12.8	44.9	11.5	43.6	2.4	4	9	32.2	135.0	8.1	15.0	11.5	6.5	83.6
178	D	19.9	32.5	29.8	37.7	3.3	3	7	50.7	174.0	16.9	24.9	20.9	5.0	112.4
180	D	9.0	34.6	13.6	51.8	2.3	8	6	56.5	99.7	7.1	16.6	11.8	7.0	78.1
181	T	11.6	43.4	7.8	48.8	2.6	6	10	50.0	184.0	8.3	18.4	13.4	8.0	117.0
183	P	9.4	97.6	0.0	2.4	2.0	0	1	0.0	20.4	0.0	20.4	20.4	0.5	10.2
185	T	6.6	42.4	9.3	48.3	2.1	6	15	38.7	169.0	6.5	11.3	8.9	10.5	103.9
186	T	11.8	41.5	14.6	44.0	2.6	4	9	33.1	142.0	8.3	15.8	12.0	6.5	87.6
187	T	12.5	40.6	24.8	34.7	2.5	3	9	22.0	190.0	7.3	21.1	14.2	6.0	106.0
188	T	16.4	43.4	12.1	44.5	2.8	0	8	0.0	124.0	0.0	15.5	7.8	4.0	62.0
190	T	16.1	48.3	10.7	41.0	3.3	2	10	13.7	161.0	6.9	16.1	11.5	6.0	87.4
191	T	5.4	37.8	17.1	45.1	1.9	5	14	44.1	236.0	8.8	16.9	12.8	9.5	140.1
192	T	8.6	40.4	9.9	49.7	2.6	10	19	53.6	225.0	5.4	11.8	8.6	14.5	139.3
193	T	4.6	29.5	14.1	56.4	1.7	4	8	21.8	97.9	5.5	12.2	8.8	6.0	59.9
194	T	14.5	44.8	11.8	43.6	3.0	4	8	31.1	173.0	7.8	21.6	14.7	6.0	102.1
195	D	6.9	28.8	21.4	49.8	2.1	8	4	73.5	57.9	9.2	14.5	11.8	6.0	65.7
196	T	11.3	43.2	10.9	45.9	2.5	3	9	22.3	164.0	7.4	18.2	12.8	6.0	93.2
197	T	15.9	41.8	14.5	43.8	2.5	7	5	68.5	104.0	9.8	20.8	15.3	6.0	86.3
198	D	11.5	29.4	18.2	52.4	2.6	2	4	21.0	53.5	10.5	13.4	11.9	3.0	37.3
199	P	9.1	100.0	0.0	0.0	2.7	0	2	0.0	32.2	0.0	16.1	16.1	1.0	16.1
200	T	15.0	30.8	15.7	53.5	3.0	1	8	16.2	164.0	16.2	20.5	18.4	4.5	90.1
201	T	9.1	36.0	13.7	50.3	2.3	9	9	103.2	159.0	11.5	17.7	14.6	9.0	131.1
202	T	12.3	44.4	17.8	37.7	2.1	2	4	23.2	102.0	11.6	25.5	18.6	3.0	62.6
205	T	11.7	42.0	12.8	45.3	2.6	9	11	67.6	147.0	7.5	13.4	10.4	10.0	107.3
206	P	6.4	65.7	0.0	34.3	2.2	7	8	44.2	87.6	6.3	11.0	8.6	7.5	65.9
208	P	7.9	67.2	0.0	32.8	2.1	1	6	7.5	62.8	7.5	10.5	9.0	3.5	35.2

ตารางผนวกที่ 1 (ต่อ)

NO.	Type	Weight/ fruit	Cross Section (mm.)			Bunch/palm/year		Weight/palm/year (kg)		Weight/bunch (kg)		SBW mean (kg)	NB mean (kg)	TBW mean (kg)	
			Meso	Shell	Kernel	Wide	year(1)	year(2)	year(1)	year(2)	year(1)				year(2)
209	D	9.7	26.4	23.5	50.1	2.1	2	5	12.0	72.4	6.0	14.5	10.2	3.5	42.2
211	D	12.0	38.6	18.3	43.2	2.7	5	8	59.0	120.0	11.8	15.0	13.4	6.5	89.5
213	T	7.9	45.8	11.5	42.7	2.3	11	4	56.2	46.6	5.1	11.7	8.4	7.5	51.4
214	D	6.7	48.2	17.8	34.0	2.1	13	19	123.3	298.0	9.5	15.7	12.6	16.0	210.7
215	D	20.4	36.1	28.1	35.8	2.8	0	2	0.0	41.7	0.0	20.9	20.9	1.0	20.9
216	T	12.6	43.5	9.3	47.2	2.6	4	11	25.4	151.0	6.4	13.7	10.0	7.5	88.2
217	T	11.2	41.0	10.2	48.8	2.7	8	11	78.3	163.0	9.8	14.8	12.3	9.5	120.7
218	D	18.6	37.4	33.2	29.5	2.7	5	6	28.4	72.2	5.7	12.0	8.9	5.5	50.3
219	P	11.1	87.3	0.0	12.7	2.0	1	3	10.7	31.5	10.7	10.5	10.6	2.0	21.1
220	T	20.7	33.6	17.4	49.0	3.2	3	5	27.6	117.0	9.2	23.4	16.3	4.0	72.3
222	D	7.7	32.5	23.6	43.9	2.1	4	3	32.8	48.5	8.2	16.2	12.2	3.5	40.7
223	D	14.3	39.6	13.1	47.3	3.0	6	3	20.5	55.4	3.4	18.5	10.9	4.5	38.0
224	T	18.9	40.4	8.0	67.8	3.2	3	7	17.5	109.0	5.8	15.6	10.7	5.0	63.3
225	T	8.4	40.8	10.3	48.8	2.3	7	11	36.4	104.0	5.2	9.5	7.3	9.0	70.2
227	T	5.5	29.8	13.9	56.3	2.1	2	5	11.8	80.2	5.9	16.0	11.0	3.5	46.0
229	D	12.9	33.7	27.5	38.9	3.0	4	4	55.5	91.5	13.9	22.9	18.4	4.0	73.5
230	D	18.7	34.6	26.7	38.7	3.3	9	9	110.1	177.0	12.2	19.7	16.0	9.0	143.6
231	D	14.7	23.9	31.8	44.3	2.4	6	8	40.8	110.0	6.8	13.8	10.3	7.0	75.4
232	T	6.1	41.0	16.0	43.0	2.1	8	10	75.8	173.0	9.5	17.3	13.4	9.0	124.4
235	T	7.6	46.7	9.7	43.6	2.3	4	7	29.8	115.0	7.5	16.4	11.9	5.5	72.4
239	D	9.5	32.8	27.1	40.1	2.3	8	8	31.2	98.6	3.9	12.3	8.1	8.0	64.9
240	T	9.1	43.2	13.2	43.6	2.3	6	10	51.3	139.0	8.6	13.9	11.2	8.0	95.2
241	D	8.2	35.2	17.1	47.7	2.3	3	12	34.1	159.0	11.4	13.3	12.3	7.5	96.6
242	T	6.7	36.8	8.2	55.1	2.0	5	7	31.2	79.4	6.2	11.3	8.8	6.0	55.3
243	T	13.9	40.5	6.3	53.3	2.8	1	3	4.3	31.0	4.3	10.3	7.3	2.0	17.7
244	T	7.7	27.2	14.3	58.5	2.2	4	11	46.2	193.0	11.6	17.5	14.5	7.5	119.6
245	T	9.3	44.5	16.8	38.7	2.2	5	3	33.7	38.2	6.7	12.7	9.7	4.0	36.0
246	T	8.7	35.1	14.3	50.6	2.3	8	8	68.5	163.0	8.6	20.4	14.5	8.0	115.8

ตารางผนวกที่ 1 (ต่อ)

NO.	Type	Weight/ fruit	Cross Section (mm.)				Bunch/palm/year		Weight/palm/year (kg)		Weight/bunch (kg)		SBW mean (kg)	NB mean (kg)	TBW mean (kg)
			Meso	Shell	Kernel	Wide	year(1)	year(2)	year(1)	year(2)	year(1)	year(2)			
248	T	5.9	47.9	12.5	39.6	1.9	10	7	67.0	108.0	6.7	15.4	11.1	8.5	87.5
249	P	4.9	73.0	0.0	27.1	1.6	1	9	4.5	106.0	4.5	11.8	8.1	5.0	55.3
250	P	9.1	79.2	0.0	20.8	2.2	0	2	0.0	23.6	0.0	11.8	11.8	1.0	11.8
251	P	9.6	77.3	0.0	22.7	2.5	0	3	0.0	47.0	0.0	15.7	15.7	1.5	23.5
252	T	11.9	55.0	9.7	35.3	2.7	2	8	27.0	189.0	13.5	23.6	18.6	5.0	108.0
253	T	5.6	35.7	11.9	52.4	2.1	8	9	56.4	97.5	7.1	10.8	8.9	8.5	77.0
254	P	6.5	100.0	0.0	0.0	2.3	1	3	1.0	17.0	1.0	5.7	3.3	2.0	9.0
255	P	4.7	72.5	0.0	24.6	2.0	1	10	4.0	109.0	4.0	10.9	7.5	5.5	56.5
256	T	8.4	41.4	10.6	48.0	2.5	5	7	28.5	72.4	5.7	10.3	8.0	6.0	50.5
257	P	18.2	54.2	0.0	45.8	2.4	1	7	4.0	96.6	4.0	13.8	8.9	4.0	50.3
260	T	12.5	37.4	11.0	51.6	2.5	1	10	7.5	133.0	7.5	13.3	10.4	5.5	70.3
261	D	14.3	30.0	37.8	32.2	2.6	2	7	22.5	123.0	11.3	17.6	14.4	4.5	72.8
263	T	5.5	34.8	9.5	55.7	2.1	4	12	33.6	146.0	8.4	12.2	10.3	8.0	89.8
264	T	12.7	45.0	10.0	45.1	2.7	4	9	28.2	115.0	7.1	12.8	9.9	6.5	71.6
265	T	11.3	32.3	14.0	53.7	2.4	4	2	23.3	35.0	5.8	17.5	11.7	3.0	29.2
267	P	6.9	95.2	0.0	4.8	2.1	1	11	7.0	145.0	7.0	13.2	10.1	6.0	76.0
268	P	7.0	87.6	0.0	12.4	2.2	0	6	0.0	45.8	0.0	7.6	7.6	3.0	22.9
269	T	12.2	44.5	10.7	44.8	2.7	3	11	28.5	187.0	9.5	17.0	13.3	7.0	107.8
270	P	4.5	72.5	0.0	27.5	1.7	0	10	0.0	129.0	0.0	12.9	12.9	5.0	64.5
271	D	16.2	27.6	36.7	35.8	2.6	4	3	26.0	72.0	6.5	24.0	15.3	3.5	49.0
272	D	9.6	35.9	27.2	36.9	2.5	3	13	32.5	184.0	10.8	14.2	12.5	8.0	108.3
273	T	5.5	36.7	11.0	52.3	2.0	3	8	21.2	96.0	7.1	12.0	9.5	5.5	58.6
274	T	16.8	56.0	17.1	26.9	2.6	2	8	10.1	91.4	5.1	11.4	8.2	5.0	50.8
275	P	4.5	68.3	0.0	31.7	1.7	6	7	38.1	82.5	6.4	11.8	9.1	6.5	60.3
276	P	8.6	80.7	0.0	19.3	2.1	6	13	15.2	126.0	2.5	9.7	6.1	9.5	70.6
277	T	17.2	39.7	10.4	49.9	2.9	8	9	36.3	72.1	4.5	8.0	6.3	8.5	54.2
278	T	9.6	38.8	8.6	52.6	2.3	11	13	42.7	102.0	3.9	7.8	5.9	12.0	72.4
279	P	3.9	100.0	0.0	0.0	1.9	4	10	26.4	94.2	6.6	9.4	8.0	7.0	60.3

ตารางผนวกที่ 1 (ต่อ)

NO.	Type	Weight/ fruit	Cross Section (mm.)			Bunch/palm/year		Weight/palm/year (kg)		Weight/bunch (kg)		SBW mean (kg)	NB mean (kg)	TBW mean (kg)	
			Meso	Shell	Kernel	Wide	year(1)	year(2)	year(1)	year(2)	year(1)				year(2)
280	P	9.5	74.9	0.0	25.1	2.3	0	6	0.0	84.6	0.0	14.1	7.1	3.0	42.3
281	T	7.5	39.0	13.6	47.4	2.2	10	7	56.3	83.1	5.6	11.9	8.8	8.5	69.7
283	P	5.7	70.0	0.0	30.0	2.0	3	9	17.6	116.0	5.9	12.9	9.4	6.0	66.8
284	T	6.2	33.0	12.5	54.5	2.2	11	11	84.7	160.0	7.7	14.5	11.1	11.0	122.4
286	D	17.5	30.4	24.9	44.7	2.9	1	3	9.0	53.5	9.0	17.8	13.4	2.0	31.3
287	D	9.0	29.5	25.9	44.6	2.3	0	11	0.0	120.0	0.0	10.9	10.9	5.5	60.0
289	P	7.2	89.0	0.0	11.0	1.9	0	1	0.0	7.8	0.0	7.8	7.8	0.5	3.9
291	T	6.3	37.7	14.6	47.7	2.1	1	13	8.0	97.6	8.0	7.5	7.8	7.0	52.8
292	T	20.0	38.4	12.0	49.7	3.1	5	14	32.4	211.0	6.5	15.1	10.8	9.5	121.7
293	T	13.2	35.5	7.3	57.2	2.8	6	11	51.8	159.0	8.6	14.5	11.5	8.5	105.4
294	T	7.1	47.7	14.7	37.6	2.1	5	10	41.8	149.0	8.4	14.9	11.6	7.5	95.4
295	P	5.5	83.2	0.0	16.8	2.2	3	12	26.2	118.0	8.7	9.8	9.3	7.5	72.1
296	T	7.5	35.5	8.8	55.8	2.3	7	10	40.8	102.0	5.8	10.2	8.0	8.5	71.4
299	D	18.1	34.7	30.6	34.7	2.8	2	6	25.1	95.5	12.6	15.9	14.2	4.0	60.3
300	D	14.8	29.8	24.1	46.1	2.9	5	4	49.5	79.6	9.9	19.9	14.9	4.5	64.6
301	P	4.3	100.0	0.0	0.0	1.6	0	6	0.0	84.3	0.0	14.1	14.1	3.0	42.2
302	D	14.5	31.3	21.5	47.3	3.0	4	8	32.5	131.0	8.1	16.4	12.3	6.0	81.8
303	T	9.5	42.3	13.2	44.5	2.4	1	2	10.4	32.3	10.4	16.2	13.3	1.5	21.4
304	T	10.0	39.9	9.9	50.2	2.4	5	10	28.1	106.0	5.6	10.6	8.1	7.5	67.1
305	T	8.2	29.2	12.6	58.2	2.3	5	2	30.7	32.0	6.1	16.0	11.1	3.5	31.4
306	D	18.5	25.5	23.6	51.9	3.1	4	8	27.3	113.0	6.8	14.1	10.5	6.0	70.2
307	P	11.0	73.6	0.0	26.4	2.5	2	4	18.8	82.6	9.4	20.7	15.0	3.0	50.7
309	T	10.7	19.2	5.7	81.9	4.5	4	7	50.4	116.0	12.6	16.6	14.6	5.5	83.2
310	T	6.2	39.9	13.5	46.5	2.2	3	9	24.5	154.0	8.2	17.1	12.6	6.0	89.3
311	P	5.2	71.8	0.0	28.2	2.1	4	9	20.5	117.0	5.1	13.0	9.1	6.5	68.8
313	T	5.7	37.3	10.5	52.2	2.1	6	9	43.5	119.0	7.3	13.2	10.2	7.5	81.3
315	D	14.5	28.8	21.0	50.2	2.7	6	8	34.5	81.7	5.8	10.2	8.0	7.0	58.1
316	T	13.5	36.8	10.0	53.2	2.5	5	11	28.7	137.0	5.7	12.5	9.1	8.0	82.9

ตารางผนวกที่ 1 (ต่อ)

NO.	Type	Weight/ fruit	Cross Section (mm.)				Bunch/palm/year		Weight/palm/year (kg)		Weight/bunch (kg)		SBW mean (kg)	NB mean (kg)	TBW mean (kg)
			Meso	Shell	Kernel	Wide	year(1)	year(2)	year(1)	year(2)	year(1)	year(2)			
317	T	8.1	26.4	11.2	62.4	2.2	7	2	58.2	60.0	8.3	30.0	19.2	4.5	59.1
318	D	13.5	26.2	20.3	53.6	3.0	3	6	31.5	84.5	10.5	14.1	12.3	4.5	58.0
319	T	10.0	44.2	8.4	47.4	2.3	5	15	20.0	156.0	4.0	10.4	7.2	10.0	88.0
320	D	9.0	35.1	15.8	49.1	2.3	0	6	0.0	86.8	0.0	14.5	7.2	3.0	43.4
321	P	4.2	100.0	0.0	0.0	1.5	0	5	0.0	44.2	0.0	8.8	8.8	2.5	22.1
322	T	5.4	38.0	14.2	47.8	1.9	2	6	15.5	98.2	7.8	16.4	12.1	4.0	56.9
323	P	6.2	98.5	0.0	1.5	1.9	0	3	0.0	42.1	0.0	14.0	14.0	1.5	21.1
324	T	7.2	36.7	12.0	51.4	2.1	13	16	27.7	170.0	2.1	10.6	6.4	14.5	98.9
325	D	13.3	22.8	32.5	44.6	2.5	5	12	43.3	171.0	8.7	14.3	11.5	8.5	107.2
326	T	9.8	38.5	14.4	47.1	2.4	4	5	41.6	94.9	10.4	19.0	14.7	4.5	68.3
328	T	21.0	55.7	9.0	35.3	2.8	4	8	33.5	101.0	8.4	12.6	10.5	6.0	67.3
329	P	9.4	85.5	0.0	14.5	2.5	0	11	0.0	129.0	0.0	11.7	11.7	5.5	64.5
330	D	10.1	32.4	24.4	43.2	2.5	4	10	14.0	119.0	3.5	11.9	7.7	7.0	66.5
331	D	19.5	32.4	28.4	39.2	2.9	3	11	20.8	135.0	6.9	12.3	9.6	7.0	77.9
332	T	9.0	41.4	21.7	37.0	2.2	6	9	40.4	127.0	6.7	14.1	10.4	7.5	83.7
333	D	12.1	33.1	24.2	42.7	2.6	4	4	40.3	64.7	10.1	16.2	13.1	4.0	52.5
335	T	13.5	40.0	10.0	50.1	2.6	1	10	2.0	112.0	2.0	11.2	6.6	5.5	57.0
336	P	8.6	91.8	0.0	8.2	2.0	0	7	0.0	92.3	0.0	13.2	13.2	3.5	46.2
337	T	9.1	48.6	11.2	40.3	2.3	7	9	58.5	168.0	8.4	18.7	13.5	8.0	113.3
338	T	5.4	49.5	18.1	32.4	2.0	6	2	48.5	34.8	8.1	17.4	12.7	4.0	41.7
339	D	12.5	35.8	29.0	35.2	2.7	5	8	35.6	104.0	7.1	13.0	10.1	6.5	69.8
340	T	7.5	41.4	8.4	50.2	2.2	4	3	28.4	59.3	7.1	19.8	13.4	3.5	43.9
341	D	12.7	34.4	23.1	42.6	2.7	1	2	13.0	24.5	13.0	12.3	12.6	1.5	18.8
342	T	11.1	16.3	7.8	26.5	2.5	6	4	60.7	69.7	10.1	17.4	13.8	5.0	65.2
343	D	8.6	19.6	24.2	56.2	2.4	3	5	29.0	83.3	9.7	16.7	13.2	4.0	56.2
344	D	13.4	23.2	21.2	55.5	2.8	5	12	58.9	191.0	11.8	15.9	13.8	8.5	125.0
345	D	24.0	29.6	29.1	41.3	3.0	3	12	14.0	106.0	4.7	8.8	6.8	7.5	60.0
346	T	7.8	40.8	6.9	52.3	2.3	2	8	9.8	91.1	4.9	11.4	8.1	5.0	50.5

ตารางผนวกที่ 1 (ต่อ)

NO.	Type	Weight/ fruit	Cross Section (mm.)				Bunch/palm/year		Weight/palm/year (kg)		Weight/bunch (kg)		SBW mean (kg)	NB mean (kg)	TBW mean (kg)
			Meso	Shell	Kernel	Wide	year(1)	year(2)	year(1)	year(2)	year(1)	year(2)			
347	D	8.4	35.4	17.2	47.4	2.3	5	6	21.5	49.8	4.3	8.3	6.3	5.5	35.7
348	T	20.4	60.0	14.2	25.8	3.1	0	4	0.0	77.6	0.0	19.4	9.7	2.0	38.8
349	D	9.9	25.8	26.4	47.8	2.5	2	11	6.0	167.0	3.0	15.2	9.1	6.5	86.5
351	T	11.6	44.0	12.5	43.4	2.7	5	7	28.9	70.6	5.8	10.1	7.9	6.0	49.8
352	T	7.8	45.2	9.5	45.3	2.1	4	10	21.0	127.0	5.3	12.7	9.0	7.0	74.0
353	P	8.1	91.1	0.0	8.9	2.1	0	6	0.0	50.6	0.0	8.4	8.4	3.0	25.3
354	D	21.1	37.1	29.5	33.4	2.8	7	10	47.8	164.0	6.8	16.4	11.6	8.5	105.9
355	T	20.2	48.3	14.0	37.7	3.3	0	7	0.0	99.4	0.0	14.2	7.1	3.5	49.7
357	T	10.4	52.3	13.2	34.5	2.4	8	8	51.0	125.0	6.4	15.6	11.0	8.0	88.0
358	T	8.9	37.8	19.7	42.5	2.3	5	19	46.6	155.0	9.3	8.2	8.7	12.0	100.8
359	P	6.9	78.4	0.0	21.6	2.2	4	9	86.9	207.0	21.7	23.0	22.4	6.5	147.0
360	T	7.2	42.2	12.1	45.7	2.2	4	14	29.2	171.0	7.3	12.2	9.8	9.0	100.1
361	T	13.6	44.0	10.9	45.1	2.5	12	4	91.6	49.9	7.6	12.5	10.1	8.0	70.8
362	P	9.3	69.4	0.0	30.6	2.4	3	7	30.2	100.0	10.1	14.3	12.2	5.0	65.1
363	T	11.2	43.4	13.3	43.3	2.5	7	11	111.4	176.0	15.9	16.0	16.0	9.0	143.7
364	P	4.3	93.6	0.0	6.4	1.9	5	17	39.3	195.0	7.9	11.5	9.7	11.0	117.2
365	D	16.3	36.7	21.0	42.3	3.0	3	8	43.4	92.6	14.5	11.6	13.0	5.5	68.0
366	D	13.7	26.3	32.2	41.6	2.7	7	12	107.1	212.0	15.3	17.7	16.5	9.5	159.6
367	T	7.9	45.8	9.9	44.3	2.3	2	2	13.5	52.3	6.8	26.2	16.5	2.0	32.9
368	T	15.3	33.9	13.4	52.7	2.8	1	9	10.0	121.0	10.0	13.4	11.7	5.0	65.5
369	T	14.5	46.4	10.0	43.6	2.8	4	11	32.5	182.0	8.1	16.5	12.3	7.5	107.3
370	P	6.4	32.7	0.0	37.3	2.3	11	10	40.9	95.7	3.7	9.6	6.6	10.5	68.3
371	D	10.2	32.7	26.1	41.3	2.5	2	8	21.3	93.3	10.7	11.7	11.2	5.0	57.3
372	D	18.8	32.0	22.2	45.8	3.2	5	9	35.0	149.0	7.0	16.6	11.8	7.0	92.0
373	P	5.8	69.3	0.0	30.7	2.0	4	3	24.8	22.5	6.2	7.5	6.9	3.5	23.7
374	T	14.1	42.2	15.4	42.4	2.9	7	4	56.3	61.8	8.0	15.5	11.7	5.5	59.1
375	D	11.2	32.6	22.5	44.9	2.7	7	11	60.5	118.0	8.6	10.7	9.7	9.0	89.3
376	D	7.6	30.7	20.5	48.8	2.3	8	2	99.2	68.8	12.4	34.4	23.4	5.0	84.0

ตารางผนวกที่ 1 (ต่อ)

NO.	Type	Weight/ fruit	Cross Section (mm.)			Bunch/palm/year		Weight/palm/year (kg)		Weight/bunch (kg)		SBW mean (kg)	NB mean (kg)	TBW mean (kg)	
			Meso	Shell	Kernel	Wide	year(1)	year(2)	year(1)	year(2)	year(1)				year(2)
377	T	9.0	40.7	12.8	46.5	2.4	8	11	68.2	157.0	8.5	14.3	11.4	9.5	112.6
378	D	12.3	31.8	24.7	38.6	2.7	5	10	25.7	130.0	5.1	13.0	9.1	7.5	77.9
380	D	17.1	25.9	23.7	50.5	3.0	1	7	9.5	98.5	9.5	14.1	11.8	4.0	54.0
381	T	9.5	42.3	8.2	49.5	2.3	6	8	47.2	162.0	7.9	20.3	14.1	7.0	104.6
382	T	10.1	35.5	11.3	53.2	2.5	5	9	34.0	161.0	6.8	17.9	12.3	7.0	97.5
383	D	13.3	28.3	29.8	41.9	2.6	4	6	27.0	95.4	6.8	15.9	11.3	5.0	61.2
385	D	12.0	26.2	19.8	53.9	2.8	4	7	32.8	74.3	8.2	10.6	9.4	5.5	53.6
386	D	14.2	29.1	28.0	42.9	2.7	1	6	11.5	117.0	11.5	19.5	15.5	3.5	64.3
387	T	5.4	46.5	9.6	43.4	2.0	6	7	70.6	117.0	11.8	16.7	14.2	6.5	93.8
388	D	11.8	37.7	20.2	42.2	2.7	6	10	50.7	140.0	8.5	14.0	11.2	8.0	95.4
389	T	6.3	39.1	15.0	45.9	2.3	5	6	27.8	76.7	5.6	12.8	9.2	5.5	52.3
390	T	17.3	36.9	10.7	52.4	3.0	1	3	5.0	61.4	5.0	20.5	12.7	2.0	33.2
391	T	12.5	41.7	10.3	47.9	2.6	2	6	25.0	109.0	12.5	18.2	15.3	4.0	67.0
392	P	4.7	94.4	0.0	5.6	1.6	0	4	0.0	26.4	0.0	6.6	6.6	2.0	13.2
393	D	10.0	30.6	19.7	49.7	2.4	5	8	35.4	99.8	7.1	12.5	9.8	6.5	67.6
394	D	11.4	39.1	27.8	33.1	2.5	4	10	33.6	165.0	8.4	16.5	12.5	7.0	99.3
395	D	6.7	27.3	21.8	50.9	2.2	2	6	13.4	85.1	6.7	14.2	10.4	4.0	49.3
396	P	7.4	70.9	0.0	29.1	1.9	1	10	5.0	106.0	5.0	10.6	7.8	5.5	55.5
397	P	7.3	77.4	0.0	22.6	2.1	0	6	0.0	58.7	0.0	9.8	9.8	3.0	29.4
398	T	13.3	41.5	9.9	48.6	2.7	3	6	21.2	117.0	7.1	19.5	13.3	4.5	69.1
399	P	7.0	63.8	0.0	36.3	2.4	3	12	15.0	82.8	5.0	6.9	6.0	7.5	48.9
400	T	5.9	35.9	14.5	49.6	2.0	10	11	71.9	151.0	7.2	13.7	10.5	10.5	111.5
401	D	9.1	34.2	30.6	35.2	2.2	5	9	27.7	82.2	5.5	9.1	7.3	7.0	55.0
402	P	5.5	77.2	0.0	22.8	2.1	2	9	7.7	112.0	3.9	12.4	8.1	5.5	59.9
403	T	16.2	43.6	10.7	45.7	3.0	4	13	22.1	137.0	5.5	10.5	8.0	8.5	79.6
404	D	21.7	23.4	24.1	52.5	3.1	2	7	14.1	70.7	7.1	10.1	8.6	4.5	42.4
405	T	18.6	38.5	13.4	48.1	2.9	0	11	0.0	124.0	0.0	11.3	5.6	5.5	62.0
406	T	14.5	47.9	10.9	41.2	2.8	0	11	0.0	109.0	0.0	9.9	5.0	5.5	54.5

ตารางผนวกที่ 1 (ต่อ)

NO.	Type	Weight/ fruit	Cross Section (mm.)			Bunch/palm/year		Weight/palm/year (kg)		Weight/bunch (kg)		SBW mean (kg)	NB mean (kg)	TBW mean (kg)	
			Meso	Shell	Kernel	Wide	year(1)	year(2)	year(1)	year(2)	year(1)				year(2)
407	T	11.3	31.2	6.9	61.1	2.6	3	4	33.0	68.1	11.0	17.0	14.0	3.5	50.6
408	T	13.8	41.4	9.3	49.3	2.6	0	10	0.0	181.0	0.0	18.1	9.1	5.0	90.5
409	T	5.3	30.3	10.3	59.4	1.9	4	7	41.4	133.0	10.4	19.0	14.7	5.5	87.2
411	D	6.4	13.2	27.6	59.2	2.1	7	14	53.6	200.0	7.7	14.3	11.0	10.5	126.8
413	D	12.7	30.0	30.4	39.5	2.6	0	2	0.0	69.8	0.0	34.9	34.9	1.0	34.9
414	D	24.1	27.3	26.2	46.4	3.2	5	10	53.8	181.0	10.8	18.1	14.4	7.5	117.4
415	D	24.8	30.0	29.5	40.5	2.8	1	3	6.5	62.4	6.5	20.8	13.7	2.0	34.5
416	P	8.3	72.8	0.0	27.2	2.1	0	8	0.0	76.6	0.0	9.6	9.6	4.0	38.3
418	T	18.4	38.8	16.4	44.8	3.0	0	12	0.0	117.0	0.0	9.8	4.9	6.0	58.5
419	T	10.8	38.6	20.2	41.2	2.3	6	7	62.5	175.0	10.4	25.0	17.7	6.5	118.8
420	T	9.6	49.3	13.8	36.9	2.2	0	13	0.0	164.0	0.0	12.6	6.3	6.5	82.0
421	D	9.8	27.4	22.0	50.7	2.3	0	5	0.0	148.0	0.0	29.6	14.8	2.5	74.0
422	T	14.7	46.0	12.9	41.1	2.5	1	6	2.3	73.1	2.3	12.2	7.2	3.5	37.7
423	P	5.3	75.6	0.0	24.4	2.0	4	4	21.8	26.6	5.5	6.7	6.1	4.0	24.2
424	T	6.0	38.9	16.5	44.6	2.1	5	3	24.0	52.5	4.8	17.5	11.2	4.0	38.3
428	D	16.2	31.1	35.6	33.3	2.6	0	10	0.0	183.0	0.0	18.3	18.3	5.0	91.5
429	T	12.7	57.4	11.0	31.6	2.8	6	10	27.0	143.0	4.5	14.3	9.4	8.0	85.0
430	T	14.4	37.1	12.1	50.8	2.4	0	11	0.0	150.0	0.0	13.6	6.8	5.5	75.0
431	T	12.9	47.7	11.9	40.4	2.6	1	7	8.0	106.0	8.0	15.1	11.6	4.0	57.0
432	D	8.9	21.5	20.1	58.4	2.2	7	5	73.8	91.5	10.5	18.3	14.4	6.0	82.7
433	D	16.1	25.8	23.3	50.9	2.7	2	8	33.0	118.0	16.5	14.8	15.6	5.0	75.5
435	T	6.8	27.0	13.3	59.7	2.0	5	4	67.3	70.2	13.5	17.6	15.5	4.5	68.8
437	T	8.1	41.4	10.0	48.7	2.3	3	8	37.9	115.0	12.6	14.4	13.5	5.5	76.5
438	T	16.0	34.8	22.7	42.5	2.8	7	8	79.5	160.0	11.4	20.0	15.7	7.5	119.8
439	D	15.1	28.4	23.7	47.9	2.8	3	5	24.1	94.5	8.0	18.9	13.5	4.0	59.3
440	P	6.6	64.0	0.0	36.0	2.0	1	12	4.0	119.0	4.0	9.9	7.0	6.5	61.5
441	T	8.3	39.3	12.6	48.2	2.3	5	6	65.0	186.0	13.0	31.0	22.0	5.5	125.5
442	T	9.6	42.7	13.3	44.0	2.4	7	9	69.0	151.0	9.9	16.8	13.3	8.0	110.0

ตารางผนวกที่ 1 (ต่อ)

NO.	Type	Weight/ fruit	Cross Section (mm.)				Bunch/palm/year		Weight/palm/year (kg)		Weight/bunch (kg)		SBW mean (kg)	NB mean (kg)	TBW mean (kg)
			Meso	Shell	Kernel	Wide	year(1)	year(2)	year(1)	year(2)	year(1)	year(2)			
443	T	8.5	41.4	8.6	50.0	2.3	1	1	12.0	12.8	12.0	12.8	12.4	1.0	12.4
444	D	16.6	33.1	29.7	37.3	3.0	6	14	58.4	196.0	9.7	14.0	11.9	10.0	127.2
445	P	6.1	64.4	0.0	35.6	1.8	5	5	67.5	96.1	13.5	19.2	16.4	5.0	81.8
446	T	10.2	47.6	9.8	42.6	2.3	7	11	66.7	205.0	9.5	18.6	14.1	9.0	135.9
447	T	17.2	48.2	7.9	44.0	3.1	7	12	69.9	189.0	10.0	15.8	12.9	9.5	129.5
448	D	19.5	16.4	21.7	61.9	3.0	4	7	31.0	91.1	7.8	13.0	10.4	5.5	61.1
449	D	9.5	25.0	20.2	54.8	2.3	9	7	66.8	116.0	7.4	16.6	12.0	8.0	91.4
450	T	15.4	35.5	14.8	49.7	2.6	3	10	18.0	120.0	6.0	12.0	9.0	6.5	69.0
453	T	7.2	31.2	13.1	55.7	2.0	6	4	27.7	50.6	4.6	12.7	8.6	5.0	39.2
454	T	9.2	34.7	12.5	52.8	2.2	6	16	32.5	188.0	5.4	11.8	8.6	11.0	110.3
455	D	16.8	30.9	26.2	42.8	2.9	6	9	47.4	98.1	7.9	10.9	9.4	7.5	72.8
456	P	5.6	79.8	0.0	20.2	2.1	2	7	6.9	41.4	3.5	5.9	4.7	4.5	24.2
457	P	8.7	72.1	0.0	27.9	2.3	0	6	0.0	30.2	0.0	5.0	5.0	3.0	15.1
458	T	6.5	42.8	10.1	47.1	1.9	1	8	5.4	60.6	5.4	7.6	6.5	4.5	33.0
459	P	16.3	76.0	0.0	24.0	2.6	0	5	0.0	43.4	0.0	8.7	8.7	2.5	21.7
462	T	6.6	25.9	10.7	63.4	2.1	10	12	44.9	113.0	4.5	9.4	7.0	11.0	79.0
463	T	7.1	33.9	9.2	57.0	2.3	7	11	51.6	162.0	7.4	14.7	11.0	9.0	106.8
464	D	13.7	29.6	32.1	38.3	3.0	6	9	31.9	79.3	5.3	8.8	7.1	7.5	55.6
465	T	8.7	35.4	9.9	54.7	2.5	5	18	31.1	173.0	6.2	9.6	7.9	11.5	102.1
466	P	7.1	64.8	0.0	35.2	2.4	2	9	8.2	90.7	4.1	10.1	7.1	5.5	49.5
467	T	12.8	36.2	24.2	39.6	2.7	6	10	49.7	129.0	8.3	12.9	10.6	8.0	89.4
468	T	18.1	40.2	19.7	40.1	2.8	3	10	47.5	179.0	15.8	17.9	16.9	6.5	113.3
469	D	11.1	29.5	23.7	46.8	2.5	1	5	12.0	105.0	12.0	21.0	16.5	3.0	58.5
470	T	12.8	48.8	7.8	43.4	2.8	1	2	12.3	37.2	12.3	18.6	15.5	1.5	24.8
471	T	8.8	36.2	10.5	53.3	2.2	6	5	52.9	89.0	8.8	17.8	13.3	5.5	71.0
472	P	4.7	75.8	0.0	24.2	1.9	6	11	25.0	95.7	4.2	8.7	6.4	8.5	60.4
473	P	8.1	100.0	0.0	0.0	2.1	0	7	0.0	70.0	0.0	10.0	10.0	3.5	35.0
474	T	19.3	33.1	12.4	54.5	3.1	1	10	6.0	185.0	6.0	18.5	12.3	5.5	95.5

ตารางผนวกที่ 1 (ต่อ)

NO.	Type	Weight/ fruit	Cross Section (mm.)			Bunch/palm/year		Weight/palm/year (kg)		Weight/bunch (kg)		SBW mean (kg)	NB mean (kg)	TBW mean (kg)	
			Meso	Shell	Kernel	Wide	year(1)	year(2)	year(1)	year(2)	year(1)				year(2)
475	T	5.0	34.6	14.2	51.2	1.9	4	5	34.0	128.0	8.5	25.6	17.1	4.5	81.0
476	T	5.8	28.1	6.6	65.4	2.0	2	2	17.0	38.5	8.5	19.3	13.9	2.0	27.8
477	T	8.4	41.4	8.6	50.0	2.3	2	5	29.7	117.0	14.9	23.4	19.1	3.5	73.4
478	D	8.8	27.9	21.1	51.0	2.5	10	15	88.9	214.0	8.9	14.3	11.6	12.5	151.5
479	T	9.1	35.8	7.8	56.4	2.3	3	14	32.6	201.0	10.9	14.4	12.6	8.5	116.8
480	D	7.0	19.3	22.5	58.2	2.2	1	15	7.8	158.0	7.8	10.5	9.2	8.0	82.9
481	D	20.0	25.3	25.1	49.6	2.9	8	11	76.9	185.0	9.6	16.8	13.2	9.5	131.0
483	T	7.1	34.6	9.2	56.2	2.2	10	14	111.7	246.0	11.2	17.6	14.4	12.0	178.9
484	T	8.4	38.9	13.2	47.9	2.3	10	9	61.4	122.0	6.1	13.6	9.8	9.5	91.7
485	P	5.6	72.9	0.0	27.1	2.0	0	4	0.0	44.6	0.0	11.2	11.2	2.0	22.3
487	P	8.0	91.6	0.0	8.4	2.2	3	13	15.3	169.0	5.1	13.0	9.1	8.0	92.2
491	D	9.1	32.7	24.9	42.5	2.3	6	7	85.7	164.0	14.3	23.4	18.9	6.5	124.9
492	P	3.4	82.4	0.0	17.6	2.1	0	6	0.0	55.6	0.0	9.3	9.3	3.0	27.8
494	P	7.6	57.6	0.0	42.4	2.1	1	14	6.0	113.0	6.0	8.1	7.0	7.5	59.5
495	D	9.0	32.8	14.1	53.1	2.1	5	10	82.3	183.0	16.5	18.3	17.4	7.5	132.7
496	D	10.6	19.6	23.2	57.2	2.5	6	9	92.0	165.0	15.3	18.3	16.8	7.5	128.5
497	P	9.8	73.6	0.0	26.4	2.5	1	1	13.0	17.0	13.0	17.0	15.0	1.0	15.0
498	T	6.7	40.3	13.2	46.5	1.9	4	6	46.6	125.0	11.7	20.8	16.2	5.0	85.8
499	P	7.0	93.4	0.0	6.6	2.3	7	7	47.8	76.4	6.8	10.9	8.9	7.0	62.1
500	D	15.1	28.2	30.1	41.7	2.7	3	7	34.4	79.0	11.5	11.3	11.4	5.0	56.7
501	T	7.9	41.9	14.7	43.4	2.2	6	3	64.5	72.0	10.8	24.0	17.4	4.5	68.3
502	T	7.4	36.1	10.0	53.9	2.2	2	10	13.9	130.0	7.0	13.0	10.0	6.0	72.0
503	P	5.6	79.9	0.0	20.1	2.1	6	10	93.9	191.0	15.7	19.1	17.4	8.0	142.5
504	D	27.9	35.2	26.7	38.1	3.2	3	6	35.5	75.7	11.8	12.6	12.2	4.5	55.6
505	T	8.9	43.3	17.3	39.4	2.5	2	10	16.0	110.0	8.0	11.0	9.5	6.0	63.0
506	P	9.2	65.0	0.0	35.0	2.4	5	5	45.2	69.6	9.0	13.9	11.5	5.0	57.4
507	T	9.5	43.9	16.0	40.1	2.5	11	4	85.6	71.9	7.8	18.0	12.9	7.5	78.8
509	D	8.6	41.5	17.7	40.8	2.2	6	8	78.4	160.0	13.1	20.0	16.5	7.0	119.2

ตารางผนวกที่ 1 (ต่อ)

NO.	Type	Weight/ fruit	Cross Section (mm.)				Bunch/palm/year		Weight/palm/year (kg)		Weight/bunch (kg)		SBW mean (kg)	NB mean (kg)	TBW mean (kg)
			Meso	Shell	Kernel	Wide	year(1)	year(2)	year(1)	year(2)	year(1)	year(2)			
510	T	10.2	42.5	14.0	43.6	2.5	13	10	101.0	117.0	7.8	11.7	9.7	11.5	109.0
511	T	10.2	35.6	8.4	56.0	2.4	3	5	9.6	57.0	3.2	11.4	7.3	4.0	33.3
512	T	10.9	37.0	11.7	63.9	2.4	5	8	41.1	101.0	8.2	12.6	10.4	6.5	71.1
514	P	10.9	67.6	0.0	32.4	2.6	4	4	22.8	44.9	5.7	11.2	8.5	4.0	33.9
515	T	12.5	47.2	14.3	38.5	2.5	8	9	88.1	191.0	11.0	21.2	16.1	8.5	139.6
516	D	17.0	19.9	22.0	58.1	2.8	10	7	105.8	127.0	10.6	18.1	14.4	8.5	116.4
517	T	11.7	43.9	12.4	43.7	2.7	9	8	105.3	145.0	11.7	18.1	14.9	8.5	125.2
518	T	14.2	62.1	8.2	29.7	2.6	8	8	36.0	84.0	4.5	10.5	7.5	8.0	60.0
521	T	16.1	45.3	12.5	42.2	2.5	0	3	0.0	81.4	0.0	27.1	13.6	1.5	40.7
522	D	7.0	28.2	18.7	53.1	2.1	2	9	21.5	101.0	10.8	11.2	11.0	5.5	61.3
523	T	8.5	37.4	9.4	53.1	2.2	4	12	39.1	128.0	9.8	10.7	10.2	8.0	83.6
524	D	9.1	22.9	27.2	49.9	2.1	6	10	36.7	107.0	6.1	10.7	8.4	8.0	71.9
525	T	5.2	75.9	3.0	21.1	1.9	8	14	33.8	104.0	4.2	7.4	5.8	11.0	68.9
526	P	5.2	90.5	0.0	9.5	1.8	0	2	0.0	14.3	0.0	7.2	7.2	1.0	7.2
527	P	9.3	75.7	0.0	24.4	2.3	1	5	3.3	56.6	3.3	11.3	7.3	3.0	30.0
528	T	8.8	33.1	8.9	58.0	2.3	3	7	30.5	166.0	10.2	23.7	16.9	5.0	98.3
529	P	5.3	70.4	0.0	29.6	2.0	0	6	0.0	76.9	0.0	12.8	12.8	3.0	38.5
530	D	10.5	40.2	14.4	45.4	2.3	5	9	41.8	117.0	8.4	13.0	10.7	7.0	79.4
533	D	13.4	27.5	22.6	49.9	2.5	2	4	15.5	54.1	7.8	13.5	10.6	3.0	34.8
534	D	18.3	32.6	32.3	35.3	3.0	0	10	0.0	76.2	0.0	7.6	7.6	5.0	38.1
535	P	8.1	88.7	0.0	11.3	2.0	0	7	0.0	36.5	0.0	5.2	5.2	3.5	18.3
536	P	4.2	100.0	0.0	0.0	1.4	0	1	0.0	5.2	0.0	5.2	5.2	0.5	2.6
537	T	21.2	61.3	8.4	30.3	3.3	1	5	4.7	71.7	4.7	14.3	9.5	3.0	38.2
538	D	12.7	38.1	26.1	35.8	2.5	8	8	53.7	57.6	6.7	7.2	7.0	8.0	55.7
539	D	10.8	25.6	28.4	37.2	2.6	2	8	19.0	66.0	9.5	8.3	8.9	5.0	42.5
541	D	20.2	30.4	26.8	42.8	3.0	0	7	0.0	112.0	0.0	16.0	16.0	3.5	56.0
542	T	6.2	39.9	13.7	46.4	2.0	3	9	26.2	184.0	8.7	20.4	14.6	6.0	105.1
543	T	15.7	40.7	8.1	51.3	2.7	0	6	0.0	83.4	0.0	13.9	7.0	3.0	41.7

ตารางผนวกที่ 1 (ต่อ)

NO.	Type	Weight/ fruit	Cross Section (mm.)			Bunch/palm/year		Weight/palm/year (kg)		Weight/bunch (kg)		SBW mean (kg)	NB mean (kg)	TBW mean (kg)	
			Meso	Shell	Kernel	Wide	year(1)	year(2)	year(1)	year(2)	year(1)				year(2)
544	P	5.5	71.5	0.0	28.5	2.0	3	8	29.4	105.0	9.8	13.1	11.5	5.5	67.2
546	D	13.2	36.0	11.0	53.0	2.8	4	6	48.1	86.2	12.0	14.4	13.2	5.0	67.2
547	P	5.1	79.3	0.0	20.7	1.9	3	12	19.0	119.0	6.3	9.9	8.1	7.5	69.0
548	D	10.5	29.7	29.1	41.2	2.6	1	8	1.5	108.0	1.5	13.5	7.5	4.5	54.8
549	T	12.5	25.9	11.0	63.1	2.4	8	9	67.1	134.0	8.4	14.9	11.6	8.5	100.6
550	T	14.3	39.8	8.5	51.7	2.8	6	6	61.7	134.0	10.3	22.3	16.3	6.0	97.9
551	P	5.2	71.0	0.0	29.0	1.9	1	6	6.5	60.4	6.5	10.1	8.3	3.5	33.5
552	P	5.4	80.9	0.0	19.1	1.6	2	10	12.5	83.7	6.3	8.4	7.3	6.0	48.1
553	P	9.8	69.5	0.0	30.5	2.6	6	11	60.0	168.0	10.0	15.3	12.6	8.5	114.0
554	T	6.8	35.9	9.5	54.6	2.1	5	10	36.0	150.0	7.2	15.0	11.1	7.5	93.0
555	T	10.8	41.1	14.3	44.6	2.6	10	18	86.9	210.0	8.7	11.7	10.2	14.0	148.5
556	D	8.9	25.5	28.3	46.2	2.4	4	8	44.8	166.0	11.2	20.8	16.0	6.0	105.4
558	P	7.4	53.7	0.0	46.3	2.0	7	12	67.8	132.0	9.7	11.0	10.3	9.5	99.9
559	T	9.4	43.4	9.9	46.7	2.5	8	4	82.0	43.9	10.3	11.0	10.6	6.0	63.0
560	T	10.1	36.5	13.3	50.2	2.4	5	9	40.3	101.0	8.1	11.2	9.6	7.0	70.7
561	D	17.9	27.0	26.1	46.9	3.1	2	4	28.2	85.3	14.1	21.3	17.7	3.0	56.8
562	P	6.8	95.3	0.0	4.7	1.8	0	4	0.0	38.2	0.0	9.6	9.6	2.0	19.1
564	D	11.4	30.8	29.8	39.4	2.5	7	12	35.8	139.0	5.1	11.6	8.3	9.5	87.4
566	D	8.0	42.3	24.1	33.6	2.2	0	11	0.0	157.0	0.0	14.3	14.3	5.5	78.5
567	D	10.7	42.5	14.0	43.5	2.4	4	7	17.3	82.7	4.3	11.8	8.1	5.5	50.0
568	T	11.5	31.5	23.9	44.5	2.3	4	8	24.6	97.3	6.2	12.2	9.2	6.0	61.0
569	D	17.8	27.5	29.4	43.1	3.0	1	9	6.0	126.0	6.0	14.0	10.0	5.0	66.0
571	D	7.9	29.7	29.0	41.3	2.2	5	9	32.7	83.5	6.5	9.3	7.9	7.0	58.1
572	T	14.5	47.3	10.4	42.3	2.8	4	9	23.5	72.0	5.9	8.0	6.9	6.5	47.8
574	T	8.7	23.7	12.8	63.5	2.4	5	6	28.7	96.8	5.7	16.1	10.9	5.5	62.8
575	D	12.4	32.9	15.9	51.2	2.6	3	7	10.7	65.1	3.6	9.3	6.4	5.0	37.9
576	T	12.6	40.0	21.9	38.1	2.2	0	2	0.0	24.5	0.0	12.3	6.1	1.0	12.3
577	P	6.4	71.4	0.0	28.6	2.0	0	8	0.0	66.5	0.0	8.3	8.3	4.0	33.3

ตารางผนวกที่ 1 (ต่อ)

NO.	Type	Weight/ fruit	Cross Section (mm.)				Bunch/palm/year		Weight/palm/year (kg)		Weight/bunch (kg)		SBW mean (kg)	NB mean (kg)	TBW mean (kg)
			Meso	Shell	Kernel	Wide	year(1)	year(2)	year(1)	year(2)	year(1)	year(2)			
611	P	12.2	77.2	0.0	22.8	2.9	0	5	0.0	74.8	0.0	15.0	2.5	37.4	
612	T	11.1	38.4	10.5	51.1	2.6	9	9	81.6	146.0	9.1	16.2	9.0	113.8	
613	D	11.5	18.7	20.9	60.4	2.3	7	12	65.9	153.0	9.4	12.8	9.5	109.5	
614	D	11.6	31.1	30.2	38.7	2.5	3	7	28.4	79.5	9.5	11.4	5.0	54.0	
615	D	10.7	43.9	13.1	43.0	2.3	2	13	16.4	140.0	8.2	10.8	7.5	78.2	
616	D	14.0	30.1	21.8	48.1	2.6	5	8	48.0	82.9	9.6	10.4	6.5	65.5	
617	P	9.3	65.2	0.0	34.8	2.5	2	7	7.0	88.1	3.5	12.6	4.5	47.6	
618	D	10.9	34.1	16.4	46.4	2.5	9	8	55.8	88.7	6.2	11.1	8.5	72.3	
620	T	8.2	39.4	6.6	54.0	2.4	0	13	0.0	115.0	0.0	8.8	4.4	57.5	
621	T	10.7	38.8	15.9	45.3	2.6	1	6	12.5	97.8	12.5	16.3	3.5	55.2	
622	T	9.9	37.3	11.3	51.4	2.5	0	7	0.0	82.7	0.0	11.8	5.9	41.4	
623	D	9.7	29.0	13.9	57.1	2.4	1	9	5.0	144.0	5.0	16.0	5.0	74.5	
624	D	16.3	31.4	26.8	41.8	3.0	7	7	74.3	87.3	10.6	12.5	7.0	80.8	
625	T	10.8	38.1	7.1	54.8	2.5	7	9	64.6	129.0	9.2	14.3	8.0	96.8	
626	T	7.1	47.2	9.0	43.8	2.2	12	7	181.5	156.0	15.1	22.3	9.5	168.8	
627	D	8.8	18.7	20.2	61.1	2.3	6	9	79.5	131.0	13.3	14.6	7.5	105.3	
628	D	8.3	26.5	30.9	42.6	2.0	7	4	53.3	42.4	7.6	10.6	5.5	47.9	
630	D	12.4	23.4	26.7	49.9	2.5	7	11	73.4	151.0	10.5	13.7	9.0	112.2	
631	D	13.3	24.7	27.6	47.7	2.6	5	10	53.7	131.0	10.7	13.1	7.5	92.4	
632	T	7.9	44.0	9.7	46.3	2.1	1	8	10.0	137.0	10.0	17.1	4.5	73.5	
633	P	6.0	74.4	0.0	25.6	2.0	7	8	55.2	111.0	7.9	13.9	7.5	83.1	
634	D	12.5	29.5	39.1	31.5	2.6	7	14	91.5	173.0	13.1	12.4	10.5	132.3	
635	P	6.6	77.2	0.0	22.8	2.1	0	6	0.0	65.9	0.0	11.0	3.0	33.0	
636	P	7.8	67.2	0.0	32.8	2.3	8	6	95.9	86.2	12.0	14.4	7.0	91.1	
637	P	5.3	59.0	0.0	41.0	2.0	4	13	26.1	122.0	6.5	9.4	8.5	74.1	
638	T	9.8	33.2	12.3	54.5	2.4	11	9	90.9	114.0	8.3	12.7	10.0	102.5	
639	T	11.3	43.8	6.9	49.4	2.5	4	4	51.5	88.7	12.9	22.2	4.0	70.1	
641	T	6.1	36.1	7.6	56.3	2.1	9	7	56.1	55.1	6.2	7.9	8.0	55.6	

ตารางผนวกที่ 1 (ต่อ)

NO.	Type	Weight/ fruit	Cross Section (mm.)			Bunch/palm/year		Weight/palm/year (kg)		Weight/bunch (kg)		SBW mean (kg)	NB mean (kg)	TBW mean (kg)	
			Meso	Shell	Kernel	Wide	year(1)	year(2)	year(1)	year(2)	year(1)				year(2)
578	D	17.8	21.0	19.8	59.3	3.0	3	11	28.3	194.0	9.4	17.6	13.5	7.0	111.2
579	T	20.6	37.2	6.7	56.1	3.0	0	5	0.0	86.5	0.0	17.3	8.7	2.5	43.3
580	D	9.3	18.7	34.4	46.9	2.1	1	11	6.0	98.7	6.0	9.0	7.5	6.0	52.4
581	T	14.9	40.5	14.9	44.6	2.8	8	14	63.3	112.0	7.9	8.0	8.0	11.0	87.7
582	T	11.7	32.1	12.6	55.3	2.5	3	8	25.0	99.6	8.3	12.5	10.4	5.5	62.3
583	T	13.6	36.1	10.0	53.9	2.7	2	5	26.7	62.2	13.4	12.4	12.9	3.5	44.5
585	D	11.8	32.4	23.2	44.4	2.7	3	7	31.5	133.0	10.5	19.0	14.8	5.0	82.3
586	D	16.2	22.1	22.1	55.8	3.9	1	14	7.4	131.0	7.4	9.4	8.4	7.5	69.2
587	T	6.1	27.1	19.6	53.3	1.7	6	10	46.2	90.7	7.7	9.1	8.4	8.0	68.5
589	P	7.8	65.3	0.0	34.7	2.2	4	13	18.0	139.0	4.5	10.7	7.6	8.5	78.5
590	D	11.2	26.3	25.5	48.2	2.4	4	11	37.6	161.0	9.4	14.6	12.0	7.5	99.3
591	T	7.9	28.5	10.0	61.5	2.0	8	10	76.9	122.0	9.6	12.2	10.9	9.0	99.5
592	D	12.9	33.5	27.3	39.2	2.6	7	5	75.3	90.1	10.8	18.0	14.4	6.0	82.7
594	T	13.1	31.9	18.4	49.7	2.4	12	12	118.2	141.0	9.9	11.8	10.8	12.0	129.6
595	D	10.0	21.0	25.4	53.6	2.4	1	2	5.0	52.7	5.0	26.4	15.7	1.5	28.9
596	T	9.4	24.4	9.0	66.6	3.0	3	7	31.2	141.0	10.4	20.1	15.3	5.0	86.1
597	D	16.2	23.8	24.4	51.8	3.0	5	7	52.2	127.0	10.4	18.1	14.3	6.0	89.6
598	D	11.8	27.8	27.4	44.8	2.3	10	11	71.0	151.0	7.1	13.7	10.4	10.5	111.0
599	T	20.9	42.3	11.7	46.0	3.2	8	8	49.2	64.0	6.2	8.0	7.1	8.0	56.6
600	D	9.8	19.2	23.6	57.2	2.3	5	6	42.0	71.4	8.4	11.9	10.2	5.5	56.7
601	T	9.1	47.1	11.0	41.9	2.4	6	10	57.1	98.3	9.5	9.8	9.7	8.0	77.7
603	T	13.6	43.1	8.7	48.2	2.9	6	11	73.1	163.0	12.2	14.8	13.5	8.5	118.1
605	P	7.7	57.3	0.0	42.7	2.2	12	6	89.4	63.2	7.5	10.5	9.0	9.0	76.3
606	T	12.2	38.6	13.1	48.3	2.5	6	10	51.3	116.0	8.6	11.6	10.1	8.0	83.7
607	T	10.3	32.1	15.8	52.1	2.4	3	7	61.9	120.0	20.6	17.1	18.9	5.0	91.0
608	D	17.6	24.6	27.1	48.3	3.0	7	7	63.8	79.1	9.1	11.3	10.2	7.0	71.5
609	T	10.1	42.9	13.2	43.9	2.3	3	5	29.3	64.2	9.8	12.8	11.3	4.0	46.8
610	T	6.1	28.3	13.2	58.5	2.2	8	13	48.0	67.2	6.0	5.2	5.6	10.5	57.6

ตารางผนวกที่ 1 (ต่อ)

NO.	Type	Weight/ fruit	Cross Section (mm.)				Bunch/palm/year		Weight/palm/year (kg)		Weight/bunch (kg)		SBW mean (kg)	NB mean (kg)	TBW mean (kg)
			Meso	Shell	Kernel	Wide	year(1)	year(2)	year(1)	year(2)	year(1)	year(2)			
642	T	8.7	40.5	13.5	46.0	2.1	6	6	55.0	91.8	9.2	15.3	12.2	6.0	73.4
643	T	7.3	34.4	13.0	52.6	2.1	7	15	45.5	214.0	6.5	14.3	10.4	11.0	129.8
644	P	6.9	79.7	0.0	20.3	2.4	8	8	25.9	92.6	3.2	11.6	7.4	8.0	59.3
645	T	6.3	41.4	10.5	48.1	2.1	4	14	17.5	118.0	4.4	8.4	6.4	9.0	67.8
647	T	11.1	27.6	8.1	64.3	2.5	3	13	8.4	68.0	2.8	5.2	4.0	8.0	38.2
648	D	8.2	25.8	23.6	50.5	2.4	3	5	34.8	80.8	11.6	16.2	13.9	4.0	57.8
649	D	12.3	23.6	25.0	51.4	2.6	5	4	43.6	46.0	8.7	11.5	10.1	4.5	44.8
650	T	11.3	36.6	13.4	50.0	2.5	4	6	46.9	94.5	11.7	15.8	13.7	5.0	70.7
652	P	6.7	91.4	0.0	8.6	2.1	4	15	11.9	85.8	3.0	5.7	4.3	9.5	48.9
655	P	5.5	68.0	0.0	32.0	2.0	2	5	23.0	61.3	11.5	12.3	11.9	3.5	42.2
656	T	8.6	33.5	7.7	58.8	2.0	3	5	9.4	42.0	3.1	8.4	5.8	4.0	25.7
657	P	9.0	77.8	0.0	22.2	2.2	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
658	D	7.9	24.5	25.4	50.1	2.0	8	3	56.3	20.5	7.0	6.8	6.9	5.5	38.4
659	T	13.6	39.8	10.8	49.4	2.7	0	3	0.0	41.4	0.0	13.8	6.9	1.5	20.7
660	D	11.1	26.2	24.0	49.8	2.5	4	9	38.6	167.0	9.7	18.6	14.1	6.5	102.8
661	T	10.4	33.9	13.1	53.0	2.7	2	9	25.0	149.0	12.5	16.6	14.5	5.5	87.0
662	P	6.8	72.4	0.0	27.6	1.8	0	5	0.0	61.3	0.0	12.3	12.3	2.5	30.7
663	P	6.4	85.2	0.0	14.8	2.0	1	11	10.0	111.0	10.0	10.1	10.0	6.0	60.5
668	D	10.2	17.3	28.3	54.4	2.3	1	8	7.0	121.0	7.0	15.1	11.1	4.5	64.0
670	T	7.4	26.7	15.8	57.5	2.0	0	11	0.0	118.0	0.0	10.7	5.4	5.5	59.0
671	T	8.6	42.6	13.5	43.9	2.3	5	11	53.7	128.0	10.7	11.6	11.2	8.0	90.9
673	T	10.8	46.8	12.0	41.2	2.5	3	9	46.4	144.0	15.5	16.0	15.7	6.0	95.2
674	D	19.3	27.9	27.0	45.1	3.0	0	13	0.0	118.0	0.0	9.1	9.1	6.5	59.0
675	T	9.0	34.8	15.6	49.6	2.3	5	5	22.2	52.6	4.4	10.5	7.5	5.0	37.4
676	T	10.2	44.4	15.5	40.1	2.5	8	6	62.6	101.0	7.8	16.8	12.3	7.0	81.8
677	T	8.2	42.1	8.8	49.1	2.1	5	6	33.9	66.6	6.8	11.1	8.9	5.5	50.3
678	D	12.0	32.1	24.9	43.0	2.5	1	6	14.4	135.0	14.4	22.5	18.5	3.5	74.7
679	P	12.3	87.3	0.0	12.7	2.7	4	12	18.0	83.1	4.5	6.9	5.7	8.0	50.6

ตารางผนวกที่ 1 (ต่อ)

NO.	Type	Weight/ fruit	Cross Section (mm.)				Bunch/palm/year		Weight/palm/year (kg)		Weight/bunch (kg)		SBW mean (kg)	NB mean (kg)	TBW mean (kg)
			Meso	Shell	Kernel	Wide	year(1)	year(2)	year(1)	year(2)	year(1)	year(2)			
680	T	7.2	35.6	10.5	53.9	2.3	3	10	11.4	146.0	3.8	14.6	9.2	6.5	78.7
681	D	8.7	28.3	28.3	43.4	2.4	6	7	44.7	73.2	7.5	10.5	9.0	6.5	59.0
684	P	4.3	100.0	0.0	0.0	1.8	4	1	29.5	9.0	7.4	9.0	8.2	2.5	19.3
685	P	9.7	78.6	0.0	21.4	2.2	0	4	0.0	36.9	0.0	9.2	9.2	2.0	18.5
687	D	14.1	28.1	21.2	50.7	2.9	5	9	26.0	110.0	5.2	12.2	8.7	7.0	68.0
688	T	13.3	32.6	7.8	59.6	2.7	1	2	16.5	35.4	16.5	17.7	17.1	1.5	26.0
689	D	15.1	34.4	25.0	40.6	2.9	5	8	55.2	75.7	11.0	9.5	10.3	6.5	65.5
690	T	12.5	40.6	11.7	47.7	2.6	2	11	6.6	107.0	3.3	9.7	6.5	6.5	56.8
691	P	11.2	86.8	0.0	13.2	2.2	1	7	1.0	32.9	1.0	4.7	2.9	4.0	17.0
692	T	11.1	42.4	13.7	43.9	2.6	2	17	16.1	172.0	8.1	10.1	9.1	9.5	94.1
693	T	13.1	22.8	7.7	69.5	2.7	1	3	4.3	45.3	4.3	15.1	9.7	2.0	24.8
694	D	17.0	36.8	12.1	51.1	2.9	3	6	31.9	118.0	10.6	19.7	15.2	4.5	75.0
695	T	13.3	40.9	13.4	45.7	2.7	0	8	0.0	64.1	0.0	8.0	4.0	4.0	32.1
696	T	14.6	25.1	19.8	55.1	3.0	0	5	0.0	55.0	0.0	11.0	5.5	2.5	27.5
698	T	8.1	29.4	7.2	63.4	2.1	7	6	60.0	78.9	8.6	13.2	10.9	6.5	69.5
699	T	13.1	33.6	16.8	49.6	2.5	5	10	26.3	103.0	5.3	10.3	7.8	7.5	64.7
701	D	8.9	43.6	31.8	24.6	2.2	8	5	62.5	65.6	7.8	13.1	10.5	6.5	64.1
702	P	5.7	81.0	0.0	19.0	1.8	10	13	149.1	168.0	14.9	12.9	13.9	11.5	158.6
704	D	12.8	36.5	31.4	32.2	2.6	2	9	22.5	196.0	11.3	21.8	16.5	5.5	109.3
705	T	10.0	40.3	7.7	52.0	2.3	1	4	9.0	83.9	9.0	21.0	15.0	2.5	46.5
706	P	7.1	78.5	0.0	21.5	2.2	6	6	52.1	61.5	8.7	10.3	9.5	6.0	56.8
707	D	16.0	37.3	26.3	36.4	2.9	1	9	12.2	165.0	12.2	18.3	15.3	5.0	88.6
708	P	7.0	65.9	0.0	34.1	1.9	6	16	35.3	129.0	5.9	8.1	7.0	11.0	82.2
709	T	8.0	38.8	11.5	49.7	2.2	3	17	15.0	164.0	5.0	9.6	7.3	10.0	89.5
711	T	11.9	47.2	10.0	42.8	2.6	6	12	46.6	110.0	7.8	9.2	8.5	9.0	78.3
712	T	9.0	31.8	11.9	56.3	2.3	8	8	52.0	163.0	6.5	20.4	13.4	8.0	107.5
713	T	10.1	44.3	13.4	42.3	2.4	2	12	15.0	153.0	7.5	12.8	10.1	7.0	84.0
714	D	13.6	24.3	18.7	57.0	2.7	3	9	27.1	106.0	9.0	11.8	10.4	6.0	66.6

ตารางผนวกที่ 1 (ต่อ)

NO.	Type	Weight/ fruit	Cross Section (mm.)			Bunch/palm/year		Weight/palm/year (kg)		Weight/bunch (kg)		SBW mean (kg)	NB mean (kg)	TBW mean (kg)	
			Meso	Shell	Kernel	Wide	year(1)	year(2)	year(1)	year(2)	year(1)				year(2)
715	P	11.1	83.3	0.0	16.7	2.7	2	5	18.9	69.1	9.5	13.8	11.6	3.5	44.0
716	D	19.0	34.1	31.3	34.6	2.8	3	1	29.2	17.0	9.7	17.0	13.4	2.0	23.1
718	D	12.8	31.9	19.2	48.9	2.7	1	4	9.0	103.0	9.0	25.8	17.4	2.5	56.0
719	T	8.0	43.3	10.3	46.4	2.3	6	13	51.7	110.0	8.6	8.5	8.5	9.5	80.9
720	D	11.0	20.8	22.9	56.3	2.5	3	9	20.8	139.0	6.9	15.4	11.2	6.0	79.9
723	P	7.3	79.6	0.0	20.4	2.1	0	11	0.0	86.6	0.0	7.9	7.9	5.5	43.3
724	D	13.1	27.9	25.4	46.7	2.7	1	17	12.9	291.0	12.9	17.1	15.0	9.0	152.0
726	P	9.0	69.9	0.0	30.1	2.6	1	8	16.0	121.0	16.0	15.1	15.6	4.5	68.5
727	D	15.8	48.8	12.9	38.3	3.0	1	9	10.7	120.0	10.7	13.3	12.0	5.0	65.4
731	T	16.4	52.5	7.4	40.0	2.9	0	15	0.0	127.0	0.0	8.5	4.2	7.5	63.5
732	T	10.7	41.6	14.2	44.2	2.3	7	13	21.1	78.4	3.0	6.0	4.5	10.0	49.8
733	T	13.0	50.0	12.4	37.5	2.6	4	9	50.3	202.0	12.6	22.4	17.5	6.5	126.2
734	T	14.0	41.7	16.2	42.0	2.9	8	11	128.3	241.0	16.0	21.9	19.0	9.5	184.7
735	T	12.5	42.7	13.8	43.6	2.7	7	4	63.4	49.5	9.1	12.4	10.7	5.5	56.5
736	T	7.4	56.6	13.4	30.0	2.2	10	6	87.2	80.8	8.7	13.5	11.1	8.0	84.0
737	T	11.7	45.4	10.0	44.6	2.5	10	10	117.3	166.0	11.7	16.6	14.2	10.0	141.7
738	T	6.0	45.5	13.8	40.7	2.1	9	10	80.9	158.0	9.0	15.8	12.4	9.5	119.5
739	P	9.5	65.2	0.0	34.9	2.4	7	9	47.6	97.7	6.8	10.9	8.8	8.0	72.7
740	T	8.7	55.5	11.6	32.9	2.3	9	17	74.6	179.0	8.3	10.5	9.4	13.0	126.8
741	D	11.3	34.3	23.2	42.5	2.6	7	11	107.4	163.0	15.3	14.8	15.1	9.0	135.2
742	T	15.2	41.0	6.9	52.1	2.7	4	16	58.7	186.0	14.7	11.6	13.2	10.0	122.4
744	T	11.8	49.1	8.8	42.1	2.6	7	20	44.6	188.0	6.4	9.4	7.9	13.5	116.3
745	T	13.0	53.7	13.0	33.3	2.4	8	13	59.1	110.0	7.4	8.5	7.9	10.5	84.6
746	T	10.7	44.5	14.0	41.5	2.6	5	6	26.9	47.5	5.4	7.9	6.6	5.5	37.2
747	P	7.7	59.8	0.0	40.2	2.2	5	5	37.1	45.0	7.4	9.0	8.2	5.0	41.1
748	D	10.1	23.3	30.8	45.9	2.5	4	11	54.8	185.0	13.7	16.8	15.3	7.5	119.9
749	D	9.2	34.7	24.2	41.1	2.5	7	12	142.7	203.0	20.4	16.9	18.7	9.5	172.9
750	P	9.5	72.5	0.0	27.5	2.0	6	11	45.7	71.1	7.6	6.5	7.0	8.5	58.4

ตารางผนวกที่ 1 (ต่อ)

NO.	Type	Weight/ fruit	Cross Section (mm.)				Bunch/palm/year		Weight/palm/year (kg)		Weight/bunch (kg)		SBW mean (kg)	NB mean (kg)	TBW mean (kg)
			Meso	Shell	Kernel	Wide	year(1)	year(2)	year(1)	year(2)	year(1)	year(2)			
752	T	6.1	46.3	9.2	44.6	2.0	17	10	143.8	162.0	8.5	16.2	12.3	13.5	152.9
753	D	15.8	26.3	25.6	48.1	2.8	8	11	109.5	147.0	13.7	13.4	13.5	9.5	128.3
754	T	7.2	34.4	15.4	50.2	2.1	10	11	79.9	145.0	8.0	13.2	10.6	10.5	112.5
756	T	8.4	41.4	8.3	50.3	2.3	2	4	20.6	48.9	10.3	12.2	11.3	3.0	34.8
761	T	8.8	41.4	12.4	46.2	2.3	6	12	55.8	93.7	9.3	7.8	8.6	9.0	74.8
762	D	14.3	31.5	27.9	40.6	2.8	7	13	68.7	141.0	9.8	10.8	10.3	10.0	104.9
764	P	8.5	75.4	0.0	24.6	2.3	7	0	60.8	0.0	8.7	0.0	8.7	3.5	30.4
765	D	16.7	30.6	31.4	38.0	3.0	4	10	41.1	115.0	10.3	11.5	10.9	7.0	78.1
766	T	9.1	57.3	9.1	33.6	2.3	7	11	78.9	174.0	11.3	15.8	13.5	9.0	126.5
767	D	23.0	30.4	24.0	45.6	3.3	3	6	21.0	79.1	7.0	13.2	10.1	4.5	50.1
768	P	6.4	68.1	0.0	31.9	2.0	9	15	54.0	104.0	6.0	6.9	6.5	12.0	79.0
769	T	11.8	34.4	14.7	50.9	2.6	5	16	45.0	207.0	9.0	12.9	11.0	10.5	126.0
770	D	15.8	32.8	25.6	41.6	3.0	4	7	48.0	98.5	12.0	14.1	13.0	5.5	73.3
771	D	14.3	31.4	22.8	45.8	2.5	0	5	0.0	110.0	0.0	22.0	22.0	2.5	55.0
773	P	6.9	74.7	0.0	25.3	2.0	11	16	63.2	139.0	5.7	8.7	7.2	13.5	101.1
774	D	12.7	27.7	23.3	49.1	2.6	5	10	53.6	156.0	10.7	15.6	13.2	7.5	104.8
775	T	13.7	36.8	13.7	49.5	2.9	3	6	21.2	67.2	7.1	11.2	9.1	4.5	44.2
776	T	11.2	49.8	12.0	38.2	2.6	0	1	0.0	4.5	0.0	4.5	2.3	0.5	2.3
777	P	7.1	71.1	0.0	28.9	2.0	14	17	93.5	121.0	6.7	7.1	6.9	15.5	107.3
778	D	14.7	27.8	22.9	49.3	3.0	8	6	54.4	80.3	6.8	13.4	10.1	7.0	67.4
779	T	11.2	45.9	10.4	43.7	2.5	4	3	43.2	70.0	10.8	23.3	17.1	3.5	56.6
780	T	15.6	35.8	7.0	57.2	2.9	1	4	16.0	67.0	16.0	16.8	16.4	2.5	41.5
782	T	6.4	31.7	8.3	60.0	2.0	4	3	22.3	18.8	5.6	6.3	5.9	3.5	20.6
783	T	21.2	44.6	10.1	45.3	3.1	5	14	39.1	141.0	7.8	10.1	8.9	9.5	90.1
784	T	18.2	25.9	28.1	46.1	3.1	3	9	23.4	114.0	7.8	12.7	10.2	6.0	68.7
786	P	7.1	69.3	0.0	30.7	2.0	2	4	22.6	76.4	11.3	19.1	15.2	3.0	49.5
787	T	9.1	42.9	9.4	47.7	2.4	2	7	20.3	81.5	10.2	11.6	10.9	4.5	50.9
788	D	10.3	26.1	21.2	52.7	2.5	3	8	11.2	50.1	3.7	6.3	5.0	5.5	30.7

ตารางผนวกที่ 1 (ต่อ)

NO.	Type	Weight/ fruit	Cross Section (mm.)				Bunch/palm/year		Weight/palm/year (kg)		Weight/bunch (kg)		SBW mean (kg)	NB mean (kg)	TBW mean (kg)
			Meso	Shell	Kernel	Wide	year(1)	year(2)	year(1)	year(2)	year(1)	year(2)			
789	P	4.9	60.2	0.0	39.8	1.7	5	11	30.5	101.0	6.1	9.2	7.6	8.0	65.8
790	D	13.3	38.1	21.1	40.8	2.8	4	7	55.1	107.0	13.8	15.3	14.5	5.5	81.1
791	P	5.9	71.0	0.0	29.0	1.6	6	5	31.9	47.4	5.3	9.5	7.4	5.5	39.7
792	P	6.1	87.0	0.0	13.0	2.3	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
793	T	8.1	47.2	5.6	47.2	2.5	9	8	56.0	66.4	6.2	8.3	7.3	8.5	61.2
794	T	6.4	30.4	11.8	57.8	1.9	1	11	12.0	93.2	12.0	8.5	10.2	6.0	52.6
795	T	9.7	41.0	15.0	44.0	2.3	6	9	73.9	157.0	12.3	17.4	14.9	7.5	115.5
796	D	7.7	31.6	19.6	48.7	2.2	8	5	26.5	57.1	3.3	11.4	7.4	6.5	41.8
797	D	14.7	24.9	32.1	43.0	2.8	1	7	10.7	61.8	10.7	8.8	9.8	4.0	36.3
798	T	11.0	46.4	12.6	41.0	2.6	11	8	87.1	87.9	7.9	11.0	9.5	9.5	87.5
799	T	15.3	57.6	12.3	30.1	3.0	7	4	62.4	57.7	8.9	14.4	11.7	5.5	60.1
800	D	24.1	25.4	24.5	50.2	3.3	5	5	31.7	78.5	6.3	15.7	11.0	5.0	55.1
801	T	9.0	46.1	12.6	41.3	2.0	7	7	95.2	87.0	13.6	12.4	13.0	7.0	91.1
803	D	10.0	35.3	25.7	39.0	2.4	7	9	60.8	109.0	8.7	12.1	10.4	8.0	84.9
804	P	8.3	68.6	0.0	31.4	2.2	3	8	20.4	70.9	6.8	8.9	7.8	5.5	45.7
805	D	6.9	46.0	20.8	33.3	2.1	9	2	80.9	24.6	9.0	12.3	10.6	5.5	52.8
806	T	9.8	39.5	13.3	47.2	2.3	5	5	66.2	99.0	13.2	19.8	16.5	5.0	82.6
807	T	12.6	36.7	13.5	49.8	2.7	5	5	51.6	84.2	10.3	16.8	13.6	5.0	67.9
808	P	7.7	61.2	0.0	38.8	2.1	3	2	11.6	23.5	3.9	11.8	7.8	2.5	17.6
809	T	5.5	33.0	15.5	51.5	1.9	8	6	57.5	73.9	7.2	12.3	9.8	7.0	65.7
812	T	15.9	47.6	8.3	44.1	3.0	4	3	26.0	50.4	6.5	16.8	11.7	3.5	38.2
813	T	11.3	56.1	10.8	33.1	2.6	5	8	34.1	88.7	6.8	11.1	9.0	6.5	61.4
814	T	11.3	46.9	12.8	40.3	2.5	5	9	27.6	71.9	5.5	8.0	6.8	7.0	49.8
815	T	16.6	38.4	12.4	49.2	2.8	4	7	53.6	179.0	13.4	25.6	19.5	5.5	116.3
816	T	5.7	27.4	17.2	55.4	2.0	5	1	19.7	14.0	3.9	14.0	9.0	3.0	16.9
819	T	10.5	44.1	14.3	41.6	2.4	5	7	41.8	120.0	8.4	17.1	12.8	6.0	80.9
820	T	7.1	37.2	7.8	55.0	2.1	3	5	25.7	71.1	8.6	14.2	11.4	4.0	48.4
822	D	8.8	31.4	26.9	41.7	2.3	10	10	45.2	100.0	4.5	10.0	7.3	10.0	72.6

ตารางผนวกที่ 1 (ต่อ)

NO.	Type	Weight/ fruit	Cross Section (mm.)			Bunch/palm/year		Weight/palm/year (kg)		Weight/bunch (kg)		SBW mean (kg)	NB mean (kg)	TBW mean (kg)	
			Meso	Shell	Kernel	Wide	year(1)	year(2)	year(1)	year(2)	year(1)				year(2)
823	T	6.6	50.2	13.4	36.4	2.2	10	11	44.2	98.9	4.4	9.0	6.7	10.5	71.6
824	T	15.4	26.1	25.8	48.1	2.6	8	8	69.5	94.9	8.7	11.9	10.3	8.0	82.2
825	T	8.9	58.3	6.7	35.0	2.5	5	17	36.1	216.0	7.2	12.7	10.0	11.0	126.1
828	T	14.7	27.9	32.2	39.8	2.7	4	8	44.2	116.0	11.1	14.5	12.8	6.0	80.1
829	T	10.6	60.7	10.5	28.8	2.3	2	3	23.6	56.6	11.8	18.9	15.3	2.5	40.1
830	T	4.1	47.3	11.9	40.8	1.8	4	5	39.5	55.9	9.9	11.2	10.5	4.5	47.7
832	T	13.8	38.2	12.4	49.4	2.6	0	11	0.0	94.4	0.0	8.6	4.3	5.5	47.2
836	T	10.0	41.5	9.7	48.8	2.7	5	6	28.3	86.2	5.7	14.4	10.0	5.5	57.3
837	T	8.2	46.3	11.1	42.6	2.3	2	5	13.1	83.6	6.6	16.7	11.6	3.5	48.4
838	D	22.1	24.3	24.0	51.7	3.2	6	8	35.8	86.3	6.0	10.8	8.4	7.0	61.1
839	P	4.6	86.6	0.0	13.4	1.9	5	7	20.9	82.1	4.2	11.7	8.0	6.0	51.5
840	P	13.7	100.0	0.0	0.0	2.5	0	9	0.0	56.4	0.0	6.3	3.1	4.5	28.2
841	D	11.9	41.4	21.4	37.2	2.6	5	10	32.2	103.0	6.4	10.3	8.4	7.5	67.6
842	D	14.8	38.4	19.1	42.5	2.6	1	5	4.0	78.4	4.0	15.7	9.8	3.0	41.2
844	T	14.7	33.1	11.7	55.2	2.9	2	6	28.6	86.4	14.3	14.4	14.4	4.0	57.5
845	T	8.7	40.4	14.1	45.5	2.3	5	13	67.8	166.0	13.6	12.8	13.2	9.0	116.9
847	T	11.4	24.3	15.0	60.7	2.6	2	9	6.4	124.0	3.2	13.8	8.5	5.5	65.2
848	P	5.5	76.3	0.0	23.7	2.0	3	7	11.0	58.4	3.7	8.3	6.0	5.0	34.7
849	T	15.2	44.4	9.7	45.9	2.8	4	7	22.7	78.0	5.7	11.1	8.4	5.5	50.4
850	P	6.7	88.5	0.0	11.5	2.1	6	13	22.6	106.0	3.8	8.2	6.0	9.5	64.3
851	T	10.7	44.6	10.9	44.5	2.7	9	8	61.6	123.0	6.8	15.4	11.1	8.5	92.3
852	D	13.7	20.9	24.5	54.6	2.6	5	7	40.8	80.9	8.2	11.6	9.9	6.0	60.9
853	D	20.1	26.9	28.8	44.3	3.1	2	3	24.0	42.0	12.0	14.0	13.0	2.5	33.0
854	T	15.9	30.2	24.6	45.2	2.7	5	2	44.8	35.9	9.0	18.0	13.5	3.5	40.4
855	D	20.3	29.4	25.0	45.6	3.1	7	11	53.3	158.0	7.6	14.4	11.0	9.0	105.7
856	T	13.1	27.3	28.3	44.4	2.4	3	8	22.9	94.7	7.6	11.8	9.7	5.5	58.8
857	D	17.0	32.7	36.0	31.3	2.6	1	9	12.0	139.0	12.0	15.4	13.7	5.0	75.5
858	D	11.5	30.2	22.4	47.4	2.7	3	7	19.4	106.0	6.5	15.1	10.8	5.0	62.7

ตารางผนวกที่ 1 (ต่อ)

NO.	Type	Weight/ fruit	Cross Section (mm.)			Bunch/palm/year		Weight/palm/year (kg)		Weight/bunch (kg)		SBW mean (kg)	NB mean (kg)	TBW mean (kg)	
			Meso	Shell	Kernel	Wide	year(1)	year(2)	year(1)	year(2)	year(1)				year(2)
859	D	17.0	27.7	29.6	42.7	2.9	3	9	36.5	90.7	12.2	10.1	11.1	6.0	63.6
861	T	13.5	47.5	8.7	43.8	2.8	9	14	128.6	166.0	14.3	11.9	13.1	11.5	147.3
862	D	17.2	32.5	30.7	36.8	2.6	2	7	11.1	94.9	5.6	13.6	9.6	4.5	53.0
863	T	11.9	23.9	27.2	48.9	2.1	4	3	22.1	43.5	5.5	14.5	10.0	3.5	32.8
865	D	8.5	33.7	22.6	43.7	2.4	9	10	74.3	143.0	8.3	14.3	11.3	9.5	108.7
866	D	18.3	27.1	29.3	43.6	3.1	4	8	18.8	46.3	4.7	5.8	5.2	6.0	32.6
867	T	8.7	37.3	18.7	44.0	2.1	6	12	22.5	90.2	3.8	7.5	5.6	9.0	56.4
868	P	7.1	100.0	0.0	0.0	1.8	0	6	0.0	32.0	0.0	5.3	2.7	3.0	16.0
869	D	11.6	28.9	18.8	52.3	2.4	5	7	23.5	63.2	4.7	9.0	6.9	6.0	43.4
871	T	25.7	55.2	6.8	38.0	3.1	3	12	11.9	83.1	4.0	6.9	5.4	7.5	47.5
872	T	16.1	22.7	28.6	48.8	2.8	4	7	25.8	83.4	6.5	11.9	9.2	5.5	54.6
873	D	18.1	34.9	26.2	38.9	2.6	1	12	3.6	124.0	3.6	10.3	7.0	6.5	63.8
874	T	15.6	31.0	28.6	40.4	2.7	3	13	21.9	135.0	7.3	10.4	8.8	8.0	78.5
875	T	15.2	48.7	15.4	35.9	2.7	4	7	34.8	102.0	8.7	14.6	11.6	5.5	68.4
877	T	15.3	42.1	12.5	45.4	2.8	11	10	85.3	148.0	7.8	14.8	11.3	10.5	116.7
878	P	6.0	77.3	0.0	22.7	2.0	7	7	43.6	80.4	6.2	11.5	8.9	7.0	62.0
879	T	5.8	32.8	7.9	59.3	2.0	3	10	22.6	120.0	7.5	12.0	9.8	6.5	71.3
880	T	11.1	40.6	8.0	67.7	2.8	2	8	20.7	115.0	10.4	14.4	12.4	5.0	67.9
881	T	6.2	40.0	15.9	44.1	2.1	4	4	33.3	58.0	8.3	14.5	11.4	4.0	45.7
882	T	10.2	46.7	10.3	42.9	2.3	2	7	21.4	97.8	10.7	14.0	12.3	4.5	59.6
884	T	8.0	43.6	13.0	43.5	2.3	4	9	37.8	90.2	9.5	10.0	9.7	6.5	64.0
885	D	26.2	32.0	29.8	38.2	3.3	3	8	24.0	116.0	8.0	14.5	11.3	5.5	70.0
886	T	14.2	55.6	9.3	35.2	2.6	5	7	23.8	65.2	4.8	9.3	7.0	6.0	44.5
887	D	10.5	23.7	30.0	49.9	2.6	7	17	45.7	162.0	6.5	9.5	8.0	12.0	103.9
888	T	11.4	43.6	12.1	44.3	2.6	1	3	2.5	31.3	2.5	10.4	6.5	2.0	16.9
889	T	11.0	49.7	14.3	36.0	2.2	9	11	49.4	119.0	5.5	10.8	8.2	10.0	84.2
890	P	11.0	100.0	0.0	0.0	2.5	0	5	0.0	61.6	0.0	12.3	6.2	2.5	30.8
892	P	9.2	100.0	0.0	0.0	2.1	0	12	0.0	72.0	0.0	6.0	3.0	6.0	36.0

ตารางผนวกที่ 1 (ต่อ)

NO.	Type	Weight/ fruit	Cross Section (mm.)			Bunch/palm/year		Weight/palm/year (kg)		Weight/bunch (kg)		SBW mean (kg)	NB mean (kg)	TBW mean (kg)	
			Meso	Shell	Kernel	Wide	year(1)	year(2)	year(1)	year(2)	year(1)				year(2)
893	D	28.9	30.1	29.3	40.6	3.4	2	2	15.2	27.9	7.6	14.0	10.8	2.0	21.6
894	T	13.5	33.4	37.1	29.6	2.5	0	9	0.0	99.5	0.0	11.1	5.5	4.5	49.8
895	D	11.8	35.9	26.2	37.9	2.6	4	7	29.3	92.7	7.3	13.2	10.3	5.5	61.0
896	P	5.3	77.2	0.0	22.9	1.8	4	9	17.6	86.3	4.4	9.6	7.0	6.5	52.0
897	T	11.0	33.7	8.8	57.5	2.6	3	2	15.8	17.1	5.3	8.6	6.9	2.5	16.5
898	P	12.2	90.7	0.0	9.3	2.2	1	6	6.5	51.1	6.5	8.5	7.5	3.5	28.8
899	T	22.4	43.4	9.2	47.4	2.9	1	10	3.3	71.6	3.3	7.2	5.2	5.5	37.5
901	D	11.3	42.8	14.6	42.6	2.6	1	10	8.7	95.5	8.7	9.6	9.1	5.5	52.1
902	D	11.7	26.8	29.0	44.2	2.2	0	4	0.0	21.1	0.0	5.3	5.3	2.0	10.6
903	T	12.3	13.3	5.2	81.5	5.6	1	5	6.4	103.0	6.4	20.6	13.5	3.0	54.7
904	D	13.0	31.9	22.6	45.5	2.7	2	4	17.6	57.1	8.8	14.3	11.5	3.0	37.4
907	T	9.4	44.7	8.1	47.2	2.5	3	6	39.6	127.0	13.2	21.2	17.2	4.5	83.3
908	T	12.1	46.0	11.1	42.9	2.8	4	5	29.6	79.4	7.4	15.9	11.6	4.5	54.5
909	T	14.6	48.4	12.4	39.2	2.5	2	2	19.2	43.3	9.6	21.7	15.6	2.0	31.3
910	T	7.9	39.2	13.5	47.3	2.4	7	5	29.6	51.8	4.2	10.4	7.3	6.0	40.7
911	D	16.7	26.4	26.6	47.1	3.1	7	5	27.9	78.9	4.0	15.8	9.9	6.0	53.4
912	T	10.5	40.0	9.5	50.5	2.6	5	7	32.7	64.4	6.5	9.2	7.9	6.0	48.6
913	P	5.9	61.6	0.0	38.4	1.8	2	10	10.4	70.1	5.2	7.0	6.1	6.0	40.3
914	T	19.4	47.6	11.4	41.0	2.6	1	5	11.5	84.8	11.5	17.0	14.2	3.0	48.2
915	D	11.1	30.0	27.7	42.3	2.5	7	7	41.3	122.0	5.9	17.4	11.7	7.0	81.7
916	P	6.3	64.6	0.0	35.4	2.1	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
917	T	23.5	40.2	32.0	27.8	2.9	0	3	0.0	49.6	0.0	16.5	8.3	1.5	24.8
918	T	8.8	39.5	15.0	45.5	2.3	3	6	40.4	143.0	13.5	23.8	18.7	4.5	91.7
919	T	12.6	47.0	9.3	43.7	2.4	7	6	47.3	114.0	6.8	19.0	12.9	6.5	80.7
920	T	11.4	75.9	10.6	22.2	2.6	0	5	0.0	64.6	0.0	12.9	6.5	2.5	32.3
921	T	8.4	52.8	18.0	29.3	1.9	3	12	26.4	178.0	8.8	14.8	11.8	7.5	102.2
922	T	8.1	43.1	15.8	41.1	2.1	7	5	55.2	74.2	7.9	14.8	11.4	6.0	64.7
924	T	12.8	38.0	8.1	53.9	2.8	3	10	19.8	84.6	6.6	8.5	7.5	6.5	52.2

ตารางผนวกที่ 1 (ต่อ)

NO.	Type	Weight/ fruit	Cross Section (mm.)				Bunch/palm/year		Weight/palm/year (kg)		Weight/bunch (kg)		SBW mean (kg)	NB mean (kg)	TBW mean (kg)
			Meso	Shell	Kernel	Wide	year(1)	year(2)	year(1)	year(2)	year(1)	year(2)			
925	P	6.0	64.4	0.0	35.6	2.0	4	6	33.1	87.7	8.3	14.6	11.4	5.0	60.4
926	T	11.0	41.6	7.6	50.8	2.6	1	12	10.0	151.0	10.0	12.6	11.3	6.5	80.5
927	D	9.1	30.4	22.2	47.3	2.4	5	6	26.7	67.0	5.3	11.2	8.3	5.5	46.9
928	D	21.9	31.4	31.7	36.9	2.8	1	9	5.5	129.0	5.5	14.3	9.9	5.0	67.3
929	P	7.9	74.1	0.0	25.9	2.3	1	1	8.1	21.0	8.1	21.0	14.6	1.0	14.6
930	D	13.2	38.0	26.7	35.4	2.6	5	6	44.5	85.1	8.9	14.2	11.5	5.5	64.8
931	D	11.2	27.5	22.4	50.1	2.6	3	0	17.3	0.0	5.8	0.0	2.9	1.5	8.7
933	D	13.4	26.0	20.2	53.8	2.8	0	10	0.0	125.0	0.0	12.5	12.5	5.0	62.5
934	T	13.1	47.2	16.7	36.1	2.4	2	12	7.0	83.6	3.5	7.0	5.2	7.0	45.3
935	D	18.5	26.3	27.3	46.4	2.7	2	11	11.4	120.0	5.7	10.9	8.3	6.5	65.7
936	T	20.1	49.0	13.2	37.8	2.8	0	4	0.0	69.8	0.0	17.5	8.7	2.0	34.9
937	P	8.2	84.6	0.0	15.4	2.2	0	7	0.0	63.1	0.0	9.0	9.0	3.5	31.6
938	T	16.0	45.7	13.1	41.2	2.6	0	5	0.0	47.1	0.0	9.4	4.7	2.5	23.6
939	T	10.0	36.6	8.2	55.2	2.6	5	10	29.9	72.3	6.0	7.2	6.6	7.5	51.1
940	D	17.8	36.0	39.7	24.3	2.6	3	8	22.4	107.0	7.5	13.4	10.4	5.5	64.7
941	T	14.7	23.7	23.4	52.9	2.7	2	5	10.7	53.1	5.4	10.6	8.0	3.5	31.9
942	D	14.6	33.0	21.7	45.3	2.8	5	17	60.7	208.0	12.1	12.2	12.2	11.0	134.4
943	P	13.6	100.0	0.0	0.0	2.4	6	8	17.0	54.8	2.8	6.9	4.8	7.0	35.9
944	D	29.7	25.8	25.3	48.9	3.7	0	11	0.0	166.0	0.0	15.1	7.5	5.5	83.0
945	T	5.5	42.9	11.3	45.8	2.1	8	15	32.7	138.0	4.1	9.2	6.6	11.5	85.4
946	T	18.8	49.3	12.9	37.8	3.0	0	3	0.0	72.7	0.0	24.2	12.1	1.5	36.4
947	T	15.0	36.7	7.3	56.1	2.8	1	9	5.8	98.2	5.8	10.9	8.4	5.0	52.0
949	D	18.0	30.9	31.0	38.1	3.1	1	7	4.0	75.9	4.0	10.8	7.4	4.0	40.0
951	D	11.8	35.4	23.8	40.8	2.6	4	5	31.5	185.0	7.9	37.0	22.4	4.5	108.3
952	D	18.7	35.1	18.4	46.5	3.2	3	10	23.8	115.0	7.9	11.5	9.7	6.5	69.4
953	P	8.3	74.0	0.0	26.0	2.1	0	5	0.0	39.0	0.0	7.8	7.8	2.5	19.5
954	T	10.7	39.4	9.4	51.2	2.5	1	9	9.0	107.0	9.0	11.9	10.4	5.0	58.0
955	T	19.0	59.2	8.4	32.4	2.8	0	5	0.0	88.9	0.0	17.8	8.9	2.5	44.5

ตารางผนวกที่ 1 (ต่อ)

NO.	Type	Weight/ fruit	Cross Section (mm.)			Bunch/palm/year		Weight/palm/year (kg)		Weight/bunch (kg)		SBW mean (kg)	NB mean (kg)	TBW mean (kg)	
			Meso	Shell	Kernel	Wide	year(1)	year(2)	year(1)	year(2)	year(L)				year(Z)
956	T	10.7	50.5	11.5	38.1	2.3	8	6	70.1	100.0	8.8	16.7	12.7	7.0	85.1
957	T	10.3	48.4	11.8	39.8	2.4	7	7	42.4	85.0	6.1	12.1	9.1	7.0	63.7
960	D	9.7	32.6	35.9	31.5	2.3	4	5	18.8	56.4	4.7	11.3	8.0	4.5	37.6
961	D	12.1	34.9	25.8	39.3	2.6	7	3	84.2	62.6	12.0	20.9	16.4	5.0	73.4
962	T	15.6	32.6	31.0	36.5	2.6	5	7	72.3	163.0	14.5	23.3	18.9	6.0	117.7
963	T	18.8	40.1	13.6	46.3	2.6	1	5	6.5	96.2	6.5	19.2	12.9	3.0	51.4
964	D	30.3	34.9	29.4	35.6	3.0	1	5	5.2	121.0	5.2	24.2	14.7	3.0	63.1
965	T	12.9	45.0	11.2	43.8	2.5	3	8	27.9	69.8	9.3	8.7	9.0	5.5	48.9
966	P	8.7	69.3	0.0	30.7	2.3	4	0	43.6	0.0	10.9	0.0	10.9	2.0	21.8
967	T	16.1	30.7	29.3	40.0	2.8	5	4	48.5	62.7	9.7	15.7	12.7	4.5	55.6
968	P	8.3	76.9	0.0	23.1	2.3	0	10	0.0	70.5	0.0	7.1	7.1	5.0	35.3
969	T	9.2	39.1	9.1	51.8	2.5	1	6	4.2	45.0	4.2	7.5	5.9	3.5	24.6
970	T	8.8	38.4	7.7	53.9	2.5	4	10	21.0	81.9	5.3	8.2	6.7	7.0	51.5
971	T	6.4	31.9	17.2	50.9	2.0	6	11	52.6	133.0	8.8	12.1	10.4	8.5	92.8
972	P	5.6	61.3	0.0	38.7	2.1	1	8	17.5	74.6	17.5	9.3	13.4	4.5	46.1
973	P	12.1	73.6	0.0	26.4	2.8	0	4	0.0	37.6	0.0	9.4	9.4	2.0	18.8
974	T	12.1	90.8	2.6	6.6	2.3	1	7	6.4	73.4	6.4	10.5	8.4	4.0	39.9
975	T	15.3	45.4	12.4	42.2	2.7	0	4	0.0	63.9	0.0	16.0	8.0	2.0	32.0
976	P	10.2	99.2	0.0	0.8	2.2	0	6	0.0	65.1	0.0	10.9	10.9	3.0	32.6
977	D	27.1	30.4	28.7	40.9	3.1	0	4	0.0	58.4	0.0	14.6	14.6	2.0	29.2
978	P	6.0	73.4	0.0	26.6	1.8	1	6	8.0	84.5	8.0	14.1	11.0	3.5	46.3
980	D	15.2	29.6	32.0	38.5	2.6	2	8	16.5	115.0	8.3	14.4	11.3	5.0	65.8
981	P	7.7	73.1	0.0	26.9	2.2	2	1	12.6	10.0	6.3	10.0	8.2	1.5	11.3
983	P	5.1	67.1	0.0	32.9	1.8	1	7	9.5	93.2	9.5	13.3	11.4	4.0	51.4
986	T	31.0	65.9	9.9	24.2	3.3	1	2	24.0	38.2	24.0	19.1	21.6	1.5	31.1
987	P	5.6	83.2	0.0	16.8	1.8	1	8	15.4	114.0	15.4	14.3	14.8	4.5	64.7
988	P	9.1	70.5	0.0	29.5	2.1	0	4	0.0	27.4	0.0	6.9	6.9	2.0	13.7
989	D	15.5	28.6	21.2	50.2	2.8	3	9	13.2	98.4	4.4	10.9	7.7	6.0	55.8

ตารางผนวกที่ 1 (ต่อ)

NO.	Type	Weight/ fruit	Cross Section (mm.)			Bunch/palm/year		Weight/palm/year (kg)		Weight/bunch (kg)		SBW mean (kg)	NB mean (kg)	TBW mean (kg)	
			Meso	Shell	Kernel	Wide	year(1)	year(2)	year(1)	year(2)	year(1)				year(2)
990	P	9.1	63.8	0.0	36.2	2.5	3	7	18.3	70.5	6.1	10.1	8.1	5.0	44.4
991	T	15.4	39.8	10.8	49.4	2.8	6	4	61.8	67.3	10.3	16.8	13.6	5.0	64.6
992	T	9.7	43.2	10.4	46.4	2.5	1	8	12.7	80.4	12.7	10.1	11.4	4.5	46.6
993	T	9.3	35.5	7.8	56.8	2.5	7	10	52.4	145.0	7.5	14.5	11.0	8.5	98.7
994	T	9.5	42.0	9.7	48.3	2.3	0	8	0.0	118.0	0.0	14.8	7.4	4.0	59.0
995	D	10.1	40.1	19.2	40.7	2.5	8	6	84.8	89.4	10.6	14.9	12.8	7.0	87.1
996	T	7.9	44.6	12.7	42.7	2.3	6	5	134.6	147.0	22.4	29.4	25.9	5.5	140.8
997	T	9.2	46.3	11.6	42.1	2.4	3	10	28.9	121.0	9.6	12.1	10.9	6.5	75.0
998	P	5.2	67.7	0.0	32.3	1.9	2	10	18.3	156.0	9.2	15.6	12.4	6.0	87.2
1001	T	23.0	30.3	32.7	37.0	3.0	3	5	27.5	94.3	9.2	18.9	14.0	4.0	60.9
1002	P	10.2	84.2	0.0	15.8	2.3	0	3	0.0	55.1	0.0	18.4	18.4	1.5	27.6
1003	P	15.0	100.0	0.0	0.0	2.5	0	15	0.0	104.0	0.0	6.9	6.9	7.5	52.0
1004	D	19.2	30.2	26.6	43.2	3.0	4	8	21.2	93.6	5.3	11.7	8.5	6.0	57.4
1005	T	24.4	38.6	13.2	48.2	3.1	0	2	0.0	27.9	0.0	14.0	7.0	1.0	14.0
1006	D	12.0	16.4	29.1	54.5	2.6	7	8	28.5	56.9	4.1	7.1	5.6	7.5	42.7
1007	D	14.0	31.4	22.9	45.7	2.8	1	12	5.0	159.0	5.0	13.3	9.1	6.5	82.0
1008	T	5.0	35.1	17.1	47.8	1.7	1	6	11.0	68.8	11.0	11.5	11.2	3.5	39.9
1009	D	18.7	30.7	30.0	39.3	2.9	4	5	10.3	37.6	2.6	7.5	5.0	4.5	24.0
1011	D	15.5	27.7	26.4	45.8	2.5	4	10	37.4	139.0	9.4	13.9	11.6	7.0	88.2
1012	D	19.5	46.8	27.3	25.9	2.9	3	5	48.2	86.1	16.1	17.2	16.6	4.0	67.2
1013	P	11.0	83.4	0.0	16.6	2.3	0	7	0.0	98.6	0.0	14.1	14.1	3.5	49.3
1014	T	10.8	51.8	7.8	40.3	2.8	2	9	21.3	165.0	10.7	18.3	14.5	5.5	93.2
1015	D	19.3	37.9	37.0	25.1	2.7	0	5	0.0	90.2	0.0	18.0	18.0	2.5	45.1
1016	P	8.7	100.0	0.0	0.0	2.2	0	10	0.0	109.0	0.0	10.9	10.9	5.0	54.5
1017	T	11.3	33.2	15.0	51.9	2.5	4	2	51.4	63.0	12.9	31.5	22.2	3.0	57.2
1018	P	10.6	80.7	0.0	19.3	2.4	2	5	14.8	70.7	7.4	14.1	10.8	3.5	42.8
1019	T	14.1	43.7	9.6	46.7	2.7	6	4	34.4	54.0	5.7	13.5	9.6	5.0	44.2
1020	T	9.6	37.3	12.9	49.8	2.4	1	10	4.3	113.0	4.3	11.3	7.8	5.5	58.7

ตารางผนวกที่ 1 (ต่อ)

NO.	Type	Weight/ fruit	Cross Section (mm.)			Bunch/palm/year		Weight/palm/year (kg)		Weight/bunch (kg)		SBW mean (kg)	NB mean (kg)	TBW mean (kg)	
			Meso	Shell	Kernel	Wide	year(1)	year(2)	year(1)	year(2)	year(1)				year(2)
1021	T	8.6	34.0	14.3	51.7	2.2	4	3	51.4	65.2	12.9	21.7	17.3	3.5	58.3
1022	T	14.5	40.0	7.6	52.4	2.6	8	8	54.6	118.0	6.8	14.8	10.8	8.0	86.3
1023	D	11.9	25.2	21.0	53.9	2.6	6	7	77.6	119.0	12.9	17.0	15.0	6.5	98.3
1024	T	5.9	33.3	9.7	57.0	1.9	0	9	0.0	150.0	0.0	16.7	8.3	4.5	75.0
1026	D	15.8	32.0	30.7	37.3	2.5	4	7	23.3	74.0	5.8	10.6	8.2	5.5	48.7
1027	D	9.1	27.9	26.4	45.7	2.4	0	14	0.0	137.0	0.0	9.8	9.8	7.0	68.5
1028	P	8.8	72.4	0.0	27.6	2.4	0	12	0.0	151.0	0.0	12.6	12.6	6.0	75.5
1029	T	13.6	53.3	13.1	33.6	2.3	7	13	44.0	133.0	6.3	10.2	8.3	10.0	88.5
1030	T	9.5	41.5	13.7	44.9	2.4	9	12	145.6	177.0	16.2	14.8	15.5	10.5	161.3
1031	T	8.3	46.6	8.4	45.0	2.2	1	12	8.5	216.0	8.5	18.0	13.3	6.5	112.3
1032	P	10.3	87.6	0.0	12.4	2.3	9	4	65.6	46.9	7.3	11.7	9.5	6.5	56.3
1033	P	6.6	68.4	0.0	31.6	2.2	1	4	8.0	42.6	8.0	10.7	9.3	2.5	25.3
1034	P	5.2	74.6	0.0	25.4	1.9	1	7	9.6	92.1	9.6	13.2	11.4	4.0	50.9
1035	T	12.0	37.6	14.5	47.9	2.5	7	9	48.9	131.0	7.0	14.6	10.8	8.0	90.0
1036	P	5.9	66.6	0.0	33.4	2.0	0	9	0.0	100.0	0.0	11.1	11.1	4.5	50.0
1038	T	17.1	29.5	31.4	39.1	2.8	3	11	15.3	150.0	5.1	13.6	9.4	7.0	82.7

Unit	Type	น.น.	น.น. ผลผลิต	น.น. เมล็ดสด	น.น. เนื้อปาล์มสด	น.น. ผลสด	น.น. 200 ผล	น.น. (กรัม)	น.น. เมล็ดแห้ง	น.น. เนื้อปาล์มแห้ง	น.น. 200 ผล	น.น. (กรัม)	น.น. เมล็ดแห้ง	น.น. เนื้อปาล์มแห้ง	น.น. 200 ผล	น.น. (กรัม)	FDB (กรัม)	DMB (กรัม)	Fiber/B (กรัม)	ODM (กรัม)	OWM (กรัม)	F/B (%)	O/F (%)	O/B (%)	K/B (%)	Oil + K/B (%)	Kernel (kg)	Oil + Kernel (kg)	TBW (kg)	Oil Yield (kg)
74	D	21400.0	14000.0	41.13	47.93	10.95	5758.20	3282.1	1349.93	2129.1	875.70	2.3	0.9	9081.81	3735.35	1461.66	60.87	74.62	65.42	30.69	20.08	7.16	27.24	1.53	4.30	5.83	122.6	33.40		
80	D	15500.0	9135.5	72.52	16.77	10.70	6625.06	2013.8	1460.41	1453.8	1054.30	6.2	1.1	6595.09	4782.76	848.55	82.26	87.19	58.94	63.23	37.27	6.31	43.57	0.98	5.78	6.75	78.1	34.03		
118	D	18000.0	12000.0	44.96	44.17	10.87	5395.20	1824.1	820.12	1265.6	569.01	3.0	0.9	8325.86	3743.31	1122.99	70.00	79.19	66.67	35.60	23.73	7.25	30.98	1.30	4.27	5.58	50.3	15.58		
39	D	19000.0	13330.9	44.64	45.74	9.62	5950.91	2305.8	1029.31	1655.8	739.15	3.0	0.9	9572.95	4273.36	1282.01	70.00	78.46	70.16	35.02	24.57	6.75	31.32	1.28	4.67	5.95	64.9	20.33		
41	D	10600.0	6376.9	51.73	30.01	18.26	3298.77	1308.8	677.04	879.3	454.86	2.7	0.8	4284.24	2216.24	656.66	70.37	80.09	60.16	41.43	24.93	10.99	35.91	1.16	2.64	3.81	96.6	34.69		
06	D	16600.0	12790.8	49.09	40.56	10.35	6279.00	2769.1	1359.35	1996.4	980.03	3.5	0.6	9221.61	4526.89	776.04	82.86	87.64	77.05	43.02	33.15	7.97	41.13	1.32	5.50	6.83	70.2	28.87		
72	D	20000.0	13600.0	51.08	36.94	11.98	6946.88	3208.8	1639.06	2270.4	1159.72	3.1	1.0	9622.74	4915.29	1585.58	67.74	77.18	68.00	39.42	26.81	8.15	34.95	1.63	5.36	6.99	92.0	32.16		
94	D	18400.0	14391.1	43.34	40.74	15.91	6237.10	1569.4	680.18	1166.4	505.52	2.9	0.4	10695.67	4635.50	639.38	86.21	89.75	78.21	38.90	30.42	12.44	42.87	2.29	5.60	7.89	99.3	42.57		
00	D	11000.0	7014.4	49.32	42.94	7.74	3459.50	2877.2	1419.04	2187.7	1078.97	2.8	0.5	5333.45	2630.46	469.72	82.14	86.42	63.77	42.62	27.18	4.94	32.12	0.54	2.99	3.53	56.7	18.21		
16	D	18200.0	11000.0	34.20	47.21	18.58	3762.00	1229.7	420.56	860.1	294.15	1.4	0.8	7693.83	2631.29	1503.59	42.86	60.03	60.44	20.53	12.41	11.23	23.64	2.04	2.26	4.30	116.4	27.52		
64	D	11000.0	5706.7	36.07	55.57	8.36	2058.41	1935.5	698.13	1329.0	479.37	2.6	0.5	3918.47	1413.39	271.81	80.77	86.80	51.88	31.31	16.24	4.34	20.58	0.48	1.79	2.26	87.4	17.99		
14	D	16200.0	11038.1	39.33	44.09	16.59	4341.28	2496.8	981.99	1898.3	746.60	3.1	0.6	8392.19	3300.65	638.84	80.65	85.28	68.14	33.54	22.85	11.30	34.16	1.83	3.70	5.53	74.5	25.45		
32	D	15500.0	10197.6	37.44	48.22	14.34	3817.98	2447.2	916.23	1804.7	675.68	4.1	0.7	7520.27	2815.59	480.71	82.93	87.41	65.79	32.73	21.53	9.43	30.97	1.46	3.34	4.80	66.6	20.62		
58	D	14800.0	9974.1	38.71	43.19	18.10	3860.97	1152.4	446.09	799.8	309.60	3.3	0.7	6922.32	2679.63	568.41	78.79	85.28	67.39	33.01	22.25	12.20	34.45	1.81	3.29	5.10	41.2	14.19		
77	D	16800.0	13141.8	64.04	24.99	10.96	8416.01	2820.1	1805.99	1911.8	1224.32	6.6	1.2	8909.08	5705.37	1037.34	81.82	87.67	78.23	56.15	43.92	8.57	52.49	1.44	7.38	8.82	62.7	32.91		
44	D	15000.0	9938.5	42.43	45.75	11.83	4216.91	2207.5	936.64	1640.6	696.11	3.3	0.6	7386.23	3133.98	569.81	81.82	86.49	66.26	36.70	24.31	7.84	32.15	1.18	3.65	4.82	83.0	26.69		
64	D	35000.0	25312.1	29.15	57.31	13.54	7378.48	2912.1	848.88	2000.5	583.15	4.1	1.1	17388.43	5068.73	1359.90	73.17	81.57	72.32	23.78	17.20	9.79	26.99	3.43	6.02	9.45	63.1	17.03		
111	D	19000.0	13175.9	39.92	57.47	2.61	5259.82	2492.2	994.89	1856.1	740.96	3	0.7	9812.93	3917.32	914.04	76.67	82.62	69.35	32.98	22.87	1.81	24.68	0.34	4.35	4.69	88.2	21.77		
00	T	24900.0	16200.0	66.94	20.93	12.13	10844.28	2524.7	1690.03	1736.4	1162.35	2.4	0.9	11141.79	7458.31	2796.87	62.50	74.21	65.06	49.68	32.32	7.89	40.21	1.97	8.05	10.01	73.7	29.64		
51	T	20000.0	11308.7	69.79	22.25	7.97	7892.34	1547.2	1079.79	930.4	649.33	2.4	1.1	6800.42	4746.02	2175.26	54.17	72.44	56.54	50.55	28.59	4.51	33.09	0.90	5.72	6.62	49.4	16.35		
70	T	26800.0	16400.0	69.35	20.95	9.70	11373.40	1281.7	888.86	785.6	544.81	2.2	1.0	10052.15	6971.17	3168.71	54.55	72.14	61.19	50.03	30.61	5.94	36.55	1.59	8.20	9.80	85.3	31.18		
66	T	19200.0	13200.0	70.69	18.18	11.14	9331.08	2195.4	1551.93	1683.2	1189.85	3.5	0.9	10120.36	7154.08	1839.62	74.29	80.29	68.75	56.75	39.02	7.66	46.68	1.47	7.49	8.96	87.6	40.89		
33	T	16000.0	10333.9	68.43	16.33	15.24	7071.49	1536.7	1051.56	1035.9	708.87	4.3	1.0	6966.15	4766.94	1108.59	76.74	84.32	64.59	57.70	37.27	9.84	47.11	1.57	5.96	7.54	89.3	42.07		
1	T	17200.0	11484.6	68.12	20.06	11.82	7823.31	2062.9	1405.25	1213.1	826.36	4.2	1.0	6753.58	4600.54	1095.37	76.19	86.00	66.77	58.58	39.12	7.89	47.01	1.36	6.73	8.09	105	49.17		

Unit	Type	น.น.	น.น. ผลผลิต (กรัม)	น.น. ผลผลิต 200 ผล (กรัม)	น.น. เนื้อปาล์มสด 200 ผล (กรัม)	น.น. ผลแห้ง 200 ผล (กรัม)	น.น. เนื้อปาล์มแห้ง 200 ผล (กรัม)	น.น. เนื้อปาล์มแห้ง 200 ผล (กรัม)	น.น. เหลือข.น. เหลือ แห้ง (กรัม)	FDB (กรัม)	DMB (กรัม)	Fiber/B (กรัม)	ODM (กรัม)	O/W (กรัม)	F/B (%)	O/F (%)	O/B (%)	K/B (%)	Oil + K/B (%)	Kemel (kg)	Oil (kg)	Oil + Kemel (kg)	TBW (kg)	Oil Yield (kg)
887	T	17900.0	12800.0	1333.0	1018.55	967.3	739.11	3.3	0.9	9288.40	7097.27	1935.62	72.73	80.21	71.51	61.29	43.83	5.77	49.60	1.03	7.84	8.88	93.8	46.52
447	T	21400.0	12148.4	2026.7	1386.87	1332.0	911.49	4.8	0.9	7984.24	5463.62	1024.43	81.25	87.68	56.77	60.00	34.06	8.19	42.25	1.75	7.29	9.04	130	54.71
521	T	22000.0	15141.7	1746.9	1008.31	1177.3	679.54	3.5	0.5	10204.55	5890.06	841.44	85.71	90.37	68.83	52.16	35.90	8.88	44.78	1.95	7.90	9.85	55.2	24.72
523	T	20500.0	13340.9	1842.0	1001.31	1234.3	670.97	3.4	0.5	8939.56	4859.55	714.64	85.29	90.15	65.08	49.00	31.89	11.40	43.29	2.34	6.54	8.87	73.4	31.78
542	T	16000.0	9259.8	2381.0	1634.32	1459.1	1001.53	4.3	0.9	5674.50	3894.97	815.23	79.07	87.17	57.87	59.84	34.63	7.74	42.37	1.24	5.54	6.78	116	48.94
795	T	17500.0	10915.8	2063.7	1071.78	1266.1	765.23	3.7	0.6	7793.66	4710.49	763.86	83.78	88.42	62.38	53.44	33.34	7.81	41.14	1.37	5.83	7.20	49.8	20.49
1314	T	12000.0	8385.4	2031.7	1515.79	1364.5	1002.23	3.9	0.6	5544.35	4072.33	626.51	84.62	89.83	69.88	65.98	46.10	7.62	53.73	0.91	5.53	6.45	47.2	25.36
842	T	18800.0	12553.4	2031.7	1296.43	1419.8	905.97	5.6	1.3	8772.61	5597.80	1299.49	76.79	83.78	66.77	53.46	35.70	8.45	44.14	1.59	6.71	8.30	117	51.51
008	T	17500.0	11233.1	1911.4	1219.09	1298.5	828.18	5.6	1.0	7631.15	4867.15	869.13	82.14	87.87	64.19	56.04	35.97	9.65	45.62	1.69	6.30	7.98	54.5	24.86
041	T	15000.0	9828.4	1877.3	976.01	1288.1	669.68	2.1	0.3	6743.71	3506.05	500.86	85.71	90.20	65.52	46.89	30.73	13.77	44.50	2.07	4.61	6.67	31.9	14.20
046	T	24000.0	16032.8	2211.1	1647.49	1567.3	1167.80	6.7	1.2	11364.57	8467.74	1516.61	82.09	87.30	66.80	65.05	43.46	5.54	49.00	1.33	10.43	11.76	36.3	17.79
047	T	19800.0	7100.7	1899.3	1057.91	1167.5	650.30	3.3	0.6	4364.80	2431.19	442.04	81.82	88.82	35.86	49.47	17.74	6.98	24.72	1.38	3.51	4.89	52.0	12.85
773	P	16000.0	6010.7	1189.0	1166.77	800.7	785.73	3.4	0.7	4047.74	3972.05	817.78	79.41	86.14	37.57	84.52	31.75	0.71	32.46	0.11	5.08	5.19	14.0	4.54
333	P	22400.0	3605.5	1117.4	1092.59	772.0	754.86	3.3	1.4	2491.00	2435.70	1033.33	57.58	70.69	16.10	69.12	11.13	0.36	11.48	0.08	2.49	2.57	113.0	12.98
72	P	13000.0	3241.2	1125.6	1102.07	722.1	707.01	3.6	1.2	2079.31	2035.85	678.62	66.67	78.62	24.93	76.97	19.19	0.52	19.71	0.07	2.49	2.56	80.4	15.85
883	P	19000.0	6246.9	863.5	833.28	606.2	584.98	3.0	1.0	4385.49	4232.00	1410.67	66.67	76.60	32.88	73.92	24.30	1.15	25.45	0.22	4.62	4.84	66.8	17.00
095	P	13200.0	4809.8	1087.8	1069.42	766.3	753.35	3.9	0.9	3388.26	3331.00	768.69	76.92	83.74	36.44	82.33	30.00	0.62	30.61	0.08	3.96	4.04	72.1	22.07
044	P	19000.0	9775.5	1568.0	1528.33	1132.2	1103.56	4.4	0.7	7058.56	6879.98	1094.54	84.09	88.51	51.45	86.27	44.39	1.30	45.69	0.25	8.43	8.68	59.3	27.09
062	P	16200.0	7553.9	1133.6	1105.60	843.4	822.57	3.8	0.7	5620.11	5481.30	1009.71	81.58	86.29	46.63	84.16	39.24	1.15	40.40	0.19	6.36	6.54	30.7	12.40
068	P	9000.0	3436.9	1356.4	1352.87	882.6	880.31	3.8	0.7	2236.37	2230.55	410.89	81.58	88.01	38.19	87.78	33.52	0.10	33.62	0.01	3.02	3.03	79.0	26.56
773	P	9000.0	4187.1	827.3	807.69	504.7	492.74	5.6	1.2	2554.37	2493.83	534.39	78.57	86.93	46.52	84.87	39.48	1.10	40.59	0.10	3.55	3.65	101	41.03