

### บรรณานุกรม

เสานีย์ ก่อวุฒิกุลรังสี. 2540. ยางธรรมชาติเบื้องต้น. ภาควิชาเทคโนโลยียางและพอลิเมอร์ คณะวิทยาศาสตร์และเทคโนโลยี มหาวิทยาลัยสงขลานครินทร์ วิทยาเขตปัตตานี.

พรพรรณ นิชิอุทัย. 2540. ยาง – เทคนิคการออกสูตรยาง. ภาควิชาเทคโนโลยียางและพอลิเมอร์ คณะวิทยาศาสตร์และเทคโนโลยี มหาวิทยาลัยสงขลานครินทร์ วิทยาเขตปัตตานี.

พรพรรณ นิชิอุทัย. 2528. สารเคมีสำหรับยาง. ภาควิชาเทคโนโลยียางและพอลิเมอร์ คณะวิทยาศาสตร์และเทคโนโลยี มหาวิทยาลัยสงขลานครินทร์ วิทยาเขตปัตตานี.

Akinlabi, A.K., et al. 2005. “Investigation of the effect of mixing schemes on rheological and physico – mechanical properties of modified natural rubber blends”, Materials & Design. 2005, 1 – 6.

Antony, Prince, De, S.K. and Duin, Martin Van. 2001. “Self – crosslinking rubber / rubber and rubber / thermoplastic blends : a review”, Rubber Chemistry and Technology. 74 (2001), 376 – 408.

Aravind, I., et al. 2004. “Compatibilizing effect of EPM – g – MA in EPDM / poly (trimethylene terephthalate)”, Polymer. 45(2004), 4925 – 4937.

Asaletha, R. and Thomas, Sabu. 1995. “The technological compatibilization of natural rubber / polystyrene blends by the addition of natural rubber – graft – polystyrene”, Rubber Chemistry and Technology. 68(1995), 671 – 687.

Bandyopadhyay, Sumanda, et al. 1995. “Dynamic mechanical spectroscopic studies on the miscibility of polychloroprene – epoxidized natural rubber blend in presence of carbon black filler”, Polymer. 36(1995), 1979 – 1984.

Bandyopadhyay, Sumanda, et al. 1995. "Effect of chemical interaction between surface oxidized carbon black and carboxylate nitrile rubber on dynamic properties", J. of Applied Polymer Science. 58(1995), 719 – 727.

Bonner, J.G. and Hope, P.S. 1993. "Compatibilisation and reactive blending" In Polymer Blends and Alloys. p. 46-74. London : London Blackie Academic & Professional c1993.

Boochathum, Ploenpit and Prajudtake, Worapong. 2001. "Vulcanization of cis - and trans – polyisoprene and their blends : cure characteristics and crosslink distribution", European Polymer Journal. 37(2001), 417 – 427.

Boochathum, Ploenpit and Chiewnawin, Sharnpoj. 2001. "Vulcanization of cis - and trans – polyisoprene and their blends : crystallization characteristics and properties", European Polymer Journal. 37(2001), 429 – 434.

Calmet, J.F., et al. 2002. "Irradiation ageing of CSPE / EPR control command electric cable. Correlation between mechanical properties and oxidation", Radiation physics and chemistry. 63(2002), 235 – 239.

Chang, Young – Wook, et al. 1999. " Effect of trans – Polyotylene Rubber (TOR) on the properties of NR / EPDM blends", J. of Applied Polymer Science. 73(1999), 749 – 756.

DuPont Dow Elastomers Pte. Ltd. [www.dupont-dow.com](http://www.dupont-dow.com)

El-Sabbagh, S.H. 2003. "Compatibility study of natural rubber and ethylene propylene diene rubber blends", Polymer Testing. 22(2003), 93 – 100.

Giurginca, M. and Zaharescu, T. 2000. "Thermal and radiation behavior of HNBR and CSPE blends", Polymer. 41(2000), 7583 – 7587.

- Gupta, S., et al. 2000. "Heat – shrinkable polymer blends through interchain crosslinking based on ethylene propylene and chlorosulfonated polyethylene", Materails Letters. 46 (2000), 125 – 130.
- Ismail, H. and Leong, H.C. 2001. "Curing characteristics and mechanical properties of natural rubber / chloroprene rubber and epoxidized natural rubber/chloroprene rubber blends", Polymer Testing. 20(2001), 509 – 516.
- Jansen, P. and Soares, G. 1996. "Effect of compatibilizer and curing system on the thermal degradation of natural rubber / EVA copolymer blends", Polymer Degradation and Stability. 52(1996), 95 – 99.
- Kiatkamjornwong, S. and Pairpisit, K. 2004. "Natural rubber / ethylene propylene diene blends for high insulation iron crossarms", J. of Applied Polymer Science. 92(2004), 3401 – 3416.
- Kumnuantip, C. and Sombatsompop, N. 2003. "Dynamic mechanical properties and swelling behavior of NR / reclaimed rubber blends", Materials Letters. 57(2003), 3167 – 3174.
- Mathew, Monsy and Thomas, Sabu. 2003. "Compatibilisation of heterogeous acrylonitrile – butadiene rubber / polystyrene blends by the addition of styrene – acrylonitrile copolymer : effect on morphology and mechanical properties", Polymer. 44(2003), 1295 – 1307.
- Morton, Maurice. 1987. Rubber Technology. 3<sup>rd</sup> ed. New York : Van Nostrand Reinhold Company Inc.
- Mukhopadhyay, S., De, P.P. and De, S.K. 1991. "A self – vulcanizable and miscible blend system based on hypalon and carboxylated nitrile rubber", J. of Applied Polymer Science. 43 (July 1991), 347 – 355.

Mukhopadhyay, Sujata and De, S.K. 1991. "Self – vulcanizable rubber blend system based on epoxidized natural rubber and chlorosulfonated polyethylene : effect of blend composition, epoxy content of epoxidized natural rubber, and reinforcing black filler on physical properties", J. of Applied Polymer Science. 42(May 1991), 2773 – 2786.

Mukhopadhyay, Sujata and De, S.K. 1991. "Self – vulcanizable rubber blend based on neoprene and carboxilated nitrile rubber : Effect of blend ratio on miscibility and physical properties", J. of Applied Polymer Science. 43(1991), 2283 – 2293.

Nichols, Mark E. and Pett, Robert A. 1994. "Effect of aging on the fracture behavior of chlorinated polyethylene and chlorosulfonated polyethylene", Rubber Chemistry and Technology. 67(Sep – Oct 1994), 619 – 628.

Okwu, U.N. and Okieimen, F.E. 1999. "Properties of formic acid crosslinked epoxidised natural rubber (FC – ENR) blends with dry natural rubber", European Polymer Journal. 35 (1999), 1855 – 1859.

Okwu, U.N. and Okieimen, F.E. 2001. "Preparation and properties of thioglycollic acid modified epoxidised natural rubber and its blends with natural rubber", European Polymer Journal. 37(2001), 2253 – 2258.

Ramesan, M.T., Alex, R. and Khanh, N.V. 2005. "Studies on the cure and mechanical properties of blends of natural rubber with dichlorocarbene modified styrene – butadiene rubber and chloroprene rubber", Reactive and Functional Polymer. 62(2005), 41 – 50.

Rattanasom, N., Poonsak, A. and Makmoon, T. 2005. "Effect of curing system on the mechanical properties and heat aging resistance of natural rubber/tire tread reclaimed rubber blends", Polymer Testing. 2005, 1 – 5.

Roychoudhury, A., et al. 1992. "Self – crosslinkable ternary blend of chlorosulfonated polyethylene, epoxidized natural rubber and carboxylated nitrile rubber", Polymer. 33 (1992), 4737 – 4740.

Roychoudhury, A. and De, P.P. 1993. "Reinforcement of epoxidized natural rubber by carbon black : effect of surface oxidation of carbon black particle", J. of Applied Polymer Science. 50(1993), 181 – 186.

Roychoudhury, A., et al. 1993. "FTIR and NMR studies on crosslinking reaction between chlorosulfonated polyethylene and epoxidized natural rubber", Rubber Chemistry and Technology. 66(May – Jun 1993), 230 – 241.

Roychoudhury, A., et al. 1994. "Chemical interaction between carbon black and elastomers – crosslinking of chlorosulfonated polyethylene by carbon black", Rubber Chemistry and Technology. 67(Sep – Oct 1994), 662 – 671.

Roychoudhury, A., et al. 1995. "Chemical interaction between chlorosulfonated polyethylene and silica – effect of surface modifications of silica", Rubber Chemistry and Technology. 68(Nov – Dec 1995), 815 – 823.

Roychoudhury, A. and De, P.P. 1995. "Elastomer – carbon black interaction : influence of elastomer chemical structure and carbon black surface chemistry on bound rubber formation", J. of Applied Polymer Science. 55(1995), 9 – 15.

Shah, Chaitanya S., et al. 1994. "High – energy radiation – resistant elastomeric vulcanizates. I. Chlorosulfonated polyethylene", J. of Applied Polymer Science. 51(1994), 1505 – 1513.

- Sirqueira, Alex S. and Soares, Bluma G. 2003. "The effect of mercapto – and thioacetate – modified EPDM on the curing parameter and mechanical properties of natural rubber / EPDM blends", European Polymer Journal. 39(2003), 2283 – 2290.
- Sirisinha, C., Saeoui, P. and Guaysomboon, J. 2004. "Oil and thermal aging resistance in compatibilized and thermally stabilized chlorinated polyethylene / natural rubber blends", Polymer. 45(2004), 4909 – 4916.
- Soares, Bluma G., et al. 2001. "The compatibilization of SBR / EVA by mercapto – modified EVA", European Polymer Journal. 37(2001), 1577 – 1585.
- Soares, Bluma G., Almeida, Mauricio S.M. and Guimaraes, Pedro I.C. 2004. "The reactive compatibilization of NBR / EVA blends with oxazoline – modified nitrile rubber", European Polymer Journal. 40(2004), 2185 – 2194.
- Tanrattanakul, V. and Udomkichdecha, W. 2001. "Development of novel elastomeric blends containing natural rubber and ultra – low – density polyethylene", J. of Applied Polymer Science. 82(2001), 650 – 660.
- Tinker, Andrew A. and Jones, Kevin P. 1998. Blends of Natural rubber. 1<sup>st</sup> ed. London : Chapman & Hall.
- White, J.R. and De, S.K. 2001. Rubber Technologist 's Handbook. 1<sup>st</sup> ed. UK : Rapra Technology Limited.
- Wootthikanokkhan, J. and Tunjongnawin, P. 2003. " Investigation of the effect of mixing schemes on cross – link distribution and tensile properties of natural – acrylic rubber blends", Polymer Testing. 22(2003), 305 – 312.

Zaharescu, Traian; Meltzer, Viorica and Vilcu, Rodica. 2000. "Thermal properties of EPDM / NR blends", Polymer Degradation and Stability. 70(2000), 341 – 345.