

## เอกสารอ้างอิง

- กรมปศุสัตว์. 2540. พระราชบัญญัติควบคุมคุณภาพอาหารสัตว์ พ.ศ. 2525. กระทรวงเกษตรและสหกรณ์.
- จوزهดี พงศ์มณีรัตน์ และ มะลิ บุญยรัตผลิน. 2539. ศึกษาการจับ การเก็บรักษาปลาเปิด และ ขบวนการผลิตปลาป่น. เอกสารวิชาการ ฉบับที่ 30/2539. สถาบันวิจัยการเพาะเลี้ยงสัตว์น้ำชายฝั่ง กรมประมง กระทรวงเกษตรและสหกรณ์.
- ประจวบ หล้าอุบล. 2532. กุ้ง. กรุงเทพฯ: ฝ่ายสื่อการศึกษา สำนักส่งเสริมและฝึกอบรม มหาวิทยาลัยเกษตรศาสตร์. หน้า 51-70.
- เปี่ยมศักดิ์ เมนะเสวต. 2534. อาหารสำหรับการเลี้ยงกุ้งกุลาดำ. ว. การประมง 44: 329-342.
- พรพล รมย์นุกูล. 2545. การถนอมอาหาร. กรุงเทพฯ: สำนักพิมพ์โอเดียนสโตร์.
- เขาวมาลัย คำเจริญ. 2546. คู่มือปฏิบัติการวิเคราะห์อาหารสัตว์ด้วยกล้องจุลทรรศน์. เรียบเรียงครั้งที่ 2 ภาควิชาสัตวศาสตร์ คณะเกษตรศาสตร์ มหาวิทยาลัยขอนแก่น.
- รัตนา บรรณเจตพงศ์ชัย. 2545. แอนติออกซิแดนซ์และกลไกการป้องกันโรค. เชียงใหม่เวชสาร 41: 101-108.
- รววิทย์ ชิวพร, วิญญิต มั่นทะจิตร และสมถวิล จริตควร. 2534. ปัจจัยทางนิเวศวิทยาที่มีผลต่อการเจริญเติบโตของกุ้งกุลาดำ. รายงานวิจัยเดือนพฤศจิกายน พ.ศ. 2534 ภาควิชาวิทยาศาสตร์ทางทะเล คณะวิทยาศาสตร์ มหาวิทยาลัยบูรพา. หน้า 3-12.
- สุกัญญา จัดจตุรพรพงศ์. 2536. สารป้องกันการหืนในอาหารสัตว์. สุกกรสาร 20: 27-31.
- สุทนต์ เบญจกุล. 2548. เคมีและคุณภาพสัตว์น้ำ. กรุงเทพฯ: พิมพ์ครั้งที่ 1. สำนักพิมพ์โอเดียนสโตร์.
- สุภาพร สุกสีเหลือง. 2538. การเพาะเลี้ยงสัตว์น้ำ. กรุงเทพฯ: สำนักพิมพ์พิมพ์ดี จำกัด.
- สมาคมผู้ผลิตปลาป่นไทย. 2544. 20 ปี สมาคมผู้ผลิตปลาป่นไทย. กรุงเทพมหานคร: สมาคมผู้ผลิตปลาป่น.
- สุรัตน์ นราประเสริฐกุล. 2532. คุณภาพของปลาป่นที่ผลิตได้ในเขตภาคใต้ของประเทศไทย. วิทยานิพนธ์วิทยาศาสตรมหาบัณฑิต มหาวิทยาลัยเกษตรศาสตร์.
- อังคณา หาญบรรจง, ดวงสมร สีนเจิมศิริ และกรสุรางค์ อัสวเย็นใจ. 2544. เปรียบเทียบคุณภาพของปลาป่นไทย. ภาควิชาสัตวบาล คณะเกษตร มหาวิทยาลัยเกษตรศาสตร์.
- อังคณา หาญบรรจง, ชัยภูมิ บัญชาศักดิ์ และสมปอง คະชะนา. 2546. ผลการเก็บรักษาปลาป่นต่อสมรรถภาพการผลิตของไก่ไข่. ว. สงขลานครินทร์ วทท. 25: 703-713.

- อุทัย คั่น โธ. 2529. อาหารและการผลิตอาหารเลี้ยงสุกรและสัตว์ปีก. ศูนย์วิจัยและฝึกอบรมการเลี้ยงสุกรแห่งชาติ มหาวิทยาลัยเกษตรศาสตร์ วิทยาเขตกำแพงแสน นครปฐม.
- Akiyama, D.M., Dominy, W.G. and Lawrence, A.L. 1992. Penaeid shrimp nutrition. *In* Marine Shrimp Culture: Principles and Practices (eds. A.W. Fast and J. Lester.) pp. 535-567. Amsterdam: Elsevier.
- Allen, J.C. and Hamilton, R.J. 1994. Rancidity in Foods. 3<sup>rd</sup> ed. London: Blackie Academic and Professional.
- Arason, S. 1994. Production of fish silage. *In* Fisheries Processing : Biotechnological Applications (ed. A.M. Martin) pp. 244-274. London: Chapman and Hall.
- Aurand, L.W. and Woods, A.E. 1973. Food Chemistry. Westport, USA: The AVI Publishing Company. pp.105-127.
- AOAC 1990. Official Methods of Analysis 15<sup>th</sup> ed. The Association of Official Analytical Chemists. Washington, DC.
- AOAC 1998. Official Methods of Analysis (1995) Revision March 1998. The Association of Official Analytical Chemists. Washington, DC.
- Bancroft, J.D. 1967. Histochemical Techniques. London: Butterworths.
- Bandoniene, D., Gruzdiene, D. and Venskutonis, P.R. 2001. Antioxidant activity of sage extracts in rapeseed oil irradiated with UV-rays. *Nahrung* 45: 105-108.
- Barlow, S.M. 1994. Is there a future for ethoxyquin and other synthetic antioxidants. Presented at the International Fishmeal and Oil Manufacturers Assosiation Annual Conference, Copenhagen, 29 Aug-2 Sep 1994 : pp 51-55.
- Barlow, S.M. and Pike, I.H. 1977. The role of fat in fish meal in pig and poultry nutrition. *IAFMM Tech. Bull.* 4: 1-38.
- Bautista, M.N. and Subosa, P.F. 1997. Changes in shrimp feed quality and effects on growth and survival of *Penaeus monodon* juveniles. *Aquaculture* 151: 121-129.
- Bautista, M.N. and Subosa, P.F. 1999. Butylate hydroxytoluene: its effect on the quality of shrimp diet stored at various temperatures and on growth and survival of *Penaeus monodon* juveniles. *Aquaculture* 179: 403-414.
- Bautista, M.N., Subosa, P.F. and Lavilla-Pitogo, C.R. 1992. Effects of antioxidants on feed quality and growth of *Penaeus monodon* juveniles. *J. Sci. Food Agri.* 60: 55-60.

- Beger, K.G. 1994. Practical measures to minimise rancidity in processing and storage. *In* Rancidity in Foods (eds. J.C. Allen and R.J. Hamilton) pp. 68-83. 3<sup>rd</sup> ed. London: Blackie Academic and Professional.
- Bell, Thomas A. and Lightner, Donald V. 1988. A Handbook of Normal Penaeid Shrimp Histology. Baton Rouge, Louisiana: World Aquaculture Society.
- Bligh, E.G. and Dyer, W.J. 1959. A rapid method of total lipid extraction and purification. *Can. J. Biochem. Physiol.* 37: 911-917.
- Boonyaratpalin, M., Thongrod, S., Supamattaya, K., Britton, G. and Schlipalius, L.E. 2001. Effects of beta-carotene source, *Dunaliella salina*, and astaxanthin on pigmentation, growth, survival and health of *Penaeus monodon*. *Aquaculture Research* 32: 182-190.
- Brady, C., Metcalfe, L., Slabpszewski, D. and Frank, D. 1988. Lipase immobilized on a hydrophobic, microporous support for the hydrolysis of fat. *J. Am. Oil Chem. Soc.* 65: 917-921.
- Bragadottir, M. 2003. Methods for measuring lipid oxidation and their application to fishmeal. Proceedings of the 1<sup>st</sup> Trans Atlantic Fisheries Technology Conference. The Icelandic Fisheries Laboratories, Reykjavik. pp. 167 – 169.
- Bragadottir, M., Palmadottir, H. and Kristbergsson, K. 2000. Effect of fish meal processing on endogenous anti and prooxidants in capelin (*Mallotus villosus*). Proceedings of the 3<sup>rd</sup> Meeting of the European Section of AOCS and Lipid Forum Seminar Oils, Fat From Basic Research to Industrial Applications 18-21 June 2000. Helsinki, Finland. pp. 107.
- 
- \_\_\_\_\_. 2002. Seasonal changes in chemical composition and quality parameters in capelin (*Mallotus villosus*). *J. Aquat. Food Prod. Technol.* 11: 87-103.
- 
- \_\_\_\_\_. 2004. Composition and chemical changes during storage of fish meal from capelin (*Mallotus villosus*). *J. Agric. Food Chem.* 52: 1572-1580.
- Buege, J.A. and Aust, S.D. 1978. Microsomal lipid peroxidation. *Methods in Enzymology.* 52: 302-304.

- Calabotta, D.F. and Shermer, W.D. 1985. Controlling feed oxidation can be rewarding. *Feedstuffs* 25: 24-32.
- Castell, C.H. 1971. Metal-catalyzed lipid oxidation and changes of proteins in fish. *J. Am. Oil Chem. Soc.* 48: 645-649.
- Chipault, J.R. 1966. Antioxidants for use in food. *In* Autoxidation and Antioxidant (ed. W.O. Lundberg) New York: Interscience Publishers.
- Cho, S.Y., Miura, A., Fujimoto, K. and Inai, M. 1988. Improvement in oxidative stability of fish meal by addition of glucose via accelerated maillard reaction. *Nippon Suisan Gakkaishi* 54: 1017-1022.
- Choi, S.I., Kim, B.S. and Han, B.H. 1983. Influence of relative air humidity on the color change of fish meat during drying. *Bull. Korean Fish Soc.* 16: 349-354.
- Chow, K.W. 1978a. Storage problems of feedstuffs: *In* Fish feed technology. FAO/UNDP Training Course, Collage of Fisheries, Univ. Washington, 9 October-15 December 1978. pp. 216-224.
- . 1978b. Quality control in fish feed manufacturing. : *In* Fish feed technology. FAO/UNDP Training Course, Collage of Fisheries, Univ. Washington, 9 October-15 December 1978.
- Cockerell, I., Francis, B.J. and Holiday, D. 1972. Changes in the nutritive value of concentrate feedstuffs during storage. Proceedings of a Conference on Development of Feed Resources and Improvement of Animal Feeding Methods in the CENTO Region Countries, Ankara, 1-7 June 1971. London. pp.181-192.
- Commenil, P., Belingheri, L. Sancholle, M. and Dehorter, B. 1995. Purification and properties of an extracellular lipase from the fungus *Botrytis cinerea*. *Lipids.* 30: 351-356.
- D'Abramo, L.R. 1997 Triacylglycerols and fatty acid. *In* Advance in World Aquaculture-Crustacean Nutrition (eds. L.R. D'Abramo, D.E. Conklin and D.M. Akiyama) pp. 587. Baton Rouge, USA: World Aquaculture Society.
- Duncan, D.B. 1995. Multiple-range and multiple F test. *Biometrics* 11: 1-42.
- Dunford, H.B. 1987. Free radicals in iron-containing systems. *Free Radical Biol. Med.* 3: 405-421.

- 1976. Food chemistry. *In* Principle of Food Science (ed. O.R. Fennema) pp.149-192. New York: Marcel Dekker.
- Erickson, M.C. 1998. Lipid oxidation of muscle foods. *In* Food Lipid: Chemistry, Nutrition and Biotechnology (eds. C.C. Akoh and D.B. Min) pp. 297-332. New York: Marcel Dekker.
- Esterbauer, H., Schaur, R.J. and Zollner, H. 1991. Chemistry and biochemistry of 4-hydroxynonenal, malonaldehyde and related aldehydes. *Free Radic. Biol. Med.* 11: 81-128.
- FAO. 1975. The production of fish meal and oil. *Fish. Tech. Pap.* No.142.
- Fujita, Y., Oshima, T. and Koizumi, C. 1994. Increase in the oxidative stability of sardine lipids through heat treatment. *Fish Sci.* 60: 289-294.
- Gardner, H.W. 1979. Lipid hydroperoxide reactivity with protein and amino acid. *J. Agric. Food Chem.* 27: 220-226.
- Glencross, B.D. and Smith, D.M. 1999. The linoleic and linolenic acid requirements of the prawn, *Penaeus monodon*. *Aquacul. Nutr.* 5: 53-64.
- . 2001. Optimising the dietary levels of eicosapentaenoic and docosahexaenoic essential fatty acids for the prawn, *Penaeus monodon*. *Aquacul. Nutr.* 7: 101-112.
- . 2002. The effect of dietary n-3 and n-6 fatty acid balance on the growth of the prawn, *Penaeus monodon*. *Aquacul. Nutr.* 8: 43-51.
- Gomez-Sanchez, A., Hermosin, I. and Maya, I. 1990. Heterocycle formation from malondialdehyde and amino sugars. *In* the Maillard Reaction in Food Processing, Human Nutrition and Physiology. (eds. P.A. Finot, H.U. Aeschbacher, R.F. Hurrel and R. Liardon) pp. 139-144. Basel, Swizerlan: Birkhauser Verlag.
- Gray, J.I. 1978. Measurement of lipid oxidation: A review. *J. Am. Oil Chem. Soc.* 55: 539-546.
- Green, B.E. and Price, L.G. 1975. Oxidation induced colour and flavour changes in meat. *J. Agri. Food Chem.* 23: 164-169.
- Grey, D.L., Dall, W. and Baker, A. 1983. Species Account. *In* A Guide to the Australian Penaeid Prawn. pp. 35-135. Australia: Northern Territory Government Printing Office.
- Gunstone, F.D. 1996. Fatty Acid and Lipid Chemistry. Bodmin. Great Britain: Hartnoll's Ltd.

- Hamilton, R.J. 1994. The chemistry of rancidity in foods. *In Rancidity in Foods*. (eds. J.C. Allen and R.J. Hamilton) pp. 1-21. 3<sup>rd</sup> ed. London: Blackie Academic and Professional.
- Hamilton, C.R. and Kristein, D. 2003. Dose rancidity, as measured by peroxide value, affect animal performance? [www.darlingii.com/pdf\\_files/pv\\_effect\\_animals\\_pro.pdf](http://www.darlingii.com/pdf_files/pv_effect_animals_pro.pdf). 11 September 2003.
- Hansen, E. and Skibsted, L.H. 2000. Light-induced oxidative changes in a model dairy spread, wavelength dependence of quantum yields. *J. Agric. Food Chem.* 48: 3090-3094.
- Hardy, R.W., Mugrditchain, D.S. and Iwaoka, W.T. 1983. Storage stability of lipids in a dry salmonid diet. *Aquaculture* 34: 239-246.
- Harris, P. and Tall, J. 1994. Rancidity in fish. *In Rancidity in Foods*. (eds. J.C. Allen and R.J. Hamilton) pp. 256-272. 3<sup>rd</sup> ed. London: Blackie Academic and Professional.
- Hu, M.L., Frankel, E.N., Leibovite, B.E., and Tappel, A.L. 1989. Effect of dietary lipid and vitamin E on *in vitro* lipid peroxidation in rat liver and kidney homogenates. *J. Nutr.* 119: 1574.
- Huang, W.H. and Greene, B.E. 1978. Effect of cooking method on TBA numbers of stored beef. *J. Food Sci.* 43: 1201-1203,1209.
- Humason, G.L. 1972. *Animal Tissue Technique*. 4<sup>th</sup> ed. San Francisco: W.H. Freeman and Company.
- Hung, S.S.O. and Slinger, S.J. 1980. Measurement of oxidation in fish oil and its effect on vitamin E nutrition of rainbow trout (*Salmo gairdneri*). *Can. J. Fish Aquat. Sci.* 37: 1248-1253.
- Hung, S.S.O., Cho, C.Y., and Slinger, S.J. 1981. Effect of oxidized fish oil, dl- $\alpha$ -tocopherol acetate and ethoxyquin supplementation on the vitamin E nutrition of rainbow trout (*Salmo gairdneri*) fed practical diets. *J. Nutr.* 111: 648-657.
- IUPAC. 1979. *Standard Methods for the Analysis of Oil, Fat and Derivative*, 6<sup>th</sup> ed. Part I, Paris: Pergamon Press.
- Jadhav, S.J., Nimbalkar, S.S., Kulkarni, A.D. and Madhavl, D.L. 1996. Lipid oxidation in biological and food systems. *In Food Antioxidants* (eds. D.L. Madhavl and S.S. Despende) pp. 5-64. New York: Marcel Decker.

- Johnson, P.T. 1980. Histology of the Blue Crab, *Callinectes sapidus* Praeger. New York, USA: Educations and Professionals Publishing.
- Kamlangdee, N. 1998. Isolation and optimization of exogenous lipase-producing fungi grown in slightly alkaline medium. Songklanakarin J. Sci. Technol. 20: 87-94.
- Kinsella, J.E. 1987. Seafood and fish oil in human diseases. New York: Marcel Decker.
- Kulikov, P. I. 1978. Production of Meat Oil and Protein Vitamin Preparation in the Fishing Industry. Bombay, India :American Publishing Co., PVT Ltd.
- Kussi, T., Nikkila, O.E. and Sarolainin, K. 1975. Formation of malonaldehyde in frozen Baltic herring and its influence on changes in protein. Zeitschrift for Lebensmittel Untersuchung and Forschung. 159: 285–289.
- Labuza, T.P. 1971. Kinetics of lipid oxidation in foods. CRC Food Technol. 2: 355-405.
- Ladikos, D. and Lougovois, V. 1990. Lipid oxidation in muscle food: A Review. Food Chemistry 35: 295-314.
- Lee, D.M. 1968. Effect of light on foodstuffs. Leatherhead Food No. 4, October, 1968.
- Lightner, D.V. and Redman R.M. 1985. Necrosis of hepatopancreas in *Penaeus monodon* and *Penaeus stylirostris* (arthropoda and decapoda) with red disease. J. Fish Dis. 8: 181-188.
- Liu, H.P. and Watt, B.M. 1970. Catalysts of lipid peroxidation in meat and catalysts of oxidative rancidity in meat. J. Food Sci. 40: 35-59.
- Liu, W. and Wang, J.Y. 2005. Modifications of protein by polyunsaturated fatty acid ester peroxidation products. Biochimica et Biophysica Acta 1752: 93-98.
- Lubis, Z. and Buckle, K.A. 1990. Rancidity and lipid oxidation of dried-salted sardines. Int. J. Food Sci. Technol. 25: 295-303.
- Lundberg, W.O. 1966. Autoxidation and Antioxidation. 2<sup>ed</sup> New York: Interscience Publishers.
- Luo, S.W. and Hultin, H.O. 1986. In vitro lipid oxidation modifies proteins and functional properties of sarcoplasmic reticulum. J. Bioenerg. Biomembr. 18: 315-324.
- Mai, J. and Kinsella, J.E. 1981 Changes in the lipid components of minced carp (*Cyprinus carpio*) following cooking. J. Sci. Food Agri. 32: 293-299.
- Maleki, M. 1974. Validity of the 2- thiobarbituric acid test for the quantitative determination of rancidity in fats and oils. Fette Seifen Anstrichmittel. 76: 181-183.

- March, B.E., Biely, J., Goudie, C., Claggett, F. and Tarr, H.L.A. 1961. The effect of storage temperature and antioxidant treatment on the chemical and nutritive characteristics of herring meal. *J. Am. Oil Chem. Soc.* 38: 80-84.
- Maruf, F.W., Ledward, D.A., Neale, R.J. and Poulter, R.G. 1990. Chemical and nutritional quality of Indonesian dried-salted mackerel. *Int. J. Food Sci. Technol.* 25: 66-77.
- Melton, S.L. 1983. Methodology for following lipid oxidation in muscle foods. *Food Technol.* 38: 105-111.
- Merican, Z.O. and Shim, K.F. 1996. Qualitative requirements of essential fatty acid for juvenile *Penaeus monodon*. *Aquaculture* 147: 275-291.
- Miller, D.D. 1996. Mineral. *In Food Chemistry* (ed. O.R. Fenema) pp. 618-649. New York: Marcel Decker.
- Min D.B. 1998. Lipid oxidation of edible oil. *In Food Lipid: Chemistry, Nutrition and Biotechnology* (eds. C.C. Akoh and D.B. Min) pp. 283-296. New York: Marcel Dekker.
- Ministry of Agriculture, Fisheries and Food. 1999. Annex C of Commission Decision 94/344/EC, International Trade Division, England.
- Mitchell, J.H. and Henick, A.S. 1966. Rancidity in food products. *In Autoxidation and Antioxidation*. 2<sup>ed</sup> (ed. W.O. Lundberg) New York: Interscience Publishers.
- Monato-Aguillar, D, Cruz-Suaez, L.E, Ricque, D and Pike, I. 1998. Nutritional effect of tuna meal oxidation on *Penaeus vannamei*. Baton Rouge, Louisiana: World Aquaculture Society: 125.
- Mukai, F.H. and Goldstein, B.D. 1976. Mutagenicity of malonaldehyde, a composition product of peroxidized polyunsaturated fatty acids. *Sci.* 191: 868.
- Nakayama, O.M., Osawa, T., Mendoza, E.N.T., Laurena, A.C. and Kawakishi, S. 1994. Comparative study of antioxidative assays of plant materials. *In Postharvest Biochemistry of Plant Food Materials in the Tropics*. I. Uritani (eds. V.V. Garcia and E.M.T. Mendoza) pp. 241-251. Japan: Japan Scientific Societies Press.
- Nash, C.E. and Ackman, R.G. 1977. Mackerel skin lipid as an unsaturated fat model system for the determination of antioxidative potency of TBHQ and other antioxidant compounds. *J. Am. Oil Chem. Soc.* 54: 417-420.



- Nygaard, E. 1981. The use of antioxidants on fish meal. *Meld. Ssf.* 3: 16-19,31.
- Ohshima, T., Wada, S. and Koizumi, C. 1988. Influences of heme pigment, non-heme iron and nitrite on lipid oxidation in cooked mackerel meat. *Jap. Soc. Sci. Fish.* 54: 2165-2171.
- Opstvedt, J. 1985. Fish lipids in animal nutrition. *IAFMM Tech. Bull.* 22: 1-27.
- Parkers, R.W. 1994. Measurement of color in food. *Food Technol. Int. Eur.*: pp. 175-176.
- Pike, I.H., Andorsdottir G. and Mundheim, H. 1990. The role of fish meal in diets for salmonids. *IAFMM Tech. Bull.* 24: 1-35.
- Poulter, R.G. and Disney, J.G. 1978. Preparation of Protein Concentrates from Waste Fish. Paper presented at IPFE/FAO Conference on Fish Utilization. Technology and Marketing, Manila, Philippines.
- Rafsgaard, H.H.F., Tsai, L. and Stadtman, E.R. 2000. Modifications of protein by polyunsaturated fatty acid peroxidation products. *Proc. Natl. Acad. Sci.* 97: 611-616.
- Ranken, M.D. 1994. Rancidity in meat. *In Rancidity in Foods.* (eds. J.C. Allen and R.J. Hamilton) pp. 191-201. 3<sup>rd</sup> ed. London: Blackie Academic and Professional.
- Rawls, H.R. and Van Santen, P.J. 1970. A possible role for singlet oxidation in the initiation of fatty acid autoxidation. *J. Am. Oil Chem. Soc.* 47: 121-125.
- Roberts, R.J. 1978. *Fish Pathology.* New York: Bailliere Tindall. 318 pp.
- Roch, P. 1999. Defense mechanisms and disease prevention in farmed marine invertebrates. *Aquaculture* 172: 125-145.
- Rosas-Romero, A.J. and Morton, I.D. 1977. Competitive oxidation of fatty acids: effects of the carbonyl group and saturated fatty acids. *J. Food Sci. Agric.* 28: 921-926.
- Sanders, T.A.B. 1987. Toxicological considerations in oxidative rancidity of animal fats. *Food Sci. and Technol. Today* 1: 162-164.
- Shahidi, F. and Wanasundara, U.N. 1998. Methods of measuring oxidative rancidity in fats and oil. *In Food Lipid: Chemistry, Nutrition and Biotechnology* (eds. C.C. Akoh and D.B. Min) pp. 377-396. New York: Marcel Decker.
- Shamberger, R.J., Andreone, T.L. and Willis, C.E. 1974. Antioxidants and cancer. 4 Initiating activity of malonaldehyde as a carcinogen. *J. Nat. Cancer Inst.* 53: 1771.
- Shenouda, S.Y.K. 1980. Theories of protein denaturation during frozen storage of fish flesh. *Adv. Food Res.* 26: 275-311.

- Shetty, T.S., Setty, T.M.R. and Ravishankar, C.N. 1991. Quality changes in Indian oil sardine (*Sardinella longiceps*) during storage in chilled seawater. *Fish. Technol.* 28: 51-54.
- Sinnhuber, R.O. and Yu, T.C. 1958. 2-Thiobarbituric acid method for the measurement of rancidity in fishery products. II: The quantitative determination of malonaldehyde. *Food Technol.* 1: 9-12.
- Snauwaert, F., Tobback, P., Maes, E. and Thyssen, J. 1977. Radiation induced lipid oxidation in fish. *Z Lebensm Unters Forsch.* May 26; 164: 28-30.
- Suda, I., Furuta, S. and Nishiba, Y. 1994. Fluorometric determination of a 1,3-diethyl-2-thiobarbituric acid-malonaldehyde adduct as an index of lipid peroxidation in plant materials. *Biosci. Biotech. Biochem.* 58: 14-17.
- Tacon, A.G.J. 1987. The nutritional and feeding of farmed fish and shrimp. A Training Manual: 1. The Essential Nutrients. Food and Agriculture Organization of the United Nations (FAO), Brasilia. pp.32-33.
- Takiguchi, A. 1992. Lipid oxidation and brown discoloration in niboshi during storage at ambient and low temperature. *Jap. Soc. Sci. Fish* 58: 489-494.
- Tarp, V., Stengaard-Pedersen, K., Hansen, J.C. and Thorling, E.B. 1992. Glutathione redox cycle enzymes and selenium in severe rheumatoid arthritis: lack of antioxidative response to selenium supplementation in polymorphonuclear leucocytes. *Annal Rheumatic Disease* 51: 209-219.
- Uchiyama, H. and Kakuba, K. 1973. Analytical Methods for Estimating Freshness of Fish. SEAFDEC Training Dept. Text/ Reference Book Southeast Asian Fisheries Development Center.
- Vote, D., Storch, V., Qunitio, E.T. and Pascual, F.P. 1985. Midgut gland as monitor organ for the nutritional value of diets in *Penaeus monodon* (decapoda). *Aquaculture* 48: 1-12.
- Wallace, G.M. 1968. Mechanisms of autoxidation. In *Food Technology* (ed. N.Z. June) pp. 15-16. Institute of Food Technologists: Chicaco.
- Younathan, M.T., Juat, K.O. and Yusof, R.B. 1983. Control of heat induced oxidative rancidity in refrigerated shark and mackerel. *J. Food Sci.* 48: 176-178.