

เอกสารอ้างอิง

กลมศิริ พันธุรัตน์. 2549. กุ้งขาวลิโตพีเนียสเวนาไน. เข้าถึงจาก www.nicaonline.com

(เข้าถึง 30 ม.ค. 2549)

จรีพร เรืองศรี, ไมตรี วรรณเดช, สุณิษ หวานเหล็ม, อนิดา สงนัย, สุพัตรา อรุณรัตน์, นพรัตน์ แท่นมาก, จิราพร เพชรรัตน์ และกิจการ ศุภมาตย์. 2547. การเกิดโรคและความรุนแรงของเชื้อ *Vibrio harveyi* จากตอนได้ของประเทศไทยในกุ้งกุลาดำ. วารสารสหกานครินทร์วิทยาศาสตร์และเทคโนโลยี 26: 43-54.

พรเลิศ จันทร์รัชกุล และชลอ ลิ่มสุวรรณ. 2534. การตกค้างของยาปฏิชีวนะชนิดออกซีเตตราซัมพ์คลินในกุ้งกุลาดำ. วารสารการประมง 44: 31-33.

พรเลิศ จันทร์รัชกุล, ชลอ ลิ่มสุวรรณ และสุปราณี ชินบุตร. 2536. ผลการใช้ออกซีเตตราซัมพ์คลินรักษาโรคในกุ้งกุลาดำ การเปลี่ยนแปลงทางเนื้อเยื่อ. รายงานการประชุมวิชาการมหาวิทยาลัยเกษตรศาสตร์ ครั้งที่ 31 สาขาวัสดุแพทย์ : 442-450.

ภัตราพร บุชาชิต, ศุภยังค์ วรรุติคุณชัย และประเสริฐ สันตินานาเลิศ. 2533. การศึกษาแบบที่เรียกว่าอยู่ประจำในการเดินอาหารกุ้งกุลาดำ. วารสารสหกานครินทร์วิทยาศาสตร์และเทคโนโลยี 12: 151-157.

สุดา ตันยวานิช. 2524. การศึกษาประสิทธิภาพของยาปฏิชีวนะที่มีผลกับโรคที่เกิดกับกุ้งกุลาดำ. รายงานวิชาการประจำปี 2524. สถานีประมงน้ำกร่อย จ. ภูเก็ต กรมประมง.

สุวรรณ เบญจธรรมนนท์, พิกุล จิรวาริชไพบูล, พรเลิศ จันทร์รัชกุล และ ชลอ ลิ่มสุวรรณ. 2534. การศึกษาความเข้มข้นต่ำสุดของออกซีเตตราซัมพ์คลินในการยับยั้งเชื้อแบคทีเรียบางชนิดจากกุ้งกุลาดำที่เป็นโรค. รายงานการประชุมวิชาการมหาวิทยาลัยเกษตรศาสตร์ ครั้งที่ 29 สาขาวัสดุแพทย์ : 479-486.

สำนักงานคณะกรรมการอาหารและยา. 2545. ปัญหาดักค้างในเนื้อสัตว์และแนวทางแก้ไข.

กรุงเทพฯ: กระทรวงสาธารณสุข: 2-3.

อาสาร ใจเย็น. 2536. การศึกษาการแพร่กระจายของออกซีเตตราซัมพ์คลินในกุ้งกุลาดำ. รายงานการประชุมวิชาการมหาวิทยาลัยเกษตรศาสตร์ ครั้งที่ 31 สาขาวัสดุแพทย์ : 433-440.

Al-Mohanna, S.Y. and Nott, J.A. 1986. B-cells and digestion in the hepatopancreas of *Penaeus semisulcatus* (Crustacea: Decapoda). Journal of the Marine Biological Association of the United Kingdom 66: 403-414.

Anonymous. 2003. Oxytetracycline. Available from wwwntpserver.niehs.nih.gov/htdocs/

- structures/2d/TR315.GIF (Accessed on 20/12/2003).
- Anonymous. 2005. Map *P.vannamei*. Available from www.kosfic.yosu.ac.kr (Accessed on 20/1/2005).
- Anonymous. 2005a. *P.vannamei*. Available from http://images.google.co.th/imgres (Accessed on 20/1/2005).
- Banwell, C.N. and Mccash, E.M. 1994. Fundamentals of molecular spectroscopy, pp.1-13. New Delhi: Tata McGraw-Hill Publishing Company Limited.
- Barnaby, R. and Bottacini, M. 2004. Protein binding in plasma: A case history of a highly protein-bound drug. In: Evans, G. (editor). A Handbook of Bioanalysis and Drug Metabolism :100-110. New York: CRC Press.
- Barré, J., Chamouard, J.M., Houln, G. and Tillement, J.P. 1985. Equilibrium dialysis, ultrafiltration and ultracentrifugation compared for determining the plasma-protein-binding characteristics of valproic acid. Clinical Chemistry 3: 60-64.
- Bauchau, A. G.1981. Crustaceans. In: Ratcliffe, N.A. and Rowley, A. F. (editors). Invertebrate Blood Cell :385-420. London: Academic Press.
- Boroujerdi, M. 2001. Pharmacokinetics Principles and Applications. New York: McGraw-Hill Medical Publishing Division.
- Carvalho, P.S.M. and Phan, V.N. 1998. Oxygen consumption and ammonia excretion during the moulting cycle in the shrimp *Xiphopenaeus kroyeri*. Comparative Biochemistry and Physiology A 119: 839-844.
- Chan, E.S. and Lawrence, A.W. 1974. Effects of antibiotics on the respiration of brown shrimp larvae and bacterial population association with shrimp. Workshop World Mariculture Society. Louisiana State University.Baton Rouge: 99-124.
- Chandumpai, A., Dall, W. and Smith, D.M. 1991. Lipid-class composition of organs and tissues of the tiger prawn *Penaeus esculentus* during the moulting cycle and during starvation. Marine Biology 108: 235-245.
- Charoenraks, T., Chuanuwattanakul, S., Honda, K., Yamaguchi, Y. and Orawon, C. 2005. Analysis of tetracycline antibiotics using HPLC with pulsed amperometric detection. Analytical Science 21: 241-245.
- Chen, G., Schneider, M.J., Darwish, A.M., Lehotay, S.J. and Freeman, D.W. 2004. Europium-

- sensitized luminescence determination of oxytetracycline in catfish muscle. *Talanta* 64: 252-257.
- Cheng, W., Liu, C.H, Yan, D.F, and Chen, J.C. 2002. Hemolymph oxyhemocyanin, protein, osmolality and electrolyte levels of white shrimp *Litopenaeus vannamei* in relation to size and molt stage. *Aquaculture* 211: 325-339.
- Chiu , I.L., Guo, J. and Su, M. 1996. The use of chemicals in aquaculture in Taiwan, province of China. Proceeding of the Meeting on the Use of Chemicals in Aquaculture in Asia. 20-22 May. Tigbauan, Iloilo, Philippines: 193-206.
- Christie, W.W. 1992. Solid-phase extraction column in the analysis of lipid. In Christie, W.W. (editor), *Advances in Lipid Methodology-One* .pp.1-17. Ayr: Oily Press.
- Corliss, J.P. 1979. Accumulation and depletion of oxytetracycline in juvenile white shrimp *Penaeus setiferus*. *Aquaculture* 16: 1-6.
- Corliss, J.P., Lightner, D.V. and Zeian-Eldin, Z.P. 1977. Some effects of oral doses of oxytetracycline on growth, survival and disease in *Penaeus aztecus*. *Aquaculture* 11: 355-362.
- Cruz-Lacierda, E., De la Pena, L. and Lumanlan-Mayo, S.1996. The use of chemical in aquaculture in the Philippines. Proceeding of the Meeting on the Use of Chemicals in Aquaculture in Asia. 20-22 May. Tigbauan, Iloilo, Philippines: 155-184.
- Csavas, I. 1994. World aquaculture status and outlook. *INFOFISH International* 5 : 47-54.
- Dall, W. and Moriarty, D.J.W. 1983. Functional aspect of nutrition and digestion.In: Mantel, L.H. (editor), *The Biology of Crustacea*, Vol 5: 215-261. Internal Anatomy and Physiological Regulation. New York: Academic Press.
- Dall, W., Hill, J., Rothlisberg, P.C. and Sharples, D.J. 1990. The biology of the penaeidae. In: Blaxter, J.H.S. and Southward, A.J. (editors). *Advances in Marine Biology*, vol 27. London: Academic Press.
- Eriksson, M.A.L., Gabricsson, J. and Nilsson, L.B. 2005. Studies of drug binding to plasma protein using a variant of equilibrium dialysis. *Journal of Pharmaceutical and Biomedical Analysis* 38 : 381-389.
- FAO. 2001. FAO Yearbook. Fishery Statistics. Aquaculture Production/Annuaire FAO, Vol. 88/2. Rome: FAO.

- Flegel, T.W. 1997. Special topic review: Major viral disease of the black tiger prawn (*Penaeus monodon*) in Thailand. World Journal of Microbiology and Biotechnology 13: 433-442.
- Foye., W.O, Limke, T.L. and Williams, D.A. 1995. Principles of Medicinal Chemistry. London: A Waverly Company.
- Funge-Smith, S. and Briggs, M. 2003. The introduction of *Penaeus vannamei* and *P. stylirostris* into the Asia-Pacific region. International Mechanisms for the Control and Responsible Use of Alien Species in Aquatic Ecosystems, 26-29 August 2003, Jinghong, Xishuangbanna, People's Republic of China: 1-16.
- Gibson, R. 1982. Feeding and digestion in decapod crustaceans. In: Proceedings of the Second International Conference on Aquaculture Nutrition: Biochemical and Physiological Approaches to Shellfish Nutrition. Pruder, G.D., London, C.J. and Conklin, D.E. (editors) October 27-29, 1981 Rehoboth Beach, Delaware.
- Gibson, R. and Barker, P.L. 1979. The decapod hepatopancreas. Oceanography and Marine Biology 17: 285-346.
- Gorski, C. 2005. Linear compartment model: two compartment model with first order input. Indiana University School of Medicine. Available from <http://medicine.iupui.edu/clinical /F813.htm>. (Accessed on 10/2/2006)
- Goss, J., Burch, D. and Rickson, Y. 2000. Agri-food restructuring and third world transnationals: Thailand, the CP group and the global shrimp industry. World Development 28: 513-530.
- Gräslund, S. and Bengtsson, E. 2001. Chemical and biological products used in south-east Asia shrimp farming, and their potential impact on the environment-a review. The Science of the Total Environment 280: 93-131.
- Heinisch., S. and Rocca, J.L. 2004. Effect of mobile phase composition, pH and buffer type on the retention of ionizable compounds in reversed-phase liquid chromatography: Application to method development. Journal of Chromatography A 1048: 183-193.
- Hill, B.J. and Wessenberg, T.J. 1992. Preferences and amount of food eaten by the prawn *Penaeus esculentus* over the moult cycle. Australian Journal of Marine and Freshwater Research 43: 727-735.
- Holmstrom, K., Graslund, S., Wahlstrom, A., Poungshompoon, S., Bengtsson, B. and Kautsky, N. 2001. Antibiotic use in shrimp farming and implications for environmental impacts and

- human health. International Journal of Food Science and Technology 38: 255-266.
- Holthuis, L. B. 1980. Shrimp and prawns of the world: An annotated catalogue of species of interest to fisheries. Rome: Food and Agriculture Organization of United Nations.
- Hopkin, S.P. and Nott, J.A. 1980. Studies on digestive cycle of the shore crab *Carcinus maenas* (L), with special reference to the B cell in the hepatopancreas. Journal of the Marine Biological Association of the United Kingdom 60: 891-907.
- Iversen, B., Aanesrud, A. Kolstad, A. and Rasmussen, K. 1989. Determination of oxytetracycline in plasma from rainbow trout using high-performance liquid chromatography with ultraviolet detection. Journal of Chromatography A 493: 217-221.
- Johnson, P.T. 1980. Histology of the Blue Crab, *Callinectes sapidus*. A modal for the Decapoda. New York: Praeger.
- Kanost, M.R. 1999. Serine proteinase inhibitor in arthropod immunity. Developmental and Comparative Immunology 23: 291-301.
- Kongkeo, H. 1997. Comparison of intensive shrimp farming systems in Indonesia, Philippines, Taiwan and Thailand. Aquaculture Research 28: 789-796.
- Lavilla-Pitogo, C.R., Baticados, M.C.L., Cruz-Lacierda, E.R. and De La Pena, L.D. 1990. Occurrence of luminous bacterial disease of *Penaeus monodon* larvae in the Philippines. Aquaculture 91:1-13.
- Lee, K., Chen, Y. and Liu, P. 1999. Hemostasis of tiger prawn *Penaeus monodon* affected by *Vibrio harveyi*, extracellular products and a toxic cysteine protease. Blood Cells, Molecules and Diseases 25:180-192.
- Leo, C.V. 1983. Biochemistry and genetics regulation of commercial important antibiotics. London: Addison-Wesley Publishing Company.
- Levin, S. 2006. Quantitative work in HPLC steps in method validation. Available from <http://shulalevin.tripod.com>. (Accessed on 10/5/2006).
- Li, C.-L.J. and James, M.O. 1997. Pharmacokinetics of 2-naphthol following intraperitoneal administration, and formation of 2-naphthyl- \square -D-glucoside and 2-naphthyl sulphate in the American lobster, *Homarus americanus*. Xenobiotica 27: 609-626.
- Li, C.-L.J. and James, M.O. 2000. Oral bioavailability and pharmacokinetics of elimination of 9-hydroxybenzo[a] pyrene and its glucoside and sulfate conjugates after administration to

- male and female American lobsters, *Homarus americanus*. Toxicological Sciences 57: 75-86.
- Lightner, D.V. 1996. A Handbook of Shrimp Pathology and Diagnostic Procedures of Disease of Cultured Penaeid Shrimp. Baton Rouge: The World Aquaculture Society.
- Lightner, D.V. and Redman, R.M. 1998. Shrimp diseases and current diagnostic method. Aquaculture 164: 201-220.
- Lightner, D., Williams, R., Bry, W, and Lawrence, A. 2004. Oxytetracycline, shrimp, and the Food and Drug Administration: A status report. Industry Briefs, The U.S. Marine Shrimp Farming Program 10 :1-7.
- Lightner, D.V., Bell, T.A., Redman, R.M., Mohney, L.L., Natividad, J.M., Rukyani, A. and Poernomo, A.1992. A review of some major diseases of economic significance in penaeid prawns/shrimps of the Americas and Indopacific. In Shariff, M., Subasinghe, R.P. and Authur, J.R. (editors). Diseases in Asia Aquaculture I : 57-80. Fish Health Section, Asian Fisheries Society, Manila.
- Limpoka, M., Pongsakorn, S., Phongvivat, S., Thampipatanakul, G., Wongsommart, D., Rongrodejanarak, C., Pung, T., Sitiphuprasert ,U., Chotipundu, P., Vichkovitten, T., Chuchit, L., Lawhavinit, O., Chainanan, P. Kanchanomai, R., and Wongkalaung, T. 1993. Project final report: Disposition of antibiotic drugs in tiger giant prawn (*Penaeus monodon* Fabricius), National Science and Technology Development Agency (NSTDA). Bangkok.
- Long, A.R., Hsieh, L.C., Malbrough, M.S., Short, C. and Barker, S.T. 1990a. Matrix solid-phase dispersion (MSPD) isolation and liquid chromatographic determination of oxytetracycline, tetracycline and chlortetracycline in milk. Journal of the Association of Official Analytical Chemists 73: 379-384.
- Long, A.R., Hsieh, L.C., Malbrough, M.S., Short, C. and Barker, S.T. 1990b. Matrix solid phase dispersion isolation and liquid chromatographic determination of oxytetracycline in catfish (*Ictalurus punctatus*) muscle tissue. Journal of the Association of Official Analytical Chemists 73: 864-867.
- Loret, S.M. and Devos, P.E. 1992. Structure and possible functions of the calcospherite-rich cell (R cell) in the digestive gland of the shore crab *Carcinus maenas* . Cell Tissue Research

- 267: 105-111.
- Mendham, J., Denney, B.C., Barnes, J.D. and Thomas, M. 2000. Textbook of Quantitative Chemical Analysis: 117-169. Singapore: Prentice Hall.
- Mitscher, L.A. 1978. The Chemistry of the Tetracycline Antibiotics. Basel: Marcel Dekker.
- Mohanna, S.Y.A.L., Nott, J.A. and Lane, D.J.W. 1985. Miotic E- and secretary F-cell in the hepatopancreas of the shrimp *Penaeus semisulcatus* (crustacean:decapoda). Journal of the Marine Biological Association of the United Kingdom 65: 901-910.
- Moriarty, J.W.D. 1999. Disease control in shrimp aquaculture with probiotic bacteria. Proceedings of the 8th International Symposium on Microbial Ecology, Bell, C.R., Brylinsky, M. and Johnson-Green, P. (editors), Atlantic Canada Society for Microbial Ecology, Halifax, Canada.
- Morton, R.A. 1975. Biochemical Spectroscopy, London: Adam Hilger.
- Oka, H., Ito, H. and Matsumoto, H. 2000. Chromatographic analysis of tetracycline antibiotics in foods. Journal of Chromatography A 882: 109-133.
- Onji, Y., Uno, M. and Tanigawa, K. 1984. Liquid chromatographic determination of tetracycline residues in meat and fish. Journal of the Association of Official Analytical Chemists 67: 1135-1136.
- Oxley, A.P.A., Shipton, W., Owens, L. and McKay, D. 2002. Bacterial flora from the gut of the wild and cultured banana prawn, *Penaeus merguiensis*. Journal of Applied Microbiology 93: 214-223.
- Papadoyannis, I.N., Samanidou, V.F. and Kovatsi, L.A. 2000. A rapid high performance liquid chromatographic (HPLC) assay for the determination of oxytetracycline in commercial pharmaceuticals. Journal of Pharmaceutical and Biomedical Analysis 23: 275-280.
- Paquet, F. 1991. Etude experimentale des biocinetiques de l'Americium-241 chez le homard *Homarus gammarus*. Analyse des mecanismes d'accumulation et de detoxication au niveau subcellulaire. Ph.D. Thesis, University of Nantes, Nantes. (in English abstract)
- Park, E.D., Lightner, D.V., Milner, N., Mayersohn, M., Park, D.L., Gifford, J.M. and Bell, T. 1995. Exploratory bioavailability and pharmacokinetics studies of sulphadimethoxine and ormetoprim in the penaeid shrimp, *Penaeus vannamei*. Aquaculture 130: 113-128.
- Passano, L.M. 1960. Molting and its control. In: Waterman, T.H. (editor), The Physiology of

- Crustacea. Vol 1: Metabolism and growth. New York: Academic Press.
- Pathak, S.C., Gosh, S.K. and Palanisamy, K. 1996. The use of chemical in aquaculture in India. Proceeding of the Meeting on the Use of Chemicals in Aquaculture in Asia. 20-22 May. Tigbauan, Iloilo, Philippines: 87-112.
- Primavera, J.H. 1990. External and internal anatomy of adult *penaeus* prawn/shrimp. SEAFDEC, Aquaculture Department, The Philippines, Poster.
- Primavera, J.H. 1998. Tropical shrimp farming and its sustainability. In: De Silva, S. (editor). Tropical Mariculture. London: Academic Press.
- Reed, L.A., Siewicki, T.C. and Shah, J.C. 2004. Pharmacokinetics of oxytetracycline in the white shrimp, *Litopenaeus setiferus*. Aquaculture 232: 11-28.
- Reed, L.A., Siewicki, T.C. and Shah, J.C. 2006. The biopharmaceutics and oral bioavailability of two form oxytetracycline to the white shrimp, *Litopenaeus setiferus*. Aquaculture (article in press)
- Rescigno, A. 2004. On the use of pharmacokinetic model. Physics in Medicine and Biology 49: 4657-4676.
- Rogstad, A., Hormazabal, V. and Yndestad. M. 1988. Optimization of solid phase extraction of oxytetracycline from fish tissue and its determination by HPLC. Journal of Liquid Chromatography A 11:2337-2347.
- Rosenberry, B. 1995. World shrimp farming. Shrimp News International, San Diego. USA.
- Rosenberry, B. 1996. World shrimp farming. Shrimp News International, San Diego. USA.
- Rosenberry, B. 1998. World shrimp farming. Shrimp News International, San Diego. USA.
- Rosenberry, B. 1999. World shrimp farming. Shrimp News International, San Diego. USA.
- Rouessac, F. and Rouessac, A. 2000. Chemical analysis modern instrumental methods and techniques, pp.74-84. Chichester: John Wiley & Sons, Ltd.
- Sangrungruang, K., Chotchuang, A. and Ueno, R. 2004. Comparative pharmacokinetics and bioavailability of oxytetracycline in giant tiger prawn. Fisheries Science 70: 467-472.
- Sano, T. and Fukuda, H. 1987. Principal microbial diseases of mariculture in Japan. Aquaculture 67:59-69.
- Schnieszko, S.F. 1974. The effect of environmental stress on outbreaks of infectious diseases of fishes. Journal of Fish Biology 6 : 197-208.

- Shabir, G.A. 2003. Validation of high-performance liquid chromatography method for pharmaceutical analysis understanding the differences and similarities between validation requirements of the US Food and Drug Administration, the US Pharmacopeia and the International Conference on Harmonization. *Journal of Chromatography A* 987: 57-66.
- Shargel, L. and Yu, A.B.C. 1999. Application Biopharmaceutical and Pharmacokinetics. 4th ed. London: McGraw-Hill/Appleton&Lange.
- Smith, D. M. and Dall, W. 1985. Moult staging the tiger prawn *Penaeus esculentus* Haswell. In: Rothlisberg, P. C., Hill, B. J. and Staples, D. J. (editors). Second Australian National Prawn Seminar: 85-93. Cleveland, Queensland, Australia.
- Supriyadi, H. and Rukyani, A. 1996. The use of chemical in aquaculture in Indonesia. Proceeding of the Meeting on the Use of Chemicals in Aquaculture in Asia. 20-22 May. Tigbauan, Iloilo, Philippines:113-118.
- Thomas, M.H. 1989. Simultaneous determination of oxytetracycline, tetracycline and chlortetracycline in milk by liquid chromatography. *Journal of the Association of Official Analytical Chemists* 72: 564-567
- Tonguthai, K. 1996. Use of chemicals in aquaculture. *Aquaculture Asia* 1: 42-45.
- Touraki, M., Riges, P., Pergandas, P. and Kastritis, C. 1993. Determination of oxytetracycline in the live fish feed *Artermia* using high-performance liquid chromatography with ultraviolet detection . *Journal of Chromatography B: Biomedical Applications* 663:167-171.
- Toutain, P.L. and Bousquet-Mélou, A. 2004. Bioavailability and its assessment. *Journal of Veterinary Pharmacology and Therapeutics* 27: 455-466.
- Uno, K. 2004. Pharmacokinetics of oxolinic acid and oxytetracycline in kuruma shrimp, *Penaeus japonicus*. *Aquaculture* 230:1-11.
- Uno, K., Aoki, T., Kleechaya, W., Tanasomwang, V. And Ruangpan, L. 2005. Pharmacokinetics of oxytetracycline in black tiger shrimp, *Penaeus monodon*, and the effect of cooking on residues. *Aquaculture*: article in press
- Vera, P., Navas, J.I. and Quintero, M.C. 1992. Experimental study of the virulence of three species of Vibrio bacteria in *Penaeus japonicus* (Bate 1881) juveniles. *Aquaculture* 107: 119-123.

- Wagner, J.G. 1993. Pharmacokinetics for the Pharmaceutical Scientist. Pennsylvania: Technomic Publishing Co.
- Wassenberg, T.J. and Hill, B.J. 1984. Moulting behaviour of the tiger prawn *Penaeus esculentus* Haswell. Australian Journal of Marine and Freshwater Research 35: 561-571.
- Wijiegoonawardena, P.K.M. and Siriwardena, P.P.G.S.N. 1996. The use chemotherapeutic agents in shrimp hatcheries in Sri Lanka. Proceedings of the Meeting on the Use of Chemicals in Aquaculture in Asia. 20-22 May. Tigbauan, Iloilo, Philippines: 185-192.
- Xianle, Y. and Yapping, H. 2003. The status and treatment of serious diseases of freshwater prawns and crabs in China. Aquaculture Asia 7: 19-21.
- Yepiz-Plascencia, G., Vargas-Albores, F. and Higuera-Ciapara, I. 2000. Penaeid shrimp hemolymph lipoproteins. Aquaculture 191: 177-189.