

### บรรณานุกรม

1. Cushing H. *Tumors of the Nervus Acusticus*. Philadelphia: WB Saunders. 1917.
2. Gardner J. The control of bleeding during operation by induced hypotension. *JAMA* 1946; 132:572.
3. Griffiths H, Gillies J. Thoraco - lumbar splanchnicectomy and sympathectomy : Anaesthetic procedure. *Anaesthesia* 1948; 3:134.
4. Enderby G. Control circulation with hypotensive drugs and posture to reduce bleeding during surgery:Preliminary results with pentamethonium iodide. *Lancet* 1950; 1:1145.
5. Enderby G. Halothane and hypotension. *Anaesthesia* 1960; 15:25.
6. Hellewell J, Potts M. Propanolol during controlled hypotension. *Br J Anaesth* 1966; 38:794.
7. Scott D, Buckley F, Littlewood D, et al. Circulatory effects of labetalol during halothane anaesthesia. *Anaesthesia* 1978; 33:145.
8. Fahmy N. Nitroglycerin as a hypotensive drug during general anesthesia. *Anesthesiology* 1978; 49:17.
9. Fukunaga A, Flacke W, Bloor B. Hypotensive effects of adenosine and adenosine triphosphate compared with sodium nitroprusside. *Anesth Analg* 1982; 61:273.
10. Lam A, Gelb A. Cardiovascular effects of isoflurane - induced hypotension for cerebral aneurysm surgery. *Anesth Analg* 1983; 62:742.

11. Black S. Cerebral aneurysm and arteriovenous malformation. In: Cucchiara RF, Michenfelder JD, eds. *Clinical neuroanesthesia*. New York : Churchill Livingstone. 1990: 223.
12. Malcolm-Smith N, MacMaster M. The use of induced hypotension to controlled bleeding during posterior fusion for scoliosis. *J Bone Joint Surg Br* 1983; 65 (3):255.
13. McNeil T, DeWald R, Juo K, et al. Controlled hypotensive anesthesia in scoliosis surgery. *J Bone Joint Surg Am* 1974; 56:1167.
14. Miller EJ. Deliberate Hypotension. In: Miller RD, ed. *Atlas of Anesthesia vol. IV Principles of Anesthetic Techniques and Anesthetic Emergencies*. Philadelphia: Churchill Livingstone. 1998.
15. Sharrock N, Mineo R, Urquhart B, et al. The effect of two levels of hypotension on intraoperative blood loss during total hip arthroplasty performed under lumbar epidural anesthesia. *Anesth Analg* 1993; 76:580.
16. Modig J, Karlstrom G. Intra- and post-operative blood loss and haemodynamics in total hip replacement when performed under lumbar epidural versus general anaesthesia. *Eur J Anaesth* 1987; 4:345.
17. Simpson D, MacRae W, Wildsmith J, Dale B. Acute beta-adrenoreceptor blockade and induced hypotension. *Anaesthesia* 1987; 42:243.
18. Qvist T, Skovsted P, Sorensen M. Moderate hypotensive anaesthesia for reduction of blood loss during total hip replacement. *Acta Anaesthesiol Scand* 1982; 26:351.

19. Barbier-Bohm G, Desmonts J, Conderc E, et al. Comparative effects of induced hypotension and normovolemic hemodilution on blood loss in total hip arthroplasty. *Br J Anaesth* 1980; 52:1039.
20. Vazeery A, Lunde O. Controlled hyotension in hip joint surgery. *Acta Orthop Scand* 1979; 50:433.
21. Eerola R, Eerola M, Kaukinen L, et al. Controlled hypotension and moderate haemodilution in major hip surgery. *Ann Chir Gynaecol* 1979; 69:109.
22. Thompson G, Miller R, Stevens W, et al. Hypotensive anesthesia for total hip arthroplasty:a study of blood loss and organ function (brain, heart, liver, and kidney). *Anesthesiology* 1978; 48:91.
23. Lawson N, Thompson D, Nelson C, et al. Sodium nitroprusside - induced hypotension for supine total hip replacement. *Anesth Analg* 1976; 55:654.
24. Amaranath L, Cascorbi H, Singh-Amaranath A, et al. Relation of anesthesia to total hip replacement and control of operative blood loss. *Anesth Analg* 1975; 54:641.
25. Davis N, Jennings J, Harris W. Induced hypotensive anesthesia for total hip replacement. *Clin Orthop* 1974; 101:93.
26. Mallory T. Hypotensive anesthesia in total hip replacement. *JAMA* 1973; 224:248.
27. McLintic A, Todd J. Induced Hypotension. In: Healy TEJ, Cohen PJ, eds. *A Practice of Anesthesia*. Wylei and Churchill - Davidson's. 1995: 831.

28. Powell J, Mogelnicki S, Franklin EI, et al. A deliberate hypotensive technique for decreasing blood loss during radical hysterectomy and pelvic lymphadenectomy. *Am J Obstet Gynecol* 1983; 147:196.
29. Boyan C. Hypotensive anesthesia for radical pelvic and abdominal surgery. *Arch Surg* 1953; 67:803.
30. Boldt J, Weber A, Mailer K, et al. Acute normovolaemic haemodilution vs controlled hypotension for reducing the use of allogenic blood in patients undergoing radical prostatectomy. *Br J Anaesth* 1999; 82:170.
31. Aitkenhead A, Rowbotham D, Smith G. Hypotensive Anaesthesia. In: Aitkenhead A, Rowbotham D, Smith G, eds. *Textbook of Anaesthesia*. New York: Churchill Livingstone. 2001: 682.
32. Praveen K, Narayanan V, Muthusekhar M, et al. Hypotensive anaesthesia and blood loss in orthognathic surgery :a clinical study. *Br J Oral Maxillofac Surg* 2001; 39:138.
33. Dolman R, Bentley K, Head T, et al. The effect of hypotensive anesthesia on blood loss and operative time during Le Fort I osteotomies. *J Oral Maxillofac Surg* 2000; 58:834.
34. Tobias J. Nicardipine for controlled hypotension during orthognathic surgery. *Plast Reconstr Surg* 1997; 99:1539.
35. Precious D, Splinter W, Bosco D. Induced hypotensive anaesthesia for adolescent orthognathic surgery patients. *J Oral Maxillofac Surg* 1996; 54:680.

36. Blau W, Kafer E, Anderson J. Esmolol is more effective than sodium nitroprusside in reducing blood loss during orthognathic surgery. *Anesth Analg* 1992; 75:172.
37. Lessard M, Trepanier C, Baribault J, et al. Isoflurane induced hypotension in orthognathic surgery. *Anesth Analg* 1989; 69:379.
38. McNulty S, Sharifi-Azad S, Farole A. Induce hypotension with labetalol for orthognathic surgery. *J Oral Maxillofac Surg* 1987; 45:309.
39. Golia J, Woo R, Farole A, et al. Nitroglycerin - controlled circulation in orthognathic surgery. *J Oral Maxillofac Surg* 1985; 43:342.
40. Washburn M, Hyer R. Deliberate hypotension for elective major maxillofacial surgery:a balanced halothane and morphine technique. *J Maxillofac Surg* 1982; 10:50.
41. Chan W, Smith D, Ware W. Effects of hypotensive anesthesia in anterior maxillary osteotomy. *J Oral Surg* 1980; 38:504.
42. Gallagher D, Milliken R. Induced hypotension for orthognathic surgery. *J Oral Surg* 1979; 37:47.
43. Schaberg S, Kelly J, Terry B, et al. Blood loss and hypotensive anesthesia in oro- facial corrective surgery. *J Oral Surg* 1976; 34:147.
44. Todd J, Colvin J. Ophthalmic surgery. In: MarRae WR, Wildsmith JAW, eds. *Induced hypotension*. Amsterdam: Elsevier Science Publ. 1991: 257.
45. Kerr A. Anesthetic with profound hypotension for middle ear surgery. *Br J Anaesth* 1977; 49:447.

46. Ward C, Alfery D, Saidman L, et al. Deliberate hypotension in head and neck surgery. *Head and neck surgery* 1980; 2:185.
47. Eckenhoff J, Rich J. Clinical experiences with deliberate hypotension. *Anesth Analg* 1966; 45:21.
48. Van Aken H, Miller EJ. Deliberate hypotension. In: Miller RD, ed. *Anesthesia vol.1*. Philadelphia: Churchill Livingstone. 2000: 1470.
49. Ahlering T, Henderson J, Skinner D. Controlled hypotensive anesthesia to reduce blood loss in radical cystectomy for bladder cancer. *J Urol* 1983; 129 (5):953.
50. Tremper K. Techniques and solutions to avoid homologous blood transfusion. *Annual Refresher Course Lectures: Am Soc Anaesth Hagerstown*. New Orleans: Lippincott. 1992: 136.
51. Donald J. Epidural anaesthesia, induced hypotension and blood loss during surgery. *Acta Anaesthesiol Scand* 1983; 27:91.
52. Simpson D, Ireland J. Hypotensive and normotensive anaesthesia in total hip replacement: a comparative study. *Br J Clin Pract* 1983; 37:16.
53. Fromme G, MacKenzie R, Goula A, et al. Controlled hypotension for orthognathic surgery. *Anesth Analg* 1986; 65:683.
54. Enlund MG, Ahlstedt BL, Anderson LG, et al. Induced hypotension may influence blood loss in orthognathic surgery, but it is not crucial. *Scand J Plast Reconstr Surg Hand Surg* 1997; 31:311.

55. Marshall W, Mostrom J. Neurosurgical diseases of the spine and spinal cord : Anesthetic Considerations. In: Cottrell JE, Smith DS, eds. *Anesthesia and Neurosurgery*. St.Louis: Mosby. 1994: 575.
56. Lassen N, Christensen M. Physiology of cerebral blood flow. *Br J Anaesth* 1976; 48:719.
57. Sharrock N, Mineo R, Urquhart B. Haemodynamic effects and outcome analysis of hypotensive epidural anaesthesia in controlled hypotensive patients undergoing total hip arthroplasty. *Br J Anaesth* 1991; 67:17.
58. Adam A. Techniques of vascular control for deliberate hypotension during anaesthesia. *Br J Anaesth* 1975;777.
59. Slack W, Walther W. Cerebral circulation studies during hypotensive anaesthesia using radioactive xenon. *Lancet* 1963; 1:1082.
60. Eckenhoff J, Crompton J, Larson A, et al. Assessment of the cerebral effects of deliberate hypotension by psychological measurements. *Lancet* 1969; 2:711.
61. Patel H. Experience with the cerebral function monitor during deliberate hypotension. *Br J Anaesth* 1981; 53:639.
62. Strandgaard S, Olesen J, Skinhoj E, et al. Autoregulation of brain circulation in severe arterial hypertension. *Br Med J* 1973; 1:507.
63. Feigl E. Coronary physiology. *Physiol Rev* 1983; 63:1.
64. Askrog V, Pender J, Eckenhoff J. Changes in physiological dead space during deliberate hypotension. *Anesthesiology* 1964; 25:744.
65. Eckenhoff J, Enderby G, Larson A, et al. Pulmonary gas exchange during deliberate hypotension. *Br J Anaesth* 1963; 35:750.

66. Suwa K, Hedley - Whyte J, Bendixen H. Circulation and physiologic dead space changes on controlling the ventilation of dogs. *J Appl Physiol* 1966; 21:1855.
67. Khambatta H, Stone J, Matteo R. Effect of sodium nitroprusside induced hypotension on pulmonary dead space. *Br J Anaesth* 1982; 54:1197.
68. Wildsmith J, Drummer G, MacRae W. Blood - gas changes during induced hypotension with sodium nitroprusside. *Br J Anaesth* 1975; 47:1205.
69. Casthely P, Lear S, Cottrell J, et al. Intrapulmonary shunting during hypotension. *Anesth Analg* 1982; 61:231.
70. Bernard J, Pinaud M, Ganansia M, et al. Systemic haemodynamic and metabolic effects of deliberate hypotension with isoflurane anesthesia or sodium nitroprusside during total hip arthroplasty. *Can J Anaesth* 1987; 34:135.
71. Little D. Induced hypotension during anesthesia and surgery. *Anesthesiology* 1955; 16:320.
72. Larson A. Deliberate hypotension. *Anesthesiology* 1964; 25:682.
73. Anderson J. Deliberate hypotensive anesthesia for orthognathic surgery: controlled pharmacologic manipulation of cardiovascular physiology. *Int J Adult Orthodont Orthognath Surg* 1986; 1:133.
74. Petrozza P. Induced hypotension. *Int Anesthesiol Clin* 1990; 28:223.
75. Weaver JI. Contemporary anesthetic techniques for orthognathic surgery. *Anesth Prog* 1992; 39:146.



76. Samman N, Cheung L, Tong A, et al. Blood loss and transfusion requirements in orthognathic surgery. *J Oral Maxillofac Surg* 1996; 54:21.
77. Prys-Roberts C, Lloyd J, Fisher A, et al. Deliberate profound hypotension induced with halothane: Studies of hemodynamics and pulmonary gas exchange. *Br J Anaesth* 1974; 46:105.
78. Jordan D, Shulman S, Miller EJ. Esmolol hydrochloride, sodium nitroprusside and isoflurane differ in their ability to alter peripheral sympathetic responses. *Anesth Analg* 1993; 77:281.
79. Testa L, Tobias J. Pharmacologic drugs for controlled hypotension. *J Clin Anesth* 1995; 7:326.
80. Wolf W, Neal M, Peterson M. The hemodynamic and cardiovascular effects of isoflurane and halothane anesthesia in children. *Anesthesiology* 1986; 64:328.
81. Goa K, Noble S, Spencer C. Sevoflurane in paediatric anesthesia: a review. *Paediatr Drugs* 1999; 1:127.
82. Lavoie J. Blood Salvage and Conservation Techniques in Children. In: Yemen T, ed. *Pediatric Anesthesia Handbook*. McGraw - Hill Medical Publishing Division. 2002: 323.
83. Gravenstein N, Kirty R. Complications of deliberate hypotension. In: Gravenstein N, Kirty R, eds. *Complications in Anesthesiology*. Philadelphia: Lippincott - Raven. 1996: 351.
84. Tinker J, Michenfelder J. Sodium nitroprusside : Pharmacology, toxicology and therapeutics. *Anesthesiology* 1976; 45:340.

85. Cottrell J. Rebound hypertension after sodium nitroprusside - induced hypotension. *Clin Pharmacol Ther* 1980; 27:32.
86. Khambatta H, Stone J, Khan E. Hypertension during anesthesia on discontinuation of sodium nitroprusside - induced hypotension. *Anesthesiology* 1979; 51:127-130.
87. Fahmy N, Mihelakos P, Battit G, et al. Propanolol prevents hemodynamic and humoral events after abrupt withdrawal of nitroprusside. *Clin Pharmacol Ther* 1984; 36:470-477.
88. Stone J, Khambatta H, Matteo R. Pulmonary shunting during anesthesia with deliberate hypotension. *Anesthesiology* 1976; 45:508.
89. Allen F, Gerson J, Davey F. Platelet inhibition by nitroprusside and nitroglycerin. *Anesthesiology* 1979; 45:508.
90. Gerson J, Allen F, Seltzer J, et al. Arterial and venous dilation by nitroprusside and nitroglycerin - is there a difference ? *Anesth Analg* 1982; 61:256.
91. Bendo A, Kass I, Hartung J, Cottrell J. Anesthesia for neurosurgery. *Clinical Anesthesia*. Philadelphia: Lippincott William & Wilkins. 2001: 773.
92. Yaster M, Simmons R, Tolo V, et al. A comparison of nitroglycerin and nitroprusside for inducing hypotension in children: a double blind study. *Anesthesiology* 1986; 65:175.
93. Klowden A, Ivankovich A, Miletich D. Gangionic blocking drugs: general considerations and metabolism. *Int Anesthesiol Clin* 1978; 16:113.
94. Gorczynski R. Basic pharmacology of esmolol. *Am J Cardiol* 1986; 56:3F.

95. Ornstein E, Matteo R, Weinstein J, et al. A controlled trial of esmolol for the induction of deliberate hypotension. *J Clin Anesth* 1988; 1:31.
96. Varon J, Marik P. The diagnosis and management of hypertensive crises. *Chest* 2000; 118:214.
97. Elliott B. Deliberate hypotension. In: Faust RJ, Cucchiara RF, Rose SH, Spackman TN, Wedel DJ, Wass CT, eds. *Anesthesiology Review*. Philadelphia: Churchill Livingstone. 2001: 158.
98. Ornstein E, Young W, Ostapkovich N, et al. Deliberate hypotension in patients with intracranial arteriovenous malformations: esmolol compared with isoflurane and sodium nitroprusside. *Anesth Analg* 1991; 72:639.
99. Lund - Johansen P. Pharmacology of combined alpha - beta blockade : II Haemodynamic effects of Labetalol. *Drugs* 1984; 28(suppl 2):35.
100. Frishman W, Halprin S. Clinical pharmacology of the new beta adrenergic blocking drugs, part 7: New horizons in beta adrenoreceptor blocking therapy; Labetalol. *Am Heart J* 1979; 98:660.
101. Antman E. *Cardiovascular therapeutics : A comparison to Braunwald 's Heart Disease*. 2 nd ed. 2002;1131.
102. Tobias J. Nicardipine: Applications in Anesthesia Practice. *J Clin Anesth* 1995; 7:525.
103. Whiting R, Dow R, Graham D, et al. An overview of the pharmacology and pharmacokinetics of nicardipine. *Angiology* 1990; 41(11Pt2):987.

104. Turlapaty P, Vary R, Kaplan J. Nicardipine, a new intravenous calcium antagonist : a review of its pharmacokinetics, and perioperative applications. *J Cardiothorac Anesth* 1989; 3:344.
105. Pepine C.,et al. Cardiovascular effects of Nicardipine. *Angiology* 1990; 41 (11):978.
106. Lambert C, Hill J, Nichols W, et al. Coronary and systemic hemodynamic effects of nicardipine. *Am J Cardiol* 1985; 55:652.
107. Frishman W. New therapeutic modalities in hypertension : focus on a new calcium antagonist - nicardipine. *J Clin Pharmacol* 1989; 29:481.
108. Levy J. The ideal agent for perioperative hypertension and potential cytoprotective effects. *Acta Anaesthesiol Scand Suppl* 1993; 99:20.
109. Leslie J, Brister N, Levy J, et al. Treatment of postoperative hypertension after coronary artery bypass surgery: double - blind comparison of intravenous isradipine and sodium nitroprusside. *Circulation* 1994; 90(5Pt2):II 256.
110. Lambert C, Grady T, Hashimi W, et al. Hemodynamic and angiographic comparison of intravenous nitroglycerin and nicardipine mainly in subjects without coronary artery disease. *Am J Cardiol* 1993; 71:420.
111. Robertson R, Robertson D. Drugs used for the treatment of myocardial ischemia. In: Hardman JG, Limbert LE, Molinoff PB, eds. *Goodman and Gilman's the pharmacological Basis of Therapeutics*. NewYork: McGraw - Hill. 1996: 759.
112. Anderson J, Nawarskas J. Cardiovascular drug-drug interaction. *Cardiol Clin* 2001; 19:215.

113. Graham D, Dow R, Freedman D. Pharmacokinetics of nicardipine following oral and intravenous administration in man. *Postgrad Med J* 1984; 60(suppl 4):7.
114. Graham D, Dow R, Hall D, et al. The metabolism and pharmacokinetics of nicardipine hydrochloride in man. *Br J Clin Pharmacol* 1985; 20:23S.
115. Dow R, Graham D. A review of the human metabolism and pharmacokinetics of nicardipine hydrochloride. *Br J Clin Pharmacol* 1986; 22:195S.
116. Wallin J, Neely C. Intravenous nicardipine. In: Messerli FH, ed. *Cardiovascular Drug Therapy*. W.B. Saunders. 1996: 995.
117. Bernard J, Pinaud M, Francois T, et al. Deliberate hypotension with nicardipine or nitroprusside during total hip arthroplasty. *Anesth Analg* 1991; 73:341.
118. Wallin J, Cook M, Blanski L, et al. Intravenous nicardipine for the treatment of severe hypertension. *Am J Med* 1988; 85:331.
119. Wallin J, Fletcher E, Ram V, et al. Intravenous nicardipine for the treatment of severe hypertension: a double - blind, placebo controlled multicenter trial. *Arch Intern Med* 1989; 149:2662.
120. Bernard J, Passuti N, Pinaud M. Long - term hypotensive technique with nicardipine and nitroprusside during isoflurane anesthesia for spinal surgery. *Anesth Analg* 1992; 75:179.
121. Tobias J, Hersey S, Mensio G, et al. Nicardipine for controlled hypotension during spinal surgery. *J Pediatr Orthop* 1996; 16:370.
122. Lam A. Monitoring methods during induced hypotension. *Current Option in Anaesthesiology* 1988; 1:101.

123. Hampton L, Little DJ. Complications associated with the use of " controlled hypotension " in anesthesia. *Arch Surg* 1953; 67:549.
124. Enderby G. Hypotensive anaesthesia. In: Nunn JF, Utting JE, eds. *General anaesthesia*. London: Butterworths. 1980: 1149.
125. Enderby G. Safe hypotensive anaesthesia. In: Enderby GEH, ed. *Hypotensive anaesthesia*. London: Churchill - Livingstone. 1985: 262.
126. Pasch T, Huk W. Cerebral complications following induced hypotension. *Eur J Anaesth* 1986; 3:799.
127. Lindop M. Complications and morbidity of controlled hypotension. *Br J Anaesth* 1975; 47:799.
128. Way G, Clarke H. An anaesthetic technique for prostatectomy. *Lancet* 1959; 2:888.
129. Le Fort R. Fractures de la machoire superieure. *Rsv Chir* 1901; 4:360.
130. Wassmund M. *Lehrbuch der probleschen Cherurgie des Mundes und der Kiefer vol. 1*. Leipzig: Meusser. 1935.
131. Schuchardt D. Ein Beitrag zur chirurgischen Kieferorthopadie unter Berucksichtigung ihrer Bedertung fur die Behandlung angelborener und erworbener Kieferdeformitaten bei Soldaten. *Dtsch Zahn Mund Kieferheilkd* 1942; 9:73.
132. Moore F, Ward F. Complications and sequenlae of untreated fractures of the facial bones and their treatment. *Br J Plast Surg* 1949; 1:262.
133. Willmar K. On Le Fort I osteotomy. *Scand J Plast Reconstr Surg* 1974; 12 (suppl 1):1.

134. Obwegeser H. *Eingriffe an Oberkiefer zur Korrektur des progeneren Zahnheilke* 1965; 75:356.
135. Bell W. Bone healing and revascularization after total maxillary osteotomy. *J Oral Surg* 1975; 33:253.
136. Turvey T, Fonseca R. The anatomy of internal maxillary artery in the pterygopalatine fossa: Its relationship to maxillary surgery. *J Oral Surg* 1980; 38:92.
137. Proffit W, Phillips C, Turvey T. Stability following superior repositioning of the maxilla by Le Fort I osteotomy. *Am J Othod Dentofacial Orthop* 1987; 92:151.
138. Wolford L, Hilliard F. The surgical - orthodontic correction of vertical dentofacial deformities. *J Oral Surg* 1981; 39:883.
139. Bell W. Le Fort I osteotomy for correction of maxillary deformities. *J Oral Surg* 1975; 33:412-426.
140. Obwegeser H. Surgical correction of small or retrodisplaced maxillae: the "dish - face" deformities. *Plast Reconstr Surg* 1969; 43:351.
141. Epker B, Wolford L. Middle third facial osteotomies: Their use in the correction of acquired and developmental deformities and craniofacial deformities. *J Oral Surg* 1975; 33:491.
142. Bell W, Turvey T. Surgical correction of posterior cross - bite. *J Oral Surg* 1975; 32:811.
143. Bell W, Proffit W. *Surgical correction of dentofacial deformities Vol. 1 and 2*. Philadelphia: WB Saunders. 1980.

144. Frost D, Fonseca R, Turvey T, et al. Cephalometric diagnosis and surgical - orthodontic correction of apertognathia. *Am J of Orthod* 1980; 78:675.
145. Turvey T, Schardt - Sacco D. Le Fort I Osteotomy. In: Fonseca R, ed. *Oral and maxillofacial surgery vol. 2: Orthognathic surgery*. W.B. Saunders. 2001: 232.
146. Epker B, Wolford L. *Dentofacial deformities: Surgical - orthodontic correction*. St.Louis: CV Mosby. 1980.
147. Frost E, Koutnic A. Alternative stabilization of the maxilla during simultaneoous jaw mobilization procedures. *Oral Surg* 1983; 56:125.
148. Schendel S, Eisenfeld J, Bell W, et al. Superior repositioning of the maxilla: Stability and soft tissue - osseous relations. *Am J Orthod* 1976; 70:663.
149. Lanigan D, Romanchuk M, Olson C. Ophthalmic complications associated with orthognathic surgery. *J Oral Maxillofac Surg* 1993; 51:480.
150. Reiner S, Willoughby J. Transient abducent nerve palsy following a Le Fort I maxillary osteotomy: Report of case. *J Oral Maxillofac Surg* 1988; 46:699.
151. Watts P. Unilateral abducent nerve palsy:a rare complication following a Le Fort I maxillary osteotomy. *Br J Oral Maxillofac Surg* 1984; 22:212.
152. Carr R, Gilbert P. Isolated partial third nerve palsy following Le Fort I maxillary osteotomy in a patient with cleft lip and palate. *Br J Oral Maxillofac Surg* 1986; 24:206.
153. De Jough M, Barnard D, Birnie D. Sensory nerve morbidity following Le Fort I osteotomy. *J Maxillofac Surg* 1986; 14:10.
154. Sirikumara M, Sugar A. Adie's pupil following Le Fort I maxillary osteotomy: A complication or coincidence? *Br J Oral Maxillofac Surg* 1990; 28:306.



155. Tomasetti B, Broutsas M, Gormley M, et al. Lack of tearing after Le Fort I osteotomy. *Br J Oral Maxillofac Surg* 1976; 34:1095.
156. Shoshani Y, Samet N, Ardekian L, et al. Nasolacrimal duct injury after Le Fort I osteotomy. *J Oral Maxillofac Surg* 1994; 52:406.
157. Keller E, Sather A. Quadrangular Le Fort I osteotomy: Surgical techniques and review of 54 patients. *J Oral Maxillofac Surg* 1990; 48:2.
158. Freihofer H, Brouns J. Midface movements. *Oral Maxillofac Surg Clin North Am* 1990; 2:761.
159. Parnes E, Becker M. Necrosis of the anterior maxilla following osteotomy. *Oral Surg* 1972; 33:326.
160. Sher M. Treatment of oro- antral -nasal fistula after anterior maxillary osteotomy. *J Oral Surg* 1980; 38:212.
161. O'Ryan F, Shendel S. Nasal anatomy and maxillary surgery. II: Unfavorable nasolabial esthetics following Le Fort I osteotomy. *Int J Adult Orthodont Orthognath Surg* 1989; 4:75.
162. Wikkeling O, Koppendraaier J. In vitro studies on lines of osteotomy in the pterygoid region. *J Maxillofac Surg* 1973; 1:209.
163. Robinson P, Hendy C. Pterygoid plate fractures caused by the Le Fort I osteotomy. *Br J Oral Maxillofac Surg* 1986; 24:198.
164. Precious D, Goodday R, Bourget L, et al. Pterygoid plate fracture in Le Fort I osteotomy with and without pterygoid chisel: A computed tomography scan evaluation of 58 patients. *J Oral Maxillofac Surg* 1993; 51:151.

165. Smith K, Heggie A. Vomero - sphenoidal dysarticulation during the Le Fort I maxillary osteotomy: Report of case. *J Oral Maxillofac Surg* 1995; 53:465.
166. Renick B, Symington J. Postoperative computed tomography study of pterygomaxillary separation during Le Fort I osteotomy. *J Oral Maxillofac Surg* 1991; 49:1051.
167. Vedtofte P, Nattestad A. Pulp sensibility and pulp necrosis after Le Fort I osteotomy. *J Craniomaxillofac Surg* 1989; 17:167.
168. Bell C, Thrash W, Zysset M. Incidence of maxillary sinusitis following Le Fort I maxillary osteotomy. *J Craniomaxillofac Surg* 1986; 44:100.
169. Bell W, Jacobs J, Queijada J. Simultaneous repositioning of the maxilla, mandible and chin. *Am J Orthod* 1986; 89:28.
170. De Mol van Otterloo J, Dorenbos J, Tuinzing D, et al. TMJ performance and behavior in patients more than 6 years after Le Fort I osteotomy. *J Oral Maxillofac Surg* 1993; 31:83.
171. Gaukroger M. Dysphagia following bimaxillary osteotomy. *Br J Oral Maxillofac Surg* 1993; 31:189.
172. Lanigan D, Hey J, West R. Major vascular complications of orthognathic surgery: False aneurysms and arteriovenous fistulas following orthognathic surgery. *J Oral Maxillofac Surg* 1991; 49:571.
173. Habal M. A carotid cavernous sinus fistula after maxillary osteotomy. *J Oral Maxillofac Surg* 1986; 77:981.
174. Newhouse R, Schow S, Kraut R, et al. Life - threatening hemorrhage from a Le Fort I osteotomy. *J Oral Maxillofac Surg* 1982; 40:117.

175. Lanigan D, Hey J, West R. Major vascular complications on orthognathic surgery : Hemorrhage associated with Le Fort I osteotomies. *J Oral Maxillofac Surg* 1990; 48:561.
176. Lanigan D, West R. Management of postoperative hemorrhage following Le Fort I osteotomy. *J Oral Maxillofac Surg* 1984; 42:367.
177. O'Ryan F. Complications of orthognathic surgery part II : maxillary and two - jaws surgery. In: O'Ryan FS, ed. *Selective reading in oral and maxillofacial surgery*. Texas: The University of Texas Southwestern Medical Center. 1994: 1.
178. Zellin G, Rasmussen L, Palsson J, et al. Evaluation of hemorrhage depressors on blood loss during orthognathic surgery: A retrospective study. *J Oral Maxillofac Surg* 2004; 62:662.
179. Panula K, Finne K, Oikarinen K. Incidence of complications and problems related to orthognathic surgery:A review of 655 patients. *J Oral Maxillofac Surg* 2001; 59:1128.
180. Moenning J, Bussard D, Lapp T, et al. Average blood loss and the risk of requiring perioperative blood transfusion in 506 orthognathic surgical procedures. *J Oral Maxillofac Surg* 1995; 53:880.