

## เอกสารอ้างอิง

- กิจการ ศุภมาตย์, จรีพร เวียงศรี, สุภภา ศิริรัฐนิคม และนเรศ ช่วนยุก. 2543. ระบบภูมิคุ้มกันโรคในกุ้งกุลาดำ:V.ผลของอุณหภูมิ ปริมาณออกซิเจนละลายน้ำและความเป็นกรด-ด่างของน้ำต่อระบบภูมิคุ้มกันโรคและองค์ประกอบเลือดในกุ้งกุลาดำ. ว. สงขลานครินทร์ วทท. 22 (ฉบับพิเศษ):606-613.
- กิจการ ศุภมาตย์ และ สิทธิ บุญยรัตผลิน. 2538. การศึกษาภูมิคุ้มกันโรคและแนวทางการใช้วัคซีนป้องกันโรคติดเชื้อแบคทีเรียและไวรัสในกุ้งกุลาดำ (*Penaeus monodon*). รายงานการวิจัย สำนักงานคณะกรรมการวิจัยแห่งชาติ. หน้า 1-17.
- เกรียงศักดิ์ พูลสุข. 2535. ตัวเสริมซีวันะ. ว. สัตว์เศรษฐกิจ. 10(204): 76-78.
- ดารุณี แซ่ฮ้อย, อนันต์ ต้นสุตะพานิช และ ลีลา เรืองแป้น. 2530. *Vibrio harveyi* สาเหตุของโรคแบคทีเรียเรืองแสงของลูกกุ้งแชบ๊วย (*Penaeus merguensis*). ว. การประมง. 40(2): 177-182.
- บรรจง เทียนสงรัสมิ. 2530. การเพาะเลี้ยงกุ้งทะเล. อักษรเจริญทัศน์. กรุงเทพฯ. 101 หน้า.
- มะลิ บุญยรัตผลิน, กิจการ ศุภมาตย์ และชูศักดิ์ บริสุทธิ. 2543. ระบบภูมิคุ้มกันโรคในกุ้งกุลาดำ:VIII. ผลของสารสี (astaxanthine) ต่อการเจริญเติบโต องค์ประกอบเลือด ระบบภูมิคุ้มกันโรคและความต้านทานโรคในกุ้งกุลาดำ. ว. สงขลานครินทร์ วทท. 22(ฉบับพิเศษ):633-639.
- มณฑิร ส่งเสริม, บัญญัติ สุขศรีงาม และ ประภาศิริ ศรีโสภาภรณ์. 2533. การศึกษาแบคทีเรียที่เป็นสาเหตุของโรคเรืองแสงในกุ้งกุลาดำ. ว. ศรีนครินทร์วิโรฒวิจัยและพัฒนา. 4(1): 15-24.
- มันสิน ตันฑุลเวศม์ และ ไพพรรณ พรประภา. 2538. การจัดการคุณภาพน้ำและการบำบัดน้ำเสียในบ่อเลี้ยงปลาและสัตว์น้ำอื่นๆ. ภาควิชาวิศวกรรมสิ่งแวดล้อม คณะวิศวกรรมศาสตร์ จุฬาลงกรณ์มหาวิทยาลัย.
- มลฤดี สิทธิพันธุ์, อรัญ หันหงศ์กิตติกุล และ กิจการ ศุภมาตย์. 2543. สารกระตุ้นภูมิคุ้มกันและการใช้วัคซีนในกุ้งกุลาดำ : I. การสกัดสาร บีต้ากลูแคนจากยีสต์และการประยุกต์ใช้ในกุ้งกุลาดำ (*Penaeus monodon* Fabricus). ว. สงขลานครินทร์ วทท. 22(ฉบับพิเศษ):653-662.

- ยงยุทธ ปรีดาลัมพะบุตร. 2540. การจัดการคุณภาพน้ำเพื่อการเพาะเลี้ยงกุ้งทะเล. สถาบันวิจัยการเพาะเลี้ยงสัตว์น้ำ จังหวัดสงขลา.
- วรรณิ เมืองเจริญ. 2535. บทบาทสารเสริมชีวนะกับการเลี้ยงสัตว์. ว. สัตว์เศรษฐกิจ. 10(204): 79-82.
- วรรณภา วงศ์กรเขาวลิต. 2528. การเจริญของแบคทีเรียสังเคราะห์แสงในน้ำคั้นเปลือกและแกนสับประรดและศักยภาพในการใช้เป็นอาหารปลา. วิทยานิพนธ์วิทยาศาสตรมหาบัณฑิต ภาควิชาจุลชีววิทยา คณะวิทยาศาสตร์ มหาวิทยาลัยเกษตรศาสตร์.
- สาวิตรี ศิลาเกษ. 2541. การผลิตวัคซีนจากเชื้อ *Vibrio harveyi*. และการประยุกต์ใช้ในกุ้งกุลาดำ (*Penaeus monodon* Fabricius). วิทยานิพนธ์วิทยาศาสตรมหาบัณฑิต สาขาวิชาวาริชศาสตร์ มหาวิทยาลัยสงขลานครินทร์.
- สุพจน์ ไข่เทียมวงศ์. 2529. จุลชีววิทยา. พิมพ์ครั้งที่ 3. ประชาชน จำกัด. กรุงเทพฯ.
- สุภฎา ศิริรัฐนิคม, จรีพร เรืองศรี, ไมตรี วรรณเดช, อภิญญา ส่งประดิษฐ์, นเรศ ชวนยุก, วีรพงษ์ เทพอักษร และ กิจการ สุขมาตย์. 2543. ปัจจัยสิ่งแวดล้อมที่มีผลต่อการเจริญของเชื้อ vibrio เรืองแสง (*Vibrio harveyi*) ในน้ำทะเล. ว. สงขลานครินทร์ วทท. 22(ฉบับพิเศษ):697-705
- สมหมาย เขียววาริสัจจะ. 2539. การจัดการคุณภาพน้ำ. เอกสารคำสอน ภาควิชาวาริชศาสตร์ คณะทรัพยากรธรรมชาติ มหาวิทยาลัยสงขลานครินทร์.
- Allan, G. L. and Maguire, G. B. 1992. Effect of pH and salinity on survival, growth and osmoregulation in *Penaeus monodon* Fabricius. *Aquaculture* 107(1):33-47.
- Alvarez, J. D., Austin, B., Alvarez, A. M. and Reyes, H. 1998. *Vibrio harveyi*: a pathogen of penaeid shrimps and fish in Venezuela. *J. Fish. Dis.* 21:313-316 .
- AOAC.1990. Official Methods of Analysis of the Association of Official Chemists. 15<sup>th</sup>Ed. The Association of Official Chemists. Washington, D.C.
- Ashida, M., Ishizaki, Y. and Iwahana, H. 1983. Activation of pro-phenoloxidase by bacterial cell walls or  $\beta$ -1,3-glucans in plasma of the silkworm, *Bombyx mori*. *Biochem and Biophys. Res. Comm.* 113(2):562-568.

- Ashida, M. and Yamazaki, H. 1990. Biochemistry of the phenoloxidase system in insects: with special reference to its activation. *In* Molting and Metamorphosis (Ohnishi, E. and Ishizaki, H., eds.). p. 239-265. Springer, Berlin.
- Atlas, M. R. 1997. Principles of Microbiolog. Wn. C. Broun Puplishers. USA.
- Austin, B., Baudet, E. and Stobie, M. 1992. Inhibition of bacterial fish pathogens *Tetraselmis suecica*. *J. Fish. Dis.* 15:55-61.
- Austin, B. Stuckey, L. F., Roberson, P. A. W., Effend, I. And Griffith, W. 1995. A probiotic strains of *Vibrio alginolyticus* effective in reducing disease caused by *Aeromonas salmonicida*, *Vibrio anguillarum* and *Vibrio ordalii*. *J. Fish Dis.* 18:93-96.
- Bachere, E. 2000. Shrimp immunity and disease control. *Aquaculture*191:3-11.
- Barnes, D. and Wilson, F. 1978. Chemistry and Unit Generations in Sewage Treatment. Applied Science Publishers Ltd., London
- Bast, E. 1977. Utilization of nitrogen compounds and ammonia assimilation by *Chromatiaceae*. *Arch. Microbiol.* 113:91-94.
- Bauchau, A. 1981. Crustaceans, *In* Invertebrate Blood cells. (Rowley, R., ed). p. 386-420. Academic Press, New York.
- Baumann, P. and Schubert, R. H. W. 1984. Section 5. Facultatively Anaerobic Gram-Negative Rod. Family II *Vibrionaceae*. *In* Bergey ' s Manual of Systematic Bacteriology. Vol 1. (Krieg, N.R. and Holt, J.G., eds.). p. 516-539. William and Wilkins. Baltimore.
- Boyd, C. E. 1989. Water quality management and aeration in shrimp farming. American Soybean Association. p 4-39.
- Boyd, C. E. 1990. Water quality in ponds for aquaculture. Birmingham Publishing Co. Albama, USA.
- Boyd, C. E. and Daniels, H. V. 1993. Liming and fertilization of brackiswater shrimp ponds. *J. Appl. Aquacult.* 2(3-4): 221-234.
- Boyd, C. E. and Gross, A. 1998. Use of probiotics for improving soil and water quality in aquaculture ponds. *In* Advances in Shrimp Biotechnology. (Flegel T. W., ed.). National Center for Genetic Engineering and Biotechnology, Bangkok.

- Burgess, J. G., Sudo, H., Sode, K. and Matsunaga, T. 1993. Gene transfers in *Chromatium purpuratum*, a marine sulfur photosynthetic bacteria producing antibiotic. *J. Mar. Biotech.* 1(2):101-104.
- Cahill, M. M. 1990. Bacterial flora of fishes: a review. *Microb. Ecol.* 19:21-41.
- Cerenius, L., Henttonen, P., Lindqvist, O. V. and Soderhall, K. 1991. The crayfish pathogen *Proterospermium haeckeli* activates the prophenoxidase activating system of the freshwater crayfish in vitro. *Aquaculture* 99:225-233.
- Chen, J. C. and Kou, Y. Z. 1992. Effects of ammonia on growth and molting of *Penaeus japonicus* juvenile. *Aquaculture* 104:249-260.
- Chen, J. C. and Lin, J. N. 1998. Osmotic concentration and tissue water of *Penaeus chinensis* juveniles reared at different salinity and temperature levels. *Aquaculture* 164:173-181.
- Chen, S. N., Huang, S. L. and Kou, G. H. 1992. Studies on epizootiology and pathogenicity of bacterial infections in cultured giant tiger prawns, *Penaeus monodon*, in Taiwan. *In Disease of Cultured Penaeid Shrimp in Asia and The United State.* (Fulks, W. and Main, K. L., eds.) p. 195-208. The Oceanic Institute. Hawaii.
- Chien, Y. H. and Jeng, S. C. 1992. Pigmentation of kurama prawn, *Penaeus japonicus* Bate, by various pigment sources and levels and feeding regimes. *Aquaculture* 102:333-346.
- Chin, T. S. and Chen, J. C. 1987. Acute toxicity of ammonia to larvae of tiger prawn, *Penaeus monodon*. *Aquaculture* 66:247-253.
- Chih-Cheng, H. and Yen-ling, S. 1999. Maternal transmission of immunity to white spot syndrome associated virus (WSSV) in shrimp (*Penaeus monodon*). *Dev. Comp. Immunol.* 23:545-552.
- Choorit, W., Abe, N., Kaneko, J., Noparatnaraporn, N., Kamiko, Y. and Izaki, K. 1993. Isolation and properties of new photosynthetic bacteria isolated from seawater. *Biosci. Biotech. Biochem.* 57(12):2189-2191.
- Direkbusarakom, S., Yoshimizu, M., Ezura, Y., Ruangpan, L. and Danayadol, Y. 1997. *Vibrio* spp. the dominant flora in shrimp hatchery against some fish pathogen. *In Post session of the 2<sup>nd</sup> Asia-Pacific Marine Biotechnology Conference and 3<sup>rd</sup>*

- Asia-Pacific on Algal Biotechnology Conference. Phuket. Thailand. 7-10 May 1997. p.14.
- Dobois, M., Gilles, K. A., Hamilton, J. K. Robers, P. A. Smith, M. 1956. Colorimetric method of determination of sugar and related substances. *Anal. Chem.* 28:350-356.
- Douillet, P. A. and Langdon, C. J. 1994. Use of a probiotic for the culture of the larvae of the pacific oyster (*Crassostrea gigas* Thunberg). *Aquaculture* 119:25-40.
- D-Souza, J. and Dias, M. 1989. Use of phototrophic bacteria in sewage treatment and as fish feed. *In* Program of the First-International Marine-Biotechnology Conference IMBC-89. p 13.
- Dunstan, R. H., Kelly, B. C. Nicholas, D. J. D. 1982. Fixation of dinitrogen derived from denitrification of nitrate in a photosynthetic bacterium, *Rhodopseudomonas sphaeroides* forma sp. *denitrificans*. *J. Bacteriol.* 150:100-104.
- Duvic, B. and Soderhall, K. 1989. Purification and characterization of a  $\beta$ -1,3- glucan binding protein from plasma of the crayfish *Pacifastacus leniusculus*. *J. Bio. Chem.* 265(16):9327-9332.
- Eckersley, K. and Dow, C. S. 1980. *Rhodopseudomonas blastia* sp. nov.: a member of the *Rhodospirillaceae*. *J. Gen. Microbiol.* 119:465-473.
- Fast, A. L. and Menasveta, P. 2000. Some recent issue and innovations in marine shrimp pond culture. *Rev. Fish. Sci.* 8(3):151-233.
- Ferrer, O. J., Koburger, J. A., Otwell, W. S., Gleeson, R. A. Simpson, B. K. and Marshall, M. R. 1989. Phenoloxidase from the cuticle of the Florida Spiny Lobsters (*Panulirus argus*) : mode of activation and characterization. *J. Food. Sci.* 54 (1):63-67.
- Fuller, R. 1989. Probiotic in man and animals. *J. Appl. Bacteriol.* 66:365-378
- Fuller, R. 1992. Probitics:The scientific Basis. Chapman and Hall, London.
- Garriques, D. and Arevalo, G. 1995. An evaluation of the production and use of a live bacterial isolations to manipulate the microbial flora to the commercial production of *Penaeus vanzamei* postlarvae in Ecuador. *In* Swimming through

- troubled water, proceedings of the special session on shrimp farming. (Browdy, C. L. and Hopkins, J. S., eds.). p. 53-59. World Aquaculture Society.
- Gatesoupe, F. I. 1999. The use of probiotic in aquaculture. *Aquaculture*. 180:147-165
- Gibson, L. F., Woodworth, J. and George, A. M. 1998. Probiotic activity of *Aeromonas media* on the Pacific oyster, *Crassostrea gigas*, when challenged with *Vibrio tubiashii*. *Aquaculture* 169:111-120.
- Gibson, G. R. and Roberfroid, M. B. 1995. Dietary modulation of the human colonic microbiota : introducing the concept of prebiotics. *J. Nutrition* 125:1404-1412.
- Goldenberg, P. Z., Huebner, E. and Greenberg, A. H. 1984. Activation of lobster hemocytes for phagocytosis. *J. Invertebr. Pathol.* 43:77-88.
- Gollas-Galvan, T., Hernandez-Lopez, J., Vargas-Albores, F. 1997. Effect of calcium on the prophenoloxidase system activation of the brown shrimp (*Penaeus californiensis* Holmes). *Comp. Biochem. Physiol.* 117a: 419-425.
- Gomez-Gil, B. and Roque, A. 1998. Selection of probiotic bacteria for use in aquaculture. *In Advances in Shrimp Biotechnology*. (Flegel, T.W., ed.). National Center for Genetic Engineering and Biotechnology, Bangkok.
- Gomez-Gil, B. and Roque, A. and Thunbull, J. F. 2000. The use and selection of probiotic bacteria for use in the culture of larval aquatic organisms. *Aquaculture* 191:259-270.
- Gopakumar, G. and Kuttyamma, V. J. 1997. Effect of hydrogen sulphide on the substratum selectivity of shrimp *Penaeus indicus* (Crustacea/Decapoda). *Indian J. Mar. Sci.* 26(1):104-106.
- Gopalakrishnan, P. 1995. Influence of abiotic factors in the growth and production of white shrimp *Penaeus indicus* (H. Milne Edwards) in culture. *Aquaculture* 151:171-175.
- Gram, L., Melchiorson, J., Spanggaard, B., Huber, I. And Nielsen, T. F. 1999. Inhibition of *Vibrio anguillarum* by *Pseudomonas fluorescens* AH2, a possible probiotic treatment of fish. *Appl. Env. Microbiol.* 969-973.

- Hall, L. W., Jr., Buikema, A. L. and Cairns, J., Jr. 1978. The effects of a simulated refinery effluent on the grass shrimp, *Palaemonetes pugio*. Arch. Environ. Contam. Toxicol. 7(1):23-25.
- Hammes, W. P. and Hertel. C. 1998. New development in meat starter culture. Meat Sci. 49(1):s125-s138.
- Hassan, M. A., Shirai, Y., Kusubayashi, N., Karim, M. I. A., Nakanishi, K. and Hashimoto, K. 1995. Effect of organic acid profiles during anaerobic treatment of palm oil mill effluent on the production of polyhydroxyalkanoates by *Rhodobacter sphaeroides*. J. Ferm. Bioeng. 82(2):151-156.
- Haryanti, K. S. and Tsumura, S. 1998. Use of BY-9 as a Probiotic agent in the larval rearing of *Penaeus monodon*. In Advances in Shrimp Biotechnology. (Flegel, T.W., ed.). National Center for Genetic Engineering and Biotechnology, Bangkok.
- Herbert, R. A. Seifert, E. and Pfening, N. 1978. Nitrogen assimilation in *Rhodopseudomonas acidophila*. Arch. Microbiol. 119:1-8.
- Hernandez-Lopez, J.; Gollas-Galvan, T. and Vargas-Albores, F. 1996. Activation of the phenoloxidase system of the brown shrimp (*Penaeus californiensis* Holmes). Comp. Biochem. Physiol. 113C(1):61-66.
- Hirayama, O., Ando, E., Wamori, K. and Hara, N. 1974. Colorimetric method to measure bacterial pigment. J. Agri. Chem. Soc. Japan. 48:97.
- Hose, J.E.; Gary, G.; Van Anh Nguyen, M.; Lucas, L. and Rosenstein, T. 1987. Cytochemical features of shrimp hemocyte. Biol. Bull. 173:178-187.
- Hose, J. E. and Martin, G. C. 1989. Defense functions of granulocytes in the ridgeback prawn *Sicyonia ingentis*. J. Inver. Pathol. 53:335-346.
- Itami, T., Asano, M., Tokushige, K., Kubono, K., Nakagawa, A., Takeno, N., Nishimura, H., Maeda, M., Kondo, M. and Takahashi, Y. 1998. Enhancement of disease resistance of kuruma shrimp, *Penaeus japonicus*, after oral administration of peptidoglycan derived from *Bifidobacterium thermophilum*. Aquaculture 161:277-288.

- Itami, T., Takahashi, Y. and Nakamura, Y. 1989. Efficacy of vaccination against vibriosis in cultured kuruma prawns *Penaeus japonicus*. J. Aquatic Anim. Health. 1:234-242.
- Itami, T., Takahashi, Y., Tsuchihira, E., Lgusa, H. and Kondo, M. 1993. Enhancement of disease resistance on kuruma prawn, *Penaeus japonicus*, after oral administration of peptidoglycan. Aquatic animal Health and Environment. Abstract of Second Symposium on Disease in Asian Aquaculture. p.6 .
- Jianwei, S. and Hirayama, O. 1991. Hydrogen photoproduction and denitrification by photosynthetic bacteria isolated from Lake Nakaumi its vicinity. J. Ferm. Bioeng. 72(5):338-342 .
- Jingjin, C., Meili, D. and Wenlin, S. 1997. The application of the photosynthetic bacteria in the production of the shrimp larval culture. J. Ocean University of Qingdao (in Chinese). 27(2):191-194.
- Jiravanichpaisal, P., Chuaychuwong, P. and Menasveta, P. 1997. The use of *Lactobacillus* sp. as the probiotic bacteria in the giant tiger shrimp (*Penaeus monodon* Fabricus). In 2<sup>nd</sup> Asia-Pacific Marine Biotechnology Conference and 3<sup>rd</sup> Asia-Pacific Conference on Algal Biotechnology. Phuket, Thailand. 7-10 May 1997.
- Jiravanichpaisal, P., Miyazaki, T., Limsuwan, C. 1994. Histopathology, biochemistry and pathogenicity of *V. harveyi* infecting black tiger prawn. J. Aquatic Anim. Health 6:27-35.
- Johansson, M. W., Keyser, P., Sritunyalucksana, K. and Soderhall, K. 2000. Crustacean haemocytes and haematopoiesis. Aquaculture 191:45-52.
- Johansson, M. W. and Soderhall, K. 1985. Exocytosis of the prophenoloxidase activating system from crayfish haemocyte. J. Comp. Physiol. 156:175-181.
- Johansson, M. W. and Soderhall, K. 1989. Cellular immunity in crustaceans and the proPO system. Parasitol. Today. 5:171-176.
- Johansson, M. W. and Soderhall, K. 1988. Isolation and purification of a cell adhesion factor from crayfish blood cells. J. Cell. Biol. 106: 1795-1803.



- Jorgensen, J. B., Lude, H., Robertsen, B. 1993. Peritoneal and head kidney cell response to intraperitoneally injected yeast glucan in Atlantic salmon, *Salmo salar* L. J. Fish. Dis. 16:313-325.
- Ju-Chan, K. and Matsuda, O. 1994. Combined effects of hyposia and hydrogen sulfide on early developmental stages of white shrimp *Metapenaeus monoceros*. Appl. Biol. Sci. Seibutsu- Seisangaku-Kenkyu. 33(1):21-27.
- Kang, D., Liu, G., Lundstrom, A., Gelius, E. and Steiner, H. 1998. A peptidoglycan recognition protein in innate immunity conserved from insects to human. Proc. Natl. Acad. Sci. U. S. A. 95:10078-10082.
- Karunasagar, I. And Otta, S. K. 1996. Biofilm formulation by *Vibrio harveyi* on surfaces. Aquaculture 140(36):241-245.
- Karunasagar, I., Pai, R., Malathi, G.R. and Karunasagar, I. 1994. Mass mortality of *Penaeus monodon* larvae due to antibiotic-resistance *V. harveyi* infection. Aquaculture 128:203-209.
- Kim, J. K., Lee, B. K., Kim, S. H. and Moon, J. H. 1999. Characterization of denitrifying photosynthetic bacteria isolated from photosynthetic sludge. Aquacult. Eng. 19 (3):197-193.
- Kobayashi, M. and Kurata, S. 1978. The mass culture and cell utilization of photosynthetic bacteria. Process Biochem. 13:27-30.
- Koch, H. G. and Klemme, J. H. 1994. Localization of nitrate reductase genea in a 115 kb plasmid of *Rhodobacter capsulatus* and reformation of NIT<sup>+</sup> character negative mutant or wild-type strains by conjugative transfer of the endogenous plasmid. FEMS Microbiol. Lett. 118:193-198.
- Kohlmiller, E. F. and Gest, H. 1951. A comparative study of the light and dark fermentations of organic acid by *Rhodospirillum rubrum*. J. Bacteriol. 61:269-282
- Kondo, M., Itami, T. and Takahashi, Y. 1992. The phenoloxidase activity in prawn hemocyte. J. Gyobyu Kenkyu. 27(4):185-189.

- Latscha, T. 1991. Carotenoid in aquatic animal nutrition. *In* Proceedings of The Aquaculture feed Processing and Nutrition Workshop. (Akiyama, D. M. and Tan, R. K. H. eds.). Thailand and Indonesia, 19-25 September 1991, p.68-79.
- Lavilla-Pitogo, C.R., Bacticados, M.C.I., Lruz-Lalierda, E.R. and De la Pena, L.D.1990. Occurrence of luminous bacterial disease of *Penaeus monodon* larvae in Philippines. *Aquaculture* 91:1-13.
- Lavilla-Pitogo, C.R. 1995. Bacterial diseases on penaeid shrimps : an Asian view. *In* Diseases in Asian Aquaculture (Shariff, M., Arthur, J.R. and Subasinghe, R.P., eds.) p. 107-121. Fish Health section, Asian Fisheries Society, Manila.
- Lavilla-Pitogo, C.R., Albright, L.J. and Paner, M.G. 1998. Selection of probiotic bacteria for use in aquaculture. *In* Advances in Shrimp Biotechnology. (Flegel, T.W., ed.). National Center for Genetic Engineering and Biotechnology, Bangkok.
- Lanz, H., Hernandez, S., Garrido-Guerrero, E., Tsutsumi, V. and Arechiga, H. 1993. Prophenoloxidase system activation in the crayfish *Procambarus clarki*. *Dev. Comp. Immunol.* 17:399-406.
- Lee, P. G., Lea, R. N., Dohmann, E. Prebilsky, W. Turk, P. E., Ying, H. and Whitson, J. L. 2000. Denitrification in aquaculture system: an example of fuzzy logic control problem. *Aquacult. Eng.* 23(1-3):35-59.
- Le Groumellec, M., Haffner, P. Martin, B. and Martin, C. 1995. Comparative study of bacteria infections responsible for mass mortality in penaeid shrimp hatcheries of the pacific zone. *In* Diseases in Asian Aquaculture (Shariff, M., Arthur, J.R. and Subasinghe, R.P., eds.) p. 163-173. Fish Health section, Asian Fisheries Society, Manila.
- Li, G., Yu, Y., Jiang, Y. and Ding, M. 1993. The test of photosynthetic bacteria used in prawn's breeding as additive. *Mar. Sci. Haiyang Kexue.* 1:52-54.
- Lightner, D.V. 1988. Vibrio disease of penaeid shrimp. *In* Disease Diagnosis and Control in North American Marine Aquaculture. (Sindermann, L.J. and Lightner, D.V., eds.) p. 42-47. Elsevier Science Publishing Company Inc. New York,

- Lightner, D. V. 1993. Diseases of cultured penaeid shrimp. *In* CRC Handbook of Mariculture 2<sup>nd</sup> Ed. Vol. 1. Crustacean Aquaculture. (McVey, J. P. ed.). p. 393-486. CRC press, Inc. Florida.
- Lowry, O. H., Rosebrough, N. J., Farr, A. L. and Randall, R. J. 1951. Protein measurement with Folin reagent. *J. Biol. Chem.* 193:265-275.
- Maeda, M. and Liao, I. C. 1992. Effect of bacterial population on the growth of a prawn larva, *Penaeus monodon*. *Aquaculture* 21:25-29.
- Martin, G.G. and Graves, L. 1985. Fine structure and classification of shrimp hemocyte. *J. Morphol.* 185:339-348.
- Martin, G. G., Hose, J. E. and Kim, J. J. 1987. Structure of haematopoietic nodule in the ridgeback prawn, *Sicyonia ingentis* light and electron microscope observations. *J. Morphol.* 192:93-204.
- Martinez-Luque, M., Dobao, M. M. and Castillo, F. 1991. Characterization of the assimilatory and dissimilatory nitrate reducing systems in *Rhodobacter*. A comparative study. *FEMS Microbiol Lett.* 83:329-334.
- Mohney, L. L., Lightner, D. V. and Bell, T. A. 1994. An epizootic of vibriosis in Equadorian pond-reared *Penaeus vannamei*. *J. World Aquacult. Soc.* 25:116-125.
- Moriarty, D. J. W. 1997. The role of microorganism in aquaculture ponds. *Aquaculture* 151:333-349.
- Moriarty, D. J., W., Withyachumnarnkul, B., Pratanpipat, P. and Nitimethachoke, C. 1997. Managing microbial disease in aquaculture with probiotic bacteria : Biotechnology for sustainable aquaculture. *In* 2<sup>nd</sup> Asia-Pacific Marine Biotechnology Conference and 3<sup>rd</sup> Asia-Pacific Conference on Algal Biotechnology. Phuket, Thailand. 7-10 May 1997.
- Musig, Y.; Ruttanagosrigit, W. and Sampawapol, S. 1995. Effluents from intensive culture ponds of tiger prawn (*Penaeus monodon* Fabricius). *Fish-Res-Bull. Kasetsart-Univ.* 21:7-24.
- Nagaomi, K. and Meada, M. 1992. Bacterial as biocontrol agents for rearing larval of the crab *Portunus trituberculatus*. *Can. J. Fish Aquatic Sci.* 4(9):2373-2376.

- No, H. K. and Storebakken, T. 1992. Pigmentation of rainbow trout with astaxanthin and canthaxanthin in freshwater and seawater. *Aquaculture* 101:123-134.
- Noparatnaraporn, N. and Nagai, S. 1986. Selection of *Rhodobacter sphaeroides* P<sub>47</sub> as useful source of single cell protein. *J. Gen. Appl. Microbiol.* 32:351-359.
- Noparatnaraporn, N., Wongkornchowalit, W., Harashi, M., Nishizawa, Y., Nishio, N. and Nagai, S. 1984. Mass culture and cell utilization of *Rhodopseudomonas sphaeroides* P<sub>47</sub> on pineapple waste. *Microbial Utilization of Renewable Resoure.* 4:403-412.
- Okimasu, E., Matsumoto, M. Yoshida, Y. and Amemura, A. 1992. The effect of pigments of *Rhododospirillum rubrum* on free radicals and applications of the bacterium as feed to fish larvae. *Nipp. Suis. Gakkai.* 58(8):1487-1491.
- Omerod, J. G., Ormerod, K. S. and Gest, H. 1961. Light dependent utilization of organic compounds and photoproduction of molecular hydrogen by photosynthetic bacteria; relationship with nitrogen metabolism. *Arch. Biochem. Biophys.* 94:449-463.
- Ostrensky, A. and Wasielesky Jr., W. 1995. Acute toxicity of ammonia to various life stages of the Sao Paulo shrimp, *Penaeus paulensis* Perez-Farfante, 1967. *Aquaculture* 132:339-347.
- Persson, M., Cerenius, L. and Soderhall, K. 1987. The influence of haemocyte number on the resistance of the fresh water crayfish, *Pacifastacus leniusculus* Dana, to the parasitic fungus *Aphanomyces astaci*. *J. Fish dis.* 10:471-477.
- Pfennig, N. 1967. Photosynthetic bacteria. *Ann. Rev. Microbiol.* 21:285-324.
- Pfennig, N. 1969. *Rhodospirillum tenue* sp. n., a new species of the purple non sulfur bacteria. *J. Bacteriol.* 99(2):619-620.
- Pfennig, N. and Truper, H. G. 1989. Anoxygenic photosynthetic bacteria. *In* *Bergey's Manual of Systematic Bacteriology*. 3<sup>rd</sup> Ed. (Staley, J. T., Bryant, M. P., Pfennig, N. and Holt, J. G., eds.). The Willium and Wilkins Co., Baltimore.
- Phianphak, W. Piyatiratitivorakul, S., Menasveta, P. and Rengpipat, S. 1997. Managing microbial disease in aquaculture with probiotic bacteria: Biotechnology for sustainable aquaculture. *In* 2<sup>nd</sup> Asia-Pacific Marine Biotechnology Conference

and 3<sup>rd</sup> Asia-Pacific Conference on Algal Biotechnology. Phuket, Thailand. 7-10 May 1997.

- Pillay, T. V. R. 1992. Aquaculture and The Environment. Fisheries News Books, England.
- Pradal, M. 1992. The photosynthetic bacteria *Rhodobacter capsulatus* as the food complement in the rainbow trout nutrition: Effects on coloration and growth. Chambéry-France Laboratoire-De-Biologie-ET-Biochimie-Appliquees,-ESIGEC. 313 p.
- Pradal, M. 1994. The photosynthetic bacteria *Rhodobacter capsulatus* as the food complement in the rainbow trout nutrition: Effects on coloration and growth. Puhl.-Assoc.Dev. Aquacult. Cestas Bordeaux-France Association-Pour-Le-Developpement-De-L- Aquaculture. 41: 90 p.
- Prasertsan, P., Choorit, W. and Suwano, S. 1993a. Isolation, identification and growth conditions of photosynthetic bacteria found in seafood processing wastewater. World J. Microbiol and Biotechnol. 9:590-592.
- Prasertsan, P., Jaturapornpipat, M. and Siripatana, C. 1997. Utilization and treatment of tuna condensate by photosynthetic bacteria. Pure & Appl. Chem. 69(11):2439-2445.
- Prayitno, S. B. and Latchford, J. W. 1995. Experimental infections of crustaceans with luminous bacteria related to *Photobacterium* and *Vibrio*. Effect of salinity and pH on infectiosity. Aquaculture 132:105-112.
- Rengpipat, S., Phianphak, W., Piyatiratitivorakul, S. and Menasveta, P. 1998a. Effects of a probiotic bacterium on black tiger shrimp *Penaeus monodon* survival and growth. Aquaculture 167:301-313.
- Rengpipat, S., Rukpratanporn, S., Piyatiratitivorakul, S. and Menasveta, P. 1998b. Probiotic in aquaculture : A case study of probiotics for larvae of the black tiger shrimp (*Penaeus monodon*). In Advances in Shrimp Biotechnology. (Flegel. T.W., ed.). National Center for Genetic Engineering and Biotechnology, Bangkok.
- Rengpipat, S., Rukpratanporn, S., Piyatiratitivorakul, S. and Menasveta, P. 2000. Immunity enhancement in black tiger shrimp (*Penaeus monodon*) by probiont bacterium (*Bacillus* S11). Aquaculture 191:271-288.

- Roch, P. 1999. Defense mechanisms and disease prevention in farmed marine invertebrates. *Aquaculture* 172:125-145.
- Rowley, A. F. and Rahmet-Alla, M. 1990. Prophenoloxidase activation in the blood of *Lewcophaea maderae* by microbial product and different strain of *Bacillus cereus*. *J. Insect Physiol.* 36:931-937.
- Ruangpan, L., Prapadsorn, S. and Sangrungruang, K. 1997. Minimal Inhibitory concentration of 5 chemotherapeutants against *Vibrio* bacteria and the transfer of R-plasmid. *In Disease in Asain Aquaculture III.* (Shariff, M., Arthur, J. R. and Subasinghe, R. P., eds.) . Fish Health Section, Asian Fisheries Society, Bangkok.
- Ruangpan, L., Tabkaew, R. and Sangrungruang, K. 1995a. Bacterial flora of ponds with different stocking densities of black tiger shrimp, *Penaeus monodon*. *In Disease in Asain Aquaculture II.* (Shariff, M., Arthur, J. R. and Subasinghe, R. P., eds.) p. 141-149. Fish Health Section, Asian Fisheries Society, Manila.
- Ruangpan, L., Tabkaew, R., Yoshida, T., Kawatsu, H. and Saitanu, K. 1995b. Numerical taxonomy of *Vibrio* spp. Isolate from black tiger shrimp, *Penaeus monodon* culture in Thailand. *In Disease in Asain Aquaculture II.* (Shariff, M., Arthur, J. R. and Subasinghe, R. P., eds.) p. 141-149. Fish Health Section, Asian Fisheries Society, Manila.
- Sakai, M. 1999. Current research status of fish immunostimulants. *Aquaculture* 172: 63-92
- Sasaki, K. and Nagai, S. 1979. The optimum pH and temperature for the aerobic growth of *Rhodopseudomonas gelatinosa*, and vitamin B<sub>12</sub> and ubiquinone formation on a starch medium. *J. Ferment. Technol.* 57(5):383-386.
- Sasaki, K., Morii, H., Nishizawa, Y. and Nagai, S. 1988. Denitrifying and photoheterotrophic growth of *Rhodobacter sphaeroides* S under anaerobic dark and light conditions. *J. Ferment. Technol.* 66:27-32.
- Sasaki, K., Tanaka, T., Nishizawa, Y. and Hayashi, M. 1987. Production of 5-aminolevulinic acid by photosynthetic bacteria. *J. Ferment. Technol.* 65:511-515.
- Saulnier, D., Avarre, J. C., Le Moullac, G. Ansquer, D., Levy, P. and Vonau, V. 2000. Evidence that *Vibrio penaeicida* is a putative etiological agent of syndrome 93 in

New Caledonia and development of a rapid and sensitive PCR assay for its detection in shrimp and sea water. *Dis. Aquat. Org.* 40:109-115.

Sequeira, T., Vilanova, M., Lobo-Da-Cunha, A. and Arala-Chaves, M. 1995. Flow cytometric analysis of the molt-related changes in haemocyte types in male and female *Penaeus japonicus*. *Biol. Bull.* 189:376-380.

Shoreit, A. A. M., Ahmed, A. M. and Shabeb, M. S. A. 1989. Field and laboratory studies on some photosynthetic bacteria in Aswan High Dam Lake. I. Some physical and chemical characteristics. *INI.-REV.-GESÄMT-HYDROBIOL.* 74(4):419-432.

Shuying, G. and Donglaing, Z. 1994. Toxicity of nitrite to larvae of *Penaeus penicillaus*. *J. Ocaenogr. Taiwan Strait-Taiwan-Haixia.* 13(3):236-239.

Smith, P. and Davey, S. 1993. Evidence for the competitive exclusion of *Aeromonas salmonicida* from fish with stress- inducible furunculosis by a fluorescent pseudomonad. *J. Fish Dis.* 16:521-524.

Smith, V. J. and Soderhall, K. 1991. A comparasion of phenoloxidase activity in the blood of marine invertebrates. *Dev. Comp. Immunol.* 15:251-261.

Smith, V. J. and Soderhall, K. 1983.  $\beta$ -1,3- Glucan Activation of Crustacean haemocyte *in vitro* and *in vivo*. *Biol. Bull.* 164:299-314.

Soderhall, K., Rogener, W., Newton, R. P. and Ratcliffe, N. A. 1988. The properties and purification of a *Blaberus craniifer* plasma protein which enhances the activation of hemocyte prophenoloxsidase by a  $\beta$ -1,3-glucan. *Insect Biochem.* 18:322-330.

Soderhall, K., Aspan, A. and Duvic, B. 1990. The proPo system and associated protein- role in cellular communication in arthropods. *Res. Immunol.* 141:896-907.

Soderhall, K. and Cerenius, L. 1992. Crustacean Immunity. *Annual Rev. of Fish Disease.* p.3-23.

Soderhall, K. and Cerenius, L. 1998. Role of the prophenoloxidase-activating system in invertebrate immunity. *Curr. Opin. Immunol.* 10:23-28.

- Soderhall, K. and Hall, L. 1984. Lipopolysaccharide induced activation of prophenoloxidase activating system in crayfish haemocyte lysate. *Biochim. Biophys. Acta.* 797:99-104.
- Soderhall, K., Levin, J. and Armstrong, P. B. 1985. The effects of  $\beta$ 1,3-glucan on blood coagulation and amebocyte release in the horseshoe crab, *Limulus polyphemus*. *Biol. Bull.* 169:661-674.
- Soderhall, K and Unestam, T. 1979. Activation of serum prophenoloxidase in arthropod immunity. The specificity of cell wall glucan activation and activation by purified fungal glycoproteins of crayfish phenoloxidase. *Can. J. Microbiol.* 25:406-414.
- Sritunyalucksana, K. and Soderhall, K. 2000. The proPO and clotting system in crustaceans. *Aquaculture* 191:53-69.
- Staley, J. T., Bryant, N. P., Pfennig, N. and Holt, J. G. 1989. *Bergey's Manual of Systemic Bacteriology*. 3<sup>rd</sup> Ed. The Willams and Wilkins Co., Baltimore.
- Sudo, H., Yamada, A., Kokatsu, K., Nakamura, N. and Matsunaga, T. 1997. Development of a phosphate-removal system using a marine photosynthetic bacterium *Chromatium* sp. *Appl. Microbiol Biotechnol.* 47:78-82.
- Sung, H. H., Kuo, G. H. and Song, Y. L. 1994. Vibriosis resistance induced by glucan treatment in tiger shrimp (*Penaeus monodon*). *Fish. Pathol.* 29:11-17.
- Takeno, K., Sasaki, K. Watanabe, M., Kaneyasu, T. and Nishio, N. 1999. Removal of phosphorus from oyster farm mud sediment using a photosynthetic bacterium, *Rhodobacter sphaeroides* IL 106. *J. Biosci Bioeng.* 88(4):410-415.
- Teunissen, O. S. P., faber, R., Booms, G. H. R., Latscha, T. and Boon, J. H. 1998. Influence of vaccination on vibriosis resistance of the giant black tiger shrimp *Penaeus monodon* (Fabricius). *Aquaculture* 164:359-366.
- Thomson, I., Choubert, G., Houlihan, D. F. and Secombes, C. J. 1995. The effect of dietary vitamin A and astaxanthin on the immunocompetence of rainbow trout. *Aquaculture* 133:91-102.



Tirado, M. C. Young, W. D., Lotz, J. M. and Ogle, J. T. 1996. Reproduction of the marine shrimp *Penaeus vannamei* in closed system. In Proceedings of the PACON Conference on Sustainable Aquaculture-95. p 383.

Vargas-Albores, F. 1995. The defense system of brown shrimp (*Penaeus californiensis*):humoral recognition and cellular response. J. Mar. Biotechnol. 3:153-156.

Vargas-Albores, F. Jimenez-Vega, F. and Yepi-Plascenciat, G. M. 1997. Purification and comparison of  $\beta$ -1,3- glucan protein from white shrimp (*Penaeus vannamei*). Comp. Biochem. Physiol. 116B:453-458.

Vargas-Albores, F., Jimenez-Vega, F. and Soderhall, K. 1996. A plasma protein isolated from brown shrimp (*Penaeus californiensis*) which enhanced the activations of prophenoloxidase system by  $\beta$ -1,3- glucan. Dev. Comp. Immunol. 20:299-306.

Vargas-Albores, F. and Soderhall, K. 1999. Shrimp immunity and disease control-an integrated approach : non-self recognition mechanism. In 8<sup>th</sup> Congress of the International Society for Developmental and Comparative Immunology. Chiang Mai, Thailand 8-10 November.

Vargas-Albores, F. and Yepiz-Plascencia, G. 2000. Beta glucan binding protein and its role in shrimp immune system. Aquaculture 191:13-21.

Verschuere, L., Rombaut, G., Sorgeloos, P. and Verstraete, W. 2000. Probitic bacteria as biological control agents in aquaculture. Microbiol. Molecul. Biol. Rev. 655-671.

Vethanayagam, R. R. 1991. Purple photosynthetic bacteria from a tropical mangrove environment. Mar. Biol. 110(1):161-163.

Watanabe, K., Kim, J. S., Ito, K., Buranakarl, L. Kampee, T. and Takahashi, H. 1981. Thermostable nature of hydrogen production by non sulfur purple photosynthetic bacteria isolated in Thailand. Agric. Biol. Chem. 45(1):217-222.

Watanabe, M., Sasaki, K., Nakashimada, Y., Kakizono, T., Noparatnaraporn, N. and Nishio, N. 1998. Growth and flocculation of a marine photosynthetic bacterium *Rhodovulum* sp. Appl Microbiol Biotechnol. 50:628-691.

Wickins, J.F. 1984. The effect of hypercapnic sea water on growth and mineralization in penaeid prawns. Aquaculture 41:37-48.

- Xu-e, W. and Zhaoxing, S. 1993. Studies on utilization of photosynthetic bacteria in the artificial seed-breeding of prawns. *Shandong-Fish-Qilu-Yuye*. 6: 20-23.
- Xiuzhen, P and Yufeng, W. On optimum density of photosynthetic bacteria for rearing the fingerlings in the pond. *Shandong Fish.Qilu Yuye*. 3:11-13.
- Yamada, A., Miyashita, K., Inoue, K. and Matsunaga, T. 1997. Extracellular reduction of selenite by a novel marine photosynthetic bacterium. *Appl. Microbiol Biotechnol.* 48:367-372.
- Yen-Ling, S and Yen-Ling, H. 1994. Immunostimulation of tiger shrimp (*Penaeus monodon*) hemocytes for generation of microbiocidal substance: Analysis of reactive oxygen species. *Dev. Comp. Immunol.* 18(3):201-209.
- Yufeng, W. and Xiuzhen, P. 1993. On optimum density of photosynthetic bacteria for rearing the fingerlings in the pond. *Shandong-Fish-Qilu-Yuye*. 3:11-13.
- Yufeng, W., Xuizhen, P., Shujiang, C., Siquan, Z., Jhang, Z., Jihua, S. Shaozhu, C. and Xingqiao, W. 1993. Study on the application of photosynthetic bacteria to fish clam polyculture. *Trans.-Oceanol.- Limnol.- Haiyang-Huzhao-Tongbao*. 1:78-82.
- Zhexiong, F. 1994. Preliminary study on the application of photosynthetic to the rearing of black tiger prawn, *Penaeus monodon*. *Mar.Fish. Haiyang Yuye*.16(4):153-154.
- Zhijun, Y., Yufeng, W, Xiuzhen, P. and Weimei, R. 1996. On growth promoting role of photosynthetic bacteria in the soft shell turtle culture. *Shandong-Fish-Qilu-Yuye*. 13(5):30-31.