

เอกสารอ้างอิง

- อรัญ หันพงศ์กิตติภูด. 2537. การผลิตและการจำแนกสารปฏิชีวนะจาก *Bacillus MUV4*. Production and identification of antibiotics from *Bacillus MUV4*. การประชุมวิชาการเทคโนโลยีกับการพัฒนาภาคตะวันออกเฉียงเหนือคณะเทคโนโลยีมหาวิทยาลัยขอนแก่น. 19-20 สิงหาคม 2537. หน้า 1-18.
- Al-Tahhan, R.A., Tahhan, A.L., Sandrin, R.T., Rodour, A.A. and Maier, M. R. 2000. Rhamnolipid-induced removal of lipopolysaccharide from *Pseudomonas aeruginosa* : Effect on cell surface properties and interaction with hydrophobic substrates. Appl. Environ. Microbiol. 66 : 3262-3268.
- Ahimou, F., Jacques, P. and Deleu, M. 2000. Surfactin and iturin A effects on *Bacillus subtilis* surface hydrophobicity. Enz. Microb. Technol. 27 : 749-754.
- Arima, K., Kakinuma, A. and Tamura, G. 1968. Surfactin, a crystalline peptidelipid surfactant produced by *Bacillus subtilis* : Isolation, characterization and its inhibition of fibrin clot formation. Biochem. Biophys. Res. Commun. 31 : 488-494.
- Banat, I.M. 1993. The isolation of a thermophilic biosurfactant producing *Bacillus* sp. Biotechnol. Lett. 15 : 591-594.
- Banat, I.M. 1995. Biosurfactants production and possible uses in microbial enhanced oil recovery and oil pollution remediation: a review. Biores. Technol. 51 : 1-12.
- Banat, I.M., Makkar, R.S. and Cameotra, S.S. 2000. Potential commercial applications of microbial surfactants. Appl. Microbiol. Biotechnol. 53 : 495-508.
- Barkay, T., Navon-Venezia, S., Ron, E.Z. and Rosenberg, E. 1999. Enhancement of solubilization and biodegradation of poliaromatic hydrocarbons by the bioemulsifier Alasan. Appl. Environ. Microbiol. 65 : 2697-2702.
- Batrakov, S.G., Rodionova, T.A., Exipov, S.E., Polyakov, N.B. Sheichenko, V.I., Shekhovtsova, N.V., Lukin, S.M., Panikov, N.S. and Nidolaev, Y.A. 2003. A novel lipopeptide, and inhibitor of bacterial adhesion, from the thermophilic and halotolerant subsurface *Bacillus licheniformis* strain 603. Biochem. Biophys. Acta. 1634 : 107-115.
- Besson, F., Tenoux, I., Hourdou, L.M. and Michel, G. 1992. Synthesis of β -hydroxy fatty acids and β -amino fatty acids by the strains of *Bacillus subtilis* producing iturinic antibiotics. Biochem. Biophys. Acta. 1123 : 51-58.

- Bognolo, G. 1999. Biosurfactants as emulsifying agents for hydrocarbons. *Colloid. Surf. A.*.. 152 : 41-52.
- Cameotra, S.S. and Makkar, R.S. 2004. Recent applications of biosurfactants as biological and immunological molecules. *Curr. Opin. Microbiol.* 7 : 262-266.
- Christofi, N. and Ivshina, I.B. 2002. Microbial surfactants and their use in field studies of soil remediation. *J. Appl. Microbiol.* 93 : 915-929.
- Cooper, D.G., Macdonald, C.R., Duff, S.J.B. and Kosaric, N. 1981. Enhanced production of surfactin from *Bacillus subtilis* by continuous product removal and metal cation additions. *Appl. Environ. Microbiol.* 42 : 408-412.
- Cooper, D.G., and Goldenberg, B.G. 1987. Surface-active agents from two *Bacillus* species. *Appl. Environ. Microbiol.* 53 : 224-229.
- Das, K. and Mukherjee, A.K. 2006. Crude petroleum-oil biodegradation efficiency of *Bacillus subtilis* and *Pseudomonas aeruginosa* strains isolated from a petroleum-oil contaminated soil from North-East India. *Biores. Technol.* Article in press.
- Davis, D.A., Lynch, H.C. and Varley, J. 1999. The production of surfactin in batch culture by *Bacillus subtilis* ATCC21332 is strongly influenced by the conditions of nitrogen metabolism. *Enz. Microb. Technol.* 25 : 322-329.
- Deshpande, K.L. Katze, J.R. and Kane J.F. 1981. Effect of glutamine on enzymes of nitrogen metabolism in *Bacillus subtilis*. *J. Bacteriol.* 145 : 768-774.
- Elliott, J.E. 2001. Preventing oil spills in the twenty-first century : An ecological economics perspective. *IOSC* 2001. 27-33.
- Fiechter, A. 1992. Biosurfactant : moving towards industrial application. *TIB.* 10 : 208-217.
- Frazer, L. 2000. Lipid lather removes metals. *Environ. Health Perspect.* 108 : 320-324.
- Goto, M., Kato, M., Asaumi, M., Shirai, K. and Venkateswaran, K. 1994. TLC/FID method for evaluation of the crude-oil-degrading capability of marine microorganisms. *J. Mar. Biotechnol.* 2 : 45-50.
- He, H., Shen, B., Korshalla, J. and Carter, G.T. 2001. Circulocins, new antibacterial lipopeptides from *Bacillus circulans* J2154. *Tetrahedron.* 57 : 1189-1195.
- Healy, M.G., Devine, C.M. and Murphy, R. 1996. Microbial production of biosurfactants. *Resour. Conserv. Recycling.* 18 : 41-57.

- Jawaheri, M., Jenneman, G.E., McInerney, M.J. and Knapp, R.M. 1985. Anaerobic production of a biosurfactant by *Bacillus licheniformis* JF-2. *Appl. Environ. Microbiol.* 50 : 698-700.
- Jenny, K., Kappeli, O. and Fiechter, A. 1991. Biosurfactants from *Bacillus licheniformis*: structural analysis and characterization. *Appl. Microbiol. Biotechnol.* 36 : 5-13.
- Kanjana-Opas, A. 2002. New antifungal compounds from marine fungi. Ph.D. Dissertation. University of California, San Diego, USA.
- Kim, S.H., Yoon, D.B., Lee, H.C., Suh, H.H., Oh, M.H., Katsurage, T. and Tani, Y. 1997. Production and properties of a lipopeptide biosurfactant from *Bacillus subtilis* C9. *J. Ferment. Bioeng.* 84 : 41-46.
- Kim, S.H., Lim, J.E., Lee, O.S., Lee, D.J. and Lee, H.T. 2000. Purification and characterization of biosurfactants from *Nocardia* sp. L-417. *Biotechnol. Appl. Biochem.* 31 : 249-253.
- Kluge, B., Vater, J., Salnikov, J. and Eckart, K. 1988. Studies on the biosynthesis of surfactin, a lipopeptide antibiotic from *Bacillus subtilis* ATCC 21332. *FEBS Lett.* 231 : 107-110.
- Kowall, M., Vater, J., Kluge, B., Stein, T., Franke, P. and Ziessow, D. 1998. Separation and characterization of surfactin isoforms produced by *Bacillus subtilis* OKB105. *J. Colloid Inter. Sci.* 204 : 1-8.
- Lang, S. 2002. Biological amphiphiles (microbial biosurfactants). *Curr. Opin. Colloid Int. Sci.* 7 : 12-20.
- Lee, S.C., Yoo, J.S., Kim, S.H., Chung, S.Y., Hwang, C.W., Joo, W.H. and Choi, Y.L. 2006. Production and characterization of lipopeptide biosurfactant from *Bacillus subtilis* A8-8. *J. Microbiol. Biotechnol.* 16 : 716-723.
- Lin, S.C., Minton, M.A., Sharma, M.M. and Georgiou, G. 1994. Structural and immunological characterization of a biosurfactant produced by *Bacillus licheniformis* JF-2. *Appl. Environ. Microbiol.* 60 : 31-8.
- Lin, S.C., Carswell, S.K. and Sharma, M.M. 1994. Continuous production of the lipopeptide biosurfactant of *Bacillus licheniformis* JF-2. *Appl. Microbiol. Biotechnol.* 41 : 281-285.
- Lin, S.C. 1996. Biosurfactants : recent advances. *J. Chem. Technol. Biotechnol.* 66 : 109-120.
- Lin, S.C., Lin, K.G., Lo, C.C. and Lin, Y.M. 1998. Enhanced biosurfactant production by a *Bacillus licheniformis* mutant. *Enz. Microb. Technol.* 23 : 267-273.

- Lindum, P.W., Anthoni, U., Christoffersen, C., Eberl, L., Molin, S., and Givskov, M. 1998. N-acyl-L-homoserine lactone autoinducers control production of an extracellular lipopeptide biosurfactant required for swarming motility of *Serratia liquefaciens* MG1. *J. Bacteriol.* 180 : 6384-6388.
- Makkar, R.S. and Cameotra, S.S. 1997. Biosurfactant production by a thermophilic *Bacillus subtilis* strain. *J. Ind. Microbiol. Biotechnol.* 18 : 37-42.
- Makkar, R.S. and Cameotra, S.S. 1998. Production of biosurfactant at mesophilic and thermophilic conditions by a strain of *Bacillus subtilis*. *J. Ind. Microbiol. Biotechnol.* 20 : 48-52.
- Mishra, S., Sarma, P.M. and Lal, B. 2004. Crude oil degradation efficiency of a recombinant *Acinetobacter baumannii* strain and its survival in crude oil-contaminated soil microcosm. *FEMS Microbiol. Lett.* 235 : 323-331.
- Miller, J.M. and Wright, J.W. 1982. Spot indole test : Evaluation of four reagents. *J. Clin. Microbiol.* 15 : 589-592.
- Moran, A.C., Olivera, N., Commendatore, M., Esteves, J.L. and Sineriz, F. 2000. Enhancement of hydrocarbon waste biodegradation by addition of a biosurfactant from *Bacillus subtilis* O9. *Biodegrad.* 11 : 65-71.
- Mulligan, C.N., Chow, K.Y.T. and Gibbs, F.B. 1989. Enhanced biosurfactant production by a mutant *Bacillus subtilis* strain. *Appl. Microbiol. Biotechnol.* 31 : 486-489.
- Mulligan, C.N. and Gibbs, B.F. 1990. Recovery of biosurfactants by ultrafiltration. *J. Chem. Technol. Biotechnol.* 47 : 23-29.
- Mulligan, C.N., Yong, R.N. and Gibbs, B.F. 2001. Heavy metal removal from sediments by biosurfactants. *J. Hazard. Mater.* 85 : 111-125.
- Nakayama, S., Takahashi, S., Hirai, M. and Shoda, M. 1997. Isolation of new variants of surfactin by a recombinant *Bacillus subtilis*. *Appl. Microbiol. Biotechnol.* 48 : 80-82.
- Nelson, N. 1944. A photometric adaptation of the Samogyi method for the determination of glucose. *J. Biol. Chem.* 153 : 375-380.
- Nitschke, M. and Pastore, G.M. 2006. Production and properties of a surfactant obtained from *Bacillus subtilis* grown on cassava wastewater. *Biores. Technol.* 97 : 336-341.

- O'Brien, J., Wilson, I., Orton, T. and Pognan, F. 2000. Investigation of the Alamar Blue (resazurin) fluorescent dye for the assessment of mammalian cell cytotoxicity. *Eur. J. Biochem.* 267 : 5421-5426.
- Ohno, A., Ano, T. and Shoda, M. 1995. Production of a lipopeptide antibiotic, Surfactin, by Recombinant *Bacillus subtilis* in solid state fermentation. *Biotechnol. Bioeng.* 47 : 209-214.
- Palittapongarnpim, M., Pokethitiyook, P., Upatham, E.S. and Tangbanluekal, L. 1998. Biodegradation of crude oil by soil microorganisms in the tropic. *Biodegrad.* 9 : 83-90.
- Peypoux, F. Bonmatin, B.J., Labbe, H., Grangemard, I., Das, C.B., Ptak, M., Wallach, J. and Michel, G. 1994. [Ala4]Surfactin, a novel isoform from *Bacillus subtilis* studied by mass and NMR spectroscopies. *Eur. J. Biochem.* 224 : 89-96.
- Peypoux, F., Bonmatin, J.M. and Wallach, J. 1999. Recent trends in the biochemistry of surfactin. *Appl. Microbiol. Biotechnol.* 51 : 553-563.
- Prak, D.J.L., Pritchard, P.H. 2002. Solubilization of polycyclic aromatic hydrocarbon mixtures in micellar nonionic surfactant solutions. *Water Res.* 36 : 3463-3472.
- Prommachan, O. 2002. Production and application of biosurfactant from *Bacillus* MUV4. Master of Science Thesis in Biotechnology. Prince of Songkla University, Songkhla, Thailand. 107p.
- Ron, E.Z. and Rosenberg, E. 2001. Natural roles of biosurfactants. *Environ. Microbiol.* 3 : 229-236.
- Ron, E.Z. and Rosenberg, E. 2002. Biosurfactants and oil bioremediation. *Curr. Opin. Biotechnol.* 13 : 249-252.
- Roongsawang, N., Thaniyavarn, J. and Thaniyavarn, S. 1999. Properties of biosurfactant produced by *Bacillus* sp. strain KP-2. *Thai J. Biotechnol.* 1 : 54-60.
- Roongsawang, N., Thaniyavarn, J., Thaniyavarn, S., Pinphanichakarn, P., Morikawa, M. and Kanaya, S. 2003. Production and properties of *Bacillus subtilis* BBK-1 biosurfactant. *Thai J. Biotechnol.* 4 : 1-8.
- Rosenberg, E. 1986. Microbial surfactants. *CRC Crit. Rev. Biotech.* 3 : 109-132.
- Rosenberg, E. and Ron, E.Z. 1999. High- and low-molecular-mass microbial surfactants. *Appl. Microbiol. Biotechnol.* 52 : 154-162.

- Samogyi, M. 1952. Notes on sugar determination. *J. Biol. Chem.* 195 : 19-23.
- Sandrin, C., Peypoux, F. and Michel, G. 1990. Coproduction of surfactin and iturin A, lipopeptides with surfactant and antifungal properties, by *Bacillus subtilis*. *Biotechnol. Appl. Biochem.* 12 : 370-375.
- Sharma, B.K., Sarowha, S.L.S., Bhagat, S.D., Tiwari, R.K., Gupta, S.K. and Venkataramani, P.S. 1998. Hydrocarbon group type analysis of petroleum heavy fraction using the TLC/FID technique. *Fresenius J. Anal. Chem.* 360 : 539-544.
- Sheppard, D.J. and Cooper, D.G. 1991. The response of *Bacillus subtilis* ATCC 21332 to manganese during continuous-phased growth. *Appl. Microbiol. Biotechnol.* 35 : 72-76.
- Singh, P. and Cameotra, S.S. 2004. Potential applications of microbial surfactants in biomedical sciences. *Trends Biotechnol.* 22 : 142-146.
- Sutthivanitchakul, B., Thaniyavarn, J. and Thaniyavarn, S. 1999. Biosurfactant production by *Bacillus licheniformis* F2.2. *Thai J. Biotechnol.* 1 : 46-53.
- Thimon, L., Peypoux, F. and Michel, G. 1992. Interactions of surfactin, a biosurfactant from *Bacillus subtilis*, with inorganic cations. *Biotechnol. Lett.* 14 : 713-718.
- Tong, S.L., Goh, S.H., Abdulah, R.A., Tahir, N.M. and Wang, C.W. 1999. Asean marine water quality criteria for oil and grease. AMWAC for oil and grease. XV-1-XV27.
- Urum, K. and Pekdemir, T. 2004. Evaluation of biosurfactants for crude oil contaminated soil washing. *Chemosphere.* 57 : 1139-1150.
- Vater, J. 1986. Lipopeptides, an attractive class of microbial surfactant. *Colloid Polym. Sci.* 72 : 12-18.
- Verma, S., Bhargava, R. and Pruthi, V. 2006. Oily sludge degradation by bacteria from Ankleshwar, India. *Inter. Biodeter. Biodegrad.* 57 : 207-213.
- Vollenbroich, D., Ozel, Nuhsin, Vater, J., Kamp, M.R. and Pauli, G. 1997. Mechanism of inactivation of enveloped viruses by the biosurfactant surfactin from *Bacillus subtilis*. *Biologicals.* 25 : 289 – 297.
- Wei, Y.H. and Chu, M.I. 2002. Mn²⁺ improves surfactin production by *Bacillus subtilis*. *Biotechnol. Lett.* 24 : 479-482.
- Wei, Y.H., Wang, L.F., Chang, J.S. and Kung, S.S. 2003. Identification of induced acidification in iron-enriched cultures of *Bacillus subtilis* during biosurfactant fermentation. *J. Biosci. Bioeng.* 96 : 174-178.

- Yakimov, M.M., Timmis, N.K., Wray, V. and Fredrickson, L.H. 1995. Characterization of a new lipopeptide surfactant produced by thermotolerant and halotolerant subsurface *Bacillus licheniformis* BAS50. *Appl. Environ. Microbiol.* 61 : 1706-1713.
- Yu, G.Y., Sinclair, J.B. Hartman, G.L. and Bertagnolli, B.L. 2002. Production of iturin A by *Bacillus amyloliquefaciens* suppressing *Rhizoctonia solani*. *Soil. Biol. Biochem.* 34 : 955-963.
- Zhou, M. and Rhue, R.D. 2000. Screening commercial surfactants suitable for remediating DNAPL source zones by solubilization. *Environ. Sci. Technol.* 34 : 1985-1990.
- Zouboulis, A.I., Matis, K.A., Lazaridis, N.K. and Gloyshin, P.N. 2003. The use of biosurfactants in floatation : application for the removal of metal ions. *Miner. Eng.* 16 : 1231-1236.