

บรรณานุกรม

- กิจการ สุภมาตย์, จรีพร เรืองศรี, สุภฎา คีรีรัฐนิคม และนรินทร์ สงสีจันทร์. 2543ก. ระบบภูมิคุ้มกันโรคในกุ้งกุลาดำ: IV. การศึกษาค่าปกติของระบบภูมิคุ้มกันและองค์ประกอบเลือดในกุ้งกุลาดำ. ว. สงขลานครินทร์ วทท. 22 (ฉบับพิเศษ): 597-603.
- กิจการ สุภมาตย์, จรีพร เรืองศรี, สุภฎา คีรีรัฐนิคม และนเรศ ช้วนยุค. 2543ข. ผลของอุณหภูมิ ปริมาณออกซิเจนละลายน้ำและความเป็นกรด-ด่างของน้ำต่อระบบภูมิคุ้มกันโรคและองค์ประกอบเลือดในกุ้งกุลาดำ. ว. สงขลานครินทร์ ฉบับ วทท. 22 (ฉบับพิเศษ): 605-613.
- กิจการ สุภมาตย์, วุฒิพร พรหมขุนทอง, ชุตติมา ตันติกิตติ และ Hoffmann, R.W. 2543ค. ระบบภูมิคุ้มกันโรคในกุ้งกุลาดำ: II. เซลล์และเนื้อเยื่อที่เกี่ยวข้องในการกำจัดสิ่งแปลกปลอมในกุ้งกุลาดำ. ว. สงขลานครินทร์ วทท. 22 (ฉบับพิเศษ): 582-588.
- กิจการ สุภมาตย์ และ สิทธิ บุญยรัตผลิน. 2538. การศึกษาภูมิคุ้มกันโรคและแนวทางการใช้วัคซีนป้องกันโรคติดเชื้อแบคทีเรียและไวรัสในกุ้งกุลาดำ (*Penaeus monodon*) รายงานการวิจัย สำนักงานคณะกรรมการวิจัยแห่งชาติ. หน้า 1-17.
- กิจการ สุภมาตย์ และ สิทธิ บุญยรัตผลิน. 2539. การศึกษาพยาธิสภาพของเนื้อเยื่อและเซลล์ในกุ้งกุลาดำที่ติดเชื้อไวรัสหัวเหลือง และตัวแดงดวงขาว. ว. สงขลานครินทร์ วทท. 18: 17-33.
- กิจการ สุภมาตย์, อุษณีย์ เอกปนิธานพงศ์, Itami, T. และ จิราพร เกษรจันทร์. 2543ง. ระบบภูมิคุ้มกันโรคในกุ้งกุลาดำ: I. เทคนิคในการศึกษาระบบภูมิคุ้มกันโรคและองค์ประกอบเลือดในกุ้งกุลาดำ. ว. สงขลานครินทร์ วทท. 22 (ฉบับพิเศษ): 567-580.
- ข่าวกุ้ง. 2546. ข่าวกุ้งเดือนกรกฎาคม 2546. ว. ข่าวกุ้ง เครือเจริญโภคภัณฑ์ ปีที่ 15 ฉบับที่ 180 บริษัท จีรังริชต์ จำกัด, กรุงเทพมหานคร. 4 หน้า.
- จิราพร เกษรจันทร์, สิทธิ บุญยรัตผลิน, เรวัตร์ คงประดิษฐ์ และอุษณีย์ เอกปนิธานพงษ์. 2538. ไวรัสรูปแท่งสาเหตุของโรคติดเชื้อไวรัสตัวแดงดวงขาวในกุ้งกุลาดำ. เอกสารวิชาการ ฉบับที่ 3/2538. สถาบันวิจัยการเพาะเลี้ยงสัตว์น้ำชายฝั่ง กรมประมง สงขลา.
- พจนพร ไกรดิษฐ์. 2544. ยีนที่เกี่ยวข้องกับระบบภูมิคุ้มกันในกุ้งกุลาดำ (*Penaeus monodon*). วิทยานิพนธ์วิทยาศาสตรมหาบัณฑิต สาขาวิชาเทคโนโลยีชีวภาพ คณะอุตสาหกรรมเกษตร มหาวิทยาลัยสงขลานครินทร์. 113 หน้า.

- มฤดี สิทธิพันธ์ อรัญ หันพงศ์กิตติกุล และ กิจการ สุขมาตย์. 2543. การสกัดสารบีต้ากลูแคนจากยีสต์ และการประยุกต์ใช้ในกุ้งกุลาดำ (*Penaeus monodon* Fabricius). ว. สงขลานครินทร์ วทท. 22 (ฉบับพิเศษ): 653-662.
- ระบิล รัตนพานิ, จิระศักดิ์ ตั้งตรงไพโรจน์ และนันทริกา อิศรศักดิ์ ณ อรุชยา. 2535. พยาธิสภาพและ พยาธิกำเนิดของโรคไวรัสในตับ (เอ็ม บี วี) ในกุ้งกุลาดำ. ว. โรคสัตว์น้ำ จุฬาลงกรณ์ มหาวิทยาลัย กรุงเทพมหานคร. 13: 27-40.
- สาวิตรี ศิลาเกษ และ กิจการ สุขมาตย์ 2543. การผลิตวัคซีนจากเชื้อ *Vibrio harveyi* และการประยุกต์ใช้ในกุ้งกุลาดำ. ว. สงขลานครินทร์ วทท. 22 (ฉบับพิเศษ): 663-676.
- สุประภา ทองสุภา. 2545. คุณลักษณะและฤทธิ์ทางชีวภาพของ fucoidan จาก *Sargassum polycystum* และ *Isochrysis galbana*. วิทยานิพนธ์วิทยาศาสตรมหาบัณฑิต สาขาวิชาเทคโนโลยีชีวภาพ คณะอุตสาหกรรมเกษตร มหาวิทยาลัยสงขลานครินทร์. 80 หน้า.
- Adema, C.M., van der Knaap, W.P.W. and Aminia, T. 1991. Molluscan hemocyte mediated cytotoxicity: the role of reactive oxygen intermediates. Rev. Aquat. Sci. 4: 210-223.
- Alday-Sanz, V., Thaikua, S., Yousif, A.N., Albright, L.J. and Flegel, T.W. 1998. Studies on IgY for passive immunization of shrimp against white spot syndrome virus. In Advances in shrimp biotechnology. (ed. Flegel, T. W.) pp. 141-145. Asian Fisheries Forum, Chiang-mai, Thailand.
- Anggraeni, M.S. and Owens, L. 2000. The haemocytic origin of lymphoid cells in the penaeid prawn *Penaeus monodon*. Dis. Aquat. Org. 40: 85-92.
- Aspan, A., Sturtevant, J., Smith, V.J. and Soderhall., K. 1990. Purification and characterization of a prophenoloxidase activating enzyme from crayfish blood cells. Insect Biochem. 20: 709-718.
- Avarre, J.C., Saulnier, D., Labreuche., Y., Ansquer, D., Tietz, A. and Lubzens, E. 2003. Response of *Penaeus indicus* females at two different stages of ovarian development to lethal infection with *Vibrio penaeicida*. J. Invertebr. Pathol. 82: 23-33.
- AOAC. (Association of Official Analytical Chemists). 1985. Official Methods of Analysis. Washington DC: AOAC.
- Bachere, E., Destoumieux, D. and Bulet, P. 2000. Penaeidins, antimicrobial peptides of shrimp: a comparison with other effectors of innate immunity. Aquaculture 191: 71-88.

- Bangrak, P., Graidist, P., Chotigeat, W., Supamattaya, K. and Phongdara, A. 2002. A syntenin-like protein with postsynaptic density protein (PDZ) domains produced by black tiger shrimp *Penaeus monodon* in response to white spot syndrome virus infection. *Dis. Aquat. Org.* 49: 19-25.
- Bell, T.A. and Lightner, D.V. 1988. A handbook of normal penaeid shrimp histology. World Aquaculture Society, Baton Rouge, USA. 114 p.
- Boman, H.G. 1995. Peptides antibiotic and their role in innate immunity. *Ann. Rev. Immunol.* 13: 61-92.
- Bonami, J.R., Hasson, K.W., Mari, J., Poulos, B.T. and Lightner, D.V. 1997. Taura syndrome of marine penaeid shrimps: characterization of the viral agent. *J. Gen. Virol.* 78: 313-319.
- Bonami, J.R., Lightner, D.V., Redman, R.M. and Poulos, B.T. 1992. Partial characterization of a togavirus (LOVV) associated with histopathological changes of the lymphoid organ of penaeid shrimps. *Dis. Aquat. Org.* 14: 145-192.
- Boonyaratpalin, S., Boonyaratpalin, M., Supamattaya, K. and Toride, Y. 1995. Effects of peptidoglycan (PG) on growth, survival, immune response and tolerance to stress in black tiger shrimp, *Penaeus monodon*. In *Disease in asian aquaculture II*. (ed. Shariff, M., Arthur, J. R. and Subasinghe, R. P.) pp. 469-477. Fish Health Section, Asian Fisheries Society, Manila, Philippines.
- Boonyaratpalin, S., Supamattaya, K., Kasornchandra, J., Direkbusarakom, S., Ekpanithanpong, U. and Chantanachookhin, C. 1993. Non-occluded baculo-like virus the causative agent of yellow head disease in the black tiger shrimp *Penaeus monodon*. *Fish Pathol.* 28: 103-109.
- Brock, J.A. and Main K.L. 1994. A guide to the common problems and diseases of culture *Penaeus vannamei*. The Oceanic Institute, Hawaii, USA. 242 p.
- Bruce, L.D., Redman, R.M. and Lightner, D.V. 1994. Application of gene probes to determine target organs of a penaeid shrimp baculovirus using *in situ* hybridization. *Aquaculture* 120: 45-51.
- Burton, D.R., Williamson, R.A. and Parren, P.W.H.I. 2000. Antibody and virus: binding and neutralization. *Virology* 270: 1-3.

- Cerenius, L., Lenttonen, P., Lindqvist, O.V. and Soderhall, K. 1991. The crayfish pathogen *Prorospermium hancekeii* activates the phenoloxidase activating system of freshwater crayfish *in vitro*. *Aquaculture* 99: 225-233.
- Chang, P.S. and Chen, S.N. 1994. Effect of *Penaeus monodon* type baculovirus (MBV) on survival and growth of larval *Penaeus monodon* Fabricius. *Aquacult. Fish. Manage.* 24: 311-317.
- Chang, C.F., Su, M.S., Chen, H.Y., Lo, C.F., Kou, G.H. and Liao, I.C. 1999. Effect of β -1,3 glucan on resistance to white spot syndrome virus (WSSV) in postlarva and juvenile *Penaeus monodon*. *Dis. Aquat. Org.* 36: 163-168.
- Chantanachookin, C., Boonyaratpalin, S., Kasornchandra, J., Direkbushsarakum, S., Ekpanithan-pong, U., Supamattaya, K., Sriurairatana, S. and Flegel, T.W. 1993. Histology and ultra-structure reveal a new granulosis like virus in *Penaeus monodon* affected by yellow head disease. *Dis. Aquat. Org.* 17: 145-157.
- Chen, S.N. 1995. Current status of shrimp aquaculture in Taiwan. *In* Swimming though troubled water. (ed. Browdy, C.L. and Hopkins, J.S.) pp. 29-34. World Aquaculture Society, Baton Rouge, USA.
- Chen, J.C. and Cheng, S.Y. 1993. Studies in hemocyanin and hemolymph protein levels of *Penaeus japonicus* base on sex, size and moulting cycle. *Comp. Biochem. Physiol.* 106 B: 293-296.
- Chen, J.C. and Cheng, S.Y. 1995. Hemolymph oxygen content, oxyhemocyanin, protein levels and ammonia excretion in the shrimp *Penaeus monodon* expose to ambient nitrite. *Comp. Biochem. Physiol.* 164B: 530-535.
- Chen, S.N. and Kou, G.H. 1989. Infection of cultured cells from the lymphoid organ of *Penaeus monodon* Fabricius by monodon type baculovirus (MBV). *J. Fish Dis.* 12: 73-76.
- Chim, L., Lemaire, P., Delaporte, M., Le Moullac, G., Galois, R. and Martin, J.L.M. 2001. Could a diet enriched with n-3 highly unsaturated fatty acids be considered a promising way to enhance the immune defences and the resistance of penaeid prawns to environment stress. *Aquacult. Res.* 32: 91-94.
- Chou, H.Y., Huang, C.Y., Wang, C.H., Chiang, H.C., Lo, C.F. 1995. Pathogenicity of a baculovirus infection causing white spot syndrome in cultured penaeid shrimp in Taiwan. *Dis Aquat. Org.* 23: 165-173.

- Cowley, J.A., Dimmock, C.M. Wongteerasupaya, S., Boonsaeng, V., Panyim, S. and Walker, P.J. 1999. Yellow head virus from Thailand and gill associated virus from Australia are closely relate but distinct prawn viruses. *Dis. Aquat. Org.* 36: 153-157.
- Depledge, M.H. and Bjerregaard, P. 1989. Haemolymph protein composition and copper levels in decapod crustaceans. *Helgoländer Meeresunters* 43: 207-223.
- Destoumieux, D., Bulet, P., Loew, D., van Dorsselaer, A., Rodriguez, J. and Bachere, E. 1997. Penaeidins: a new family of antimicrobial peptides in the shrimp, *Penaeus vannamei* (decapoda). *J. Biol. Chem.* 272: 28398-28406.
- Destoumieux, D., Bulet, P., Strub, J.M., van Dorsselaer, A. and Bachere, E. 1999. Recombinant expression and range of activity of penaeidins, antimicrobial peptides from penaeid shrimp. *Eur. J. Biochem.* 266: 335-346.
- Douillet, P.A. and Langdon, C.J. 1994. Use of probiotic for the culture of larval of Pacific oyster (*Crassostrea gigas* Thunberg). *Aquaculture* 119: 25-40.
- Engstrom, Y. 1999. Induction and regulation of antimicrobial peptide in *Drosophila*. *Dev. Comp. Immunol.* 23: 345-358.
- Flegel, T.W., Fegan, D.F., Kongsom, S., Vuthikornudomkit, S., Sriurairatana, S., Boonyaratpalin, S., Chantanachookin, C., Vickers, J.E. and Macdonald, O.D. 1992. Occurrence, diagnosis and treatment of shrimp diseases in Thailand. *In Diseases of cultured penaeid shrimp in Asia and the United States.* (ed. Fulks, W. and Main, K.L.) pp. 57-112. The Oceanic Institute, Honolulu, USA.
- Flegel, T.W., Boonyaratpalin, S., Withyachumnarnkul, B. 1997. Current status of research on yellow head virus and white spot virus in Thailand. *In Diseases in asian aquaculture III.* (ed. Flegel, T.W. and MacRae, I.H.) pp. 285-296. Asian Fisheries Society.
- Flegel, T.W. and Pasharawipas, T. 1998. Active viral accommodation: a new concept for crustacean response to viral pathogens. *In Advances in shrimp biotechnology.* (ed. Flegel, T.W.) pp. 245-253. National Center for Genetic Engineering and Biotechnology, Bangkok.
- Floreto., E.A.T., Prince, D.L., Brown, P.B. and Bayer, R.C. 2000. The biochemical profiles of shell diseased American lobsters, *Homarus americanus* Milne Edwards. *Aquaculture* 188: 247-262.

- Fraser, C.A., and Owens, L. 1996. Spawner-isolated mortality virus from Australian *Penaeus monodon*. Dis. Aquat. Org. 24: 141-148.
- Gabay, J.E. and Almeida, R.P. 1993. Antibiotic peptides and serine protease homologs in human polymorphonuclear leukocytes: defensins and azurocidin. Curr. Opin. Immunol. 5: 97-102.
- Ganz, T. and Lehrer, R.I. 1994. Defensins. Curr. Opin. Immunol. 6: 584-589.
- Gomez-Gil, B., Roque, A. and Turnbull, J.F. 2000. The use of selection of probiotic bacteria for use in the culture of larval aquatic organisms. Aquaculture 191: 259-270.
- Guzman, M.A., Ochoa, J.L. and Vargas-Albores, F. 1993. Hemolytic activity in the brown shrimp (*Penaeus californiensis* Holmes) haemolymph. Comp. Biochem. Physiol. 101: 271-275.
- Hall, M., van Heusden, M.C. and Soderhall, K. 1995. Identification of major lipoproteins in crayfish hemolymph as proteins involved in immune recognition and clotting. Biochem. Biophys. Res. Com. 216: 939-946.
- Hall, M., Wang, R., Antwerpen, R.K., Sottrup-Jensen, L. and Soderhall, K. 1999. The crayfish plasma clotting: a vitellogenin related protein responsible for clot formation in crustacean blood. Proc. Natl. Acad. Sci. U.S.A. 96: 1965-1970.
- Hameed, A.S.S., Charles, M.X. and Anilkumar, M. 2000. Tolerance of *Macrobrachium rosenbergii* to white spot syndrome virus. Aquaculture 183: 207-213.
- Hao, N.V., Thuy, D.T., Loan, L.T.T., Phi, T.T., Phuoc, L.H., Duong, H.H.T., Corsin, F. and Chanratchakool, P. 1999. Presence of the two viral pathogens WSSV and MBV in three wild shrimp species (*Penaeus indicus*, *Metapenaeus ensis* and *Metapenaeus lysianassa*) cultured in the mangrove forest of Ca Mau Province. Asian Fish. Sci. 12: 309-325.
- Haryanti, K.S. and Tsumura, S. 1998. Use of By-9 as a probiotic agent in the larval rearing of *Penaeus monodon*. In Advances in shrimp biotechnology. (ed. Flegel, T.W.) p. 283. Asian Fisheries Forum, Chiangmai, Thailand.
- Hasson, K.W. Lightner, D.V. Mohny, L.L. Redman, R.M. and White, B.M. 1999. Role of lymphoid organ spheroids in chronic Taura syndrome virus (TSV) infections in *Penaeus vannamei*. Dis. Aquat. Org. 38: 93-105.

- Hasson, K.W., Lightner, D.V., Poulos, B.T., Redman, R.M., White, B.M., Brock, J.A. and Bonami, J.R. 1995. Taura syndrome in *Penaeus vannamei*: demonstration of a viral aetiology. *Dis. Aquat. Org.* 23: 115-126.
- Hennig, O., Itami, T., Maeda, M., Kondo, M., Natsukari, Y. and Takahashi, Y. 1998. Analyses of hemolymph immunoparameters in kuruma shrimp infected with penaeid rod-shaped DNA virus. *Fish Pathol.* 33: 389-393.
- Hetru, C., Hoffmann, D. and Bulet, P. 1998. Antimicrobial peptides from insect. *In* Molecular mechanisms of immune responses in insects. (ed. Bry, P.T. and Hultmark, D.) pp. 40-66. Chapman and Hall, London.
- Hoffmann, J.A. 1995. Innate immunity of insects. *Curr. Opin. Immunol.* 7: 4-10.
- Holmblad, T. and Soderhall, K. 1999. Cell adhesion molecules and antioxidative enzymes in a crustacean, possible role in immunity. *Aquaculture* 172: 111-123.
- Huang, C.C. and Song, Y.L. 1999. Maternal transmission of immunity to white spot syndrome associated virus (WSSV) in shrimp (*Penaeus monodon*). *Dev. Comp. Immunol.* 23: 545-552.
- Humason, G. 1979. *Animal Tissue Techniques*. Freeman, W.H. and Company, San Francisco. 661 p.
- Hyvarinen, A. and Nikkila, E. 1962. Specific determination of blood glucose with O-toluidine. *Clin. Chem. Acta.* 7: 140-143.
- Inouye, K., Miwa, S., Oseko, N., Nakano, H., Kimura, T., Momoyama, K. and Hiraoka, M. 1994. Mass mortalities of cultured kuruma shrimp, *Penaeus japonicus* in Japan in 1993: electron microscopic evidence of the causative virus. *Fish Pathol.* 29: 149-158.
- Inouye, K., Yamano, K., Ikeda, N., Kimura, T., Nakano, H., Momoyama, K., Kobayashi, J. and Miyajima, S. 1996. The penaeid rod shaped DNA virus (PRDV), which cause penaeid acute viremia (PAV). *Fish Pathol.* 31: 39-45.
- Itami, T., Asano, M., Tokushige, K., Kubono, K., Nakagawa, A., Takeno, N., Nishimura, H., Maeda, M., Kondo, M. and Takahashi, Y. 1998. Enhancement of diseases resistance of kuruma shrimp, *Penaeus japonicus*, after oral administration of peptidoglycan derived from *Bifidobacterium thermophilum*. *Aquaculture* 164: 277-288.

- Itami, T., Yan, Y. and Takahashi, Y. 1992. Study vaccination against vibriosis in cultured kuruma prawn *Penaeus japonicus* I: effect of vaccine concentration and duration of vaccination efficacy. J. Shimonoseki University of Fisheries 40: 83-87.
- Iwanaga, S. 1993. The *Limulus* clotting reaction. Curr. Opin. Immunol. 5: 74-82.
- Jussila, J., Paganini, M., Mansfield, S. and Evans, L.H. 1999. On physiological responses, plasma glucose, total hemocytes count and dehydration of marron *Cherax tenuimanus* (Smith) to handling and transportation under stimulated condition. Freshwater Crayfish 12:154-167.
- Katsu, T., Nakao, S. and Iwanaga, S. 1993. Mode of action of microbial peptide, tachyplesin I, on biomembrane. Biol. Pharm. Bull. 16: 178-181.
- Kawabata, S., Muta, T. and Iwanaga, S. 1996. The clotting cascade and defense molecules found in the hemolymph of the horseshoe crab. In New direction in invertebrate immunology. (ed. Soderhall, K., Iwanaga, S. and Vasta, C.R.) pp. 255-283. Fair Haven, SOS Publications.
- Keith, I.R., Paterson, W.D., Airdrie, D. and Boston, L.D. 1992. Defence mechanisms of American lobster (*Homarus americanus*): vaccination provided protection against gaffkemia infection in laboratory and field trials. Fish Shellfish Immunol. 2: 109-119.
- Kopacek, P., Hall, M. and Soderhall, K. 1993. Characterization of a clotting proteins isolated plasma of the freshwater crayfish *Pacifastacus leniusculus*. Eur. J. Biochem. 213: 591-597.
- Lee, M.H. and Shiau, S.Y. 2002. Dietary copper requirement of juvenile grass shrimp, *Penaeus monodon*, and effects on non-specific immune responses. Fish Shellfish Immunol. 13: 259-270.
- Lehrer, R.I., Ganz, T. and Selsted, M.E. 1991. Defensins: endogenous antibiotic peptides of animal cells. Cell 64: 229-230.
- Lemaitre, B., Reichhart, J.M. and Hoffmann, J.A. 1997. *Drosophila* host defense: differential induction of antimicrobial peptide gene after infection by various classes of microorganisms. Proc. Natl. Acad. Sci. USA. 94: 14614-14619.
- Lightner, D.V. 1996. A hand book of shrimp pathology and diagnosis procedures for diseases of cultured penaeid shrimp. World Aquaculture Society, Baton Rouge, Louisiana, USA.

- Lightner, D.V. and Redman, R.M. 1981. A baculovirus caused disease of the penaeid shrimp, *Penaeus monodon*. J. Invertebr. Pathol. 38: 299-302.
- Lightner, D.V. and Redman, R.M. 1985. A parvo-like virus disease of penaeid shrimp. J. Invertebr. Pathol. 45: 47-53.
- Lightner, D.V., Redman, R.M. and Bell, T.A. 1983. Observations on the geographic distribution, pathogenesis and morphology of the baculovirus from *Penaeus monodon* Fabricius. Aquaculture 32: 209-233.
- Lightner, D.V., Redman, R.M., Poulos, B.T., Nunan, L.M., Mari, J.L. and Hasson, K.W. 1997. Risk of penaeid shrimp viruses in the Americas by international movement of live and frozen shrimp. Rev. Sci. Technol. 16: 146-160.
- Limsuwan, C. 1991. Handbook for cultivation of black tiger prawns. Tansetakit Co. Ltd, Bangkok.
- Lo, C.F., Ho, C.H., Chen, C.H., Liu, K.F., Chiu, Y.L., Yeh, P.Y., Peng, S.E., Hsu, H.C., Liu, H.C., Chang, C.F., Su, M.S., Wang, C.H. and Kou, G.H. 1997. Detection and tissue tropism of white spot syndrome baculovirus (WSBV) in captured brooders of *Penaeus monodon* with special emphasis on reproduction organs. Dis. Aquat. Org. 30: 53-72.
- Lo, C.F., Ho, C.H., Peng, S.E., Chen, C.H., Hsu, H.C., Chiu, Y.L., Chang, C.F., Liu, K.F., Su, M.S., Wang, C.H. and Kou, G.H. 1996. White spot syndrome (WSBV) detected in cultured and captured shrimp, crabs and others arthropods. Dis. Aquat. Org. 27: 215-225.
- Lowry, O.H., Rosebrough, N.J. Farr, A.L. and Randell, R.J. 1951. Protein measurement with the folin phenol reagent. J. Biol. Chem. 193: 265-275.
- Lu, Y., Nadala, E.C.B., Brock, J.A. and Loh, P.C. 1991. A new virus isolated from infectious hypodermal and hematopoietic necrosis virus (IHHNV) infected shrimps. J. Virol. Meth. 31: 189-196.
- Maheswari, R., Mullainadhan, P. and Arumugam, M. 1997. Characterization of a natural haemagglutinin with affinity for acetylated aminosugars in the serum of the marine prawn, *Penaeus indicus* (H. Milne Edwards). Fish Shellfish Immunol. 7: 17-28.
- Marques, M.R.F. and Barracco, M.A. 2000. Lectins, as non self recognition factors in crustaceans. Aquaculture 191: 23-44.

- Mohan, C.V., Shankar, K.M., Kulkarni, S. and Sudha, P.M. 1998. Histopathology of cultured shrimp showing gross signs of yellow head syndrome and white spot syndrome during 1994 Indian epizootics. *Dis. Aquat. Org.* 34: 9-12.
- Momoyama, K., Hiraoka, M., Inouye, K., Kimura, T. and Nakano, H. 1995. Diagnostic techniques of rod-shaped nuclear virus infection in the kuruma shrimp, *Penaeus japonicus*. *Fish Pathol.* 30: 263-269.
- Momoyama, K., Hiraoka, M., Inouye, K., Kimura, T. Nakano, H. and Yasui, M. 1997. Mass mortalities in the production of juvenile greasyback shrimp, *Metapenaeus ensis*, cause by penaeid acute viremia (PAV). *Fish Pathol.* 32: 51-58.
- Munoz, M., Cedeno, R., Rodriguez, J., Knaap, W. P. W., Mialhe, E. and Bachere, E. 2000. Measurement of reactive oxygen intermediate production in haemocytes of penaeid shrimp, *Penaeus vannamei*. *Aquaculture* 191: 89-107.
- Musig, Y. 2002. Shrimp culture development in Thailand and its environmental impacts. *In* Perspective approaches for environmental and health management in aquaculture. pp. 1-9. Proceedings of the JSPS-NRCT international symposium, Rayong, Thailand, 18 November 2002.
- Muta, T., Miyata, T., Misumi, Y., Tokunaga, F., Nakamura, T., Toh, Y., Ikehara, Y. and Iwanaga, S. 1991. *Limulus* factor-C and endotoxin sensitive serine protease zymogen with a mosaic structure of complement like epidermal growth factor like domains. *J. Biol. Chem.* 266: 6554-6561.
- Muta, T, Oda, T. and Iwanaga, S. 1993. Horseshoe crab coagulation factor-B: a unique serine protease zymogen activated by cleavage of an Ile-Ile bond. *Biochemistry* 268: 21384-21388.
- Muta, T, Seki, N., Takaki, Y., Hashimoto, R., Oda, T., Iwanaga, A., Tokunaga, F. and Iwanaga, S. 1995. Purified horseshoe crab factor-G: reconstitution and characterization of the (-1,3 glucan sensitive serine protease cascade. *J. Biol. Chem.* 270: 892-897.
- Nadala, E.C.B. Jr, Lu, Y. and Loh, P.C. and Brock, J.A. 1992. Infection of *Penaeus stylirostris* (Boone) with a rhabdovirus isolated from *Penaeus* spp. *Fish Pathol.* 27: 143-147.

Nadala, E.C.B., Tapay, L.M. and Loh, P.C. 1997. Yellow head virus: a rhabdovirus-like pathogen of penaeid shrimp. *Dis. Aquat. Org.* 31: 141-146.

Nakano, H., Koube, H., Umezawa, S., Momoyama, K., Hiraoka, M., Inuiye, K. and Oseko, N. 1994. Mass mortalities of cultured kuruma shrimp *Penaeus japonicus* in Japan in 1993: epizootiological survey and infection trials. *Fish Pathol.* 29: 135-139.

Nalini, M, Mullainadhan, P. and Arumugam, M. 1994. Characterization of a nature hemagglutinin in the serum of a freshwater crab *Parathelphusa hydrodromus*. *Arch. Int. Physiol. Biochem. Biophys.* 102: 259-264.

Nappi, A.J., Vass, E., Frey, F., Carton, Y. 1995. Superoxide generation in *Drosophila* during melanotic encapsulation of parasites. *Eur. J. Cell Biol.* 68: 450-456.

Noga, E.J., Arroll, T.A., Bullis, R.A. and Khoo, L. 1996a. Antibacterial activity in haemolymph of white shrimp, *Penaeus setiferus*. *J. Mar. Biotechnol.* 4: 181-184.

Noga, E.J., Arroll, T.A. and Fan, Z. 1996b. Specificity and some physicochemical characteristics of the antibacterial activity from blue crab *Callinectes sapidus*. *Fish Shellfish Immunol.* 6: 403-412.

Nunan, L.M., Poulos, B.T. and Lightner, D.V. 1998. The detection of white spot syndrome virus (WSSV) and yellow head virus (YHV) in imported commodity shrimp. *Aquaculture* 160: 19-30.

Owens, L., Anderson, I.G., Kenway, M., Trott, L. and Benzie, J.A.H. 1992. Infectious hypodermal and haematopoietic necrosis virus (IHNV) in hybrid penaeid prawn from tropical Australia. *Dis. Aquat. Org.* 14: 219-228.

Owens, L., De Beer, S., Smith, J. 1991. Lymphoidal parvovirus like particles in Australian penaeid prawns. *Dis. Aquat. Org.* 11: 129-134.

Owens, L., Haqshenas, G., McElnea, C. and Coelen, R. 1998. Putative spawner-isolated mortality virus associated with mid-crop mortality syndrome in farmed *Penaeus monodon* from northern Australia. *Dis. Aquat. Org.* 34: 177-185.

Pantoja, C.R. and Lightner, D.V. 2003. Similarity between the histopathology of white spot syndrome virus and yellow head syndrome virus and its relevance to diagnosis of YHV disease in the Americas. *Aquaculture* 218: 47-54.

Pasharawipas, T., Flegel, T.W., Sriurairatana, S., and Morrison, D.J. 1997. Latent yellow head infections in *Penaeus monodon* and implications regarding disease tolerance or resistance. *In*

- Shrimp biotechnology in Thailand. (ed. Flegel, T.W., Menasveta, P. and Paisarnrat, S.) pp. 45-53. National Center for Genetic Engineering and Biotechnology, Thailand.
- Paterson, W.D. and Stewart, J.E. 1974. *In vitro* phagocytosis by hemocytes of the American lobster (*Homarus americanus*). J. Fish. Res. Board. Can. 31: 1051-1056.
- Paterson, W.D., Stewart, J.E. and Zwicker, E.M. 1976. Phagocytosis as a cellular immune response mechanism in the American lobster, *Homarus americanus*. J. Invertebr. Pathol. 27: 95-104.
- Perrazzolo, L.M. and Barracco, M.A. 1997. The prophenoloxidase activating system of the shrimp *Penaeus paulensis* and associated factors. Dev. Comp. Immunol. 21: 385-395.
- Pratanpipat, P., Nithimethachoke, S., Akarajamorn, A. Nash, G., Withayachumnarnkul, B., Thammasart, S. and Lohawattanukul, C. 1996. The efficiency of formalin for disinfection of systemic ectodermal and mesodermal baculovirus. In World Aquaculture' 96 Book of Abstract. p. 318. The 1996 Annual Meeting of The World Aquaculture Society, Queen Sirikit National Center, Bangkok, Thailand.
- Ramsey, I.K., Spibey, N. and Jarrett, O. 1998. The receptor binding site of feline leukemia virus surface glycoprotein is distinct from the site involved in virus neutralization. Virology 72: 3268-3277.
- Ratanapo, S. and Chulavatnatol, M. 1990. Monodin, a new sialic acid specific lectin from black tiger prawn (*Penaeus monodon*). Comp. Biochem. Physiol. 97B: 515-520.
- Reed, L. J. and Muench, H. 1938 . A simple method of estimating fifty percent end points. Am. J. Hyg. 27: 493-497.
- Rengpipat, S., Rukpratanporn, S., Piyatiratitivorakul, S. and Menasaveta, P. 2000. Immunity enhancement in black tiger shrimp (*Penaeus monodon*) by a probiont bacterium (*Bacillus* S11). Aquaculture 191: 271-288.
- Rodriguez, J., Boulo, V., Mialhe, E. and Bachere, E. 1995. Characterization of shrimp haemocytes and plasma components by monoclonal antibodies. J. Cell Sci. 108: 1043-1050.
- Rojtinnakorn, J., Hirono, I., Itami, T., Takahashi, Y. and Aoki, T. 2002. Gene expression in haemocytes of kuruma prawn, *Penaeus japonicus*, in response to infection with WSSV by EST approach. Fish Shellfish Immunol. 13: 69-83.

- Rosas, C., Cuzon, G., Gaxiola, G., Arena, L., Lemaire, P., Soyez, C. and van Wormhoudt, A. 2000. Influence of dietary carbohydrate on the metabolism of juvenile *Litopenaeus stylirostris*. *J. Exp. Mar. Biol. Ecol.* 249: 181-198.
- Saito, T., Kawabata, S., Shigenaga, T., Cho, J., Nakajima, H., Hirata, M. and Iwanaga, S. 1995. A novel big defensin identified in horseshoe crab hemocytes: Isolation, amino acid sequence and antibacterial activity. *Biochemistry* 117: 1131-1137.
- Sambrook, J. D.W. Russell 2001. *Molecular Cloning, A Laboratory Manual*. 3rd ed. Cold Spring Harbor Laboratory Press. Cold Spring Harbor, New York.
- Sanchez, A., Pascual, C., Sanchez, A., Vargas-Albores, F., Le-Moullac, G. and Rosas, C. 2001. Hemolymph metabolic variables and immune response in *Litopenaeus setiferus* adult males: the effect of acclimation. *Aquaculture* 198: 13-28.
- Seki, N., Muta, T., Oda, T., Iwaki, D., Kuma, K., Miyata, T. and Iwanaga, S. 1994. Horseshoe crab 1,3-(β -D-glucan sensitive coagulation factor-G: A serine protease zymogen heterodimer with similarities to (glucan binding proteins. *J. Biol. Chem.* 269: 1370-1374.
- Smith, V.J. and Chisholm, J.R.S. 1992. Non-cellular immunity in crustaceans. *Fish Shellfish Immunol.* 2: 1-31.
- Smith, V. J. and Ratcliffe, N.A. 1980. Cellular defense reactions of the shore crab, *Carcinus maenas*: *In vivo* hemocytic and histopathological response to injected bacteria. *J. Invertebr. Pathol.* 35: 65-74.
- Smith, V.J. and Soderhall, K. 1983. β -1,3 glucan activation of crustacean haemocytes *in vitro* and *in vivo*. *Biol. Bull. Mar. Biol. Lab. Woods Hole.* 164: 299-314.
- Soderhall, K. 1982. Phenoloxidase activating system and melanization a recognition mechanism of arthropods ? A review. *Dev. Comp. Immunol.* 6: 601-611.
- Soderhall, K. and Ajexson, R. 1982. Effect of quinones and melanin on mycelial growth of *Aphanomyces* spp. And extracellular protease of *Aphanomyces astaci*, a parasite on crayfish. *J. Invertebr. Pathol.* 39: 105-109.
- Soderhall, K. and Cerenius, L. 1992. Crustacean immunity. *Annu. Rev. Fish Dis.* 2: 3-23.
- Soderhall, K. and Cerenius, L. 1998. Role of the prophenoloxidase activating system in invertebrate immunity. *Curr. Opin. Immunol.* 10: 23-28.

- Soderhall, K., Cerenius, L. and Johansson, M.W. 1996. The prophenoloxidase activating system in invertebrates. *In* New direction in invertebrate immunology. (ed. Soderhall, K., Iwanaga, S. and Vasta, C.R.) pp. 229-253. Fair Haven, SOS Publications.
- Soderhall, K., Rogener, W., Newton, R.P. and Ratcliffe, N.A. 1988. The properties and purification of a *Blaberus craniifer* plasma protein which enhances the activation of haemocyte prophenoloxidase by β -1, 3- glucan. *Insect Biochem.* 18: 322-330.
- Song, Y.L. and Hsieh, Y.T. 1994. Immunostimulation of black tiger shrimp (*Penaeus monodon*) hemocytes for generation of microbial substances: analysis of reactive oxygen species. *Dev. Comp. Immunol.* 18: 201-209.
- Song, Y.L., Yu, C.I., Lien, T.W., Huang, C.C. and Lin, M.N. 2003. Hemolymph parameters of Pacific white shrimp (*Litopenaeus vannamei*) infected with Taura syndrome virus. *Fish Shellfish Immunol.* 14: 317-331.
- Sottrup-Jensen, L. 1989. α -Macroglobulins: structure, shape and mechanism of proteinase complex formation. *J. Biol. Chem.* 264: 11539-11542.
- Spann, K.M., Cowley, J.A., Walker, P.J. and Lester, R.J.G. 1997. A yellow head like virus from *Penaeus monodon* cultured in Australia. *Dis. Aquat. Org.* 31: 169-179.
- Spann, K.M., Vickers, J.E. and Lester, R.J.G. 1995. Lymphoid organ virus of *Penaeus monodon* from Australia. *Dis. Aquat. Org.* 23: 127-134.
- Sritanyalucksana, K. 1995. Study of the humoral defense factors in the black tiger prawn, *Penaeus monodon*. A thesis submitted in partial fulfillment of the requirements for the degree of master of science (Biotechnology), Faculty of Graduate Studies, Mahidol University, Bangkok, Thailand 148 p.
- Sritanyalucksana, K., Sithisan, P., Withayachumnarnkul, B., Flegel, T.W. 1999. A preliminary study on activation of agglutinin and antibacterial activity in hemolymph of the black tiger shrimp, *Penaeus monodon*. *Fish Shellfish Immunol.* 9: 21-30.
- Sung, H.H., Chang, H.J., Her, C.H., Chang, J.C. and Song, Y.L. 1998. Phenoloxidase activating of hemocytes derived from *Penaeus monodon* and *Macrobrachium rosenbergii*. *J. Invertbr. Pathol.* 71: 26-33.

- Supamattaya, K., Ruangsri, J., Itami, T., Chitiwan, V., Phromkunthong, W. and Muroga, K. 2003. Morphology and immunological roles of hemocytes and fixed phagocytes in black tiger shrimp *Penaeus monodon*. *Fish Pathol.* 38: 33-39.
- Takahashi, Y., Itami, T., Kondo, M., Maeda, M., Fujii, R., Tomonaka, S., Supamattaya, K. and Boonyaratpalin, S. 1994. Electron microscopic evidence of bacilliform virus infection in kuruma shrimp (*Penaeus japonicus*). *Fish Pathol.* 29: 121-125.
- Takahashi, Y., Itami, T., Maeda, M., Suzuki, N., Kasornchandra, J., Supamattaya, K., Khongpradit, R., Boonyaratpalin, S., Kondo, M., Kawai, K., Kusuda, R., Hirono, I. and Aoki, T. 1996. Polymerase chain reaction (PCR) of bacilliform virus (RV-PJ) DNA in *Penaeus japonicus* Bate and systemic ectodermal and mesodermal baculovirus (SEMBV) in *Penaeus monodon* Fabricius. *J. Fish Dis.* 19: 399-403.
- Takahashi, Y., Uehara, K., Watanabe, R., Okumura, T., Yamashita, T., Omura, H., Yomo, T., Kawano, T., Kanemitsu, A., Narasaka, H., Suzuki, N. and Itami, T. 1998. Efficacy of oral administration of fucoidan a sulfated polysaccharide in controlling white spot syndrome in kuruma shrimp in Japan. *In Advances in shrimp biotechnology.* (ed. Flegel, T. W.) pp. 171-173. Asian Fisheries Forum, Chiangmai, Thailand.
- Tanaka, S., Nakamura, T., Morita, T. and Iwanaga, S. 1982. *Limulus* anti LPS factor: an anticoagulant with inhibits the endotoxin mediated activation of *Limulus* coagulation system. *Biochem. Biophys. Res. Com.* 105: 717-723.
- Tang, K.F.J. and Lightner, D.V. 1999. A yellow head virus gene probe: nucleotide sequence and application for *in situ* hybridization. *Dis. Aquat. Org.* 35: 93-98.
- Thornqvist, P.O., Johanson, N.W. and Soderhall, K. 1994. Opsonic activity of cell adhesion proteins and β -1,3- glucan binding proteins from two crustaceans. *Dev. Comp. Immunol.* 18: 3-12.
- Tsai, M.F., Kou, G.H., Liu, H.C., Liu, K.F., Chang, C.F., Peng, S.E., Hsu, H.C., Wang, C.H. and Lo, C.F. 1999. Long-term presence of white spot syndrome virus (WSSV) in cultivated shrimp population without disease outbreaks. *Dis. Aquat. Org.* 38: 107-114.
- Tsing, A., Arcier, J.M. and Brehelin, M. 1989. Hemocytes of penaeid and palaemonid shrimps: Morphology, cytochemistry and hemogrammes. *J. Invertebr. Pathol.* 53: 64-77.

- van de Braak, C.B.T., Botterblom, M.H.A, Huisman, E.A., Rombout, J.H.W.M. and van der Knaap, W.P.W. 2002a. Preliminary study on haemocyte response to white spot syndrome virus infection in black tiger shrimp *Penaeus monodon*. Dis. Aquat. Org. 51: 149-155.
- van de Braak, C.B.T., Botterblom, M.H.A, Taverne, N., van Muiswinkel, W.B., Rombout, J.H.W.M. and van der Knaap, W.P.W. 2002b. The role of haemocytes and the lymphoid organ in the clearance of injected *Vibrio* bacteria in *Penaeus monodon* shrimp. Fish Shellfish Immunol. 13: 293-309.
- van Hulten, M.C.W., Witteveldt, J., Snippe, M. and Vlak, J.M. 2001. White spot syndrome virus envelope protein VP-28 is involved in the systemic infection of shrimp. Virology 285: 228-233.
- Vega-Villasante., F. and Puente, M.E. 1993. A review of viral diseases of cultured shrimp. Prev. Vet. Med. 17: 271-282.
- Venegas, C.A., Nonaka, L., Mushiake, K., Nishisawa, T. and Muroga, K. 2000. Quasi immune response of *Penaeus japonicus* to penaeid rod shaped DNA virus (PRDV). Dis. Aquat. Org. 42: 83-89.
- Vogt, G. 1992. Transformation of anterior midgut and hepatopancreas cells by monodon baculovirus (MBV) in *Penaeus monodon* postlarvae. Aquaculture 107: 239-248.
- Vogt, G. 1996. Cytopathology of bay of Piran shrimp virus (BPSV), a new crustacean virus from the Mediterenian Sea. J. Invertebr. Pathol. 68: 239-245.
- Wang, C.S., Tang, K.F.J., Kou, G.H. and Chen, S.N. 1996. Yellow head disease-like virus infection in the kuruma shrimp *Penaeus japonicus* cultured in Taiwan. Fish Pathol. 31: 177-182.
- Wilson, R., Chen, C. and Ratcliffe, N.A. 1999. Innate immunity in insects: the role of multiple, endogenous serum lectins in the recognition of foreign invaders in the cockroach, *Blaberus discoidalis*. Immunology 162: 1590-1596.
- Withyachumnarnkul, B. 1999. Results from black tiger shrimp *Penaeus monodon* culture ponds stocked with postlarvae PCR positive or negative for white spot syndrome virus (WSSV). Dis. Aquat. Org. 39: 21-27.
- Wongteerasupaya, C., Vickters, J.E., Sriurairatana, S., Nash, G.L., Akarajamorn, A. Boonsaeng, V. Panyim, S., Tassanakajon, A. Withyachumnarnkul, B., Flegel, T.W. 1995a. A non-occluded,

- systematic baculovirus that occur in cells of ectodermal and mesodermal origin and causes high mortality in the black tiger prawn *Penaeus monodon*. Dis. Aquat. Org. 21: 69-77.
- Wongteerasupaya, C., Sriurairatana, S., Vickters, J.E., Anutara, A., Nash, G.L., Akarajamorn, A., Boonsaeng, V., Panyim, S., Tassanakajon, A. Withyachumnarnkul, B., Flegel, T.W. 1995b. Yellow-head virus of *Penaeus monodon* is an RNA virus. Dis. Aquat. Org. 22: 45-50.
- Wu, J.L., Nishioka, T., Mori, K., Nishizawa, T. and Muroga, K. 2002. A time course study on the resistance of *Penaeus japonicus* induced by artificial infection with white spot syndrome virus. Fish Shellfish Immunol. 13: 391-403.
- You, Z., Cesar, E., Nadala, B., Yang, J., van Hulten, M.C.W. and Loh, P.C. 2002. Production of polyclonal antiserum specific to the 27.5 kDa envelope protein of white spot syndrome virus. Dis. Aquat. Org. 51: 77-80.