

เอกสารอ้างอิง

- มาลิน จุลศิริ. 2540. ยาต้านจุลชีพ ความรู้พื้นฐานและการประยุกต์ คณะเภสัชศาสตร์ มหาวิทยาลัยมหิดล. หน้า 43-57. โรงพิมพ์สถาบันพัฒนาการสาธารณสุขอาเซียน.
- ลัดดา วงศ์รัตน์. 2540. รวมสูตรอาหารสำหรับเลี้ยงแพลงค์ตอนพืชนำเค็มหรือสาหร่ายนำเค็ม. ใน คู่มือการเลี้ยงแพลงค์ตอน. หน้า 108-109. สำนักพิมพ์มหาวิทยาลัยเกษตรศาสตร์. กรุงเทพฯ.
- อนชา อุทัยพัฒน์, นงลักษณ์ สุขวนิชย์ศิลป์. 2541. เภสัชวิทยาเล่ม 2. ภาควิชาเภสัชวิทยา คณะเภสัชศาสตร์ มหาวิทยาลัยมหิดล. หน้า 4. นิตย์ไทยมิตรการพิมพ์ (1996) จำกัด.
- Alves, A.P., Mulloy, B., Diniz, J.A. and Mourao, P.A.S. 1997. Sulfated polysaccharides from the egg jelly layer are species-specific inducers of acrosomal reaction in sperms of sea urchins. *J. Biol. Chem.* 272 : 6965-6971.
- Bouhedja, F.H., Ellouali, M., Sinquin, C. and Vidal, C.B. 2000. Relationship between sulfate groups and biological activity of fucans. *Thromb Res.* 100: 453-459.
- Cappuccino, J.P. 1986. Agar plate sensitivity method. In *Microbial A Laboratory Manual*, p. 260-261. The Benjamin Cummings Publishing Company Inc. California.
- Collicec, S., Vidal, C.B. and Jozefonviez, J. 1994. A low molecular weight fucoidan fraction from the brown seaweed *Pelvetia canaliculata*. *J. Phytochem.* 35 : 697-700.
- Dietrich, C.P., Farias, G.G.M., de Abreu, L.R.D., Leite, E.L., da Silva, L.F. Nader, H.B. 1995. A new approach for the characterization of polysaccharides from

- algae: presence of four main acidic polysaccharides in three species of class Phaeophyceae. Plant Science. 108: 143-153.
- Dische, Z. 1947. A new specific color reaction of hexuronic acids. J. Biol. Chem. 167: 189-198.
- Doner, L.W. and Whistler, R.L 1973. Fucoidan. In Industrial gums polysaccharide and their derivitives, p. 115-120. Academic press Inc. New York.
- Duarte, M.E.R., Cardoso, M.A., Noseda, M.D. Cerezo, A.S. 2001. Structural studies on fucoidans from the brown seaweed *Sargassum stenophyllum*. Carbohydr Res. 333: 281-293.
- Fabregas, J., Garcia, D., Fernaudez, A.M., Rocha, A.I., Gomez, P., Escribano, J.M., Otero, A. and Coll, J.M. 1999. *In vitro* inhibition of the replication of haemorrhagic septicaemia virus (VHSV) and African swine fever virus (ASFV) by extracts from marine microalgae. Antiviral Res. 44 : 67-73.
- Farndale, R.W., Buttle, D.J. and Barrett, A.J. 1986. Improved quantitative and discrimination of sulphated glycosaminoglycans by use of dimethylmethylene blue. Biochem. Biophys. Acta. 883: 173-177.
- Fuiihara, M., Tizima, N., Yamamoto, I. Nagumo, T. 1984. Purification and chemical and physical characterisation of an antitumour polysaccharide from the brown seaweed *Sargassum fulvellum*. Carbohydr Res. 125:97-106.
- Hellio, C., De La Broise, D., Dufosse, L., Le Gal, Y. Bourgougnon, N. 2001. Inhibition of marine bacteria by extracts of macroalgae: potential use for environmentally friendly antifouling paints. Mar. Environ. Res. 52: 231-247.
- Hoshino, T., Hayashi, T., Hayashi, K., Hamada, J. and Lee, J.B. 1998. An Antivirally active sulfated polysaccharide from *Sargassum horneri* (Tuner) C. Agardh. Biol. Pharm. Bull. 21 : 730-734.
- Itami, T., Takahashi, Y., Tsuchihira, E., Igusa, H., Kondo, M. 1994. Enhancement of disease resistance of kuruma prawn *Penaeus japonicus* and increase in

- phagocytic activity of prawn hemocytes after oral administration of β 1,3-glucan (Schizophyllan). In: Chou, L.M., Munro, A.D., Lam, T.J., Chen, T.W., Cheong, L.K.K., Ding, J.K., Hooi, K.K., Khoo, H.W., Phang, V.P.E., Shim, K.F., Tan, C.H. (Eds.), The 3rd Asian Fisheries Forum. Asian Fisheries Society, Manila, Philippines, pp. 375-378.
- Lennette, E.H., Spaulding, E.H. and Truant, J.P. 1974. Dilution test procedures. In Manual of clinical microbiology, p. 410-417. American society for microbiology. Washington D.C.
- Lillie, R.D., and Fullmer, H. M. 1976. In Staining procedure fourth edition, p 200-201. Waverly Press Inc, USA.
- Lobban, S.C., Harrison, J.P. and Duncan, M.J. 1985. Storage and structure polysaccharide. In The Physiological Ecology of Seaweeds, p. 123-130. Cambridge University Press. New York.
- Logeart, D., Prigent, S.R., Jozefonvicz, J. and Letourneur, D. 1997. Fucan, sulfated polysaccharides extracted from brown seaweeds, inhibit vascular smooth muscle cell proliferation. Eur. J. Cell. Biol. 74 : 376-384.
- Lowry, O.H., Rosebrough, N.J., Farr, A.L. and Randall, R.J. 1951. Protein measurement with the folin reagent. J. Biol. Chem. 193: 265-275.
- Matsuda, M., Shigeta, S. and Okutani, K. 1999. Antiviral activities of marine *Pseudomonas* polysaccharides and their oversulfated derivatives. Mar. Biotech. 1 : 68-73.
- Pallister, C. 1994. Haemostasis. In Blood physiology and pathophysiology, p. 447-464. Bath Press. Oxford.
- Pereira, M.S., Mulloy, B. and Mourao, P.A.S. 1999. Structure and anticoagulant activity of sulfated fucans. J. Biol. Chem. 274 : 7656-7667.

- Rao, P.S. and Parekh, K.S. 1981. Antibacterial activity of Indian seaweed extracts. Bot. Mar. 25 : 577-582.
- Rengpipat, S., Rukpratanporn, S., Piyatiratitivorakul, S. Menasaveta, P. 2000. Immunity enhancement in black tiger shrimp (*Penaeus monodon*) by a probiont bacterium (*Bacillus S11*). Aquaculture 191: 271-288.
- Robertsen, B., Rorstad, G., Engstad, R. Raa, J. 1990. Enhancement of non-specific disease resistance in Atlantic salmon, *Salmo salar* L., by a glucan from *Saccharomyces cerevisiae* cell wall. J. Fish Dis. 13:391-400.
- Smith, V.J., Soderhall, K. 1991. A comparison of phenoloxidase activity in the blood of marine invertebrates. Dev. Comp. Immunol. 15 :251-261.
- Sugawara, I., Itoh, W., Kimura, S., Mori, S. and Shimada K. 1989. Further characterization of sulfated homopolysaccharide as anti- HIV agent. Experientia 45: 996-998.
- Takahashi, Y., Uehara, K., Watanabe, R., Okumura, T., Yamashita, T., Omura, H., Yomo, T., Kanemitsu, A., Kawano, T., Narasaka, H., Suzuki, N. and Itami, T. 1998. Efficacy of oral administration Shrimp in Japan. In Flegel TW (ed) Advances in shrimp biotechnology. National Center for Genetic Engineering and Biotechnology, Bangkok, p.171-173.
- Takano, R., Yokoi, T., Kamei, K., Hara, S. and Hirase, S. 1999. Coexistence of agaroid and carrageenan structures in a polysaccharide from the red seaweed *Rhodomela larix*. Bot. Mar. 42 : 183-188.
- Witvrouw, M. and De Clercq, E. 1997. Sulfated polysaccharides extracted from sea algae as potential antiviral drugs. Gen. Pharmacol. 29 : 497-511.
- Winzler, R.J. 1971. Determination of serum glycoproteins. Methods of Biochemical Analysis. 2 : 294-296.

Zhuang, C., Itoh, H., Mizuno, T. and Ito, H. 1995. Antitumor active fucoidan from the brown seaweed, Umitoranoo (*Sargassum thunbergii*). Biosci. Biotech. Biochem. 59 : 563-567.