

## เอกสารอ้างอิง

กรมควบคุมมลพิษฝ่ายคุณภาพทะเล (ออนไลน์). 2004. สืบค้นจาก:

<http://www.hemmerthed.gistda.or.th> (7 มิถุนายน 2547)

กระทรวงอุตสาหกรรม. 2538. ตะกั่วในอาหารกระป๋อง. สำนักงานมาตรฐานผลิตภัณฑ์อุตสาหกรรม กระทรวงพาณิชย์ (ออนไลน์). 2007. สืบค้นจาก:

<http://www.moc.go.th> (20 กุมภาพันธ์ 2550)

ดวงพร คันชโชติ และ พรศิลป์ ศิริพงษ์วุฒิกร. 2529. การดูดซับโลหะหนักโดยแบคทีเรียแกรมลบ. ว.เศรษฐศาสตร์อุตสาหกรรมและวิทยาศาสตร์ 5:118-203.

ประภาพร วิถีสวัสดิ์. 2538. การวิเคราะห์หาปริมาณโลหะหนัก ทองแดง ตะกั่ว และแคดเมียม ในเชื้อเห็ดแต่ละอวัยวะ ของกึ่งกลาดำ (*Penacus monodon Fabricius*) ในดินและน้ำจากนาทุ่ง อ.หาดใหญ่ จ. สงขลา. วิทยานิพนธ์วิทยาศาสตรมหาบัณฑิต. มหาวิทยาลัยสงขลานครินทร์ รัชยาภรณ์ ผลมั่ง และ พูนสุข ประเสริฐสรรพ. 2540. การดูดซับโลหะหนักโดยแบคทีเรีย. ว.สงขลานครินทร์ วทท. 19:395-404.

วรรณมา ชูฤทธิ์, นัยทัศน์ ภูธรันย์, อรัญ หันพงศ์กิตติกุล และทิพรัตน์ หงษ์ทริศรี. 2544. การเตรียมอาหารเลี้ยงเชื้อ. ในคู่มือปฏิบัติการจุลินทรีย์ของผลิตผลเกษตร1. หน้า 37. คณะอุตสาหกรรมเกษตร มหาวิทยาลัยสงขลานครินทร์.

อรไท สุขเจริญ. 2545. การดูดซับไอออนตะกั่วโดยเชื้อจุลินทรีย์. ว.วิจัย มหาวิทยาลัยรามคำแหง 5:114-133.

Ahalya, N., Pamachandra, V. T. and Kanamadi, D. R. 2003. Biosorption of heavy metal. Res. J. Chem. Environ. 7:77-79.

Aksu, Z and donmez, G. 2006. Binary biosorption of cadmium (II) and nickel (II) onto dried *Chlorella vulgaris*: Co-ion effect on mono-component isotherm parameters. Process Biochem. 41: 860-868.

Andrea, F. L., Soccol, T., Pandey A. and Soccol, R. C. 2007. Effect of nutritional and environmental conditions on the production of exo-polysaccharides of *Agaricus brasiliensis* by submerged fermentation and its antitumor activity. LWT. 40: 30-35.

Bradford, M. M. 1976. A rapid and sensitive method for the quantitation of microgram quantities of protein utilizing the principle of protein-dry binding. Anal. Chem. 72: 248-254

- Beech, B. I. and Cheung, S. W. C. 1995. Interactions of exopolymer produced by sulphate-reducing bacteria with metals ions. *Int. Biodeter. Biodegr.* 95: 59-72 .
- Bertocchi, C., Delneri, D., Signore, S. and Weng, Z. 1997. Characterization of microbial cellulose from a high-producing mutagenized *Acetobacter pasteurianus* strain. *BBA.* 1336: 211-217.
- Boularbah, A., Schwartz, C., Bitton, G. and Morel, J. L. 2006. Heavy metal contamination from mining sites in South Morocco: 1. Use of a biotest to assess metal toxicity of tailings and soils. *Chemosphere.* 63: 802–810.
- Brock, D. T. 1991. Cell Biology, *In* Biology of Microorganism. 6<sup>th</sup> ed. ( Brock, D. T and Medigan, T. M.) p 72-76. Prentice-Hall International, London.
- Bruins, M. R., Kapil, S. and Oehme, W. F. 2000. Microbial resistance to metal in the environment. *Ecotox. Environ. Safe.* 45:198-207.
- Burdman, S., Jurkeritch, E., Soria-Diaz, E. Maria., Serrano, M. Antonio. and Okon, Y. 2000. Extracellular polysaccharide composition of *Azospirillum brasilense* and its relation with cell aggregation. *FEMS Microbiol. lett.* 189: 259-264.
- Cappuyns, V., Swennen, R., Vandamme, A. and Niclaes, M. 2006. Environmental impact of the former Pb-Zn mining and smelting in East Belgium. *J. Geochem. Explor.* 88: 6-9.
- Cloete T.E. 2003. Resistance mechanisms of bacteria to antimicrobial compounds. *Int. Biodeter. Biodegr.* 51: 277-282.
- Crescenzi V. 1995. Microbial polysaccharides of applied interest: Ongoing research activities in Europe. *Biotechnol. Prog.* 11: 251-259.
- Degeest, B. and De Vuyst, L. 1999. Indication that the nitrogen source influence both amount and of exopolysaccharides produced by *Streptococcus thermophilus* LY03 and modeling of bacterial growth and exopolysaccharide production in a complex medium. *Appl. Environ. Microbiol.* 65: 2863-2870.
- Ding, Q., Labell, M., Yun, J. B. and Montgomery, R. 2003. Physicochemical studies of extracellular polysaccharides of *Erwinia chrysanthemi* spp. *Carbohydr. Polym.* 51:333-346.
- Donald, V. and Judith, G. V. 2004. Biochemistry. Vol. 3. 3<sup>rd</sup> Ed. John Wiley & Sons, INC. USA.

- Duenas, M., Munduate, A., Perea, A. and Irastorza, A. 2003. Exopolysaccharide production by *Pediococcus damnosus* 2.6 in a semidefined medium under different growth condition. *Int. J. Food. Microbiol.* 87: 113-120.
- Ferraro, L., Sprovieri, M., Alberico, I., Lirer, F., Prevedello, L. and Marsella, E. Benthic foraminifera and heavy metals distribution: A case study from the Naples Harbour (Tyrrhenian Sea, Southern Italy). *Environ. Pollut.* 142: 274-287.
- Ford, T. and Mitchell, R. 1992. Microbial transport of toxic metals. *In Environmental Microbiology.* (Mitchell, R.). p. 83-101. John wiley & sons, INC. USA.
- Gadd, M. G. 1992. Microbial Control of Heavy metal Pollution. *In Microbial control of pollution.* Vol. 48. (Gadd, M. G., ed.). p. 59-99. Symposium.
- Gadd, G. M. 2004. Microbial influence on metal mobility and application for bioremediation. *Geoderma.* 122: 109-119.
- Gandhi, P. H., ray, M. R. and Patel, M. R. 1997. Exopolymer production by *Bacillus species*. *Carbohyd. Polym.* 34: 323-327.
- Ganzeveld, K. J., Hagen, A., Agteren, M. H., Koning, W. and Uiterkamp, A. J. M. S. 1999. Upgrading of organic waste: production of copolymer poly – co – valerate by *Ralstonia eutrophus* with organic waste as sole carbon source. *J. Clean Prod.* 7: 413-419.
- Geesey, G. G. and Jang, L. 1989. Extracellular polymer of metal binding. *In Bacterial Interactions with Metallic Ions.* ( Beveridge, T. J. and Doyle, J. R.). p. 223-247. John Wiley & Sons. New York.
- Gerald, R. and Tilak, W. N. 1991. Yeast- Derived products. *In Yeast technology.* (Gerald, R. and Tilak, W. N.). p140-144. Van Nostrand Reinhold. New York.
- Gutnick, L. D. and Bach, H. 2000. Engineering bacterial biopolymers for the biosorption of heavy metals; new products and novel formulations. *Appl. Microbiol. Biotechnol.* 54:451-460.
- Hamed, M. A. and Emara, A. M. 2006. Marine molluscs as biomonitors for heavy metal levels in the Gulf of Suez, Red Sea. *J. Marine Syst.* 60: 220-234.
- Heegaard, N. H. H., Nilsson, S. and. Guzman, N. A. 1998. Affinity capillary electrophoresis: important application areas and some recent developments. *J. Chromatogr-Biomed.* 715: 29-54.

- Iyer, A., Mody, K. and Jha, Bhavanath. 2005. Biosorption of heavy metals by a marine bacterium. *Marine. Pollut. Bulletin.* 50: 340-343.
- Jensen-Spaulding, A., Shuler, L. M. and Lion, W. L. 2004. Mobilization of adsorbed copper and lead from naturally aged soil by bacterial extracellular polymers. *Wat. Res.* 38: 1121-1128.
- Kertesz, V., Bakonyi, G. and , Farkas, B. 2006. Water pollution by Cu and Pb can adversely affect mallard embryonic development. *Ecotox. Environ. Safe.* Article in press.
- Kimmel, S. A., Robert, R. F. and Ziegler, G. H. 1998. Optimization of exopolysaccharide production by *Lactobacillus delbrueckii* spp. *bulgaricus* NCFB 2772 grown in a chemically defined medium. *Appl. Environ. Microbiol.* 64: 659-664.
- Kratochvil, A. and Volesky, B. 1998. Advances in the biosorption of heavy metals. *Tibtech.* 16: 291-300.
- Krull, I. S., Sebag, A. and Stevenson, R. 2000. Specific applications of capillary electrochromatography to biopolymers, including proteins, nucleic acids, peptide mapping, antibodies, and so forth . *J. Chromatogr A.* 887: 137-163.
- Lato, M., Brunelli, B. and Ciuffini, G. 1968. Thin-layer chromatography of carbohydrate on silica gel impregnated with sodium acetate monosodium phosphate. *J. Chromatogr.* 39: 407-417.
- Lee, Y. I., Seo, T. W., Kim, K. M., Ahn, G. S., Kwon, S. G. and Park, H. Y. 1997. Optimization of fermentation conditions for production of exopolysaccharides by *Bacillus polymyxa*. *Bioprocess Eng.* 16: 71-75.
- Leung, W. C., Chua H. and La, W. 2001. Biosorption of heavy metals by bacteria isolated from activated sludge. *Appl. Biochem. Biotechnol.* 91-93: 171-184.
- Levi, E. P. 2000 (a). Target organ toxicity, *In Modern Toxicology.* Vol. II. (Hodgson, E and Levi, E. P.). p 199-228. McGraw-Hill Press. Singapore.
- Levi, E. P. 2000 (b). Classes of toxic chemical, *In Modern Toxicology.* Vol. II. (Hodgson, E and Levi, E. P.). p 229-284. McGraw-Hill Press. Singapore.
- Lin, Y., Zhang. and Thibault, J. 2007. *Aureobasidium pullulans* batch cultivations based on a factorial design for improving the production and molecular weight of exopolysaccharides. *Process Biochem.* 42: 820-827.

- Lindberg, B. 1998. Components of bacterial polysaccharides. *In* Bacterial Polysaccharides. Stockhome university, Stockholme, Sweden. 237-273.
- Loace, M., Olier, R. and Guezennec, J. 1997. Uptake of lead, cadmium and zinc by novel bacteria exopolysaccharide. *Wat. Res.* 31: 1171-1179.
- Looijesteijn, P. J. and Hugenholtz, J. 1999. Uncoupling of growth and exopolysaccharide production by *Lactococcus lactis* subsp. *cremoris* NIZO B40 and optimization of its synthesis. *J. Biosci. Bioen.* 88: 178-182.
- Martý, J. A., Arias, M. L. and Corbi, J. M. 2006. Heavy metals contents in agricultural topsoils in the Ebro basin (Spain). Application of the multivariate geoestatistical methods to study spatial variations. *Environ. Pollut.* 114: 1001-1012.
- Mejare, M. and Mulow, L. 2001. Metal-binding protein and peptides in bioremediation and phytoremediation of heavy metals. *TRENDS Biotechnol.* 19:67-73.
- Morin, A. 1998. Screening of polysaccharide-producing influencing the production, and recovery of microbial polysaccharides. Agriculture and Agri-Food Canada, St. Hyacinthe, Quebec, Canada. 275-296.
- Muezzinoglu, A. and Sibel, C. C. 2006. Deposition of heavy metals in a Mediterranean climate area. *Atmos. Res.* 81: 1-16.
- Nampoothiri, M., K., S., Rani, R., Sabarinath, C. and Pandey, A. 2003. Fermentative production of gellan using *Sphingomonas paucimobilis*. *Process Biochem.* 38: 1513-1519.
- Nichols, C. A., Guezennec, J. and Bowman, P. J. 2005. Bacteria Exopolysaccharides from extreme marine environments with special consideration of the southern ocean, sea ice and deep-sea hydrothermal vents. *Marine Bioch.* 7: 235-271.
- Normand, V. P. A., Lootens, D. L., Amici, E., Plucknett, K. P. and Frith, W. J. 2003. Measurement of uncertainty in peptide molecular weight determination using size- Effect of sucrose on agarose gels mechanical behaviour. *Carbohydr. Polym.* 54: 83-95.
- Nui, H and Volesky, B. 2003 Characteristic of anionic metal species biosorption with waste crab shells. *Hydrometallurgy.* 71: 209-215.
- Oliva, A., Fariña, J. B. and Llabrés, M. 2004. Exclusion chromatography with multi-angle laser light-scattering detection and matrix-assisted laser desorption/ionization time-of-flight mass spectrometry. *Anal. Chimica. Acta.* 512: 103-110.

- Ozdemir, G., Ozturk, T., Ceyhan, N., Isler, R and Cosar, T. 2003. Heavy metal biosorption by biomass of *Ochrobactrum anthropi* producing exopolysaccharide in activated sludge. *Bioresource Technol.* 90: 71-74.
- Pulsawat, W., Leksawasdi, N., Roger, P. L. and Foster, R. J. L. 2003. Anions effects on biosorption on Mn ( II ) by extracellular polymeric substance ( EPS ) from *Rhizobium etli*. *Biotechnol. Lett.* 25: 1267-1270.
- Revilla-Nuin, B., Rodriguez, A., Leandro, B., Ferrero, A. M. and Reglero, A. 1998. Regulation of capsular polysialic biosynthesis by *N*-acetyl-D-mannosamine, an intermediate of sialic acid metabolism. *FEBS Lett.* 426: 191-195.
- Roby, F. J and White, J. B. 1987. *Biochemical Techniques Theory and Practice*. Brooks/ Cole Publishing Company. Monterey, California.
- Romero-Isart, N. and Vasak, M. 2002. Advances in the structure and chemistry of metallothioneins. *J. Inor. Biochem.* 44 :388-396
- Rud, T., Sterritt, R. M. and Lester, J. N. 1984. Formation and condition stability constants of complexes formed between heavy metals and bacterial extracellular polymer. *Wat. Res.* 18: 379-384.
- Salehizadeh, H. and Shojaosadati, S.A., 2003. Removal of metal ions from aqueous solution by polysaccharide produce from *Bacillus firmus*. *Wat. Res.* 37; 4231-4235.
- Shingel, I. K. 2002. Determination of structural peculiarities of dextran, pullan  $\gamma$ -irradiated pullulan by Fourier-transform IR spectroscopy. *Carbohydr. Res.* 337: 1145-1451.
- Shu, C. H. and Lung, M.Y. 2003. Effect of pH on the production and molecular weight distribution of exopolysaccharides by *Antrodia camphorate* in batch cultures. *Process Biochem.* 1-7.
- Sinha, J., Bae, J.T., Park, J.P., Kim, K.H., Song, C. H. and Yun, J.W. 2001. Changes in morphology of *Paecilomyces japonica* and their effect on broth rheology during production of exo-biopolymer . *Appl. Microbiol. Biotechnol.* 56:88-92.
- Sutherland, I.W. 1990. *Biotechnology of Microbial Polysaccharides*. Cambridge University Press. UK.
- Sutherland, I.W. 1996. Microbial biopolymers from agricultural products: production and potential. *Int. Biodeter. Biodegr.* 249-261.

- Tallon, R., Bressollier, P. and Urdaci, M. C. 2003. Isolation and characterization of two exopolysaccharides produced by *Lactobacillus plantarum* EP56. Res. Microbiol. 154: 705-712.
- Tembo, B. D., Sichilongo, K. and Cernak, J. 2006. Distribution of copper, lead, cadmium and zinc concentrations in soils around Kabwe town in Zambia. Chemosphere. 63: 497-501.
- Tokalyógc, S. and Kartal, S. 2006. Multivariate analysis of the data and speciation of heavy metals in street dust samples from the Organized Industrial District in Kayseri (Turkey). Atmos. Environ. 40: 2797-2805.
- Toole, G. A., Kačuráková, M., Smith, A. C., Waldron, K. W. and Wilson, R. H. 2004. FT-IR study of the *Chara corallina* cell wall under deformation. Carbohydr. Res. 339: 629-635.
- Valls, M. and Lorenzo, V. 2002. Exploiting the genetic and biochemical capacities of bacteria for the remediation of heavy metal pollution. FEMS Microbiol. 26:327-338.
- Vernami, V. M., Kelkar, M. S. and Kamat, Y. M. 1995. Production and optimization of centrain growth parameters for an exopolysaccharides from *Azotobacter vinelandii* MTCC 2460 isolation from a plant rhizospere. J. Ferment. Bioeng. 80: 599-602.
- Volesky, B., and Holan, R. Z. 1995. Biosorption of heavy metals. Biotechnol. Prog. 11: 235-250.
- Volesky, B. 2001. Detoxification of metal-bearing effluents: biosorption for the next century. 59: 203-216.
- Weiner, M. R. 1997 . Biopolymers from marine prokaryotes . J. Marine. Biotechnol. 15:390-394.
- Wu, H. C., Shen, F. W., Hong, X., Chang, W. V. and Wine, H. 2003. Monitoring the degradation process of biopolymers by ultrasonic longitudinal wave pulse-echo technique. Biomaterials. 24: 3871-3876.
- Zhou, D., Zhanga, L., houa, J. and Guo, S. 2004. Cellulose/chitin beads for adsorption of heavy metals in aqueous solution. Wat. Res. 38: 2643-2650.