

ເອກສາຣອ້າງອີງ

- Arunachalam, K. D. 1999. Role of *Bifidobacteria* in nutrition. Med. Technol. Nutr. Res. 19: 1559-1597.
- Aslim, B., Yuksekdag, Z., Beyatli, N., and Mercen, N. 2005. Exopolysaccharides production by *Lactobacillus delbrueckii* subsp. *bulgaricus* and *Streptococcus thermophilus* strains under different growth condition. World J. Microb. Biot. 21: 673-677.
- Bouhnik, Y., Vahedi, K. and Achour, L. 1999. Short chain fructo-oligosaccharide administration dose-dependently increase *Bifidobacteria* in healthy human. J. Nutr. 6: 113-116.
- Broadbent, J. R., McMahon, D. J., Welker, D. L., Ober, C. J. and Moineau, S. 2003. Biochemistry, genetics and application of exopolysaccharide production in *Streptococcus thermophilus*. J. Dairy Sci. 86: 407-423.
- Cagno, R. D., Angelis, M. D., Limitone, A., Minervini, F., Carnevali, P., Corsetti, A., Gaenzle, M., Ciati, R. and Gobbetti, M. 2006. Glucan and fructan production by sourdough *Weissella cibaria* and *Lactobacillus plantarum*. J. Agr. Food. Chem. 54: 9871-9881.
- Campbell, J. M., Fahey, G. C. and Wolf, B. W. 1997. Selected indigestible oligosaccharides effect large bowel mass, caecal and faecal short chain fatty acid, pH and microflora in rats. J. Nutr. 127: 130-136.
- Claire, L. V., Bodun, A. R. and Glenn, R. G. 2006. Human Colonic Microbiology and the Role of Dietary Intervention: Introduction to Prebiotics. Prebiotic: Development and Application. John Wiley & Sons. Ltd. p.1-28.
- Coppa, G. V., Zampini, L., Galeazzi, T., Facinelli, B., Ferrante, L., Capretti, R. and Orazio, G. 2006. Human milk oligosaccharides inhibit the adhesion to caco-2 cells of diarrhea pathogens: *Escherichia coli*, *Vibrio cholerae* and *Salmonella typhimurium*. Int. Pediatric Res. Found. 59: 377-382.
- Cerning, J. 1990. Exocellular exopolysaccharide produced by Lactic acid bacteria. FEMS Microbiol. Rev. 87: 113-130.
- Cumming, J. H., Macfarlane, G. T. 1991. The control and consequence of bacterial fermentation in the human colon. J. Appl. Bacteriol. 70: 443-59.

- Cumming, J. H. and Englyst, H. N. 1987. Fermentation in the human large intestine and the available substrates. Am. J. Clin. Nutr. 45: 1243-55.
- Degeest, B. and De Vuyst, L. 1999. Indication that the nitrogen source influence both amount and of exopolysaccharides produced by *Streptococcus thermophilus* LY03 and modeling of bacterial growth and exopolysaccharide production in a complex medium. Appl. Environ. Microbiol. 65: 2863-2870.
- Degeest, B., Van de Ven, S. and De Vuyst, L. 1997. Isolation and production of exopolysaccharide by *thermophilus* and strong evidence for their growth-associated biosynthesis. Appl. Biotechnol. 11: 1999-1206.
- De Vuyst, L., Vanderveken, F., Van de Ven, S. and Degeest, B. 1998. Production by and isolation of exopolysaccharide from *Streptococcus thermophilus* grow in milk medium and evidence for their growth-associated biosynthesis. J. Appl. Microbiol. 84: 1059-1068.
- Dell Bello, F., Walter, J., Hertel, C. and Hammes, P. 2001. *In vitro* study of prebiotic of levan-type exopolysaccharides from *Lactobacilli* and non-digestible carbohydrates using denaturing gradient gel electrophoresis. Syst. Appl. Microbiol. 24: 323-327.
- Desjardins, M. L. and Roy, D. 1990. Growth of *Bifidobacteria* and their enzyme profiles. J. Dairy Sci. 73: 299-307.
- Duenas, M., Munduate, A., Perea, A. and Irastorza, A. 2003. Exopolysaccharide production by *Pediococcus damnosus* 2.6 in a semidefined medium under different growth conditions. Int. J. Food Microbiol. 87: 113-120.
- Dupont, I., Roy, D. and Lapointe, G. 2000. Comparision of exopolysaccharide production by strains of *Lactobacillus rhamnosus* and *Lactobacillus paracasei* grown in chemical defined medium and milk. J. Ind. Microbiol. Biot. 24: 251-255.
- Fox, J. D., Robyt, J. F. 1991. Miniaturization of three carbohydrate analyses using a microsample plate reader. Anal. Biochem. 95: 93-96.
- Fook, L. J. and Gibson, G. R. 2003. Mixed culture fermentation studies on the effects of symbiotic on the human intestinal *Campylobacter jejuni* and *Escherichia coli*. Anaerobe 9: 321-242.
- Gamar-Nourani, L., Blondeau, K. and Simonet, J. M. 1998. Influence of culture conditions on exopolysaccharides production by *Lactobacillus rhamnosus* strain C83. J. Appl. Microbiol 85: 664-672.

- Garcia-Garibay, M. and Marshall, V. M. 1991. Polymer production by *L. delbrueckii* ssp. *bulgaricus*. *J. Appl. Bacteriol.* 70: 325-328.
- Gassem, M. A., Sims, K. A. and Frank, J. F. 1997. Extracellular polysaccharide production by *Lactobacillus delbrueckii* subsp. *bulgaricus* RR in a continuous fermentor. *Lebensm.Wiss. Technol.* 30 : 273-278.
- George, T., Macfarlane, G. T. and Cummings, J. H. 1999. Probiotics and prebiotics: can regulating the activities of intestinal bacteria benefit health. *BMJ.* 318: 999-1003.
- Gibson, G. R. and Wang, E. R. 1994. Enrichment of *Bifidobacteria* from human gut content by FOS using continuous culture. *FEMS Microbiol. Lett.* 128: 121-128.
- Gibson, G. R., Beatty, E. R., Wang, X. and Cumming, J. H. 1995. Selective stimulation of *Bifidobacteria* in the human in the human colon by FOS and inulin. *Gastroenteriol.* 108: 975-82.
- Gibson, G. R. and Roberfroid, M. B. 1995. Dietary modulation of the human colonic microbiota: introduction the concept of prebiotics. *J. Nutr.* 125: 1401-1412.
- Gibson, G. R. 2004. Fibre and effects on probiotics (the prebiotic concept). *Clinic. Nutr.* 1: 25-31.
- Gnoth, M. J., Kunz, C., Kinne-Saffran, E. and Rudloff, S. 2000. Human milk oligosaccharides are minimally digested *in vitro*. *J. Nutr.* 130: 3014-3020.
- Hassan, A. N., Frank, J. F. and Shalabi, S. I. 2001. Factors affecting capsule size and production by lactic acid bacteria used as dairy starter cultures. *Int. J. Food Microbiol.* 64: 199-203.
- Hayakawa, K., Mizutani, J., Wada, K., Massai, T., Yshihara, I. and Mitsuoka, T. 1990. Effect of soy bean oligosaccharides on the human faecal flora. *Microb. Ecol. Health. D.* 3: 293-303.
- Hopkins, M. J. Cummings, J. H., and Macfarlane, G. T. 1998. Inter-species difference in maximum specific growth rates and yield of *Bifidobacteria* culture on oligosaccharides and other simple carbohydrate sources. *J. Appl. Microbiol.* 85: 381-386.
- Howard, M. D., Gordon, D. T., Gaeleb, K. A. and Kerley, M. S. 1995. Dietary fructooligosaccharides, xylooligosaccharides and gum arabic have variable effect on caecal and colonic microflora and epithelial cell proliferation. *J. Nutr.* 125 (10): 2604-2609.

- Hylla, S., Gostner, A. and Dusel, G. 1998. Effect of resistant starch on the colon in healthy volunteers: positive implications for cancer prevention. Amer. J. Clinic. Nutr. 67: 136-142.
- Ito, M., Degeouchi, Y. and Miyamori, A. 1990. Effects of administration of galactooligosaccharides on the human faecal microflora, stool weight and abdominal sensation. Microb. Ecol. Health D. 3: 285-292.
- Ito, M., Deguchi, Y., Matsumoto, K., Kimura, M., Onodero, N., and Yazima, T., 1993. Influence of galactooligosaccharides on the human faecal microflora. J. Nutri. Sci. and Vitaminol. 39: 635-640.
- Jaskari, J., Kontula, P., Siitonens, A., Jousimies-Somer, H., Mattila-Sandholm, T. and Poutanen, K. 1998. Oat β -glucan and xylan hydrolysates as selective substrates for *Bifidobacterium* and *Lactobacillus*. Appl. Microbiol. Biot. 49: 175-181.
- Jolly, L., Sebastien, J. S. F., Duboc, P. and Neeser, J. R. 2002. Exploiting exopolysaccharides from lactic acid bacteria. Antonie van Leeuwenhoek 82: 367-374.
- Kaneko, T., Kohmoto, T., Kikuchi, H., Shiota, M., Iino, M. and Mitsuoka, T. 1994. Effects of isomaltooligosaccharides with different degrees of polymerization on human faecal *Bifidobacteria*. Biosci. Biotech. Bioch. 58: 2288-2290.
- Kaplan, H. and Hithins, R. W. 2000. Fermentation of fructooligosaccharides by lactic acid bacteria and *Bifidobacterium*. Appl. Environ. Microbiol 6: 2682-2684.
- Korakli, M., Ganzle, M. G. and Vogel, R. F. 2002. Metabolism by *Bifidobacteria* and lactic acid bacteria of polysaccharides from wheat, rye and exopolysaccharides produced by *Lactobacillus sanfranciscensis*. J. Appl. Microbiol. 92: 958-965.
- Korakli, M. and Vogel, R. F. 2006. Structure/function of homopolysaccharide producing glycansucrase and therapeutic potential of their synthesized glycans. Appl. Microbiol. Biot. 71: 790-803.
- Kitazawa, H., Toba, T., Itoh, T., Kumano, N., Adachi, S., and Yamaguchi, T. 1991. Antitumoral activity of slime-forming encapsulated *Lactococcus lactis* subsp. *cremoris* isolated from Scandinavian röpy sour milk, “viili”. Anim. Sci. Tech. 62: 277-283.

- Kitazawa, H., Yamaguchi, T., Miura, M., Saito, T. and Itoh, T. 1993. B-cell mitogen produced by slime forming, encapsulated *Lactobacillus lactis* ssp. *cremoris* isolated from ropy sour milk, villi. J. Dairy Sci. 76: 1514-1519.
- Laurentin, A. and Edwards, C. A. 2003. Differential fermentation of glucose-based carbohydrate *in vitro* by human faecal bacteria. Eur. J. Nutr. 43: 183-189.
- Laws, A., Gu., Y. and Marshall, V. 2001. Biosynthesis, characterization, and design of bacterial exopolysaccharides from lactic acid bacteria. Biotechnol. Adv. 19: 597-625.
- Leahy, S. C., Higgins, D. G., Fitzgerald, G. F. and Van-Sinderen, D. 2005. Getting better with *Bifidobacteria*. J. Appl. Microbiol. 98: 1303-1316.
- Looijesteijn, P. J. and Hugenholtz, J. 1999. Uncoupling of Growth and Exopolysaccharide Production by *Lactococcus lactis* subsp. *cremoris* NIZO B40 and Optimization of Its Synthesis. J. Biosci. Bioen. 88: 178-182.
- Macedo, M. G., Lacroix, C., Garder, N. J. and Champagne, C. P. 2002. Effect of medium supplementation on exopolysaccharide production by *Lactobacillus rhamnosus* RW-9595M in whey permeate. Int. Dairy J. 12: 419-426.
- Marx, S. P., Winkle, S. and Hartmeier, W. 2002. Metabolism of β -(2,6)-linked fructose – oligosaccharides by different *Bifidobacteria*. FEMS Microbiol. Lett. 182: 163-169.
- Mandalari, G., Nueno Palop, C., Tuohy, K., Gibson, G. R., Bennott, R. R., Waldron, K. W., Bisignano. G, Narbad, A. and Faulds, C. B. 2006. *In vitro* evaluation of the prebiotic activity of the prebiotic activity of pectic oligosaccharide-rich extract enzymatically derived from bergamot peel. Appl. Microbiol. Biot. 73: 1173-1179.
- Manning, T. S. and Gibson, G. R. 2004. Prebiotics. Best Practice Res. Clinic. Gastroenterol.18: 287-298.
- Minami, Y., Yazawa K., Nakamura, K. and Tamura, Z. 1985. Selectivity of utilization of galactosyl-oligosaccharides by Bifidobacteria. Chem. Pharm. Bull. 33: 710.
- Mlobeli, N. T., Gutierrez, N. A. and Maddox, I. S. 2002. Physiology and kinetics of *Bifidobacterium bifidum* during growth on different sugar. Appl. Microbiol. Biot.. 50: 125-128.

- Monsan, P. and Pual, F. 1995. Enzymatic synthesis of oligosaccharides. *Microbiol. Rev.* 16: 187-192.
- Monson, P., Bozonnet, S., Albenne, C., Joucla, G., Willemot, R. M. and Remaud-Simen, M. 2001. Homopolysaccharides from lactic acid bacteria. *Int. Dairy J.* 11: 675-686.
- Morotomi, M., Guillem, J. G., Logerfo, P. and Weinstein, I. P. 1990. Production of diacylglycerol, an activator of protein kinase C by human intestinal microflora. *Cancer Res.* 50: 3595-3599.
- Niba, L. L. and Niba, S. N. 2003. Role of non-digestible carbohydrate in colon cancer protection. *Nutr. Food Sci.* 33: 28-33.
- Olano-Martin, E., Mountzouris, K. C., Gibson, G. B. and Rastall, R. A. 2000. Development of prebiotic based on dextran and oligodextran. *Brit. J. Nutr.* 83: 247-255.
- Olano-Martin, E., Gibson, G. R. and Rastall, R. A. 2002. Comparision of the *in vitro* bifidogenic properties of pectic and pectic-oligosaccharide. *J. Appl. Microbiol.* 93: 505-511.
- Reddy, B. S. 1998. Prevention of colon cancer by pre- and probiotic: evidence from laboratory studies. *Brit. J. Nutr.* 80: S219-S223.
- Rodrigues, L. K., Caputo, G. G. L., Caevalho, J. C. T., Evangelista, J. and Schneedorf, J. M. 2005. Antimicrobial and healing activity of kefir and kefiran extract. *Inter. J. Antimicrob. Ag.* 25: 404-408.
- Ruas-Madiedo, P., Hugenholtz, J. and Zoon, P. 2002. An overview of the functionality of exopolysaccharides produced by lactic acid bacteria. *Int. Dairy J.* 12: 163-171.
- Ruas-Madiedo, P. and Reyes-Gavilan, C. G. de los. 2005. Invited Review: Method for the screening, isolation, and characterization of exopolysaccharides produced by lactic acid bacteria. *J. Dairy Sci.* 88: 843-856.
- Rycroft, C. E., Jones, M. R., Gibson, G. R. and Rastall, R. A. 2001. Fermentation properties of gentio-oligosaccharides. *Lett. Appl. Microbiol.* 32: 156-161.
- Saito, Y., Takano, T., and Rowland, I. 1992. Effects of soy bean oligosaccharides on the human gut microflora *in vitro* culture. *Microb. Ecol. Health D.* 5: 105-110.
- Schell, M.A., Karmirantzou, M., Snel, B., Vilanova, D., Berger, B., Pessi, G., Zwahlen, MC., Desiere, F., Bork, P., Delley, M., Pridmore, RD. and Arigoni, F. 2002. The genome

- sequence of *Bifidobacterium longum* reflects its adaptation to the human gastrointestinal tract. PNAS. 99: 14422-14427.
- Scheppach, W., Bartram, H. P. and Richter, F. 1995. Role of short-chain fatty acids in the of colorectal cancer prevention. Eur. J. Cancer. 11: 1077-1080.
- Sghir, A., Chow, J. M. and Mackie, R. I. 1998. Continuous culture selection of *Bifidobacteria* and *Lactobacilli* from human faecal samples using fructooligosaccharides as a selective substrates. J. Appl. Microbiol. 85: 769-777.
- Smith, J. G. and German, J. B. 1995. Molecular and genetic effects of dietary derived butyric acid. Food Technol. 49: 87-90.
- Smitinont, T., Tansakul, C., Tanasupawat, S., Keeratibul, S. and Navarini, L. 1999. Exopolysaccharide-producing lactic acid bacteria strains from traditional Thai fermented food: isolation, identification and exopolysaccharide characterization Int. J. Food Microbiol. 51: 105-111.
- Stingele, F., Neeser, J. R. and Mollet, B. 1996. Identifiaktion and characterization of the *eps* (Exopolysaccharide) gene cluster from *Streptococcus thermophilus* Sfi6. J. Bacteriol. 178: 1680-1690.
- Sutherland, I. W. 1985. Biosynthesis and composition of gram-negative bacteria extracellular and cell wall polysaccharides. Annu. Rev. Microbiol. 39: 243-270.
- Sutherland, W. 1998. Novel and established application of microbial polysaccharides. Trends Biotechnol. 16: 41-46.
- Tallon, R., Bressollier, P. and Udaci, M.C. 2003. Isolation and characterization of two exopolysaccharide production by *Lactobacillus plantarum* EP56, Res. Microbiol 154: 705-712.
- Ten Bruggenacte, S. J. M., Bovee-Oudenhoven, T. M. J., Lettink-Wissink, M. L. G. and Katan, M. B. 2004. Dietary fructo-oligosaccharides and inulin decrease resistance of rats to *Salmonella* : protective role of calcium. Gut 53: 530-535.
- Terada, A., Hara, H., Kataoka, M. and Mitsuoka, T. 1992 Effect of lactulose on the composition and metabolic activity of the human flora. Microb. Ecol. Health D. 5: 43-50.

- Tieking, M., Korakli, M., Ehrmann, M. M., Genzle, M. G. and Vogel, R. F. 2003. In *situ* production of polysaccharides during sourdough fermentation by cereal and intestinal isolates of lactic acid bacteria. *Appl. Environ. Microbiol.* 69: 945-952.
- Torino, M. I., Taranto, M. P., Sesma, F. and Font de Valdez, G. 2001. Heterofermentative pattern and exopolysaccharide production by *Lactobacillus heveticus* ATCC 15807 in response to environmental pH. *J. Appl. Microbiol.* 91: 846-852.
- Touhy, K. M., Kolida, S., Lustenberger, A. and Gibson, G. R. 2000. The prebiotic effects biscuits containing partially hydrolyzed gure gum and fructooligosaccharides-a human volunteers study. *Brit. J. Nutri.*
- Van Geel-Schutten, G. H. Flesch, F., Ten Brink, B., Smith, M. R. and Dijkhuizen, L. 1998. Screening and characterization of *Lactobacillus* strains producing large amounts of exopolysaccharides. *Appl. Microb. Biotechnol.* 50: 697-703.
- Van den Berg, D. J. C., Robijn, G. W., Janssen, A. C., Giusseppe, M. L. F., Vreeker, R., Kamerling, J. P. and Vliegenthret, J. F. G. 1995. Production of novel extracellular polysaccharides by *Lactobacillus sake* 0-1 and characterization of the polysaccharides. *Appl. Environ. Microbiol.* 61: 2840-2848.
- Velasco S, Arskold, E., Paese, M., Grage, H., Irastorza, A., Radstrom, P., van Niel, E. W. 2006. Environmental factors influencing growth of and exopolysaccharide formation by *Pediococcus parvulus* 2.6. *Int. J. Food Microbiol.* 111: 252-258.
- Vernazza, C. L., Bodun, A. R. and Gibson, G. R. 2006. Human colonic microbiology and the role of dietary intervention: introduction to prebiotic. Prebiotic: Development and Application. John Wiley & Sons. Ltd. pp: 1-28
- Walling, E., Lafargue, M.D. and Funel, A.L. 2005. Glucose fermentation kinetic and exopolysaccharide production by *Pediococcus damnosus* IOEB8801. *Food Microbiol.* 22: 71-78.
- Ward, R. E., Ninonuvevo, M., Mills, A. D., Lebrilla, C. B. and Gernam, B. J. 2006. *In vitro* fermentation of breast milk oligosaccharides by *Bifidobacterium infantis* and *Lactobacillus gasseri*. *Appl. Environ. Microbiol.* 4479-4499.

- Welman, A. D., Maddox, I. S., and Archer, R. H. 2003. Screening and selection of exopolysaccharide-producing strains of *Lactobacillus delbrueckii* subsp. *bulgaricus*. J. Appl. Microbiol. 95: 1200-1206.
- Werning, M. L., Ibarburu, I., Duenas, M. T., Irastorza, A., Navas, J. and Lopez, P. 2006. *Pediococcus pavulus* *gtf* gene encoding the GTF glycosyltransferase and its application for specific PCR detection of β -D-Glucan-producing bacteria in foods and beverages. J. Food Prot. 69: 161-169.
- Wichienchot, S. 2005. Production of oligosaccharides by *Gluconobacter oxydans* NCIMB 4943 and evaluation on their prebiotic properties. Ph.D. thesis in Biotechnology. Prince of Songkla University.
- Wollowski, I., Rechard, R. and Pool-Zobel, B. L. 2001. Protective role of probiotic and prebiotic in colon cancer. Am. J. Clin. Nutr. 73: 451S-5S.
- Xiao, M., Tanaka, K., qian, X. M., Yamamaoto, K. and Kumagai, H. 2002. High yield production and characterization of α -galactosidase from *Bifidobacterium breve* grown on raffinose. Biotechnol. Lett. 22: 747-751.
- Yamada, H., Iton, K., Morita, Y. and Taniguchi, H. 1993. Advances in cereal chemistry and technology in Japan structure and properties of oligomers from wheat bran. Cereal Food World 38: 492-499.
- Yamamoto, Y., Yakahashi, Y., Kawano, M., Iizuka, M., Matsumoto, T., Saeki, S. and Yamaguchi, H. 1999. *In vitro* digestibility and fermentability of levan and its hypocholesterolemic effects in rats. J. Nutr. Biochem. 10: 13-18.
- Yang, S. J., Lee, H. S., Park, C. S., Kim, Y. R., Moon, T. W. and Park, K. H. 2004. Enzymatic analysis of an amylolytic enzyme from the hyperthermophilic archaeon *Pyrococcus furiosus* reveals its novel catalytic properties as both an α -amylase and a cyclodextrin hydrolyzing enzyme. Appl. Environ. Microbiol. 70: 5988-5995.
- Ziemer, C. J. and Gibson, G. R. 1998. An overview of probiotic, prebiotics and synbiotics in the functional food concept: perspectives and strategies. Int. Dairy J. 8: 473-479.