

เอกสารอ้างอิง

- คณกฤช คลอรามย์. 2542. การสกัดพอลิเบต้า-ไฮดรอกซีบิวทิเรตจาก *Alcaligenes eutrophus* NCIMB 11599 ด้วยสารละลายน้ำเดี่ยมไฮโดรคลอโรฟอร์ม. วิทยานิพนธ์มหาบัณฑิต ภาควิชาวิศวกรรมเคมี คณะวิศวกรรมศาสตร์ จุฬาลงกรณ์มหาวิทยาลัย.
- สถาปน์ ศิริศันสนียกุล และ หยาดฝน มหาทรัพย์ไพบูลย์. 2543. พลาสติกชีวภาพจากจุลินทรีย์. เทคโนโลยี. 27(151): 163-167.
- วริท หมัดหวาน, พุนสุน ประเสริฐสารพ์, วรรณ ชูฤทธิ์ และวุฒิพร พรหมบุนทอง. การปรับปรุงสายพันธุ์เบคทีเรียสังเคราะห์แสงที่เพิ่มการผลิต 5-animallevulinic acid ในสภาวะมีอากาศ-ไร้แสง. นำเสนอโดยการบรรยาย ในการประชุมเสนอผลงานวิจัยระดับบัณฑิตศึกษาของประเทศไทย ครั้งที่ 3 ณ มหาวิทยาลัยเทคโนโลยีสุรนารี จังหวัดนครราชสีมา ระหว่างวันที่ 18-19 กรกฎาคม 2545.
- Ahn, W. S., Park, S. J. and Lee, S. Y. 2001. Production of poly(3-hydroxybutyrate) from whey by cell recycle fed-batch culture of recombinant *Escherichia coli*. Biotechnol. Lett. 23(3): 235-240.
- Aslim, A., Caliskan, F., Beyath, Y., and Gunduz, U. 1998. Poly- β -hydroxybutyrate production by lactic acid bacteria. FEMS Microbiol Lett. 159 : 293-297.
- Atlas, R. M. 1995. Principle of Microbiology. Von Hoffmann Press, Missouri.
- Bitar, A. and Underhill, S. 1990. Effect of ammonium supplementation on production of poly-beta-hydroxybutyric acid by *Alcaligenes eutrophus* in batch culture. Biotechnol. Lett. 12(8) : 563-568.
- Boom, S. K., Seung, C. L., Sang, Y. L., Ho, N. C., Yong, K. C. and Seong, I. W. 1994. Production of poly (3-hydroxybutyric acid) by fed batch culture of *Alcaligenes eutrophus* with glucose concentration control. Biotechnol. Bioeng. 43(9): 892-898
- Bormann, E. J. and Roth, M. 1999. The production of polyhydroxybutyrate by *Methylobacterium rhodesianum* and *Ralstonia eutropha* in media containing glycerol and casein hydrolysates. Biotechnol. Lett. 21 (12): 1059-1063.
- Breuer, U. and Babel, W. 1999. *Methylobacterium rhodesianum* produces poly-3-hydroxybutyrate and after mutagenesis in addition exopolysaccharides. Acta-Biotechnol. 19 (1): 79-86.
- Brock, T. D. and Madigan, M. T. 1991. Biology of Microbiology. 6th ed. Prantice-Hall. London.

- Chang, H. C., Sook, J. J. and Jae, W. K. 1994. Stimulation of poly(3-hydroxybutyrate) degradation by nitrogen nutrient in *Alcaligenes eutrophus* H16. Korean-Biochem.J. 27 (4): 316-322.
- Das, Q., Chowdhury, J. U. and Anwar, M. N. 2005. Isolation, purification and characterization of biodegradable polymer producing bacteria *Listeria murrayi*. Pak.J. Biol. Sci. 7 (11): 2018-2021.
- Das, Q., Chowdhury, J. U. and Anwar, M. N. 2005. Isolation, purification and characterization of biodegradable polymer producing bacteria *Pseudomonas pseudomallei*. Int. J. Agri. Biol. 7 (1): 114-117.
- Doi, Y. 1990. Microbial polyester. VCH Publishers, Inc. New York.
- Du, G., Si, Y. and Yu, J. 2001. Inhibitory effect of medium-chain-length fatty acids on synthesis of polyhydroxyalkanoates from volatile fatty acids by *Ralstonia eutropha*. Biotechnol Lett. 23: 1613–1617.
- Eschenlauer, A. C., Stoup, S. K. Srience, F. and Somers, D. A. 1996. Production of heteropolymeric polyhydroxyalkanoate in *Escherichia coli* from a single carbon source. International Journal of Biological Macromolecules. 19 (2) : 121-130.
- Fang, L., Wenqing, L., Ridgway, D. and Tingyue, G. 1998. Production of poly- β -hydroxybutyrate on molasses by recombinant Escherichia coli. Biotechnol. Lett. 20: 345-348.
- Ganzeveld, K. J., Hagen, A. V., Agteren, M. H. V., Koning, W. D. anf Uiterkamp, A. J. M. S. 1999. Upgrading of organic waste: production of copolymer poly-3-hydroxybutyrate-co-valerate by *Ralstonia eutrophus* with organic waste as sole carbon source. J. Clean. Prod. 7 (6): 413-419.
- Grothe, E. and Chisti, Y. 2000. Poly (β -hydroxybutyric acid) thermoplastic production by *Alcaligenes latus* : Behavior of fed-batch cultures. Bioprocess. Eng. 22: 441-449.
- Hahn, S. K., Chang, Y. K., Kim, B. S. and Chang, H. N. 1994. Optimization of microbial poly(3-hydroxybutyrate) recovery using dispersions of sodium hypochlorite solution and chloroform. Biotechnol. Tech. 44 (2) : 256-261.
- Hocking, P. J and Marchessault, R. H. 1994. Chemical and Technology of Biodegradable Polymers. Chapman and Hill. London.
- Holmes, P. A. 1985. Application of PHB-A microbially produced biodegradable thermoplastic. Phys.Technol. 16 (1) : 32-36.

- Huijberts, G. N. M and Eggink, G. 1996. Production of poly(3-hydroxyalkanoates) by *Pseudomonas putida* KT2442 in continuous cultures. *Appl Microbiol Biotechnol.* 46: 233-239.
- Ivanovsky, R. N., Krasilnikova, E. N. And Berg, I. A. 1997. A proposed citramalate cycle for acetate assimilation in the purple non-sulfur *Rhodospirillum rubrum* FEMS *Microbiol Lett.* 153 (2) : 399-404.
- Jung, Y.M., Park, J. S. and Lee, Y. H. 2000. Metabolic engineering of *Alcaligenes eutrophus* through the transformation of cloned phbCAB genes for the investigation of the regulatory mechanism of polyhydroxyalkanoate biosynthesis. *Enzyme. Microb. Technol.* 26 (2): 201-208.
- Kango, S. and Patel, B. K. C. 2003. Microvirgo subterranean gen. nov., sp. Nov., a moderate thermophile from a deep subsurface australian thermal aquifer. *Int J Syst Bacteriol* 53 (): 401-406.
- Kim, B. S. 2000. Production of poly (3-hydroxybutyrate) from inexpensive substrates. *Enz. Microbiol. Tecgnol.* 27 (10):774-777.
- Kim, P., Kim, J. H. and Oh, D. K. 2003. Improvement in cell yield of *Methylobacterium* sp. by reducing the inhibition of medium components for poly- β -hydroxybutyrate production. *World J. Microbiol Biotechnol.* 19 (4): 357–361.
- Kinoshita, S., Kulprecha, K. and Chao, A. 1991. Microbial production of poly- β -hydroxybutyric acid. In Annual Report of IC Biotech (ed. Oshima, Y.) Osaka University. Osaka. pp. 347-349.
- Lascelles, J. 1956. The synthesis of prophyrrins and bacteriochlorophyll by cell suspensions of *Rhodobacter sphaeroides*. *Biochem J.* 62: 78-93.
- Lee, E. Y., Kang, S. H. and Choi, C. Y. 1995. Biosynthesis of poly(3-hydroxybutyrate-co-3-hydroxyvalerate) by newly isolated *Agrobacterium* sp. SH-1 and GW-014 from structurally unrelated single carbon substrates. *J. Ferment. Bioeng.*, 79 (4): 328-334.
- Lee, S. Y., Choi, J. I., Han, K. And Song, J. Y. 1999. Removal of endotoxin during purification of poly(3-hydroxybutyrate) from gram-negative bacteria. *Appl. Environ. Microbiol.* 65(6): 2762-2764.
- Lehninger, A. L. and Nelson, L. 2005. Principles of Biochemistry. W. H. Freeman. New York.

- Lenz, R. w. and Marchessault, R. H. 2005. Bacterial polyester: Biosynthesis, biodegradable plastics and biotechnology. *Biomacromolecules*. 6(1): 1-8.
- Liangqi, Z., Jingfan, X., Tao, F. and Haibin, w. 2006. Synthesis of poly (3-hydroxybutyrate-co-3-hydroxyoctanoate) by a *Sinorhizobium fredii* strain. *Lett Appl Microbiol.* 42 (4): 344-349.
- Lorrungruang, C., Martthong, J., Sasaki, K. and Noparatnaraporn, N. 2006. Selection of photosynthetic bacterium *Rhodobacter sphaeroides* 14F for polyhydroxyalkanoate production with two-stage aerobic dark cultivation. *J. Biosci. Bioeng.* 102 (2): 128-131.
- Luengo, J. M., Garcia, B., Sandoval, A., Naharro, G. and Olivera, E. R. 2003. Bioplastics from microorganisms. *Curr Opin Biotechnol.* 6 (3): 251-260.
- Luli, G. W. and Strohl, W. R. 1990. Comparison of Growth, acetate production, and acetate inhibition of *Escherichia coli* strains in batch and fed-batch fermentations. *Appl Environ Microbiol.* 56 (4):1004-1011.
- Martinez, T. MV., Gonzalez, L. J., Rodelas, B., Pozo, C. and Salmeron, V. 1995. Production of poly-beta-hydroxybutyrate by *Azotobacter chroococcum* H23 in chemically defined medium and alpechin. *J. Appl. Bacteriol.* 78(4) : 413-418.
- Netravali, A. N. and Lou, S. 2003. A study of physical and mechanical properties of poly(hydroxybutyrate-co-hydroxyvalerate) during composting. Polymer degradation and stability. 80 (1): 59-66.
- Oliveira, F. C., Dias M. L., Castilho, L. R. and Freire, D. M. G. 2007. Characterization of poly (3 -hydroxybutyrate) produced by *Cupriavidus necator* in solid-state fermentation. *Biores Technol.* 98: 633-638.
- Ormerod, J. G., Ormerod, K. S and Gest, H. 1961. Light dependent utilization of organic compounds and phtotoproduction of molecular hydrogen by photosynthetic bacteria: relationships with nitrogen metabolism. *Arch Biochem Biophys.* 94:449–463.
- Page, WJ. 1992. Production of poly-beta-hydroxybutyrate by *Azotobacter vinelandii* UWD in media cantaining sugars and complex nitrogen sources. *Appl. Microbiol. Biotechnol.* 38(1) : 117-121.
- Pfennig, N. 1967. Photosybthetic bacteria. *Ann. Rev. Microbial.* 21: 285-324.

- Prasertsan, P., Choorit, W. and Suwanno, S. 1993. Optimization for growth of *Rhodocyclus gelatinosus* in seafood processing effluents. World J. Microbiol Biotechnol 9 (5): 614-617.
- Quagliano, J. C. and Miyazaki, S. S. 1999. Biosynthesis of poly-beta-hydroxybutyrate and exopolysaccharides on *Azotobacter chroococcum* strain 6B utilizing simple and complex carbon sources. App. Biochem.Biotech. 82 (3): 199-208.
- Quillaguaman, J., Hashim, S., Bento, F., Mattiasson, B. and Hatti-Kaul, R. 2005. Poly(*b*-hydroxybutyrate) production by a moderate halophile, *Halomonas boliviensis* LC1 using starch hydrolysate as substrate. J. Appl. Microbiol. 99 : 151-157.
- Reddy, C. S. K., Ghai, R. and Kalia, V. C. 2003. Polyhydroxyalkanoates: an overview. Biores Technol., 87 (2): 137-146.
- Ribera, R. G., Sanchez, M. M. and Cormenzana. A. R. 2001. Production of polyhydroxyalkanoates by *Pseudomonas putida* KT2442 harboring pSK2665 in wastewater from olive oil mills (alpechin). J. Biotechnol. 4 (2) : 116-119.
- Sangkharak, K., Tran, H., Prasertsan, P., Steinbuechel, A. 2005. Molecular analysis of the poly-3-hydroxyalkanoic acid synthase (*phaCRs*) gene from *Rhodobacter sphaeroides* strain ES16. The Academic Conference of Thai Students in France and in Europe 2005, June 24-27, 2005. Paris, France.
- Sato, Y., Tajima, K., Tannai, H., Munekata, M. 2003. Enzyme-catalyzed poly(3-hydroxybutyrate) synthesis from acetate with CoA recycling and NADPH generation *in vitro*. J. Biosci. Eng. 95(4):335-341.
- Schlegel, H. G. 1984. General Microbiology. 6th ed. Cambridge University Press Cambridge. New York.
- Shimizu, H., Shioya, S. and Suya, K. I. 1990 Cultivation condition for production of biodegradable Poly- β -hydroxybutyric acid by *Alcaligenes eutrophus* H16. In Annual Report of IC Biotech (ed. Oshima, Y.) Osaka University. Osaka. pp. 113-119.
- Slater, S., Gallaher, T. and Dennis, D. 1992. Production of poly-(3-hydroxybutyrate-co-3-hydroxyvalerate) in a recombinant *Escherichia coli* strain. Appl. Environ. Microbiol. 58 (4): 1089-1094.

- Staley, J.T., Bryant, M. P., Pfenning, N. and Holt, J. G. 1989. Bergey's Manual of Systematic Bacteriology. 3rd ed. The Williams and Wilkins Co., Baltimore. 2298 pp.
- Sudesh, K., Abe, H. and Doi, Y. 2000. Synthesis, structure and properties of polyhydroxyalkanoates: biological polyesters. *Prog. Polym. Sci.* 25: 1503-1555.
- Taidi, B., Anderson, A.J., Dawes, EA. And Byrom, D. 1994. The effect of carbon source and concentration on the molecular mass of poly(3-hydroxybutyrate) produced by *Methylobacterium extorquens* and *Alcaligenes eutrophus*. *Appl. Microbiol. Biotechnol.* 40(6) : 786-790.
- Tungprasittipap, A. 2006. Production of 5-aminolevulinic acid (ALA) from photosynthetic bacteria and its application in aquaculture. A thesis for degree of Ph.D. in Biotechnology. Prince of songkla university.
- Watanabe, K., Kim, J. S., Ito, K., Buranakarl, L., Kampee, T., Takahashi, H. 1981. Thermostable nature of hydrogen production by non-sulfur purple photosynthetic bacteria isolation in Thailand. *J. Agric. Biol. Chem.* 45(1) : 217-222.
- Wofford, W. Q., Beaty, P. S. and Mcinerney, M. J. 1986. Preparation of Cell-Free Extracts and the Enzymes Involved in Fatty Acid Metabolism in *Syntrophomonas wolfei*. *J. Bacteriol.* 167(1): 179-185.
- Yagi, K., Miyawaki, I., Kayashita, A., Kondo, M., Kitano, Y., Murakami, Y., Maeda, Is., Umeda, F., Miura, Y., Kawase, M. and Mizoguchi, T. 1996. Biosynthesis of poly(3-hydroxyalkanoic acid) copolymer from CO₂ in *Pseudomonas acidophila* through introduction of the DNA fragment responsible for chemolithoautotrophic growth of *Alcaligenes hydrogenophilus*. *Appl. Environ. Microbiol.* 62 (3) :1004-1007.
- Yang, M., Li, H., Zhao, H., Zhang, Y. and Shen, Z. 1999. Production of poly(beta-hydroxybutyrate) from glucose by *Alcaligenes eutrophus*. *Food and Fermentation Industries.* 25(3) : 1-4.
- Yellore, V. and Desau. A. 1998. Production of poly-3-hydroxybutyrate from lactose and whey by *Methylobacterium* sp.ZP24. *Lett. Appl. Microbiol.* 26 (6):391-394.
- Yellore, V. S., Thakur, N. B. and Desai, A.J. 1999. Enhancement of growth and poly 3-hydroxybutyrate production from *Methylobacterium* sp. ZP24 by formate and other organic acids. *Lett. Appl. Microbiol.* 29 (3) : 171-175.

Zinn, M., Witholt, B. and Egli, T. 2001. Occurrence, synthesis and medical application of bacterial polyhydroxyalkanoate. Advanced Drug Delivery Reviews., 53 (1) : 5-21.