

## บรรณานุกรม

- [1] สำนักงานกองทุนสงเคราะห์การทำสวนยาง คู่มือส่งเสริมสหกรณ์กองทุนสวนยาง กรุงเทพฯ: กรมส่งเสริม สหกรณ์ สำนักงานกองทุนสงเคราะห์การทำสวนยาง กระทรวงเกษตรและสหกรณ์, 2538
- [2] Aggour Y.A. and Abdel-Razik E.A., 1999, "Graft copolymerization of end alenoxy polyoxyethylene macromonomer onto ethyl cellulose in a homogeneous system", Eur. Polym. J., 35(1999), 2225-2228.
- [3] Billmeyer F.R., 1984, Textbook of Polymer Science, John Wiley & Sons, Inc.
- [4] Campell, D.S. ,1998, "Chapter 10 Chemical modification of natural rubber" (Robert, A.D., ed.), Oxford, Oxford University press.
- [5] Campell, D.S. ,1998, "Chapter 14 Graft Copolymer from Natural Rubber in Natural Rubber Science and Technology", (Robert, A.D., ed.), Oxford, Oxford University press.
- [6] Coresa, R.J. 1973, "Chapter 3 Synthesis and Characterization of Natrual rubber block and Graft Copolymer in block and Graft Copolymerization" (Coresa R.J., ed.), Vol. 1, London, John Wiley and sons.
- [7] Chauhan G., Dhiman S.K., Guleria L.K., Misra B.N. and Kaur I., 2000, "Polymer from renewable resources: kinetics of 4-vinyl pyridine radiochemical grafting onto cellulose extracted from pine needles", Radiat. Phys. Chem., 58(2000), 181-190.
- [8] Chowdhury P. and Pal C.M., 1999, "Graft copolymerization of methyl acrylate onto polyvinyl alcohol using Ce(IV) initiator", Eur. Polym. J., 35(1999), 2207-2213.
- [9] Chen Y. Kang E.T., Neoh K.G. and Tan K.I., 2000, "Chemical modification of

- polyaniline powders by surface graft copolymerization", Polymer, 41(2000), 3279-3287.
- [10] Das A. and Saikia C.N., 2000, "Graft copolymerization of methylmethacrylate onto non-mullbery silk-*Antherea assama* using potassium permanganate-oxalic acid redox system", Bioresource Technology, 74(2000), 213-216.
- [11] Deacon C. and Wilkie C.A., 1996, "Graft copolymerization of acrylic acid on to acrylonitrile-butadiene-styrene terpolymer and thermal analysis of the copolymers", Eur. Polym. J., 32(1996), 451-455.
- [12] Deng J.P., Yang W. T. and Ranby B., 2002, "Melt-photografting polymerization of maleic anhydride onto LDPE film", Eur. Polym. J., 38(2002), 1449-1455.
- [13] Dong Q. and Hsieh Y.L., 2000, " Acrylonitrile graft copolymerization of casein proteins for enhanced solubility and thermal properties", J. Appl. Polym. Sci., 77 (2000), 2543-2551.
- [14] Ghosh P., Chatopadhyay B. and Sen A.K., 1998, "Modification of low density polyethylene (LDPE) by graft copolymerization with some acrylic monomers", Polym, 39(1998), 193-201.
- [15] Grigoryeva O.P. and Karger-Kocsis J., 2000, "Melt grafting of maleic anhydride onto an ethylene-propylene-diene terpolymer (EPDM)", Eur. Polym. J., 36(2000), 1419-1429.
- [16] Houng T., Yoo G., Ahn J. H., Zin W.C., Cho W.J. and Ha C.S., 2001, "Compatibilization of SAN/EPDM blends by grafting EPDM with methyl methacrylate", Bull. Korean Chem. Soc., 22(2001), 1037-1040.
- [17] Izumi Y., Nagaike H., Tabuse S., Yoshida Y. and Tagawa S., 2001, "Radiation grafting of styrene onto polyethylene", Radiat. Phys. Chem., 62(2001), 83-88.

- [18] Kiatkumjornwong S., Sonsuk M., Wittayapichet S., Prasaassarakich P. and Vejjanukroh P-C., 1999, "Degradation of styrene-g-cassava starch filled polystyrene plastics", *Polym. Degrad. Stabi.*, 66(1999), 323-335.
- [19] Kim I.H., Shin J.S., Cheong I.W., Kim J.I. and Kim J.H., 2002, "Seeded emulsion polymerization of methyl methacrylate using aqueous polyurethane dispersion: effect of hard segment on grafting efficiency", *Colloids Surf. A: Physicochem. Eng. Aspects*, 207(2002), 169-176.
- [20] Kumar M.S.C. and Alagar M., 2002, "Development and Characterisation of vinyloxyaminosilane grafted ethylene-propylene-diene terpolymer (EPDM-g-VOS) for engineering applications", *Eur. Polym. J.*, 38(2002) 2023-2031.
- [21] Lenka S, Nayak P.L. and Das A.P., 1985, "Graft copolymerization onto rubber. VII. Graft copolymerization of methyl methacrylate onto rubber using potassium peroxydisulfate catalyzed by silver ion", *J. Appl. Polym. Sci.*, 3(1985), 2753-2759.
- [22] Lenka S, Nayak P.L., Mohanty I. B. and Mishra S.N., 1985, "Graft copolymerization onto rubber. VI. Graft copolymerization of methyl methacrylate onto rubber using acetylacetone complex of manganese(III)", *J. Appl. Polym. Sci.*, 30(1985), 2711-2714.
- [23] Liu Y., Zhang Y., Liu Z. and Deng K., 2002, "Graft copolymerization of butyl acrylate onto casein initiated by potassium diperiodatonickelate(IV) in alkaline medium", *Eur. Polym. J.*, 38(2002), 1619-1625.
- [24] Lutfor M., Silong S., Yunus W.M.Z., Rahman M.Z., Ahmad M. and Haron M.J., 2000, "Kinetics and mechanism of free radical grafting of methyl acrylate onto sago starch", *J. Appl. Polym.*, 77(2000), 784-791.
- [25] Malvern Instrument Ltd., 1998, "Hydro 2000M/MU user manual", Malvern Instruments Ltd., 1998.

- [26] Nakason C., Kaesman A. and Yimwan N., 2000, "Preparation graft copolymers of deproteinised natural rubber latex and high ammonia concentrated natural rubber latices with methyl methacralate", *Songkhlanakarin J. Sci. Technol.*, 22 (2000), 467-476.
- [27] Nitithai B. and Pongpai P., 1991, Rubber technology laboratory II, Prince of Songkhla University.
- [28] Odian, G., 1991, Principles of Polymerization, John Wiley & Sons, Inc.
- [29] Okaniwa M., 2000, "Synthesis of poly(dimethylsiloxane) and poly(butadiene) composite particles and the properties of their grafted polymer particles", *Polym.*, 41(2000), 453-460.
- [30] Oommen Z., Gopinathan M.R., Nair G. and Thomas S., 1996, "Compatibilizing effect of natural rubber-g-poly(methyl methacrylate) in heterogeneous natural rubber/poly(methyl methacrylate) blends", *Polym. Eng. Sci.*, 36(1996), 151-160.
- [31] Patel A.C., Brahmbhatt R.B., Rao P.V.C., Rao K.V. and Devi S., 2000, "Solid phase grafting of various monomers on hydroperoxidized polypropylene", *Eur. Polym. J.*, 36(2000), 2477-2484.
- [32] Prasassarakich P., Sintoorahat P. and Wongwisetsirikul N., 2001, "Enhanced graft copolymerization of styrene and acrylonitrile onto natural rubber", *J. Chem. Eng. Japan*, 34(2001), 249-253.
- [33] Rusdan D., 1989, "Modification of natural rubber by graft copolymerization of non-ionogenic hydrophilic monomer in latex", Thesis (Ph.D) council for national academic awards (U.K.), 1989.
- [34] Rutot D., Degee P., Narayan R. and Dubois P., 2000, "Aliphatic polyester-grafted starch composites by *in situ* ring opening polymerization", *Composite*

Interfaces, 7(2000), 215-225.

- [35] Robert A.D., 1988, Natural Rubber Science and Technology, Oxford University Press.
- [36] Samal R.K., Suryanarayana G.V., Panda G., Das D.P. and Nayak M.C., 1981, "Polymerization of methyl methacrylate initiated by the redox system  $Mn^{3+}$ /thioglycollic acid", 26(1981), 41-48.
- [37] Shirai Y., Kawatsura K. and Tsubokawa N., 1999, "Graft polymerization of vinyl monomers from initiating group introduced onto polymethylsiloxane-coated titanium dioxide modified with alcoholic hydroxyl groups", Prog. Org. Coat., 36 (1999), 217-224.
- [38] Sundari F. and Kadariah S., 1984, "Radiation grafting of methyl methacrylate monomer on natural rubber latex", J. Appl. Polym. Sci., 29(1984), 1515-1521.
- [39] Wang L.Q., Tu K., Li Y., Zhang J., Jiang L. and Zhang Z., 2002, "Synthesis and characterization of temperature responsive graft copolymers of dextran with poly(*N*-isopropylacrylamide)", Reactive & Functional Polymers, 53(2002), 19-27.
- [40] Xie D.-L, Chen D., Jiang B. and Yang C.-Z., 2000, "Synthesis of novel compatibilizers and their application in PP/nylon-66 blends. I. Synthesis and characterization", Polym., 41(2000), 3599-3607.
- [41] Xu Y.S., Yuan C.D., Wang Y.J., Cao T.Y. and Cao P., 1999, "Mechanism and grafting reactions in seeded emulsion polymerization with emulsified monomer feeding", J. Appl. Polym., 72(1999), 1495-1499.
- [42] Zhou Z. F., Huang H. and Liu N.C., 2001, "Kinetics and mechanism of grafting of oleic acid onto acrylonitrile-butadiene-styrene terpolymer", Eur. Polym. J., 37 (2001), 1967-1974.