

บรรณานุกรม

- Abdalla, A.I. and Davidson, C.L. 1993. "Comparison of the marginal integrity of *in vivo* and *in vitro* Class II composite restorations", J Dent. 21, 158-162.
- Alani, A.H. and Toh, C.G. 1997. "Detection of microleakage around dental restorations: a review", Oper Dent. 22, 173-185.
- Ansari, G. ; Oloomi, K. and Eslami, B. 2004. "Microleakage assessment of pit and fissure sealant with and without the use of pumice prophylaxis". Int J Pediatr Dent. 14, 272-278.
- Arbabzadeh, F. ; Gage, J.P. ; Young, W.G. ; Shahabi, S. and Swenson, S.M. 1998. "Gap measurement and bond strength of five selected adhesive systems bonded to tooth structure", Aus Dent J. 43, 175-180.
- Ateyah, N.Z. and Elhejazi, A.A. 2004. "Shear bond strengths and microleakage of four types of dentin adhesive materials", J Contemp Dent Pract. 5, 63-73.
- Autio-Gold, J.T. 2002. "Clinical evaluation of medium-filled flowable restorative material as a pit and fissure sealant", Oper Dent. 27, 325-339.
- Barnes, D.M. ; Thompson, V.P. ; Blank, L.W. and McDonald, N.J. 1993. "Microleakage of Class V composite resin restorations: A comparison between *in vivo* and *in vitro*", Oper Dent. 18, 237-245.
- Barrie, A.M. ; Stephen, K.W. and Kay, E.J. 1990. "Fissure sealant retention: a comparison of three sealant types under field conditions", Community Dent Health. 7, 273-277.
- Blackwood, J.A. ; Dilley, D.C. ; Roberts, M.W. and Swift, E.J., Jr. 2002. "Evaluation of pumice, fissure enameloplasty and air abrasion on sealant microleakage", Pediatr Dent. 24, 199-203.

- Boksman, L. ; McConnell, R.J. ; Carson, B. and McCutcheon-Jones, E.F. 1993. "A 2-year clinical evaluation of two pit and fissure sealants placed with and without the use of a bonding agent", Quintessence Int. 24, 131-133.
- Bowen, R.L. 1962. "Dental filling material comprising vinyl-silane treated fused silica and a binder consisting of the reaction product of bisphenol and glycidyl methacrylate", US Patent. 3,066,112.
- Bravo, M. ; Llodra, J.C. ; Baga, P. and Osorio, E. 1996. "Effectiveness of visible light fissure sealant (Delton) versus fluoride varnish (Duraphat): 24-month clinical trial", Community Dent Oral Epidemiol. 24, 42-46.
- Brown, W.S. ; Jacobs, H.R. and Thompson, R.E. 1972. "Thermal fatigue in teeth", J Dent Res. 51, 461-467.
- Buonocore, M.G. 1955. "A simple method of increasing the adhesion of acrylic filling materials to enamel surfaces", J Dent Res. 34, 849-853.
- Castro, L.C. and Galvão, A.C. 2004. "Comparison of three different preparation methods in the improvement of sealant retention", J Clin Pediatr Dent. 28, 249-252.
- Chan, D.C. ; Summitt, J.B. ; Garcia-Godoy, F. ; Hilton, T.J. and Chung, K.H. 1999. "Evaluation of different methods for cleaning and preparing occlusal fissures", Oper Dent. 24, 331-336.
- Cooley, R.L. ; McCourt, J.W. ; Huddleston, A.M. and Casmedes, H.P. 1990. "Evaluation of a fluoride-containing sealant by SEM, microleakage, and fluoride release", Pediatr Dent. 12, 38-42.
- Craig, R.G. and Powers, J.M. 2002. Restorative dental materials. Eleventh ed. St. Louis : Mosby.

- de Almeida, J.B. ; Platt, J.A. ; Oshida, Y. ; Moore, B.K. ; Cochran, M.A. and Eckert, G.J. 2003. "Three different methods to evaluate microleakage of packable composites in Class II restorations", Oper Dent. 28, 453-460.
- Dejou, J. ; Sindres, V. and Camps, J. 1996. "Influence of criteria on the results of *in vitro* evaluation of microleakage", Dent Mater. 12, 342-9.
- Dennison, J.B. ; Straffon, L.H. and More, F.G. 1990. "Evaluating tooth eruption on sealant efficacy", J Am Dent Assoc. 121, 610-614.
- Duangthip, D. and Lussi, A. 2004. "Effects of application techniques and fissure types on the *in vitro* performance of two fissure sealants", Am J Dent. 17, 137-142.
- Ellis, R.W. ; Latta, M.A. and Westerman, G.H. 1999. "Effect of air abrasion and acid etching on sealant retention: an *in vitro* study", Pediatr Dent. 21, 316-319.
- Feigal, R.J. ; Musherure, P. ; Gillespie, B. ; Levy-Polack, M. ; Quelhas, I. and Hebling, J. 2000. "Improved sealant retention with bonding agents: a clinical study of two-bottle and single bottle systems", J Dent Res. 79, 1850-1856.
- Feigal, R.J. 1998. "Sealant and preventive restorations: review of effectiveness and clinical changes for improvement", Pediatr Dent. 20, 85-92.
- Ferrari, M. ; Davidson, C.L. 1996. "Sealing capacity of a resin-modified glass-ionomer and resin composite placed *in vivo* in Class V restorations", Oper Dent. 21, 69-72.
- Ferrari, M. ; Mannocci, F. ; Vichi, A. and Davidson, C.L. 1997. "Effect of two etching times on the sealing ability of Clearfil Liner Bond 2 in Class V restorations", Am J Dent. 10, 66-70.
- Forss, H. ; Saarni, U.M. and Seppa, L. 1994. "Comparison of glass-ionomer and resin-based fissure sealants: a 2-year clinical trial", Community Dent Oral Epidemiol. 22, 21-24.

- Fors, H. and Halme, E. 1998. "Retention of a glass ionomer cement and a resin-based fissure sealant and effect on carious outcome after 7 years", Community Dent Oral Epidemiol. 26, 21-25.
- Futatsuki, M. ; Kubota, K. ; Yeh, Y.C. ; Park, C. and Moss, S.J. 1995. "Early loss of pit and fissure sealant: a clinical and SEM study", J Clin Pediatr Dent. 19, 99-104.
- Gale, M.S. and Darvell, B.W. 1999. "Thermal cycling procedures for laboratory testing of dental restorations ", J Dent. 27, 89-99.
- Gale, M.S. and Darvell, B.W. and Cheung, G.S.P. 1994. "Three-dimensional reconstruction of microleakage pattern using a sequential grinding technique", J Dent. 22, 370-375.
- Going, R.E. ; Loesche, W.J. ; Grainger, D.A. and Syed, S.A. 1978. "The viability of microorganisms in carious lesions five years after covering with a fissure sealant", J Am Dent Assoc. 97, 455-462.
- Greenwell, A.L. ; Johnsen, D. ; DiSantis, T.A. ; Gerstenmaier, J. and Limbert, N. 1990. "Longitudinal evaluation of caries patterns from the primary to the mixed dentition", Pediatr Dent. 12, 278-282.
- Grobler, S.R. ; Basson, N.J. and Rossouw, R.J. 1996 "Shear bond strength, microleakage and antimicrobial properties of Æitebond", Am J Dent. 9, 120-124.
- Handelman, S.L. ; Leverett, D.H. ; Espeland, M. and Curson, J. 1987. "Retention of sealants over carious and sound tooth surfaces", Community Dent Oral Epidemiol. 15, 1-5.
- Handelman, S.L. ; Washburn, F. and Wopperer, P. 1976. "Two-year report of sealant effect on bacteria in dental caries", J Am Dent Assoc. 93, 967-970.
- Hatibovic-Kofman, S. ; Wright, G.Z. and Braverman, I. 1998. "Microleakage of sealants after conventional, bur, and air-abrasion preparation of pits and fissures", Pediatr Dent. 20, 173-176.

- Hebling, J. and Feigal, R.J. 2000. "Use of one-bottle adhesive as an intermediate bonding layer to reduce sealant microleakage on saliva-contaminated enamel", Am J Dent. 13, 187-191.
- Hodge, D.J. ; Mangum, D.J. and Ward, M.T. 1995. "Relationship between gap width and recurrent dental caries beneath occlusal margins of amalgam restorations", Community Dent Oral Epidemiol. 23, 200-204.
- Irinoda, Y. ; Matsumura, Y. ; Kito, H. ; Nakano, T. ; Toyama, T. ; Nakagaki, H. and *et al.* 2000. "Effect of sealant viscosity on the penetration of resin into etched human enamel", Oper Dent. 25, 274-282.
- Jahangiri, L. ; Wahlers, C. ; Hittelman, E. and Matheson, P. 2005. "Assessment of sensitivity and specificity of clinical evaluation of cast restoration marginal accuracy compared to stereomicroscopy", J Prosthet Dent. 93, 138-142.
- Jensen, O.E. ; Billings, R.J. and Featherstone, J.D. 1990. "Clinical evaluation of Fluroshield pit and fissure sealant", Clin Prev Dent. 12, 24-27.
- Kanellis, M.J. ; Warren, J.J. and Levy, S.M. 2000. "A comparison of sealant placement techniques and 12-month retention rates", J Public Health Dent. 60, 53-56.
- Kaste, L.M. ; Selwitz, R.H. ; Oldakowski, R.J. ; Brunelle, J.A. ; Winn, D.M. and Brown, L.J. 1996. "Coronal caries in the primary and permanent dentition of children and adolescents 1-17 years of age: United States, 1988-1991", J Dent Res. 75 (spec), 631-641.
- Kidd, E.A.M. ; Joyston-Bechal, S. and Beighton, D. 1995. "Marginal ditching and staining as a predictor of secondary caries around amalgam restorations: a clinical and microbiological study". J Dent Res. 74, 1206-1211.

- Llodra, J.C. ; Bravo, M. ; Delgado-Rodriguez, M. ; Baca, P. and Galvez, R. 1993. "Factors influencing the effectiveness of sealants-- a meta-analysis", Community Dent Oral Epidemiol. 21, 261-268.
- Lloyd, B.A. ; McGinley, M.B. and Brown, W.S. 1978. "Thermal stress in teeth", J Dent Res. 57, 571-582.
- Lygidakis, N.A. ; Oulis, K.I. and Christodoulidis, A. 1994. "Evaluation of fissure sealants retention following four different isolation and surface preparation techniques: four years clinical trial", J Clin Pediatr Dent. 19, 23-25.
- Lygidakis, N.A. and Oulis, K.I. 1999. "A comparison of Fluoroshield with Delton fissure sealant: four year result", Pediatr Dent. 21, 429-31.
- Marcushamer, M. ; Neuman, E. ; Garcia-Gordoy, F. 1997. "Fluoridated and nonfluoridated unfilled sealants show similar shear strength", Pediatr Dent. 19, 289-290.
- Mason, P.N. and Ferrari, M. 1994. "*In vivo* evaluation of glass- ionomer cement adhesion to dentin", Quintessence Int. 25, 499-504.
- Mejàre, I. ; Lingstrom, P. ; Petersson, L.G. ; Holm, A.K. ; Twetman, S. ; Källestål, C. and *et al.* 2003. "Caries-preventive effect of fissure sealants: a systematic review", Acta Odontol Scand. 61, 321-330.
- Mertz-Fairhurst, E.J. ; Schuster, G.S. and Fairhurst, C.W. 1986. "Arresting caries by sealants: results of a clinical study", J Am Dent Assoc. 112, 194-197.
- Messer, L.B. ; Calache, H. and Morgan, M.V. 1997. "The retention of pit and fissure sealants placed in primary school children by Dental Health Services, Victoria", Aust Dent J. 42, 233-239.

- Nanekrungsan, K. ; Torut, S. ; Chaoklaiwong, B. and Prasitsilp, M. 2000. "Comparison of microleakage of pit and fissure sealants made in Thai and imported products", J Dent Assoc Thai. 50, 475-481.
- Neme, A.L. ; Evans, D.B. and Maxson, B.B. 2000. "Evaluation of dental adhesive systems with amalgam and resin composite restorations: comparison of microleakage and bond strength results", Oper Dent. 25, 512-519.
- Palmer, D.S. ; Barco, M.T. ; and Billy, E.J. 1992. "Temperature extremes produced orally by hot and cold liquids", J Prosthet Dent. 67, 325-327.
- Park, K. ; Georgescu, M. ; Scherer, W. and Schulman, A. 1993 "Comparison of shear strength, fracture patterns, and microleakage among unfilled, filled, and fluoride-releasing sealants", Pediatr Dent. 15, 418-421.
- Perez-Lajarin, L. ; Cortes-Lillo, O. ; Garcia-Ballesta, C. and Cozar-Hidalgo, A. 2003. "Marginal microleakage of two fissure sealants: a comparative study", ASDC J Dent child. 70, 24-28.
- Peutzfeldt, A. and Nielsen, L.A. 2004. "Bond strength of a sealant to primary and permanent enamel: phosphoric acid versus self-etching adhesive", Pediatr Dent. 26, 240-244.
- Plant, C.G. ; Jones, D.W. ; and Darvell, B.W. 1974. "The heat evolved and temperature attained during setting of restorative materials", Br Dent J. 137, 233-238.
- Poulsen, S. ; Beirut, N. and Sadat, N. 2001. "A comparison of retention and the effect on caries of fissure sealing with a glass-ionomer and a resin-based sealant", Community Dent Oral Epidemiol. 29, 298-301.
- Provenza, V.D. and Seibel, W. 1986. Oral histology: Inheritance and development. Second ed. Philadelphia : Lea and Febiger.

- Raskin, A. ; Tassery, H. ; D'Hoore, W. ; Gonthier, S. ; Vreven, J. ; Degrange, M. and Dejou, J. 2003. "Influence of the number of sections on reliability of *in vitro* microleakage evaluations", Am J Dent, 16, 207-210.
- Shapira, J. ; Fuks, A. ; Chosack, ; Houpt, M. and Eidelman, E. 1990. " Comparative clinical study of autopolymerized and light-polymerized fissure sealants: five year results", Pediatr Dent, 12, 168-169.
- Simonsen, R.J. 1991. "Retention and effectiveness of dental sealant after 15 years", J Am Dent Assoc, 122, 34-42.
- Stavridakis, M.M. ; Favez, V. ; Campos, E.A. and Krejci, I. 2003. "Marginal integrity of pit and fissure sealants. Qualitative and quantitative evaluation of the marginal adaptation before and after *in vitro* thermal and mechanical stressing", Oper Dent, 28, 403-414.
- Straffon, L.H. ; Dennison, J.B. and More, F.G. 1985. "Three-year evaluation of sealant: effect of isolation on efficacy", J Am Dent Assoc, 110, 714-717.
- Straffon, L.H. and Dennison, J.B. 1988. "Clinical evaluation comparing sealant and amalgam after 7 years: final report", J Am Dent Assoc, 117, 751-755.
- Streritt, G.R. ; Frew, R.A. ; Rozier, R.G. and Brunelle, J.A. 1990. "Evaluation of a school-based fluoride mouthrinsing and clinic-based sealant program on a non- fluoridate island", Community Dent Oral Epidemiol, 18, 288-293.
- Swift, E.J.Jr. 1988. "The effect of sealants on dental caries: a review", J Am Dent Assoc, 116, 700-704.
- Symons, A.L. ; Chu, C.Y. and Meyers, I.A. 1996. "The effect of fissure morphology and pretreatment of the enamel surface on penetration and adhesion of fissure sealants", J Oral Rehabil, 23, 791-8.

- Theodoridou-Pahini, S. ; Tolidis, K. and Papadogiannis, Y. 1996. "Degree of microleakage of some pit and fissure sealants: an *in vitro* study", Int J Pediatr Dent. 6, 173-176
- Thylstrup, A. and Poulsen, S. 1976. "Retention and effectiveness of a chemically polymerized pit and fissure sealant after 12 months", Community Dent Oral Epidemiol. 4, 200-204.
- Tsai, Y.H. ; Swartz, M.L. ; Phillips, R.W. and Moore, B.K. 1990. "Comparative study: bond strength and microleakage with dentin bond systems", Oper Dent. 15, 53-60.
- Vineet, D. and Tandon, S. 2000. "Comparative evaluation of marginal integrity of two new fissure sealants using invasive and non-invasive techniques: a SEM study", J Clin Pediatr Dent. 24, 291-297.
- Walsh, L.J. 1996. "Split-mouth study of sealant retention with carbon dioxide laser versus acid etch conditioning", Aust Dent J. 41, 124-127.
- Weerheijm, K.L. ; de Soet, J.J. ; van Amerongen, W.E. and de Graaff, J. 1992. "Sealing of occlusal hidden caries lesions: an alternative for curative treatment?", ASDC J Dent Child. 59, 263-268.
- Weerheijm, K.L. ; de Soet, J.J. ; van Amerongen, W.E. and de Graaff, J. 1993. "The effect of glass-ionomer cement on carious dentine: an *in vivo* study", Caries Res. 27, 417-423.
- Weintraub, J.A. 2001. "Pit and fissure sealants in high-caries-risk individuals ", J Dent Educ. 65, 1084-1090.
- Winkler, M.M. ; Deschepper, E.J. ; Dean, J.A. ; Moore, B.K. ; Cochran, M.A. and Ewoldsen, N. 1996. "Using a resin-modified glass ionomer as an occlusal sealant: a one-year clinical study", J Am Dent Assoc. 127, 1508-1514.